# **NCI Adult Consumer Survey Outcomes**

## Ohio Report

2012-2013 Data





A Collaboration of the National Association of State Directors of Developmental Disabilities Services and Human Services Research Institute

What is NCI?	7		
What is the NCI Adult Consumer Survey?	7		
What topics are covered by the survey?			
How were people selected to participate?	9		
Proxy Respondents	9		
Limitations of Data	9		
What is contained in this report?			
Results: Demographics	11		
GRAPH 1. AVERAGE AGE			
GRAPH 2. GENDER			
GRAPH 3. RACE			
GRAPH 4. ETHNICITY			
GRAPH 5. LEVEL OF ID			
GRAPH 6. MOOD, ANXIETY, BEHAVIOR, PSYCHOTIC, AND OTHER MENTAL ILLNESS*			
GRAPH 7A. OTHER DISABILITIES*			
GRAPH 7B. OTHER DISABILITIES (CONTINUED)*			
GRAPH 8. TYPE OF RESIDENCE			
GRAPH 9. PRIMARY MEANS OF EXPRESSION			
GRAPH 10. PRIMARY LANGUAGE			
GRAPH 11. OVERALL HEALTH			
GRAPH 12. MOBILITY			
GRAPH 13. SUPPORT NEEDED FOR SELF INJUROUS BEHAVIOR			
GRAPH 14. SUPPORT NEEDED FOR DISRUPTIVE BEHAVIOR			
GRAPH 15. SUPPORT NEEDED FOR DESTRUCTIVE BEHAVIOR			
Choice			

2 | NCI Adult Consumer Survey State Outcomes 2012-2013



GRAPH 16. CHOSE HOME	
GRAPH 17. CHOSE ROOMMATES	
GRAPH 18. CHOSE DAY PROGRAM OR REGULAR ACTIVITY	
GRAPH 19. CHOSE STAFF	
GRAPH 20. DECIDES DAILY SCHEDULE	
GRAPH 21. DECIDES HOW TO SPEND FREE TIME	
GRAPH 22. CHOOSES HOW TO SPEND MONEY	
GRAPH 23. CHOSE CASE MANAGER/SERVICE COORDINATOR	
Community Inclusion	
GRAPH 24. WENT OUT SHOPPING IN THE PAST MONTH	
GRAPH 25. AVERAGE TIMES WENT OUT SHOPPING IN THE PAST MONTH	
GRAPH 26. WENT OUT ON ERRANDS IN THE PAST MONTH	
GRAPH 27. AVERAGE TIMES WENT OUT ON ERRANDS IN THE PAST MONTH	
GRAPH 28. WENT OUT FOR ENTERTAINMENT IN THE PAST MONTH	
GRAPH 29. AVERAGE TIMES WENT OUT FOR ENTERTAINMENT IN THE PAST MONTH	
GRAPH 30. WENT OUT TO EAT IN THE PAST MONTH	
GRAPH 31. AVERAGE TIMES WENT OUT TO EAT IN THE PAST MONTH	
GRAPH 32. WENT OUT TO RELIGIOUS SERVICES IN THE PAST MONTH	
GRAPH 33. AVERAGE TIMES WENT OUT TO RELIGIOUS SERVICES IN THE PAST MONTH	
GRAPH 34. WENT OUT FOR EXERCISE IN THE PAST MONTH	
GRAPH 35. AVERAGE TIMES WENT OUT FOR EXERCISE IN THE PAST MONTH	
GRAPH 36. WENT ON VACATION IN THE PAST YEAR	
GRAPH 37. AVERAGE TIMES WENT ON VACATION IN THE PAST YEAR	
Work	
GRAPH 38. HAS A PAID JOB IN THE COMMUNITY	
GRAPH 39. TYPE OF PAID EMPLOYMENT IN THE COMMUNITY	
GRAPH 40. AVERAGE BI-WEEKLY HOURS	
GRAPH 41. AVERAGE BI-WEEKLY GROSS WAGES	
GRAPH 42. AVERAGE BI-WEEKLY HOURLY WAGE	



GRAPH 43. WORKED 10 OF THE LAST 12 MONTHS IN A PAID COMMUNITY JOB		
GRAPH 44. AVERAGE MONTHS AT CURRENT PAID COMMUNITY JOB		
GRAPH 45. RECIEVES BENEFITS AT PAID COMMUNITY JOB		
GRAPH 46. FOUR MOST COMMON FIELDS OF PAID COMMUNITY EMPLOYMENT		
GRAPH 47. WANTS A PAID JOB IN THE COMMUNITY		
GRAPH 48. HAS COMMUNITY EMPLOYMENT AS A GOAL IN SERVICE PLAN		
GRAPH 49. ATTENDS A DAY PROGRAM OR REGULAR ACTIVITY		
GRAPH 50. VOLUNTEERS		
Self-Determination		
GRAPH 51. USES SELF-DIRECTED SUPPORTS		
Relationships		
GRAPH 52. HAS FRIENDS	40	
GRAPH 53. HAS A BEST FRIEND	40	
GRAPH 54. CAN SEE FAMILY		
GRAPH 55. CAN SEE FRIENDS		
GRAPH 56. FEELS LONELY		
GRAPH 57. CAN GO ON A DATE		
GRAPH 58. CAN HELP OTHER PEOPLE		
Satisfaction		
GRAPH 59. LIKES HOME		
GRAPH 60. LIKES NEIGHBORHOOD	45	
GRAPH 61. WANTS TO LIVE SOMEWHERE ELSE		
GRAPH 62. TALKS WITH NEIGHBORS		
GRAPH 63. LIKES DAY PROGRAM OR REGULAR ACTIVITY		
GRAPH 64. WANTS TO GO SOMEWHERE ELSE OR DO SOMETHING ELSE DURING THE DAY		
Service Coordination		
GRAPH 65. MET CASE MANAGER/SERVICE COORDINATOR		
GRAPH 66. CASE MANAGER/SERVICE COORDINATOR ASKS WHAT PERSON WANTS		

4 NCI Adult Consumer Survey State Outcomes 2012-2013



GRAPH 70. HAS HELP NEEDED TO WORK OUT PROBLEMS WITH STAFF       51         GRAPH 71. PERSON HELPED MAKE SERVICE PLAN       52         Access       53         GRAPH 72. GETS NEEDED SERVICES       54         GRAPH 73. STAFF HAVE ADEQUATE TRAINING       54         GRAPH 74. ALWAYS HAS A WAY TO GET PLACES       54         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       55         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       59         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       59         GRAPH 80. HAD AN EVE EXAM OR VISION SCREEENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST THREAS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PAS TEST (IN THE PAST THREAS, WOMEN 40 AND OVER)       61         GRAPH 84. HAD A PAS TEST (IN THE PAST THREAS, WOMEN 40 AND OVER)       61         GRAPH 84. HAD A PAS TEST (IN THE PAST THREAS, WOMEN 40 AND OVER)       61         GRAPH 84. HAD A PAS TEST (IN THE PAST THREAS, WOMEN 40 AND OVER)       61<	GRAPH 67. CASE MANAGER/SERVICE COORDINATOR HELPS GET WHAT PERSON NEEDS	
GRAPH 72. GETS NEEDED SERVICES.       54         GRAPH 73. STAPF HAVE ADEQUATE TRAINING       54         GRAPH 74. AUWAYS HAS A WAY TO GET PLACES.       55         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EVE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST THREE YEARS, WOMEN 40 AND OVER)       60         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST THREE YEARS, WOMEN 40 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA.       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR NEUMONIA.       62         GRAPH 89. ENGAGES IN REGULAR, MODE CATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS.	GRAPH 68. CASE MANAGER/SERVICE COORDINATOR CALLS PERSON BACK RIGHT AWAY	
GRAPII 71. PERSON HIELPED MAKE SERVICE PLAN       52         Access       53         GRAPII 72. CETS NEEDED SERVICES       54         GRAPH 73. STAFF HAVE ADEQUATE TRAINING       54         GRAPH 74. ALWAYS HAS A WAY 10 GET PLACES       55         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A NEVE EXAM OR VISION SCREENING (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 82. HAD A PAT EST (IN THE PAST TYRER)       59         GRAPH 84. HAD A PAST TEST (IN THE PAST TYREAR)       60         GRAPH 84. HAD A PAST TEST (IN THE PAST TYREAR)       60         GRAPH 84. HAD A PAST TEST (IN THE PAST TYREAR)       60         GRAPH 84. HAD A PAST TEST (IN THE PAST TYREAR)       60         GRAPH 84. HAD A PAST TEST (IN THE PAST TYREAR, WOMEN)       60         GRAPH 85. HAD A COLORECTAL CACKER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 85. HAD A ANAMOGRAM (IN THE PAST TYREAR, BEN 50 AND OVER)       62         GRAPH 85. HAD A ACOLORECTAL CACKER SCREEENING (IN THE PAST YEAR, AGE 50 AND OVER)	GRAPH 69. STAFF COME WHEN THEY ARE SUPPOSED TO	51
Access       53         GRAPH 72. GETS NEEDED SERVICES       54         GRAPH 73. STAFF HAVE ADEQUATE TRAINING       54         GRAPH 74. ALWAYS HAS A WAY TO GET PLACES       55         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR IFEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD A NEW E EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 80. HAD A NEW E EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST YEAR)       59         GRAPH 81. HAD A A HEARING TEST (IN THE PAST TEVE YEARS)       59         GRAPH 81. HAD A A MAMOGRAM (IN THE PAST TEVE YEARS)       60         GRAPH 82. HAD A APAT TEST (IN THE PAST TEAR, WOMEN)       60         GRAPH 85. HAD A OLORERTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 85. HAD A FLU VACCINE (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 84. HAD A FLU VACCINE (IN THE PAST YEAR, MEN 50 AND OVER)       62 <td>GRAPH 70. HAS HELP NEEDED TO WORK OUT PROBLEMS WITH STAFF</td> <td>51</td>	GRAPH 70. HAS HELP NEEDED TO WORK OUT PROBLEMS WITH STAFF	51
GRAPH 72. GETS NEEDED SERVICES.       54         GRAPH 73. STAPF HAVE ADEQUATE TRAINING       54         GRAPH 74. AUWAYS HAS A WAY TO GET PLACES.       55         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EVE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST THREE YEARS, WOMEN 40 AND OVER)       60         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST THREE YEARS, WOMEN 40 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA.       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR NEUMONIA.       62         GRAPH 89. ENGAGES IN REGULAR, MODE CATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS.	GRAPH 71. PERSON HELPED MAKE SERVICE PLAN	
GRAPH 73. STAFF HAVE ADEQUATE TRAINING       54         GRAPH 74. ALWAYS HAS A WAY TO GET PLACES       55         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A D RIVAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EVE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 80. HAD AN EVE EXAM (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST TIVE YEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST TIVE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST YEAR, WOMEN)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, WOMEN)       60         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR)       62         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       62         GRAPH 85. HAD A COLORECTAL CANCENT EVARY       62	Access	53
GRAPH 74 ALWAYS HAS A WAY TO GET PLACES       55         GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST TYEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST TWO YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PAP TEST (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLUX VACCINE (IN THE PAST YEAR)       62         Medication       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 72. GETS NEEDED SERVICES	54
GRAPH 75. TYPES OF TRANSPORTATION       55         Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN NUAL PHYSICAL EXAM (IN THE PAST YEAR)       59         GRAPH 81. HAD A DENTAL EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST TYEAR)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 84. HAD A OLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 84. HAD A A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66 <td>GRAPH 73. STAFF HAVE ADEQUATE TRAINING</td> <td>54</td>	GRAPH 73. STAFF HAVE ADEQUATE TRAINING	54
Health       56         GRAPH 76. HAS A PRIMARY CARE DOCTOR       57         GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 82. HAD A PAP TEST (IN THE PAST TWAR, WOMEN 40 AND OVER)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST YEAR, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       62         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       62         GRAPH 84. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65       65      <	GRAPH 74. ALWAYS HAS A WAY TO GET PLACES	55
GRAPH 76. HAS A PRIMARY CARE DOCTOR57GRAPH 77. IN POOR HEALTH57GRAPH 77. IN POOR HEALTH57GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)58GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)58GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)59GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)59GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)59GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)60GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN)60GRAPH 84. HAD A PSA TEST (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)60GRAPH 84. HAD A PSA TEST (IN THE PAST TYCO YEARS, WOMEN 40 AND OVER)61GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)61GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR, MEN 50 AND OVER)61GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA62Medication63GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS64Wellness65GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY66	GRAPH 75. TYPES OF TRANSPORTATION	55
GRAPH 77. IN POOR HEALTH       57         GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)       58         GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)       58         GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENRAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	Health	56
GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)58GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)58GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)59GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)59GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)60GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)60GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)61GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)61GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)62GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA62Medication63GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS64Wellness65GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY66	GRAPH 76. HAS A PRIMARY CARE DOCTOR	57
GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR).       58         GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN).       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA.       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 77. IN POOR HEALTH	
GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)       59         GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)	
GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)       59         GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA.       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)	
GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)       60         GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)	
GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)       60         GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA.       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)	
GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)       61         GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)	60
GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)       61         GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)	60
GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)       62         GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA       62         Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)	61
GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA	GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)	61
Medication       63         GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS       64         Wellness       65         GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY       66	GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)	
GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS	GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA	
Wellness    65      GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY    66	Medication	63
GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY66	GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS	64
	Wellness	65
GRAPH 90. BMI (BODY MASS INDEX)	GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY	
	GRAPH 90. BMI (BODY MASS INDEX)	



GRAPH 91. CHEWS OR SMOKES TOBACCO	67
Respect and Rights	68
GRAPH 92. HOME IS NEVER ENTERED WITHOUT PERMISSION	69
GRAPH 93. BEDROOM IS NEVER ENTERED WITHOUT PERMISSION	69
GRAPH 94. CAN BE ALONE AT HOME WITH VISITORS OR FRIENDS	70
GRAPH 94. CAN BE ALONE AT HOME WITH VISITORS OR FRIENDS GRAPH 95. HAS ENOUGH PRIVACY AT HOME	70
GRAPH 96. MAIL OR EMAIL IS NEVER READ BY OTHERS WITHOUT PERMISSION	71
GRAPH 97. CAN USE PHONE AND INTERNET WITHOUT RESTRICTIONS	
GRAPH 98. STAFF TREAT PERSON WITH RESPECT	
GRAPH 99. HAS PARTICIPATED IN A SELF-ADVOCACY MEETING, CONFERENCE, OR EVENT	72
Safety	73
GRAPH 100. NEVER OR RARELY FEELS AFRAID OR SCARED AT HOME	
GRAPH 101. NEVER OR RARELY FEELS AFRAID OR SCARED IN NEIGHBORHOOD	
GRAPH 102. NEVER OR RARELY FEELS AFRAID OR SCARED AT WORK, DAY PROGRAM OR REGULAR ACTIVITY	75
GRAPH 103. PERSON HAS SOMEONE TO GO TO FOR HELP IF EVER AFRAID	75
Summary	



### What is NCI?

The National Core Indicators (NCI) program is a voluntary effort by state developmental disability agencies to gauge their own performance using a common and nationally validated set of measures. The effort is coordinated by the National Association of State Directors of Developmental Disabilities Services (NASDDDS) in collaboration with the Human Services Research Institute (HSRI). NCI has developed a set of more than 100 standard performance measures (or "indicators") that states use to assess the outcomes of services provided to individuals and their families. These indicators focus on areas such as: employment, rights, service planning, community inclusion, choice, health, and safety. For the 2012-13 data collection cycle, 33 states and 22 sub-state entities participated in NCI.

### What is the NCI Adult Consumer Survey?

The NCI Adult Consumer Survey is an interview conducted with a person who is receiving services from the state; it is used to gather data on approximately 60 consumer outcomes, and it is regularly refined and tested to ensure that it is valid and reliable. Interviewers meet with individuals to ask questions about where they live and work, the kinds of choices they make, the activities they participate in within their communities, their relationships with friends and family, and their health and well-being.

### What topics are covered by the survey?

The National Core Indicators are organized by "domains" or topics. These domains are further broken down into sub-domains, each of which has a statement that indicates the concerns being measured. Each sub-domain includes one or more "indicators" of how the state performs in this area. The table on the following page lists the domains, sub-domains, and concern statements addressed by the NCI Adult Consumer Survey indicators.



Domain	Sub-Domain	Concern Statement
Individual Outcomes	Work	People have support to find and maintain community integrated employment.
	Community Inclusion	People have support to participate in everyday community activities.
	Choice and Decision- Making	People make choices about their lives and are actively engaged in planning their services and supports.
	Self Determination	People have authority and are supported to direct and manage their own services.
	Relationships	People have friends and relationships.
	Satisfaction	People are satisfied with the services and supports they receive.
Health, Welfare, and Rights	Safety	People are safe from abuse, neglect, and injury.
	Health	People secure needed health services.
	Medications	Medications are managed effectively and appropriately.
	Wellness	People are supported to maintain healthy habits.
	Respect/Rights	People receive the same respect and protections as others in the community.
System Performance	Service Coordination	Service coordinators are accessible, responsive, and support the person's participation in service planning.
	Access	Publicly-funded services are readily available to individuals who need and qualify for them.



## How were people selected to participate?

Each state is instructed to attempt to complete a minimum of 400 surveys with a random sample of individuals age 18 or older who are receiving at least one publicly funded service besides case management. A sample size of 400 allows valid comparisons to be made across states with a 95% confidence level and a +/- 5% margin of error. Both the confidence level and margin of error used are widely accepted for reviewing results, regardless of population size. Most states draw a sample greater than 400 to account for refusals and inaccurate contact information.

## **Proxy Respondents**

Proxy responses are allowed only for the background information section of the survey (e.g., demographics) and for Section II (Community Inclusion, Choices, Respect/Rights, and Access to Needed Services), which is based on objective measures. Proxy respondents are used only when the individual cannot complete the survey or chooses to have a proxy respondent. Only people who know the individual well – such as family, friends, or staff – are acceptable respondents. To avoid conflict of interest, service coordinators are not allowed to respond for individuals on their caseloads.

### **Limitations of Data**

The NCI Adult Consumer Survey tool is not intended to be used for monitoring individuals or providers; instead, it assesses system-wide performance. The NCI Average should not be interpreted as necessarily defining "acceptable" levels of performance or satisfaction. Instead, it describes average levels of performance or satisfaction across the states. It is up to public managers, policy-makers, and other stakeholders to decide what is an acceptable or unacceptable result (i.e., scale score or percentage of individuals achieving the indicated outcome).



## What is contained in this report?

This report compares the 2012-13 NCI Adult Consumer Survey demographic and individual outcome results from Ohio to the NCI Average (the average of all state percentages). Twenty-five (25) states and one sub-state entity participated in the Adult Consumer Survey during the 2012-2013 data collection cycle. All results are shown in chart form along with descriptive text to the right of each outcome chart. **Please note,** if a state had fewer than 20 respondents to certain question, the state is excluded from the analysis for that particular question.

State and national data results for the NCI Adult Consumer Survey can also be found online at <u>http://www.nationalcoreindicators.org</u>.




## **Results: Demographics**

Illustrates the demographic profile of survey participants


11 NCI Adult Consumer Survey State Outcomes 2012-2013




#### **GRAPH 1. AVERAGE AGE**




#### **GRAPH 3. RACE**



#### **GRAPH 2. GENDER**




#### **GRAPH 4. ETHNICITY**






#### **GRAPH 5. LEVEL OF ID**




**GRAPH 7A. OTHER DISABILITIES\*** 




#### \*Categories are not mutually exclusive

#### GRAPH 6. MOOD, ANXIETY, BEHAVIOR, PSYCHOTIC, AND OTHER MENTAL ILLNESS\*




#### **GRAPH 7B. OTHER DISABILITIES (CONTINUED)\***







#### **GRAPH 8. TYPE OF RESIDENCE**




#### **GRAPH 10. PRIMARY LANGUAGE**



#### **GRAPH 9. PRIMARY MEANS OF EXPRESSION**




#### **GRAPH 11. OVERALL HEALTH**







#### **GRAPH 12. MOBILITY**




#### **GRAPH 14. SUPPORT NEEDED FOR DISRUPTIVE BEHAVIOR**



#### **GRAPH 13. SUPPORT NEEDED FOR SELF INJUROUS BEHAVIOR**



#### **GRAPH 15. SUPPORT NEEDED FOR DESTRUCTIVE BEHAVIOR**






## Choice


People make choices about their lives and are actively engaged in planning their services and supports.



#### **GRAPH 16. CHOSE HOME**



**GRAPH 17. CHOSE ROOMMATES** 




This graph illustrates that 54% of respondents from Ohio and 50% across NCI states reported that they chose or had some input in choosing where they live.

States ranged between 73% and 20%.


This graph illustrates that 55% of respondents from Ohio and 43% across NCI states reported that they chose or had some input in choosing the people with whom they live.

States ranged between 72% and 15%.

#### **GRAPH 18. CHOSE DAY PROGRAM OR REGULAR ACTIVITY**



**GRAPH 19. CHOSE STAFF** 




This graph illustrates that among respondents with a day program or regular activity, 53% from Ohio and 58% across NCI states reported that they chose or had some input in choosing where they go during the day.

States ranged between 81% and 27%

This chart illustrates that 61% of respondents from Ohio and 62% across NCI states reported that they chose or were aware they could request to change the staff who help them at their home, job, or day program or regular activity.

States ranged between 92% and 14%.


#### **GRAPH 20. DECIDES DAILY SCHEDULE**



#### **GRAPH 21. DECIDES HOW TO SPEND FREE TIME**

This graph illustrates that 73% of respondents from Ohio and 81% across NCI states reported that they decide or have input in choosing their daily schedule.


States ranged between 95% and 50%.




This graph illustrates that 93% of respondents from Ohio and 90% across NCI states reported that they decide or have input in choosing how to spend free time.

States ranged between 97% and 66%.

#### **GRAPH 22. CHOOSES HOW TO SPEND MONEY**



#### **GRAPH 23. CHOSE CASE MANAGER/SERVICE COORDINATOR**



This graph illustrates that 90% of respondents from Ohio and 87% across NCI states reported that they choose or have input in choosing how to spend their money.

States ranged between 96% and 60%.

This graph illustrates that 28% of respondents from Ohio and 60% across NCI states reported that they chose or were aware they could request to change their case manager/service coordinator.

States ranged between 94% and 15%.


## **Community Inclusion**

People have support to participate in everyday community activities.


21 | NCI Adult Consumer Survey State Outcomes 2012-2013



#### **GRAPH 24. WENT OUT SHOPPING IN THE PAST MONTH**



#### GRAPH 25. AVERAGE TIMES WENT OUT SHOPPING IN THE PAST MONTH



This graph illustrates that 75% of respondents from Ohio and 88% across NCI states reported that they went out shopping in the past month.


States ranged between 97% and 75%.

This graph illustrates that respondents from Ohio went out shopping an average of 3.1 times in the past month, and respondents across NCI states went an average of 4.1 times.


States ranged between 7 and 3 times.



#### **GRAPH 26. WENT OUT ON ERRANDS IN THE PAST MONTH**



#### GRAPH 27. AVERAGE TIMES WENT OUT ON ERRANDS IN THE PAST MONTH



This graph illustrates that 53% of respondents from Ohio and 83% across NCI states reported that they went out on errands or for appointments in the past month.


States ranged between 94% and 53%.

This graph illustrates that respondents from Ohio went out on errands or for appointments and average of 1.3 times in the past month, and respondents across NCI states went an average of 2.9 times.


States ranged between 6.5 and 1.1 times.



#### GRAPH 28. WENT OUT FOR ENTERTAINMENT IN THE PAST MONTH



#### GRAPH 29. AVERAGE TIMES WENT OUT FOR ENTERTAINMENT IN THE PAST MONTH



This graph illustrates that 53% of respondents from Ohio and 71% across NCI states reported that they went out for entertainment in the past month.


States ranged between 83% and 53%.

This graph illustrates that respondents from Ohio went out for entertainment an average of 1.5 times in the past month, and respondents across NCI states went an average of 2.6 times.


States ranged between 3.5 and 1.4 times.



#### **GRAPH 30. WENT OUT TO EAT IN THE PAST MONTH**



#### GRAPH 31. AVERAGE TIMES WENT OUT TO EAT IN THE PAST MONTH



This graph illustrates that 75% of respondents from Ohio and 85% across NCI states reported that they went out to eat in the past month.


States ranged between 94% and 75%.

This graph illustrates that respondents from Ohio went out to eat an average of 2.8 times in the past month, and respondents across NCI states went an average of 3.9 times.


States ranged between 7.6 and 2.4 times.



#### **GRAPH 32. WENT OUT TO RELIGIOUS SERVICES IN THE PAST MONTH**



GRAPH 33. AVERAGE TIMES WENT OUT TO RELIGIOUS SERVICES IN THE PAST MONTH



This graph illustrates that 40% of respondents from Ohio and 49% across NCI states reported that they went out to a religious service or spiritual practice in the past month.


States ranged between 71% and 33%.

This graph illustrates respondents from Ohio went out to a religious service or spiritual practice an average of 1.5 times in the past month, and respondents across NCI states went an average of 1.8 times.


States ranged between 1.1 and 2.7 times.



#### **GRAPH 34. WENT OUT FOR EXERCISE IN THE PAST MONTH**



**GRAPH 35. AVERAGE TIMES WENT OUT FOR EXERCISE IN THE PAST MONTH** 



This graph illustrates that 63% of respondents from Ohio and 58% across NCI states reported that they went out for exercise in the past month.


States ranged between 81% and 21%.

This graph illustrates respondents from Ohio went out for exercise an average of 11.1 times in the past month, and respondents across NCI states went an average of 6.9 times.


States ranged between 15.2 and 1.6 times.



#### **GRAPH 36. WENT ON VACATION IN THE PAST YEAR**



#### GRAPH 37. AVERAGE TIMES WENT ON VACATION IN THE PAST YEAR



This graph illustrates that 39% of respondents from Ohio and 46% across NCI states reported that they went out on vacation in the past year.

States ranged between 65% and 18%.

This graph illustrates that respondents from Ohio went out on vacation an average of 0.5 times in the past year and respondents across NCI states went an average of 0.8 times.

States ranged between 1.4 and 0.2 times.




## Work


People have support to find and maintain community integrated employment.



#### **GRAPH 38. HAS A PAID JOB IN THE COMMUNITY**



#### **GRAPH 39. TYPE OF PAID EMPLOYMENT IN THE COMMUNITY**



This graph illustrates that 8% of respondents from Ohio and 15% across NCI states reported they had a paid job in the community.


States ranged between 37% and 4%.

This graph illustrates that among respondents with a paid job in the community, the type of employment support they receive in Ohio and across NCI states are, respectively: 32% and 35% individually-supported, 16% and 33% competitive, and 52% and 32% groupsupported.


States ranged between 70% and 10% for individually-supported, 78% and 7% in competitive, and 69% and 3% in group-supported employment.



#### **GRAPH 40. AVERAGE BI-WEEKLY HOURS**



#### **GRAPH 41. AVERAGE BI-WEEKLY GROSS WAGES**



This graph illustrates that among respondents with a paid job in the community, the average hours they worked at their paid community job in a typical two-week period in Ohio and across NCI states by type of employment is, respectively: 38.1 and 25.4 individually-supported, 36.9 and 26.9 competitive, and 32.1 and 26.5 group-supported.


States ranged between and average of 39.8 and 14.2 hours in individually-supported, 48.0 and 16.2 in competitive, and 40.3 and 12.0 in group-supported employment in a typical two-week period.

This graph illustrates that among respondents with a paid job in the community, the average gross wages they earn from paid community employment in a typical two-week period in Ohio and across NCI states by type of employment is, respectively: \$278.30 and \$186.37 individually-supported, \$276.33 and \$207.62 competitive, and \$260.58 and \$148.35 group-supported.


States ranged between \$347.08 and \$110.43 in individuallysupported, \$344.52 and \$73.86 in competitive, and \$269.21 and \$23.00 in group-supported employment in a typical two-week period.



#### **GRAPH 42. AVERAGE BI-WEEKLY HOURLY WAGE**



#### GRAPH 43. WORKED 10 OF THE LAST 12 MONTHS IN A PAID COMMUNITY JOB



This graph illustrates that among respondents with a paid job in the community, the average hourly wage earned from the paid community job a typical two-week period in Ohio and across NCI states by type of employment is, respectively: \$7.44 and \$8.48 individually-supported, \$7.08 and \$8.15 competitive, and \$8.15 and \$6.44 group-supported.


States ranged between \$15.14 and \$6.60 in individually-supported, \$11.36 and \$5.27 in competitive, and \$8.56 and \$2.89 in groupsupported employment in a typical two-week period.

This graph illustrates that among respondents with a paid job in the community, 85% from Ohio and 81% across NCI states were reported to be working 10 out of the last 12 months in a paid community job.


States ranged between 89% and 69%.



#### **GRAPH 44. AVERAGE MONTHS AT CURRENT PAID COMMUNITY JOB**



#### **GRAPH 45. RECIEVES BENEFITS AT PAID COMMUNITY JOB**



This graph illustrates that among respondents with a paid community job, they worked an average of 56.0 months in Ohio and for an average of 66.2 months across NCI states.


States ranged between and average of 97.0 and 40.2 months.

This graph illustrates that among respondents with a paid community job, 35% from Ohio and 26% across NCI states were reported to receive paid vacation or sick time at their paid community job.


States ranged between 67% and 6%.



#### **GRAPH 46. FOUR MOST COMMON FIELDS OF PAID COMMUNITY EMPLOYMENT**



#### **GRAPH 47. WANTS A PAID JOB IN THE COMMUNITY**




This graph illustrates that the percentage of respondents working in the most common job industries in Ohio and across NCI states are, respectively: 18% and 20% food preparation and service; 38% and 32% building and grounds cleaning or maintenance; 12% and 15% retail; 21% and 7% assembly, manufacturing, or packaging.


This graph illustrates that among respondents without a paid job in the community, 36% from Ohio and 49% across NCI states reported that they would like a paid job in the community.

States ranged between 64% and 33%.

#### **GRAPH 48. HAS COMMUNITY EMPLOYMENT AS A GOAL IN SERVICE PLAN**



#### **GRAPH 49. ATTENDS A DAY PROGRAM OR REGULAR ACTIVITY**



This graph illustrates that 14% of respondents from Ohio and 24% across NCI states were reported to have community employment as a goal in their service plan.


States ranged between 40% and 11%.

This graph illustrates that 88% of respondents from Ohio and 72% across NCI states reported that they attend a day program or regular activity.

States ranged between 96% and 49%.



#### **GRAPH 50. VOLUNTEERS**



This graph illustrates that 27% of respondents from Ohio and 34% across NCI states reported that they do volunteer work.

States ranged between 62% and 20%.




## **Self-Determination**

People have authority and are supported to direct and manage their own services.



## **GRAPH 51. USES SELF-DIRECTED SUPPORTS**



This graph illustrates that 3% of respondents from Ohio and 11% across NCI states were reported to use a self-directed supports option.

States ranged between 71% and 0%.




# **Relationships**


People have friends and relationships.



#### **GRAPH 52. HAS FRIENDS**



**GRAPH 53. HAS A BEST FRIEND** 



This graph illustrates that 89% of respondents from Ohio and 77% across NCI states reported that they have friends other than family or paid staff.


States ranged between 91% and 50%.

This graph illustrates that 83% of respondents from Ohio and 80% across NCI states reported that they have a best friend (who may be family or paid staff).


States ranged between 91% and 61%.



#### **GRAPH 54. CAN SEE FAMILY**



**GRAPH 55. CAN SEE FRIENDS** 



This graph illustrates that 83% of respondents from Ohio and 79% across NCI states reported that they have the support needed to see their family when they want.


States ranged between 88% and 64%.

This graph illustrates that 87% of respondents from Ohio and 78% across NCI states reported that they have the support needed to see their friends when they want.


States ranged between 88% and 55%.



#### **GRAPH 56. FEELS LONELY**



**GRAPH 57. CAN GO ON A DATE** 



This graph illustrates that 44% of respondents from Ohio and 41% across NCI states reported that they feel lonely at least half the time.


States ranged between 85% and 33%.

This graph illustrates that 87% of respondents from Ohio and 84% across NCI states reported that they can date or can date with some restrictions.

States ranged between 97% and 75%.



## **GRAPH 58. CAN HELP OTHER PEOPLE**



This graph illustrates that 96% of respondents from Ohio and 86% across NCI states reported that they can help others if they want to.

States ranged between 96% and 38%.




# **Satisfaction**

People are satisfied with the services and supports they receive.


44 NCI Adult Consumer Survey State Outcomes 2012-2013



#### **GRAPH 59. LIKES HOME**



**GRAPH 60. LIKES NEIGHBORHOOD** 



This graph illustrates that 94% of respondents from Ohio and 90% across NCI states reported that they like their home.


States ranged between 94% and 82%.

This graph illustrates that 87% of respondents from Ohio and 88% across NCI states reported that they like their neighborhood.


States ranged between 93% and 83%.



#### **GRAPH 61. WANTS TO LIVE SOMEWHERE ELSE**



**GRAPH 62. TALKS WITH NEIGHBORS** 



This graph illustrates that 21% of respondents from Ohio and 26% across NCI states reported that they want to live somewhere else.


States ranged between 35% and 11%.

This graph illustrates that 67% of respondents from Ohio and 68% across NCI states reported that they talk with their neighbors at least some of the time.


States ranged between 85% and 55%.



### **GRAPH 63. LIKES DAY PROGRAM OR REGULAR ACTIVITY**



GRAPH 64. WANTS TO GO SOMEWHERE ELSE OR DO SOMETHING ELSE DURING THE DAY



This graph illustrates that among respondents with a day program or regular activity, 89% from Ohio and 90% across NCI states reported that they like their day program or regular activity.

States ranged between 96% and 82%.

This graph illustrates that among respondents with a day program or regular activity, 28% from Ohio and 31% across NCI states reported that they want to go somewhere else or do something else during the day.

States ranged between 42% and 20%.




# **Service Coordination**


Case Managers/Service Coordinators are accessible, responsive, and support the person's participation in service planning.



### **GRAPH 65. MET CASE MANAGER/SERVICE COORDINATOR**



**GRAPH 66. CASE MANAGER/SERVICE COORDINATOR ASKS WHAT PERSON WANTS** 



This graph illustrates that 91% of respondents from Ohio and 94% across NCI states reported that they met their case manager/service coordinator.


States ranged between 99% and 85%.

This graph illustrates that 90% of respondents from Ohio and 87% across NCI states reported their case manager/service coordinator asks them what they want.


States ranged between 98% and 72%.



## ${\it GRAPH~67.}\ {\it CASE~MANAGER/SERVICE~COORDINATOR~HELPS~GET~WHAT~PERSON~NEEDS}$



GRAPH 68. CASE MANAGER/SERVICE COORDINATOR CALLS PERSON BACK RIGHT AWAY



This graph illustrates that 89% of respondents from Ohio and 88% across NCI states reported their case manager/service coordinator helps get them what they need.


States ranged between 97% and 70%.

This graph illustrates that 43% of respondents from Ohio and 75% across NCI states reported that if they leave a message, their case manager/service coordinator calls them back right away.


States ranged between 92% and 43%.



### **GRAPH 69. STAFF COME WHEN THEY ARE SUPPOSED TO**



#### GRAPH 70. HAS HELP NEEDED TO WORK OUT PROBLEMS WITH STAFF



This graph illustrates that 93% of respondents from Ohio and 93% across NCI states reported their staff come when they are supposed to.


States ranged between 98% and 83%.

This graph illustrates that 90% of respondents from Ohio and 91% across NCI states reported that they get the help they need to work out problems with their staff.

States ranged between 96% and 83%.



## **GRAPH 71. PERSON HELPED MAKE SERVICE PLAN**



This graph illustrates that 88% of respondents from Ohio and 85% across NCI states reported that they helped make their service plan.

States ranged between 96% and 50%.




## Access


Publicly-funded services are readily available to individuals who need and qualify for them.



#### **GRAPH 72. GETS NEEDED SERVICES**



**GRAPH 73. STAFF HAVE ADEQUATE TRAINING** 



This graph illustrates that 93% of respondents from Ohio and 82% across NCI states reported that they get all the services they need.


States ranged between 93% and 53%.

This graph illustrates that 94% of respondents from Ohio and 92% across NCI states reported their staff have enough training to meet their needs.


States ranged between 96% and 86%.



### **GRAPH 74. ALWAYS HAS A WAY TO GET PLACES**



**GRAPH 75. TYPES OF TRANSPORTATION** 



This graph illustrates that 94% of respondents from Ohio and 83% across NCI states reported that they always have a way to get places when they want to go somewhere.

States ranged between 94% and 62%.

The chart illustrates the typical modes of transportation used, respectively, by respondents in Ohio and across NCI states: 9% and 11% via specialized transportation; 1% and 4% via taxi; 7% and 14% via public transportation; 47% and 50% via staff in provider vehicle; 25% and 39% receive transport from staff in staff's car; 30% and 52% from family or friends; 9% and 19% transport themselves.




## Health


People secure needed health services.



#### **GRAPH 76. HAS A PRIMARY CARE DOCTOR**



**GRAPH 77. IN POOR HEALTH** 



This graph illustrates that 96% of respondents from Ohio and 98% across NCI states were reported to have a primary care doctor.


States ranged between 100% and 94%.

This graph illustrates that 3% of respondents from Ohio and 4% across NCI states were reported to be in poor health.

States ranged between 7% and 2%.



## GRAPH 78. HAD AN ANNUAL PHYSICAL EXAM (IN THE PAST YEAR)



Had a Dental Exam (in the Past Year)

## GRAPH 79. HAD A DENTAL EXAM (IN THE PAST YEAR)

Ohio

100%

80%

60%


40%

20%

0%

This graph illustrates that 85% of respondents from Ohio and 89% across NCI states were reported to have had a physical exam in the past year.

States ranged between 97% and 63%.




This graph illustrates that 70% of respondents from Ohio and 80% across NCI states were reported to have had a dental exam in the past year.


States ranged between 97% and 62%.

NCI Average

## GRAPH 80. HAD AN EYE EXAM OR VISION SCREENING (IN THE PAST YEAR)



#### GRAPH 81. HAD A HEARING TEST (IN THE PAST FIVE YEARS)




This graph illustrates that 41% of respondents from Ohio and 57% across NCI states were reported to have had an eye exam or vision screening in the past year.

States ranged between 80% and 41%.


This graph illustrates that 44% of respondents from Ohio and 56% across NCI states were reported to have had a hearing test in the past five years.

States ranged between 94% and 30%.

### GRAPH 82. HAD A PAP TEST (IN THE PAST THREE YEARS, WOMEN)



GRAPH 83. HAD A MAMMOGRAM (IN THE PAST TWO YEARS, WOMEN 40 AND OVER)




This graph illustrates that among female respondents, 59% from Ohio and 68% across NCI states were reported to have had a pap test in the past three years.

States ranged between 87% and 32%.


This graph illustrates that among female respondents age 40 and over, 63% from Ohio and 74% across NCI states were reported to have had a mammogram in the past two years.

States ranged between 93% and 37%.

### GRAPH 84. HAD A PSA TEST (IN THE PAST YEAR, MEN 50 AND OVER)



GRAPH 85. HAD A COLORECTAL CANCER SCREENING (IN THE PAST YEAR, AGE 50 AND OVER)



This graph illustrates that among male respondents age 50 and older, 29% from Ohio and 47% across NCI states were reported to have had a PSA test in the past year.


States ranged between 74% and 21%.

This graph illustrates that among respondents age 50 and older, 14% from Ohio and 22% across NCI states were reported to have had a colorectal cancer screening in the past year.


States ranged between 40% and 10%.



### GRAPH 86. HAD A FLU VACCINE (IN THE PAST YEAR)



### **GRAPH 87. HAS EVER BEEN VACCINATED FOR PNEUMONIA**



This graph illustrates that 66% of respondents from Ohio and 76% across NCI states were reported to have had a flu vaccine in the past year.

States ranged between 90% and 47%.

This graph illustrates that 26% of respondents from Ohio and 36% across NCI states were reported to have ever had a pneumonia vaccine.

States ranged between 59% and 18%.




## **Medication**

Medications are managed effectively and appropriately.

63 | NCI Adult Consumer Survey State Outcomes 2012-2013



## GRAPH 88. TAKES AT LEAST ONE MEDICATION FOR MOOD DISORDERS, BEHAVIOR CHALLENGES, ANXIETY, OR PSYCHOTIC DISORDERS



This graph illustrates that 46% of respondents from Ohio and 53% across NCI states were reported to take at least one medication for mood disorders, anxiety, behavior challenges, and/or psychotic disorders.

States ranged between 72% and 32%.




## Wellness


People are supported to maintain healthy habits.



## **GRAPH 89. ENGAGES IN REGULAR, MODERATE PHYSICAL ACTIVITY**



**GRAPH 90. BMI (BODY MASS INDEX)** 



This graph illustrates that 13% of respondents from Ohio and 22% across NCI states were reported to engage in moderate physical activity at least 30 minutes a day three days a week.


States ranged between 42% and 0%.

This graph illustrates that, respectively, respondents from Ohio and across NCI states fall into the following BMI categories: 6% and 6% underweight, 30% and 31% within a normal weight, 28% and 29% overweight, and 35% and 34% obese.

Across all NCI states, percentages ranged from: 9% to 2% underweight, 43% to 23% normal, 33% to 26% overweight, and 46% to 23% obese.



## **GRAPH 91. CHEWS OR SMOKES TOBACCO**



This graph illustrates that 7% of respondents from Ohio and 7% across NCI states were reported to chew or smoke tobacco.

States ranged between 14% and 3%.




# **Respect and Rights**


People receive the same respect and protections as others in the community.



### **GRAPH 92. HOME IS NEVER ENTERED WITHOUT PERMISSION**



#### **GRAPH 93. BEDROOM IS NEVER ENTERED WITHOUT PERMISSION**



This graph illustrates that 90% of respondents from Ohio and 89% across NCI states reported that people always let them know before entering their home.


States ranged between 96% and 80%.

This graph illustrates that 74% of respondents from Ohio and 82% across NCI states reported that people always let them know before entering their bedroom.


States ranged between 92% and 66%.



## **GRAPH 94. CAN BE ALONE AT HOME WITH VISITORS OR FRIENDS**



## **GRAPH 95. HAS ENOUGH PRIVACY AT HOME**



This graph illustrates that 80% of respondents from Ohio and 80% across NCI states reported that they could be alone at home with visitors or friends.


States ranged between 94% and 66%.

This graph illustrates that 94% of respondents from Ohio and 91% across NCI states reported that they have enough privacy at home.


States ranged between 97% and 83%.



## **GRAPH 96. MAIL OR EMAIL IS NEVER READ BY OTHERS WITHOUT PERMISSION**



**GRAPH 97. CAN USE PHONE AND INTERNET WITHOUT RESTRICTIONS** 



This graph illustrates that 93% of respondents from Ohio and 85% across NCI states reported others do not read their mail or email without their permission.


States ranged between 97% and 69%.

This graph illustrates that 90% of respondents from Ohio and 90% across NCI states reported that they can use the phone and internet without restrictions.

States ranged between 97% and 82%.



### **GRAPH 98. STAFF TREAT PERSON WITH RESPECT**



GRAPH 99. HAS PARTICIPATED IN A SELF-ADVOCACY MEETING, CONFERENCE, OR EVENT



This graph illustrates that 93% of respondents from Ohio and 93% across NCI states reported their staff treat them with respect.

States ranged between 97% and 89%.

This graph illustrates that 25% of respondents from Ohio and 31% across NCI states reported that they have participated in a selfadvocacy meeting, conference, or event, or were given the opportunity and chose not to.

States ranged between 44% and 20%.




## **Safety**

People are safe from abuse, neglect, and injury.


73 | NCI Adult Consumer Survey State Outcomes 2012-2013



## **GRAPH 100. NEVER OR RARELY FEELS AFRAID OR SCARED AT HOME**



GRAPH 101. NEVER OR RARELY FEELS AFRAID OR SCARED IN NEIGHBORHOOD



This graph illustrates that 80% of respondents from Ohio and 81% across NCI states reported that they never or rarely feel afraid or scared in their home.


States ranged between 90% and 70%.

This graph illustrates that 84% of respondents from Ohio and 85% across NCI states reported that they never or rarely feel afraid or scared in their neighborhood.


States ranged between 93% and 80%.



## GRAPH 102. NEVER OR RARELY FEELS AFRAID OR SCARED AT WORK, DAY PROGRAM OR REGULAR ACTIVITY



**GRAPH 103. PERSON HAS SOMEONE TO GO TO FOR HELP IF EVER AFRAID** 



This graph illustrates that 87% of respondents from Ohio and 87% across NCI states reported that they never or rarely feel afraid or scared at their work, day program, or regular activity.

States ranged between 94% and 78%.

This graph illustrates that 94% of respondents from Ohio and 92% across NCI states reported that they have someone to go to for help if they ever feel afraid.

States ranged between 97% and 84%





Recommendations/best practices for interpreting results:

- The NCI State Report allows the state to compare its own results against the average across all NCI states reporting for that particular year.
- The NCI State Report will be generated on an annual basis, enabling states to track system-level changes in performance and outcomes over time as well as in relation to the average across all NCI states.

Cautions:

- All the data presented in this report are "raw" data, meaning no statistical testing was performed. For individual state-tostate comparisons, please refer to the 2012-13 NCI Adult Consumer Survey Report, which is posted on the NCI website (http://www.nationalcoreindicators.org).
- A few of these charts show results for questions that had a small number of survey responses (e.g., questions on selfdirected supports). To locate the n's (number of responses) for each question, please review the aforementioned 2012-13 NCI Adult Consumer Survey Report.

To review additional NCI reports, visit <u>http://www.nationalcoreindicators.org</u>.

For further information regarding this State Report, please contact Josh Engler at jengler@hsri.org

