

Adult Consumer Survey

2013-14 Final Report



**NATIONAL CORE
INDICATORS**

A Collaboration of
the National Association of State Directors of
Developmental Disabilities Services
and Human Services Research Institute



Human Services
Research Institute

Human Services Research Institute (HSRI)

2336 Massachusetts Avenue
Cambridge, MA 02140

N A S D D D S

National Association of State Directors of Developmental Disabilities Services

**National Association of State Directors Of
Developmental Disabilities Services
(NASDDDS)**

301 N Fairfax Street
Suite 101
Alexandria, VA 22314-2633

01/09/2015

List of Abbreviations Used in This Report

CIP – Core Indicators Project

CMS – Centers for Medicare & Medicaid Services

HCBS – Home and Community-Based Services

HSRI – Human Services Research Institute

N – Number of respondents

NASDDDS – National Association of State Directors of Developmental Disabilities Services

Contents

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Executive Summary | x |
| I. Results | 1 |
| Survey Development | 2 |
| Organization of the Survey | 2 |
| Demographic Characteristics of Respondents | 4 |
| Profile of Respondents for Overall Sample..... | 5 |
| Table 1. Age* | 5 |
| Table 2. Gender | 6 |
| Table 3. Race | 7 |
| Table 4. Ethnicity | 8 |
| Table 5. Type of Residence | 9 |
| Table 6. Type of Residence (continued) | 10 |
| Table 7. Level of ID* | 11 |
| Table 8. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness | 12 |
| Table 9. Other Disabilities | 13 |
| Table 10. Other Disabilities (continued) | 14 |
| Table 11. Primary Means of Expression* | 15 |
| Table 12. Primary Language | 16 |
| Table 13. Overall Health..... | 17 |
| Table 14. Mobility* | 18 |
| Table 15. Support to Manage Self-Injurious Behavior* | 19 |
| Table 16. Support to Manage Disruptive Behavior* | 20 |
| Table 17. Support to Manage Destructive Behavior* | 21 |
| Core Indicator Outcomes and Comparisons Across States | 22 |
| Table 18. Number of people in each type of residence | 23 |
| Choice and Decision-Making | 24 |
| Table 19. Chose or had some input in choosing where they live if not living at home with family | 25 |
| Table 20. Chose or had some input in choosing their roommates if not in the family home..... | 25 |
| Table 21. Chose or had some input in choosing where they work (among those determined to have a paid community job from the Background Section)* | 26 |
| Table 22. Chose or had some input in choosing where they go during the day (among those with a day program or activity)..... | 26 |
| Table 23. Chose or were aware they could request to change the staff who help them at their home, job, or day program or activity | 27 |
| Table 24. Choose or help decide their daily schedule..... | 27 |
| Table 25. Choose or help decide how to spend free time | 28 |
| Table 26. Choose or help decide what to buy with their money..... | 28 |
| Table 27. Life Decisions Scale..... | 29 |
| Table 28. Everyday Choices Scale..... | 29 |
| Table 29. Chose or were aware they could request to change their case manager/service coordinator | 31 |
| Work | 32 |
| Table 30. Have a paid job in the community* | 34 |
| Table 31. Type of employment among those reported to have a paid job in the community* ** | 35 |
| Table 32. Average number of biweekly hours by type of community employment | 38 |
| Table 33. Average biweekly gross wages by type of community employment* ** | 40 |
| Table 34. Average biweekly hourly wage by type of community employment | 42 |
| Table 35. Worked 10 of the past 12 months in community employment (among those reported to have a job in the community)* | 43 |
| Table 36. Length of employment in current job (among those reported to have a job in the community)* | 46 |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Table 37. Receives paid vacation and/or sick time at their job (among those reported to have a job in the community)* | 48 |
| Table 38. Four most common job types (among those reported to have a job in the community)* | 49 |
| Table 39. Would like a job in the community* (among those without a job; 'yes' responses) | 52 |
| Table 40. Have community employment as a goal in their service plan | 54 |
| Table 41. Attend a day program or regular activity | 56 |
| Table 42. Do volunteer work | 58 |
| Self-Determination..... | 59 |
| Table 43. Using a self-directed supports option* | 61 |
| Table 44. Reported that someone talked with them about their individual budget/services (among those self-directing; 'yes' responses only)* | 62 |
| *Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AZ, CO, DC, GA, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA. | |
| Table 45. Have help deciding how to use their individual budget/services (among those self-directing; 'yes' responses only)* | 62 |
| *Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA. | |
| Table 46. Can make changes to their individual budget/services if they need to (among those self-directing; 'yes' responses only)* | 63 |
| *Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KY, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA. | |
| Table 47. Need more help deciding how to use their budget/services (among those self-directing; 'yes' and 'maybe' responses)* | 64 |
| *Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KY, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA. | |
| Table 48. Receive enough information about their budget/services (among those self-directing; 'yes' responses only)* | 65 |
| *Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KY, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA. | |
| Table 49. Information they receive about their budget/services is easy to understand (among those self-directing; 'yes' responses only)* | 66 |
| Community Inclusion..... | 68 |
| Table 50. Number of times people reported they went out shopping in the past month | 69 |
| Table 51. Number of times people reported they went out on errands in the past month | 69 |
| Table 52. Reported number of times people went out in the past month for entertainment | 70 |
| Table 53. Reported number of times people went out to eat in the past month | 70 |
| Table 54. Number of times people reported they went out to religious services in the past month | 71 |
| Table 55. Number of times people reported they went out for exercise in the past month | 71 |
| Table 56. Number of times people reported they went on vacation in the past year | 72 |
| Table 57. Community Inclusion Scale Score | 72 |
| Relationships..... | 73 |
| Table 58. Have friends who are not staff or family members ('yes' responses only)..... | 75 |
| Table 59. Have a best friend (may be staff or family)..... | 77 |
| Table 60. Have friends (may be staff or family) and the support needed to see their friends when they want ('yes' responses only)..... | 79 |
| Table 61. Have family they see and the support needed to see their family when they want ('yes' responses only)..... | 81 |
| Table 62. Can go on a date if they want or can date with some restriction ('yes, can date' and 'yes, can date with some restriction or rules' responses) | 83 |
| Table 63. Feel lonely at least half the time ('yes' and 'sometimes' responses) | 85 |
| Table 64. Can help other people if they want, at least some of the time ('yes' responses only)..... | 87 |
| Satisfaction..... | 88 |
| Table 65. Like their home ('yes' responses only) | 90 |
| Table 66. Would like to live somewhere else ('yes' responses only)..... | 92 |
| Table 67. Talk with their neighbors at least some of the time ('yes, but not often' and 'yes, often' responses) ... | 94 |

Table 68. Have a paid job in the community and like where they work ('yes' responses only)* 96

Table 69. Have a paid job in the community and want to work somewhere else* ('yes' responses only) 97

Table 70. Attend a day program or activity and likes where they go or what they do ('yes' responses only).....100

Table 71. Attend a day program or activity and want to go someplace else or do something different during the day ('yes' responses only)101

Service Coordination..... 103

Table 72. Met their service coordinator/case manager ('yes' responses only)105

Table 73. Service coordinator/case manager asks them what they want ('yes' responses only)107

Table 74. Service coordinator/case manager helps them get what they need ('yes' responses only)109

Table 75. Service coordinator/case manager calls them back right away ('calls back right away' responses only)111

Table 76. Support workers come when they are supposed to ('yes' responses only)113

Table 77. Get the help they need to work out problems they have with their support workers ('yes' responses only)115

Table 78. Helped make their service plan ('yes' responses only)117

Access..... 118

Table 79. Get the services they need ('yes' responses only).....120

Table 80. Always have a way to get places when they want to go somewhere ('yes' responses only)122

Table 81. Use various types of transportation (not mutually exclusive)123

Table 82. Staff have adequate training to meet person's needs ('yes' responses only)126

Health..... 127

Table 83. Have a primary care doctor*129

Table 84. In poor health ('poor health' response only)131

Table 85. Had a complete physical exam in the past year (within the last year or less responses)133

Table 86. Had a dental exam in the past year (within the last year or less responses).....134

Table 87. Had an eye exam in the past year (within the last year or less responses)136

Table 88. Had a hearing test in the past five years (within five years or less responses).....139

Table 89. Had a Pap test in the past three years (among women; within the past three years or less responses)140

Table 90. Had a mammogram test in the past two years (among women age 40 and over; within the past two years or less responses).....143

Table 91. Had a colorectal cancer screening in the past year (among people age 50 and over; within the last year or less responses)145

Table 92. Had a flu vaccine in the past year (within the last year or less responses)*147

Table 93. Had a pneumonia vaccine*148

Medications..... 150

Table 94. Take medication for at least one of the following: mood disorders, anxiety, behavior problems, and/or psychotic disorder*152

Wellness..... 153

Table 95. Engage in regular physical activity (at least 30 minutes three times a week)155

Table 96. BMI category157

Table 97. Chew or smoke tobacco159

Respect and Rights..... 160

Table 98. People always knock before entering home ('yes' responses only)162

Table 99. People always knock before entering bedroom ('yes' responses only)164

Table 100. Can be alone at home with visitors ('yes' responses only)165

Table 101. Have enough privacy at home ('yes' responses only).....168

Table 102. Others never read their mail without permission ('no' responses only).....170

Table 103. Can use phone and Internet without restriction ('yes, without restriction' response only)172

Table 104. Staff (at home, work, and/or day activity or program) are nice and polite ('yes' responses only) ...174

Table 105. Have attended a self-advocacy event or chose not to ('yes' and 'no, chose not to' responses).....176

Safety..... 177

Table 106. Rarely or never feel scared or afraid in their home ('no' responses)179

Table 107. Rarely or never feel scared or afraid in their neighborhood ('no' responses)181

Table 108. Rarely or never feel scared or afraid at their work or day program ('no' responses)183

Table 109. Have someone to go to for help if they ever feel scared ('yes' responses only).....184

II. NCI History and Activities 186

Overview of National Core Indicators 187

State Participation..... 188

 NCI State Participation 2013-14188

The Core Indicators 188

 Table 110. Adult Consumer Survey Indicators: Domains and Sub-Domains190

How NCI Data Are Used 190

III. Methodology 192

Administration..... 193

Proxy Respondents 193

Surveyor Training 194

Criteria for Exclusion of Responses 195

Sampling..... 196

 Table 111.Valid Surveys and Response Rates by State: 2013-14.....197

IV. Data Analysis 198

Data Management and Analysis 199

Outcome Adjustment 199

Scale Development..... 200

Significance Testing..... 200

V. Appendices 202

Appendix A 203

Rules for Recoding and Combining Variables to Compute Core Indicators..... 203

Appendix B 208

Un-collapsed and unadjusted data by state..... 208

 Table B1. Who chose (or picked) the place where you live? (unadjusted and un-collapsed)209

 Table B2. Did you choose (or pick) the people you live with (or did you choose to live by yourself)? (unadjusted and un-collapsed)210

 Table B3. Who chose (or picked) the place where you work? (unadjusted and un-collapsed).....211

 Table B4. Who chose (or picked) where you go during the day? (unadjusted).....212

 Table B5. Did you choose (did this person choose) the staff who help you at your home, work, day program or activity? (unadjusted)213

 Table B6. Who decides your daily schedule (like when to get up, when to eat, when to go to sleep)? (unadjusted)214

 Table B7. Who decides how you spend your free time (when you are not working, in school, or at the day program)? (unadjusted)215

 Table B8. Do you choose what you buy with your spending money? (unadjusted)216

 Table B9. Did you choose or pick your case manager/service coordinator?217

 Table B10. Person has a paid job in the community218

 Table B11. Job industry219

 Table B12. Job industry (continued)220

 Table B13. Did this person work 10 out of the last 12 months in a community job?.....221

 Table B14. Does this person receive paid vacation and/or sick time at his/her job?.....222

 Table B15. [If no paid community job] Would you like to have a job in the community?.....223

 Table B16. Is community employment a goal in this person's service plan?224

 Table B17. Do you go to a day program or do some other regularly scheduled activity during the day?225

 Table B18. Do you do any volunteer work?226

 Table B19. Is this person currently using a self-directed supports option?227

 Table B20. Does someone talk with you about your budget and the services you can get?228

 Table B21. Is there someone who helps you decide how to use your budget/services?.....229

Table B22. Can you make changes to your budget/services if you need to?.....230

Table B23. Do you want more help deciding how to use your budget/services, or do you have enough help? .231

Table B24. Do you get information about how much money is left in your budget/services?232

Table B25. If you get information about how much money is left in your budget/services, is the information easy to understand?.....233

Table B26. In the past month, did you go shopping?234

Table B27. In the past month, how many times did you go shopping? (unadjusted)235

Table B28. In the past month, did you go out on errands or appointments?236

Table B29. In the past month, how many times did you go out on errands? (unadjusted).....237

Table B30. In the past month, did you go out for entertainment?238

Table B31. In the past month, how many times did you go out for entertainment? (unadjusted)239

Table B32. In the past month, did you go out to a restaurant or coffee shop?240

Table B33. In the past month, how many times did you go out to eat? (unadjusted)241

Table B34. In the past month, did you go out to a religious service or spiritual practice?242

Table B35. In the past month, how many times did you go out to religious services? (unadjusted)243

Table B36. In the past month, did you go out for exercise?244

Table B37. In the past month, how many times did you go out for exercise? (unadjusted)245

Table B38. In the past year, did you go away on a vacation?246

Table B39. In the past year, how many times did you go on vacation? (unadjusted)247

Table B40. Do you have friends you like to talk to or do things with?.....248

Table B41. Do you have a best friend, or someone you are really close to?249

Table B42. Can you see your friends when you want to see them?.....250

Table B43. Can you see your family when you want to see them?251

Table B44. Can you go on a date if you want to?252

Table B45. Do you ever feel lonely?.....253

Table B46. Can you help other people if you want to?254

Table B47. Do you like your home or where you live?255

Table B48. Would you like to live somewhere else?256

Table B49. Do you ever talk with your neighbors?.....257

Table B50. [If paid community job] Do you like working where you work?.....258

Table B51. Would you like to work somewhere else?259

Table B52. If you attend a day program or activity, do you like your day activity?260

Table B53. Would you like to go somewhere else or do something else during the day?.....261

Table B54. Have you met your case manager/service coordinator?262

Table B55. Does your case manager/service coordinator ask you what you want?263

Table B56. If you ask for something, does your case manager/service coordinator help you get what you need?264

Table B57. If you call and leave a message, does your case manager/service coordinator take a long time to call you back, or does s/he call back right away?265

Table B58. Do your staff come when they are supposed to?266

Table B59. If you have problems with your staff, do you get the help you want to fix these problems?267

Table B60. Did you help make your service plan?.....268

Table B61. Do you get the services you need?269

Table B62. When you want to go somewhere, do you always have a way to get there?.....270

Table B63. How do you usually get to places you need to go?.....271

Table B64. Do you feel your support staff have the right training to meet your needs?272

Table B65. Does this person have a primary care doctor?273

Table B66. Overall, how would you describe this person’s health?274

Table B67. When was his/her last complete annual physical exam?275

Table B68. When was his/her last dentist visit?276

Table B69. When was the last time this person had an eye examination/vision screening?277

Table B70. When was the last time this person had a hearing test?278

Table B71. If female, when was her last Pap test screening?279

Table B72. If female, when was her last mammogram?280

Table B73. When was this person’s last colorectal cancer screening (individuals 50 and over)?281

| | |
|---------------------------------------------------------------------------------------------------------------|------------|
| Table B74. During the past 12 months, has this person had a flu vaccination? | 282 |
| Table B75. Has this person ever been vaccinated for pneumonia? | 283 |
| Table B76. Takes medication for mood disorders, anxiety, behavior problems, psychotic disorders | 284 |
| Table B77. Does this person routinely engage in any moderate physical activity? | 285 |
| Table B78. Person’s BMI category | 286 |
| Table B79. Does this person smoke or chew tobacco? | 287 |
| Table B80. Do people let you know before they come into your home? | 288 |
| Table B81. Do people let you know before coming into your bedroom? | 289 |
| Table B82. Can you be alone with friends or visitors at your home, or does someone have to be with you? | 290 |
| Table B83. Do you have enough privacy at home? | 291 |
| Table B84. Do people read your mail or email without asking you first? | 292 |
| Table B85. Are you allowed to use the phone and Internet when you want to? | 293 |
| Table B86. Do your staff treat you with respect? | 294 |
| Table B87. Have you ever participated in a self-advocacy group meeting, conference, or event? | 295 |
| Table B88. Are you ever afraid or scared when you are at home? | 296 |
| Table B89. Are you ever afraid or scared when you are out in your neighborhood? | 297 |
| Table B90. Are you ever afraid or scared at work or at your day program or other activity? | 298 |
| Table B91. If you ever feel afraid, is there someone you can talk to? | 299 |
| Appendix C | 300 |
| State sample strategies | 300 |

Executive Summary

The National Core Indicators (NCI) are standard measures used across states to assess the outcomes of services provided to individuals with intellectual/developmental disabilities and their families. Indicators address key areas such as employment, respect/rights, service planning, community inclusion, choice, and health and safety. The data that result from NCI surveys are often used to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Many states also share the data with stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction.

The NCI Adult Consumer Survey is administered to individuals with a developmental disability who receive at least one service other than case management. Not all states that participate in NCI administer the Adult Consumer Survey on an annual basis. During the 2013-2014 data collection cycle, 40 states including the District of Columbia, and 22 sub-state entities participated in NCI. Of these, 28 states¹, the District of Columbia, and one regional council submitted valid samples of Adult Consumer Survey data. This Final Report provides a summary of those results based on data submitted by June 30, 2014.

The following are NCI national averages for a selection of survey items. Complete breakouts by state for each item in the survey can be found in the Results section of this report.

Demographics of Individuals

Across states the average age of people surveyed was 43 years old, and the majority were male (58%). In terms of race, most were white (71%), and 21% were black/African American. In terms of ethnicity, 4% were Hispanic.

About two-thirds were living in a group home (33%) or at a parent or relative's home (35%); of the remainder, 17% were in their own home, 8% were in foster care or a host home, and 4% were in a specialized institutional facility.

People surveyed were reported as having the following levels of intellectual disability (ID) in the following proportions: 34% mild, 29% moderate, 13% severe, 11% profound, and 8% unknown. A small portion (5%) did not have ID.

¹ Mississippi (MS) and New Mexico (NM) submitted Adult Consumer Survey data, however, the data for those states are not included in the NCI Average because survey administration protocol were not followed. State data for MS and NM can be found in Appendix B.

One-third (33%) were diagnosed with a mood disorder and 31% with a behavioral challenge. One-quarter of people surveyed (25%) had an anxiety disorder and 12% had another mental illness. The most common other diagnoses included seizure disorder (31%), autism spectrum disorder (17%), cerebral palsy (17%), vision and/or hearing impairment (17%), and Down syndrome (11%); 23% had another diagnosis not listed and 13% had no diagnosis other than ID.

Nearly all used either spoken language (76%) or gestures/body language (19%) to communicate; 98% had English as a primary language.

Most individuals were reported to be in either excellent, very good, or fairly good health (12%, 44%, and 39%, respectively). More than three-quarters moved without any aid (77%). In terms of support needed to manage self-injurious behavior, most people needed no support (73%), 19% needed some support, and 6% needed extensive support. Similar proportions were reported for help needed to manage disruptive behavior: 57% none, 31% some, and 10% extensive. More people required support for managing destructive behavior: 71% needed no support, 21% needed some support, and 7% needed extensive support.

Choice and Decision-Making

Fewer than half of the individuals surveyed chose or had input in choosing their home (49%) or their roommates (43%). Most who had a paid community job had at least some input in where they work (81%), while just over half who attended a day program or regular activity had input in choosing where they go (58%). Slightly under two-thirds (64%) chose or were aware they could request to change the staff who help them at home, their job, and/or day program or regular activity. The majority of individuals reported having the autonomy to choose their daily schedule (81%), how to spend free time (89%), and what to buy with their spending money (86%).²

Nearly two-thirds chose or were aware that they could change their case manager/service coordinator (63%).

Employment

Nationally, 16% of individuals were reported to have a paid job in the community; of those, 33% worked in individually supported employment, 34% in competitive employment, and 34% group-supported employment. While people in group-supported work tended to work more hours in a two-week period (32 compared to 24 in individually supported and 28 in competitive), those individuals earned the lowest hourly wage (\$5.69 compared to \$8.33 in individually supported

² Data are risk adjusted. Un-adjusted averages can be found in Appendix B.

and \$8.20 in competitive). Most who were currently working in a paid community job worked at least 10 of the past 12 month in a community job (84%). On average, people had been at their current place of employment for 69 months; on average, one-quarter (25%) received sick or vacation time at their paid community job. Of those without a paid community job, 49% reported they would like one. Overall, 25% of respondents were reported to have integrated employment as a goal in their service plan.

Across states, 71% of individuals reported they go to a day program or regular activity and 32% do volunteer work.

Self-Direction

Less than one-tenth of people surveyed were using a self-directing waiver (8%). Of those using a self-direction option, most reported that there is someone who talks with them about the budget and services available (78%), that someone helps them decide how to use the budget and services (89%), and that they can make changes to their budget or services if needed (82%). Less than one-third (29%) indicated they would like more help in deciding how to use their budget and services. Of the 77% of individuals who reported they receive information about their individual budget and services, 71% indicated that the information they receive is easy to understand.

Community Inclusion

Across states, in the past month surveyed individuals had gone out in the community for: shopping (four times), errands (three times), entertainment (three times), and to eat (four times). Respondents went out to a religious service or spiritual practice an average of two times in the past month. On average, individuals went out in the community for exercise 7 times in the past month. In the past year, individuals went on an average of one vacation.³

Relationships

Nationally, three-quarters of individuals surveyed (76%) had friends other than paid staff or family, and more than three-quarters (79%) reported having a best friend. Most reported they were always able to see friends and family when they wanted (78% and 80%, respectively). Most (83%) could date or date with some restriction. More than one-third reported that they feel lonely at least half the time (40%). Most were able to help others if they wanted (86%).

³ Data are risk adjusted. Un-adjusted averages can be found in Appendix B.

Satisfaction

The majority of people surveyed indicated that they like where they live (90%) while one-quarter (26%) reported they would like to live somewhere else; about two-thirds reported they talk with their neighbors at least some of the time (65%). Nearly all who had a paid community job liked where they work (93%), but 30% indicated they would like to work somewhere else. Most who attended a day program or regular activity reported that they like where they go (88%); 34% would like to go somewhere else or do something else during the day.

Service Coordination

Nearly all people surveyed had met their case manager (95%). Most reported that their case manager asks them what they want (88%) and helps them get what they need (88%); three-quarters (75%) reported that if they leave a message the case manager calls back right away. The majority of individuals with staff (at home, at their job, or at their day program or regular activity) indicated that staff come when they are supposed to (94%) and that they have the help needed to fix problems with staff (92%). Most reported that they helped make their service plan (87%).

Access

Across states, most individuals felt they received all the services and supports they need (82%), and that they always have a way to get to the place they want to go (84%). Most also felt that their staff have the right training to meet their needs (93%).

Health

Nearly all people surveyed were reported to have a primary care doctor (98%), and only 5% were reported as being in poor health. In the past year, most had an annual physical exam (88%), dental visit (79%), and eye exam or vision screening (59%); nearly two-thirds had a hearing test in the past five years (65%).

More than two-thirds of women had a pap test in the past three years (67%) and three-quarters of women 40 and over had a mammogram in the past two years (75%). Less than one-fifth (19%) of individuals 50 and over had a colorectal cancer screening in the past year.

More than three-quarters of individuals (78%) had a flu vaccine in the past year, and more than one-third (41%) had been vaccinated for pneumonia at some point in their lives.

Medication

Over half of the individuals surveyed (55%) were reported to take at least one medication to treat mood disorders, anxiety, behavior challenges, and/or psychotic disorders.

Wellness

Nearly one-quarter (22%) of individuals were reported to engage in regular physical activity. The BMI of individuals across states was: 5% underweight, 33% normal weight, 29% overweight, and 33% obese. Less than one-tenth (7%) chewed or smoked tobacco.

Respect and Rights

Most people surveyed reported that others always get their permission before entering their home (89%) or bedroom (83%). More than three-quarters (77%) could be alone at home with visitors; 91% felt they had enough privacy at home. Most never had their mail or email opened without their permission (86%), and 89% could use the phone and Internet without restriction. Most felt that staff treated them with respect (93%). One-third (33%) had attended a self-advocacy meeting, conference, or event—or else had the opportunity to go and chose not to.

Safety

The majority of people surveyed reported that they never felt afraid or scared in their home (82%), in their neighborhood (83%), or at their work or day program or regular activity (86%). Most also reported they have someone to go to if they ever feel afraid or scared (93%).

I. Results

This section briefly describes the structure of the survey instrument and presents the results of the most recent data collection cycle.

Survey Development

The Adult Consumer Survey was initially developed by a technical advisory subcommittee for the purpose of collecting information directly from individuals with developmental disabilities and their families or advocates. The survey is designed to measure more than half of the original 60 core indicators. Many questions were drawn from survey instruments already in use in the field; others were developed specifically for NCI. NCI staff routinely test and refine the instrument based on feedback from surveyors.

Most participating states use the basic survey tool developed by the project. However, some states opt to incorporate additional survey questions to look more deeply at specific issues. The addition of supplementary questions is typically done after a state participates in NCI for at least a year and establishes baseline results.

Organization of the Survey

The Adult Consumer Survey consists of a pre-survey form, three distinct survey sections, and a surveyor feedback form. Each is described below.

Pre-Survey Information: This form has questions that help the surveyor prepare for the meeting and administer survey questions. Pre-Survey information is for state use only; HSRI does not receive it, and it is not included in this report.

Background Information: This section consists of questions about demographics, residence, health, employment status, and services and supports. Data is generally collected from state records, case managers, or a combination of both.

Section I: This section attempts to determine the individual's level of satisfaction and opinions. It may *only* be completed through a direct meeting with the individual receiving services.

Section II: This section contains questions that are answered by a direct meeting with the individual when possible. If the person is unable to respond or does not want to respond, a proxy who knows the person well may be used. Case managers or service coordinators are not allowed to respond to these questions on the individual's behalf.

Surveyor Feedback Sheet: This form is used by the surveyor to record information such as the length of the NCI meeting with the individual and any problematic questions encountered.

Presentation of Data

The following two subsections of this report detail results from the 2013-14 data collection cycle. Demographic results are presented first, shown in tables where states are listed alphabetically. Results are then displayed for all Adult Consumer Survey outcome items. These are grouped by domain and are presented in both chart and table form.

Demographic Characteristics of Respondents

Twenty-eight (28) states⁴, one regional council, and the District of Columbia administered the Adult Consumer Survey in 2013-2014 and submitted valid samples for analysis. All told, survey information was collected on a total of 15,525 individuals. The NCI participants represented are: Alabama (AL), Arkansas (AR), Arizona (AZ), Colorado (CO), Connecticut (CT), the District of Columbia (DC), Florida (FL), Georgia (GA), Hawaii (HI), Illinois (IL), Indiana (IN), Kansas (KS), Kentucky (KY), Louisiana (LA), Massachusetts (MA), Maryland (MD), Maine (ME), Mid East Ohio Regional Council (MEORC), Minnesota (MN), Missouri (MO), North Carolina (NC), New Jersey (NJ), New York (NY), Ohio (OH), Oklahoma (OK), Pennsylvania (PA), South Carolina (SC), Tennessee (TN), Utah (UT), and Virginia (VA).

This section presents descriptive information on the respondents surveyed, including an aggregate demographic profile. The tables on the following pages illustrate respondent characteristics by state and include the NCI Average (the average of all states' means). Demographic information used for outcome adjustment is noted with an asterisk (*).

⁴ Mississippi (MS) and New Mexico (NM) submitted Adult Consumer Survey data, however, the data for those states are not included in the NCI Average because survey administration protocol were not followed. State data for MS and NM can be found in Appendix B.

Profile of Respondents for Overall Sample

Table 1. Age*

| State | Mean | Min | Max | Standard Deviation | Median | N |
|--------------------|-----------|-----------|-----------|--------------------|-----------|---------------|
| AL | 46 | 20 | 79 | 14 | 45 | 400 |
| AR | 40 | 19 | 83 | 15 | 38 | 399 |
| AZ | 35 | 18 | 84 | 14 | 31 | 471 |
| CO | 45 | 20 | 91 | 14 | 44 | 399 |
| CT | 47 | 18 | 94 | 17 | 48 | 402 |
| DC | 49 | 23 | 87 | 14 | 49 | 191 |
| FL | 39 | 18 | 94 | 14 | 37 | 1,499 |
| GA | 41 | 20 | 83 | 14 | 40 | 481 |
| HI | 41 | 19 | 86 | 16 | 39 | 407 |
| IL | 43 | 19 | 84 | 14 | 41 | 359 |
| IN | 35 | 18 | 90 | 16 | 30 | 428 |
| KS | 42 | 18 | 80 | 15 | 42 | 419 |
| KY | 40 | 18 | 82 | 14 | 37 | 450 |
| LA | 42 | 19 | 81 | 15 | 42 | 444 |
| MA | 47 | 21 | 95 | 15 | 47 | 527 |
| MD | 44 | 21 | 92 | 15 | 44 | 387 |
| ME | 46 | 21 | 89 | 16 | 46 | 396 |
| MEORC | 43 | 19 | 90 | 15 | 44 | 443 |
| MN | 41 | 18 | 89 | 17 | 38 | 406 |
| MO | 49 | 21 | 94 | 14 | 49 | 511 |
| NC | 42 | 18 | 91 | 15 | 41 | 719 |
| NJ | 43 | 22 | 81 | 13 | 44 | 462 |
| NY | 44 | 18 | 95 | 17 | 43 | 437 |
| OH | 42 | 19 | 96 | 15 | 42 | 417 |
| OK | 49 | 18 | 80 | 11 | 49 | 986 |
| PA | 43 | 19 | 94 | 16 | 42 | 687 |
| SC | 44 | 20 | 79 | 13 | 43 | 403 |
| TN | 47 | 20 | 84 | 14 | 47 | 405 |
| UT | 38 | 18 | 83 | 14 | 37 | 413 |
| VA | 46 | 18 | 87 | 15 | 48 | 920 |
| NCI Average | 43 | 18 | 96 | 15 | 43 | 15,268 |

*Data are used for risk adjustment

Table 2. Gender

| State | Male | Female | N |
|--------------------|------------|------------|---------------|
| AL | 56% | 44% | 400 |
| AR | 58% | 42% | 395 |
| AZ | 58% | 42% | 469 |
| CO | 54% | 46% | 398 |
| CT | 58% | 42% | 402 |
| DC | 64% | 36% | 180 |
| FL | 59% | 41% | 1,495 |
| GA | 62% | 38% | 479 |
| HI | 58% | 42% | 406 |
| IL | 59% | 41% | 358 |
| IN | 59% | 41% | 426 |
| KS | 57% | 43% | 416 |
| KY | 58% | 42% | 444 |
| LA | 57% | 43% | 444 |
| MA | 52% | 48% | 526 |
| MD | 57% | 43% | 385 |
| ME | 52% | 48% | 395 |
| MEORC | 54% | 46% | 441 |
| MN | 58% | 42% | 406 |
| MO | 63% | 37% | 510 |
| NC | 60% | 40% | 721 |
| NJ | 59% | 41% | 461 |
| NY | 55% | 45% | 437 |
| OH | 55% | 45% | 417 |
| OK | 60% | 40% | 986 |
| PA | 57% | 43% | 684 |
| SC | 61% | 39% | 402 |
| TN | 61% | 39% | 405 |
| UT | 58% | 42% | 413 |
| VA | 56% | 44% | 910 |
| NCI Average | 58% | 42% | 15,211 |

Table 3. Race

| State | American Indian or Alaska Native | Asian | Black or African-American | Pacific Islander | White | Other Race Not Listed | Two or More Races | Don't Know | N |
|--------------------|----------------------------------|-----------|---------------------------|------------------|------------|-----------------------|-------------------|------------|---------------|
| AL | 0% | 0% | 34% | 1% | 64% | 1% | 1% | 0% | 399 |
| AR | 0% | 0% | 20% | 0% | 75% | 2% | 2% | 0% | 394 |
| AZ | 6% | 1% | 7% | 1% | 68% | 11% | 0% | 6% | 456 |
| CO | 1% | 1% | 4% | 0% | 76% | 8% | 2% | 9% | 398 |
| CT | 1% | 1% | 10% | 0% | 81% | 6% | 1% | 2% | 400 |
| DC | 0% | 1% | 86% | 0% | 12% | 1% | 0% | 1% | 151 |
| FL | 0% | 1% | 26% | 0% | 68% | 4% | 1% | 1% | 1,494 |
| GA | 0% | 1% | 50% | 0% | 48% | 1% | 0% | 0% | 480 |
| HI | 0% | 49% | 2% | 17% | 19% | 3% | 10% | 0% | 405 |
| IL | 1% | 1% | 24% | 0% | 71% | 2% | 1% | 0% | 356 |
| IN | 0% | 1% | 9% | 0% | 84% | 1% | 2% | 2% | 425 |
| KS | 1% | 0% | 5% | 0% | 90% | 3% | 1% | 1% | 418 |
| KY | 0% | 0% | 10% | 0% | 88% | 0% | 1% | 0% | 446 |
| LA | 0% | 0% | 41% | 0% | 57% | 1% | 0% | 0% | 443 |
| MA | 0% | 1% | 7% | 0% | 86% | 4% | 1% | 0% | 526 |
| MD | 0% | 2% | 35% | 0% | 61% | 1% | 0% | 1% | 388 |
| ME | 1% | 0% | 1% | 0% | 96% | 0% | 1% | 1% | 392 |
| MEORC | 2% | 0% | 2% | 0% | 95% | 0% | 1% | 0% | 443 |
| MN | 1% | 4% | 5% | 0% | 89% | 0% | 0% | 1% | 404 |
| MO | 0% | 0% | 11% | 0% | 87% | 0% | 0% | 0% | 509 |
| NC | 1% | 1% | 34% | 0% | 63% | 1% | 1% | 0% | 725 |
| NJ | 0% | 4% | 22% | 0% | 68% | 5% | 0% | 0% | 448 |
| NY | 0% | 3% | 15% | 0% | 73% | 6% | 1% | 1% | 436 |
| OH | 1% | 1% | 17% | 0% | 79% | 2% | 1% | 0% | 417 |
| OK | 8% | 0% | 13% | 0% | 77% | 1% | 1% | 0% | 986 |
| PA | 1% | 1% | 10% | 0% | 83% | 2% | 1% | 2% | 671 |
| SC | 0% | 0% | 61% | 0% | 37% | 0% | 0% | 0% | 403 |
| TN | 0% | 0% | 26% | 0% | 72% | 0% | 0% | 0% | 404 |
| UT | 2% | 0% | 1% | 0% | 89% | 4% | 1% | 1% | 413 |
| VA | 1% | 1% | 31% | 0% | 64% | 2% | 0% | 1% | 851 |
| NCI Average | 1% | 3% | 21% | 1% | 71% | 2% | 1% | 1% | 15,081 |

Table 4. Ethnicity

| State | Non-Hispanic | Hispanic | Don't Know | N |
|--------------------|--------------|-----------|------------|---------------|
| AL | 99% | 1% | 0% | 400 |
| AR | 98% | 2% | 0% | 394 |
| AZ | 71% | 25% | 4% | 470 |
| CO | 80% | 12% | 9% | 398 |
| CT | 90% | 8% | 3% | 400 |
| DC | 96% | 1% | 3% | 140 |
| FL | 84% | 15% | 1% | 1,491 |
| GA | 99% | 1% | 0% | 479 |
| HI | 98% | 2% | 0% | 407 |
| IL | 95% | 4% | 1% | 358 |
| IN | 96% | 3% | 2% | 426 |
| KS | 95% | 3% | 1% | 412 |
| KY | 99% | 0% | 0% | 443 |
| LA | 98% | 0% | 1% | 443 |
| MA | 92% | 7% | 1% | 526 |
| MD | 96% | 1% | 3% | 388 |
| ME | 98% | 2% | 1% | 391 |
| MEORC | 99% | 0% | 1% | 440 |
| MN | 98% | 2% | 0% | 406 |
| MO | 99% | 1% | 0% | 510 |
| NC | 98% | 1% | 1% | 722 |
| NJ | 91% | 9% | 0% | 456 |
| NY | 89% | 10% | 1% | 436 |
| OH | 99% | 1% | 0% | 417 |
| OK | 99% | 1% | 0% | 986 |
| PA | 96% | 2% | 2% | 672 |
| SC | 98% | 0% | 2% | 401 |
| TN | 99% | 0% | 1% | 400 |
| UT | 93% | 6% | 0% | 411 |
| VA | 96% | 2% | 2% | 845 |
| NCI Average | 95% | 4% | 1% | 15,068 |

Table 5. Type of Residence

| State | Public Specialized Institutional Facility For People w/ ID/DD (16 or More Residents) | Private Specialized Institutional Facility For People w/ ID/DD (16 or More Residents) | Specialized Institutional Facility For People w/ ID/DD - Public or Private Unknown | Group Home 1-3 People w/ Disabilities or Agency Operated Apartment | Group Home 4-6 People w/ Disabilities | Group Home 7-15 People w/ Disabilities | N |
|--------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------|----------------------------------------|---------------|
| AL | 0% | 0% | 0% | 34% | 8% | 10% | 398 |
| AR | 16% | 1% | 0% | 2% | 2% | 7% | 377 |
| AZ | 0% | 0% | 0% | 15% | 9% | 0% | 466 |
| CO | 0% | 0% | 0% | 7% | 9% | 7% | 398 |
| CT | 7% | 0% | 0% | 10% | 31% | 4% | 387 |
| DC | 0% | 0% | 2% | 30% | 17% | 1% | 263 |
| FL | 0% | 0% | 0% | 2% | 21% | 4% | 1,482 |
| GA | 0% | 0% | 0% | 23% | 15% | 0% | 459 |
| HI | 0% | 0% | 0% | 3% | 12% | 0% | 407 |
| IL | 0% | 0% | 0% | 4% | 22% | 21% | 357 |
| IN | 0% | 0% | 0% | 8% | 1% | 0% | 417 |
| KS | 0% | 0% | 0% | 15% | 22% | 6% | 407 |
| KY | 2% | 1% | 1% | 31% | 2% | 3% | 444 |
| LA | 5% | 20% | 0% | 0% | 12% | 12% | 444 |
| MA | 0% | 0% | 0% | 11% | 45% | 2% | 526 |
| MD | 0% | 0% | 0% | 31% | 10% | 2% | 384 |
| ME | 0% | 0% | 0% | 28% | 16% | 1% | 392 |
| MEORC | 0% | 2% | 0% | 6% | 10% | 4% | 429 |
| MN ⁵ | 0% | 2% | 0% | 0% | 0% | 0% | 404 |
| MO | 11% | 1% | 0% | 8% | 13% | 9% | 506 |
| NC | 15% | 0% | 1% | 8% | 16% | 0% | 638 |
| NJ | 0% | 0% | 0% | 16% | 35% | 2% | 453 |
| NY | 0% | 0% | 0% | 4% | 23% | 24% | 410 |
| OH | 2% | 2% | 0% | 8% | 13% | 3% | 408 |
| OK | 0% | 1% | 0% | 1% | 7% | 1% | 985 |
| PA | 3% | 1% | 0% | 17% | 10% | 1% | 585 |
| SC | 0% | 0% | 0% | 5% | 21% | 4% | 398 |
| TN | 3% | 0% | 0% | 27% | 5% | 5% | 403 |
| UT | 5% | 0% | 0% | 22% | 8% | 1% | 412 |
| VA | 8% | 0% | 2% | 7% | 28% | 6% | 842 |
| NCI Average | 3% | 1% | 0% | 13% | 15% | 5% | 14,881 |

⁵ MN's "foster care" was recoded to "community-based residence." MN's "adult foster care" is most similar to group home.

Table 6. Type of Residence (continued)

| State | Independent Home or Apartment, or Shared w/ Roommate | Parent or Relative's Home | Foster Care or Host Home | Other | Don't Know | N |
|--------------------|------------------------------------------------------|---------------------------|--------------------------|-----------|------------|---------------|
| AL | 10% | 36% | 1% | 1% | 0% | 398 |
| AR | 29% | 31% | 4% | 7% | 0% | 377 |
| AZ | 4% | 62% | 8% | 2% | 0% | 466 |
| CO | 11% | 25% | 40% | 2% | 1% | 398 |
| CT | 15% | 28% | 2% | 3% | 0% | 387 |
| DC | 19% | 22% | 2% | 6% | 0% | 263 |
| FL | 18% | 53% | 1% | 2% | 0% | 1,482 |
| GA | 9% | 39% | 13% | 0% | 0% | 459 |
| HI | 5% | 53% | 27% | 1% | 0% | 407 |
| IL | 8% | 40% | 1% | 4% | 0% | 357 |
| IN | 28% | 61% | 2% | 0% | 0% | 417 |
| KS | 26% | 27% | 3% | 1% | 0% | 407 |
| KY | 7% | 41% | 11% | 2% | 0% | 444 |
| LA | 18% | 33% | 0% | 1% | 0% | 444 |
| MA | 13% | 17% | 10% | 2% | 0% | 526 |
| MD | 10% | 42% | 2% | 1% | 1% | 384 |
| ME | 16% | 19% | 14% | 6% | 0% | 392 |
| MEORC | 32% | 42% | 3% | 1% | 0% | 429 |
| MN ⁶ | 8% | 32% | 50% | 8% | 0% | 404 |
| MO | 47% | 8% | 1% | 1% | 0% | 506 |
| NC | 7% | 41% | 6% | 5% | 0% | 638 |
| NJ | 1% | 37% | 8% | 0% | 0% | 453 |
| NY | 10% | 31% | 2% | 4% | 0% | 410 |
| OH | 20% | 48% | 3% | 1% | 0% | 408 |
| OK | 81% | 2% | 7% | 0% | 0% | 985 |
| PA | 11% | 45% | 2% | 9% | 1% | 585 |
| SC | 10% | 46% | 2% | 11% | 2% | 398 |
| TN | 28% | 29% | 4% | 0% | 0% | 403 |
| UT | 16% | 40% | 7% | 0% | 0% | 412 |
| VA | 4% | 24% | 10% | 11% | 0% | 842 |
| NCI Average | 17% | 35% | 8% | 3% | 0% | 14,881 |

⁶ MN's "foster care" was recoded to "community-based residence." MN's "adult foster care" is most similar to group home.

Table 7. Level of ID*

| State | No ID | Mild | Moderate | Severe | Profound | Unspecified | Unknown | N |
|--------------------|-----------|------------|------------|------------|------------|-------------|-----------|---------------|
| AL | 0% | 31% | 40% | 18% | 11% | 0% | 1% | 400 |
| AR | 4% | 29% | 27% | 15% | 18% | 2% | 6% | 396 |
| AZ | 9% | 31% | 41% | 13% | 3% | 2% | 2% | 457 |
| CO | 0% | 42% | 27% | 11% | 10% | 7% | 3% | 397 |
| CT | 0% | 44% | 28% | 18% | 10% | 0% | 1% | 399 |
| DC | 1% | 29% | 25% | 13% | 20% | 1% | 12% | 174 |
| FL | 10% | 23% | 34% | 14% | 7% | 3% | 8% | 1,466 |
| GA | 1% | 29% | 34% | 14% | 11% | 8% | 1% | 476 |
| HI | 4% | 16% | 44% | 18% | 16% | 0% | 1% | 407 |
| IL | 4% | 38% | 27% | 11% | 13% | 1% | 6% | 355 |
| IN | 7% | 41% | 23% | 9% | 8% | 6% | 6% | 422 |
| KS | 3% | 44% | 28% | 14% | 5% | 2% | 3% | 409 |
| KY | 5% | 42% | 29% | 12% | 7% | 4% | 2% | 446 |
| LA | 8% | 28% | 22% | 12% | 26% | 2% | 1% | 443 |
| MA | 1% | 40% | 24% | 11% | 2% | 7% | 15% | 516 |
| MD | 7% | 26% | 28% | 13% | 7% | 5% | 13% | 383 |
| ME | 1% | 42% | 27% | 11% | 8% | 5% | 6% | 394 |
| MEORC | 9% | 45% | 29% | 8% | 3% | 4% | 2% | 440 |
| MN | 0% | 38% | 31% | 14% | 11% | 0% | 7% | 404 |
| MO | 9% | 33% | 19% | 19% | 15% | 4% | 2% | 508 |
| NC | 2% | 23% | 31% | 18% | 21% | 1% | 4% | 721 |
| NJ | 14% | 30% | 22% | 6% | 2% | 19% | 7% | 446 |
| NY | 6% | 41% | 26% | 13% | 11% | 1% | 2% | 432 |
| OH | 12% | 38% | 33% | 7% | 5% | 2% | 2% | 417 |
| OK | 0% | 34% | 21% | 18% | 26% | 1% | 0% | 986 |
| PA | 1% | 45% | 30% | 12% | 7% | 2% | 3% | 670 |
| SC | 3% | 29% | 28% | 15% | 5% | 1% | 20% | 396 |
| TN | 0% | 30% | 31% | 13% | 12% | 2% | 11% | 405 |
| UT | 13% | 41% | 18% | 13% | 14% | 1% | 1% | 410 |
| VA | 5% | 21% | 33% | 19% | 20% | 1% | 2% | 869 |
| NCI Average | 5% | 34% | 29% | 13% | 11% | 3% | 5% | 15,044 |

*Data are used for risk adjustment

Table 8. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness⁷

| State | Mood Disorder | Anxiety Disorder | Behavior Challenges | Psychotic Disorder | Other Mental Illness or Psychiatric Diagnosis |
|--------------------|---------------|------------------|---------------------|--------------------|-----------------------------------------------|
| AL | 27% | 16% | 24% | 18% | 8% |
| AR | 32% | 30% | 32% | 15% | 16% |
| AZ | 29% | 27% | 38% | 10% | 9% |
| CO | 40% | 30% | 33% | 9% | 15% |
| CT | 33% | 28% | 42% | 14% | 13% |
| DC | 33% | 20% | 43% | 29% | 24% |
| FL | 25% | 25% | 29% | 14% | 5% |
| GA | 26% | 17% | 32% | 20% | 11% |
| HI | 12% | 9% | 12% | 7% | 3% |
| IL | 33% | 20% | 31% | 15% | 14% |
| IN | 27% | 24% | 34% | 9% | 9% |
| KS | 48% | 34% | 50% | 21% | 18% |
| KY | 49% | 35% | 38% | 17% | 25% |
| LA | 30% | 19% | 31% | 16% | 8% |
| MA | 42% | 47% | 31% | 15% | 10% |
| MD | 25% | 18% | 30% | 8% | 8% |
| ME | 36% | 39% | 38% | 10% | 17% |
| MEORC | 41% | 29% | 20% | 13% | 13% |
| MN | 41% | 15% | 1% | 22% | 28% |
| MO | 42% | 22% | 27% | 16% | 18% |
| NC | 29% | 25% | 38% | 12% | 14% |
| NJ | 24% | 20% | 7% | 11% | 2% |
| NY | 29% | 27% | 34% | 10% | 14% |
| OH | 29% | 21% | 15% | 19% | 10% |
| OK | 27% | 23% | 38% | 12% | 9% |
| PA | 37% | 29% | 30% | 12% | 12% |
| SC | 17% | 11% | 20% | 21% | 5% |
| TN | 39% | 31% | 44% | 8% | 17% |
| UT | 45% | 38% | 47% | 13% | 9% |
| VA | 35% | 25% | 40% | 11% | 12% |
| NCI Average | 33% | 25% | 31% | 14% | 12% |

⁷ Individuals may have been diagnosed with more than one other disability (see Tables 9 and 10).

Table 9. Other Disabilities⁸

| State | Autism Spectrum Disorder | Cerebral Palsy | Brain Injury | Seizure Disorder or Neurological Problem | Chemical Dependency |
|--------------------|--------------------------|----------------|--------------|------------------------------------------|---------------------|
| AL | 10% | 12% | 2% | 24% | 0% |
| AR | 18% | 28% | 6% | 38% | 2% |
| AZ | 26% | 27% | 5% | 35% | 2% |
| CO | 8% | 11% | 2% | 25% | 1% |
| CT | 20% | 16% | 3% | 33% | 1% |
| DC | 18% | 19% | 5% | 34% | 1% |
| FL | 16% | 22% | 3% | 29% | 1% |
| GA | 14% | 13% | 3% | 30% | 0% |
| HI | 13% | 15% | 0% | 35% | 0% |
| IL | 17% | 17% | 3% | 30% | 2% |
| IN | 29% | 18% | 3% | 30% | 0% |
| KS | 19% | 20% | 4% | 35% | 1% |
| KY | 22% | 20% | 7% | 31% | 3% |
| LA | 13% | 18% | 5% | 33% | 1% |
| MA | 12% | 14% | 4% | 28% | 2% |
| MD | 18% | 14% | 6% | 25% | 1% |
| ME | 17% | 11% | 7% | 25% | 1% |
| MEORC | 10% | 15% | 4% | 24% | 1% |
| MN | 31% | 29% | 39% | 35% | 1% |
| MO | 13% | 15% | 4% | 33% | 2% |
| NC | 24% | 20% | 7% | 42% | 2% |
| NJ | 33% | 13% | 3% | 26% | 0% |
| NY | 17% | 15% | 4% | 29% | 1% |
| OH | 12% | 15% | 6% | 22% | 2% |
| OK | 7% | 17% | 1% | 44% | 1% |
| PA | 13% | 12% | 5% | 28% | 1% |
| SC | 9% | 7% | 3% | 18% | 1% |
| TN | 12% | 16% | 6% | 36% | 2% |
| UT | 15% | 10% | 8% | 30% | 3% |
| VA | 18% | 19% | 5% | 37% | 1% |
| NCI Average | 17% | 17% | 5% | 31% | 1% |

⁸ Individuals may have been diagnosed with more than one other disability (see Tables 8 and 10).

Table 10. Other Disabilities (continued)⁹

| State | Vision and/or Hearing Impairment | Alzheimer’s Disease or Other Dementia | Down Syndrome | Prader-Willi Syndrome | Other | No Other |
|--------------------|----------------------------------|---------------------------------------|---------------|-----------------------|------------|------------|
| AL | 12% | 1% | 6% | 0% | 12% | 14% |
| AR | 19% | 2% | 10% | 1% | 33% | 13% |
| AZ | 20% | 3% | 19% | 2% | 28% | 22% |
| CO | 12% | 3% | 10% | 1% | 32% | 10% |
| CT | 17% | 5% | 11% | 1% | 25% | 14% |
| DC | 23% | 2% | 6% | 2% | 33% | 21% |
| FL | 13% | 3% | 9% | 1% | 11% | 14% |
| GA | 8% | 1% | 9% | 0% | 9% | 11% |
| HI | 15% | 1% | 13% | 0% | 40% | 8% |
| IL | 16% | 4% | 14% | 1% | 25% | 11% |
| IN | 13% | 2% | 11% | 0% | 26% | 12% |
| KS | 23% | 8% | 14% | 1% | 28% | 13% |
| KY | 23% | 4% | 11% | 2% | 36% | 12% |
| LA | 19% | 0% | 7% | 1% | 38% | 7% |
| MA | 22% | 5% | 12% | 0% | 18% | 11% |
| MD | 15% | 4% | 11% | 2% | 24% | 12% |
| ME | 15% | 4% | 11% | 0% | 21% | 14% |
| MEORC | 16% | 4% | 9% | 0% | 26% | 17% |
| MN | 40% | 16% | 18% | 1% | 0% | 0% |
| MO | 13% | 4% | 9% | 0% | 37% | 11% |
| NC | 21% | 5% | 10% | 2% | 32% | 13% |
| NJ | 7% | 2% | 19% | 1% | 20% | 5% |
| NY | 19% | 4% | 9% | 0% | 19% | 11% |
| OH | 12% | 1% | 10% | 1% | 20% | 16% |
| OK | 19% | 5% | 8% | 1% | 4% | 22% |
| PA | 17% | 3% | 10% | 1% | 23% | 18% |
| SC | 14% | 1% | 7% | 1% | 10% | 13% |
| TN | 24% | 5% | 8% | 1% | 32% | 7% |
| UT | 16% | 1% | 9% | 0% | 12% | 17% |
| VA | 23% | 5% | 7% | 1% | 30% | 15% |
| NCI Average | 17% | 4% | 11% | 1% | 23% | 13% |

⁹ Individuals may have been diagnosed with more than one other disability (see Tables 8 and 9).

Table 11. Primary Means of Expression*

| State | Spoken | Gestures | Sign Language | Communication Device | Other | Don't Know | N |
|--------------------|------------|------------|---------------|----------------------|-----------|------------|---------------|
| AL | 85% | 13% | 1% | 0% | 1% | 0% | 396 |
| AR | 72% | 22% | 3% | 2% | 1% | 0% | 397 |
| AZ | 68% | 25% | 2% | 2% | 1% | 2% | 466 |
| CO | 79% | 17% | 1% | 1% | 1% | 0% | 398 |
| CT | 74% | 22% | 2% | 1% | 2% | 0% | 400 |
| DC | 80% | 14% | 2% | 1% | 2% | 2% | 164 |
| FL | 75% | 22% | 1% | 1% | 1% | 0% | 1,481 |
| GA | 74% | 25% | 1% | 1% | 0% | 0% | 478 |
| HI | 70% | 24% | 3% | 1% | 2% | 0% | 405 |
| IL | 76% | 18% | 3% | 1% | 1% | 0% | 357 |
| IN | 80% | 15% | 1% | 1% | 1% | 1% | 422 |
| KS | 81% | 16% | 2% | 0% | 2% | 0% | 416 |
| KY | 75% | 21% | 2% | 1% | 1% | 0% | 447 |
| LA | 69% | 28% | 0% | 1% | 2% | 0% | 443 |
| MA | 79% | 16% | 2% | 2% | 1% | 0% | 526 |
| MD | 76% | 19% | 2% | 0% | 1% | 1% | 387 |
| ME | 82% | 14% | 3% | 1% | 0% | 0% | 391 |
| MEORC | 90% | 8% | 1% | 1% | 0% | 0% | 439 |
| MN | 71% | 1% | 7% | 3% | 17% | 0% | 406 |
| MO | 70% | 27% | 2% | 0% | 1% | 0% | 505 |
| NC | 67% | 29% | 2% | 1% | 1% | 0% | 721 |
| NJ | 76% | 20% | 1% | 1% | 1% | 1% | 457 |
| NY | 78% | 18% | 2% | 1% | 0% | 0% | 437 |
| OH | 88% | 10% | 0% | 1% | 0% | 0% | 417 |
| OK | 66% | 16% | 3% | 1% | 14% | 0% | 986 |
| PA | 77% | 19% | 1% | 1% | 1% | 0% | 669 |
| SC | 83% | 13% | 2% | 0% | 1% | 0% | 403 |
| TN | 74% | 21% | 2% | 2% | 1% | 0% | 404 |
| UT | 76% | 16% | 3% | 0% | 4% | 0% | 412 |
| VA | 63% | 32% | 2% | 1% | 2% | 0% | 873 |
| NCI Average | 76% | 19% | 2% | 1% | 2% | 0% | 15,103 |

*Data are used for risk adjustment

Table 12. Primary Language

| State | English | Other | N |
|--------------------|------------|-----------|---------------|
| AL | 99% | 1% | 396 |
| AR | 99% | 1% | 393 |
| AZ | 91% | 9% | 457 |
| CO | 96% | 4% | 397 |
| CT | 96% | 4% | 398 |
| DC | 98% | 2% | 160 |
| FL | 92% | 8% | 1,466 |
| GA | 98% | 2% | 469 |
| HI | 99% | 1% | 403 |
| IL | 97% | 3% | 352 |
| IN | 97% | 3% | 412 |
| KS | 99% | 1% | 411 |
| KY | 99% | 1% | 444 |
| LA | 100% | 0% | 443 |
| MA | 95% | 5% | 525 |
| MD | 98% | 2% | 383 |
| ME | 99% | 1% | 390 |
| MEORC | 97% | 3% | 433 |
| MN | 98% | 2% | 405 |
| MO | 99% | 1% | 505 |
| NC | 99% | 1% | 724 |
| NJ | 99% | 1% | 456 |
| NY | 96% | 4% | 438 |
| OH | 99% | 1% | 417 |
| OK | 100% | 0% | 986 |
| PA | 99% | 1% | 661 |
| SC | 99% | 1% | 402 |
| TN | 100% | 0% | 402 |
| UT | 100% | 0% | 412 |
| VA | 98% | 2% | 853 |
| NCI Average | 98% | 2% | 14,993 |

Table 13. Overall Health

| State | Excellent | Very Good | Fairly Good | Poor | Don't Know | N |
|--------------------|------------|------------|-------------|-----------|------------|---------------|
| AL | 17% | 50% | 32% | 1% | 0% | 399 |
| AR | 6% | 36% | 51% | 8% | 0% | 396 |
| AZ | 13% | 49% | 31% | 4% | 2% | 468 |
| CO | 14% | 44% | 39% | 3% | 1% | 398 |
| CT | 12% | 43% | 39% | 6% | 1% | 402 |
| DC | 9% | 48% | 36% | 3% | 5% | 257 |
| FL | 15% | 42% | 38% | 5% | 0% | 1,488 |
| GA | 18% | 51% | 30% | 2% | 0% | 474 |
| HI | 4% | 29% | 63% | 3% | 0% | 406 |
| IL | 16% | 45% | 35% | 2% | 1% | 355 |
| IN | 12% | 53% | 31% | 4% | 0% | 423 |
| KS | 6% | 36% | 47% | 9% | 3% | 413 |
| KY | 9% | 43% | 40% | 8% | 0% | 442 |
| LA | 8% | 40% | 47% | 5% | 1% | 443 |
| MA | 21% | 52% | 24% | 3% | 0% | 527 |
| MD | 12% | 45% | 33% | 5% | 4% | 386 |
| ME | 11% | 41% | 43% | 5% | 1% | 390 |
| MEORC | 14% | 45% | 36% | 4% | 1% | 439 |
| MO | 13% | 49% | 34% | 4% | 0% | 509 |
| NC | 12% | 38% | 43% | 7% | 0% | 722 |
| NJ | 4% | 36% | 55% | 3% | 1% | 456 |
| NY | 11% | 44% | 40% | 3% | 0% | 436 |
| OH | 17% | 50% | 29% | 4% | 0% | 417 |
| OK | 14% | 46% | 36% | 4% | 0% | 986 |
| PA | 15% | 44% | 34% | 5% | 2% | 650 |
| SC | 7% | 53% | 35% | 2% | 2% | 403 |
| TN | 8% | 37% | 49% | 5% | 1% | 405 |
| UT | 9% | 45% | 40% | 5% | 0% | 411 |
| VA | 8% | 41% | 43% | 6% | 2% | 859 |
| MN ¹⁰ | 86% | n/a | n/a | n/a | n/a | n/a |
| NCI Average | 12% | 44% | 39% | 4% | 1% | 15,166 |

¹⁰ MN used excellent/very good as same category and used number of ER visits in last 12 months to determine health. The state's results were excluded from the NCI Average for this item.

Table 14. Mobility*

| State | Moves Without Aids | Moves With Aids or Uses Wheelchair Independently | Non-Ambulatory | Don't Know | N |
|--------------------|--------------------|--------------------------------------------------|----------------|------------|---------------|
| AL | 84% | 11% | 4% | 0% | 397 |
| AR | 72% | 11% | 17% | 0% | 399 |
| AZ | 77% | 12% | 10% | 1% | 468 |
| CO | 78% | 14% | 8% | 0% | 398 |
| CT | 73% | 16% | 11% | 0% | 398 |
| DC | 71% | 18% | 9% | 1% | 270 |
| FL | 73% | 17% | 10% | 0% | 1,480 |
| GA | 84% | 10% | 6% | 0% | 480 |
| HI | 76% | 12% | 12% | 0% | 407 |
| IL | 82% | 13% | 4% | 0% | 358 |
| IN | 80% | 12% | 6% | 2% | 418 |
| KS | 74% | 18% | 7% | 0% | 417 |
| KY | 78% | 15% | 7% | 0% | 444 |
| LA | 70% | 16% | 14% | 0% | 442 |
| MA | 78% | 14% | 8% | 0% | 525 |
| MD | 78% | 14% | 8% | 1% | 383 |
| ME | 78% | 16% | 6% | 0% | 395 |
| MEORC | 82% | 15% | 3% | 0% | 441 |
| MN | 71% | 20% | 9% | 0% | 406 |
| MO | 70% | 20% | 9% | 0% | 506 |
| NC | 70% | 15% | 15% | 0% | 723 |
| NJ | 88% | 8% | 4% | 0% | 461 |
| NY | 75% | 14% | 10% | 0% | 436 |
| OH | 83% | 11% | 6% | 0% | 417 |
| OK | 65% | 24% | 11% | 0% | 986 |
| PA | 78% | 13% | 8% | 1% | 669 |
| SC | 89% | 8% | 3% | 0% | 403 |
| TN | 74% | 15% | 11% | 0% | 404 |
| UT | 76% | 15% | 9% | 0% | 412 |
| VA | 65% | 20% | 14% | 0% | 876 |
| NCI Average | 76% | 15% | 9% | 0% | 15,219 |

*Data are used for risk adjustment

Table 15. Support to Manage Self-Injurious Behavior*

| State | None | Some | Extensive | Don't Know | N |
|--------------------|------------|------------|-----------|------------|---------------|
| AL | 84% | 14% | 1% | 1% | 398 |
| AR | 71% | 19% | 8% | 2% | 396 |
| AZ | 77% | 14% | 6% | 3% | 459 |
| CO | 67% | 24% | 8% | 1% | 398 |
| CT | 65% | 23% | 11% | 2% | 396 |
| DC | 73% | 13% | 8% | 6% | 261 |
| FL | 81% | 13% | 6% | 0% | 1,478 |
| GA | 81% | 16% | 3% | 0% | 473 |
| HI | 77% | 18% | 5% | 0% | 407 |
| IL | 75% | 19% | 5% | 2% | 351 |
| IN | 82% | 13% | 5% | 1% | 413 |
| KS | 48% | 36% | 16% | 1% | 416 |
| KY | 78% | 17% | 4% | 1% | 436 |
| LA | 71% | 19% | 10% | 0% | 442 |
| MA | 79% | 18% | 3% | 0% | 526 |
| MD | 73% | 15% | 7% | 5% | 376 |
| ME | 65% | 25% | 8% | 1% | 393 |
| MEORC | 88% | 9% | 2% | 0% | 423 |
| MN | 54% | 36% | 10% | 0% | 404 |
| MO | 72% | 21% | 7% | 1% | 502 |
| NC | 66% | 27% | 6% | 1% | 716 |
| NJ | 91% | 7% | 1% | 0% | 457 |
| NY | 74% | 16% | 7% | 3% | 437 |
| OH | 88% | 10% | 2% | 0% | 417 |
| OK | 70% | 22% | 7% | 1% | 986 |
| PA | 73% | 19% | 4% | 4% | 640 |
| SC | 80% | 6% | 3% | 10% | 402 |
| TN | 69% | 18% | 13% | 1% | 402 |
| UT | 63% | 30% | 6% | 0% | 403 |
| VA | 68% | 24% | 7% | 1% | 858 |
| NCI Average | 73% | 19% | 6% | 2% | 15,066 |

*Data are used for risk adjustment

Table 16. Support to Manage Disruptive Behavior*

| State | None | Some | Extensive | Don't Know | N |
|--------------------|------------|------------|------------|------------|---------------|
| AL | 69% | 24% | 6% | 1% | 400 |
| AR | 49% | 35% | 13% | 2% | 394 |
| AZ | 67% | 21% | 8% | 4% | 461 |
| CO | 45% | 41% | 13% | 1% | 398 |
| CT | 43% | 41% | 15% | 1% | 390 |
| DC | 58% | 24% | 11% | 7% | 255 |
| FL | 69% | 22% | 8% | 0% | 1,464 |
| GA | 64% | 32% | 4% | 0% | 471 |
| HI | 65% | 30% | 5% | 0% | 407 |
| IL | 49% | 41% | 8% | 2% | 352 |
| IN | 59% | 32% | 9% | 0% | 414 |
| KS | 25% | 41% | 32% | 1% | 416 |
| KY | 69% | 25% | 6% | 1% | 441 |
| LA | 58% | 27% | 14% | 0% | 443 |
| MA | 68% | 25% | 6% | 0% | 525 |
| MD | 64% | 23% | 8% | 5% | 376 |
| ME | 48% | 38% | 13% | 1% | 395 |
| MEORC | 73% | 22% | 4% | 1% | 421 |
| MN | 28% | 54% | 18% | 0% | 405 |
| MO | 53% | 37% | 9% | 1% | 501 |
| NC | 46% | 43% | 11% | 0% | 717 |
| NJ | 87% | 12% | 1% | 0% | 457 |
| NY | 60% | 31% | 7% | 2% | 435 |
| OH | 74% | 20% | 5% | 0% | 417 |
| OK | 64% | 28% | 8% | 0% | 986 |
| PA | 60% | 29% | 7% | 5% | 641 |
| SC | 69% | 16% | 7% | 8% | 400 |
| TN | 51% | 29% | 20% | 0% | 403 |
| UT | 41% | 43% | 16% | 0% | 402 |
| VA | 49% | 38% | 12% | 1% | 849 |
| NCI Average | 57% | 31% | 10% | 1% | 15,036 |

*Data are used for risk adjustment

Table 17. Support to Manage Destructive Behavior*

| State | None | Some | Extensive | Don't Know | N |
|--------------------|------------|------------|-----------|------------|---------------|
| AL | 81% | 15% | 4% | 1% | 397 |
| AR | 69% | 20% | 10% | 2% | 388 |
| AZ | 73% | 17% | 6% | 4% | 458 |
| CO | 63% | 25% | 11% | 1% | 397 |
| CT | 65% | 24% | 10% | 1% | 395 |
| DC | 67% | 15% | 11% | 7% | 263 |
| FL | 76% | 17% | 6% | 0% | 1,473 |
| GA | 79% | 18% | 3% | 0% | 476 |
| HI | 75% | 22% | 3% | 0% | 407 |
| IL | 67% | 24% | 7% | 2% | 351 |
| IN | 77% | 16% | 7% | 0% | 414 |
| KS | 47% | 36% | 16% | 1% | 414 |
| KY | 76% | 19% | 4% | 1% | 441 |
| LA | 67% | 20% | 12% | 0% | 443 |
| MA | 78% | 17% | 4% | 0% | 526 |
| MD | 74% | 13% | 6% | 6% | 376 |
| ME | 67% | 23% | 9% | 2% | 395 |
| MEORC | 85% | 12% | 2% | 1% | 424 |
| MN | 26% | 53% | 20% | 0% | 405 |
| MO | 69% | 23% | 7% | 1% | 502 |
| NC | 69% | 24% | 7% | 0% | 705 |
| NJ | 91% | 8% | 1% | 0% | 454 |
| NY | 74% | 18% | 5% | 3% | 434 |
| OH | 86% | 11% | 3% | 0% | 417 |
| OK | 77% | 17% | 5% | 0% | 986 |
| PA | 74% | 17% | 4% | 5% | 642 |
| SC | 74% | 12% | 5% | 9% | 403 |
| TN | 63% | 23% | 14% | 0% | 401 |
| UT | 60% | 30% | 11% | 0% | 404 |
| VA | 67% | 25% | 7% | 1% | 852 |
| NCI Average | 71% | 21% | 7% | 2% | 15,043 |

*Data are used for risk adjustment

Core Indicator Outcomes and Comparisons Across States

Outcome results are presented in subsections that correspond with the Adult Consumer Survey sub-domains. Results are shown in chart and tables form by outcomes. Charts illustrate un-collapsed averages for all unadjusted indicators. Corresponding tables show collapsed data broken out by state and include the NCI Average as well as the number of respondents by state and in total.¹¹

Tables are formatted so that all states are listed in descending order of percentage and are categorized as statistically significantly above the NCI Average, within the range of the NCI Average, and significantly below the NCI Average. Risk-adjusted indicators are noted in text with the table. Significance testing was not performed for risk-adjusted indicators; state results are simply presented in descending order for these indicators.

Please Note: Statistical significance is influenced by the size of the state's sample. Therefore, it is possible that a state with a lower percentage but a larger sample will be classified as significantly above average while a state with a somewhat higher percentage but a smaller sample will not.

The tables also break out average results for each state by the type of residence: institution, community-based group residence, independent home/apartment, and parent/relative's home. These breakouts were not performed for indicators that were risk-adjusted. Significance testing was not performed on indicators by residence and the number of people in each residential setting is often too small to allow for valid state-to-state comparisons. For the same reason, we are unable to draw statistically valid conclusions about differences between residence types in many cases. This information is provided for states' internal purposes and should not be used to compare one state with another.

Note: If a state had fewer than 20 people in a residence type with valid responses to a given indicator, the rate for that residence type for that indicator is not reported. Table 18 below presents, by state, the number of people surveyed in each residence type.

¹¹ See Appendix A for how questions are collapsed and Appendix B for un-collapsed data by state

Table 18. Number of people in each type of residence

| State | Institution | Community-Based Residence | Independent Home or Apartment | Parent or Relative's Home |
|--------------------|-------------|---------------------------|-------------------------------|---------------------------|
| AL | n/a | 207 | 39 | 144 |
| AR | 66 | 41 | 110 | 117 |
| AZ | n/a | 113 | n/a | 290 |
| CO | n/a | 89 | 42 | 98 |
| CT | 28 | 170 | 57 | 110 |
| DC | n/a | 126 | 51 | 59 |
| FL | n/a | 389 | 262 | 783 |
| GA | n/a | 173 | 43 | 181 |
| HI | n/a | 58 | n/a | 217 |
| IL | 100 | 167 | 29 | 144 |
| IN | n/a | 39 | 115 | 255 |
| KS | n/a | 175 | 106 | 108 |
| KY | 16 | 160 | 29 | 184 |
| LA | 110 | 107 | 79 | 145 |
| MA | n/a | 306 | 71 | 90 |
| MD | 100 | 167 | 39 | 161 |
| ME | n/a | 177 | 63 | 73 |
| MEORC | n/a | 86 | 137 | 179 |
| MN | n/a | 201 | 33 | 128 |
| MO | 61 | 158 | 238 | 39 |
| NC | 98 | 157 | 46 | 263 |
| NJ | n/a | 242 | n/a | 167 |
| NY | n/a | 214 | 42 | 126 |
| OH | n/a | 96 | 82 | 194 |
| OK | n/a | 89 | 796 | 23 |
| PA | 27 | 161 | 67 | 262 |
| SC | n/a | 119 | 38 | 183 |
| TN | n/a | 146 | 113 | 115 |
| UT | 22 | 128 | 67 | 165 |
| VA | 83 | 346 | 31 | 204 |
| NCI Average | 575 | 4,807 | 2,868 | 5,207 |

Choice and Decision-Making

People make choices about their lives and are actively engaged in planning their services and supports.

The Choice and Decision-Making indicator is:

The proportion of people who make choices about their everyday lives, including: housing, roommates, daily routines, jobs, support staff or providers, social activities, and what to spend money on.

The Adult Consumer Survey includes nine choice items that correspond to the Choice indicator; all but one item, “Chose Case Manager” (Table 29), were risk-adjusted.¹²

Tables 19 through 26 and 29 present the results for these items.

Two Choice composite scale scores were produced by adding and averaging Choice items. The Life Decisions scale (Table 27) refers to choice of: residence, work, day activity, staff, and roommates. The Everyday Choices scale (Table 28) refers to choice of: daily schedule, how to spend money, and free time activities. Both scales were risk-adjusted.

All un-collapsed and unadjusted data frequencies for these survey questions are displayed in Appendix B.

¹² Outcome adjustment or “risk adjustment” is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. For a more robust description of risk adjustment see ‘Outcome Adjustment’ on page 199.

Table 19. Chose or had some input in choosing where they live if not living at home with family

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|--------------|------------------|
| MEORC | 244 | 74% |
| KS | 325 | 68% |
| AZ | 174 | 66% |
| GA | 265 | 62% |
| IN | 175 | 61% |
| OK | 890 | 60% |
| CO | 308 | 60% |
| FL | 686 | 59% |
| UT | 257 | 59% |
| IL | 205 | 56% |
| PA | 346 | 53% |
| ME | 295 | 51% |
| NC | 468 | 50% |
| VA | 693 | 49% |
| LA | 277 | 49% |
| TN | 276 | 48% |
| KY | 269 | 48% |
| AL | 251 | 47% |
| MD | 255 | 45% |
| MA | 413 | 45% |
| OH | 232 | 44% |
| DC | 202 | 44% |
| NY | 315 | 44% |
| CT | 277 | 42% |
| MO | 469 | 40% |
| HI | 180 | 40% |
| MN | 306 | 40% |
| AR | 250 | 36% |
| SC | 164 | 26% |
| NJ | 261 | 15% |
| NCI Average | 9,728 | 49% |

Table 20. Chose or had some input in choosing their roommates if not in the family home

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|--------------|------------------|
| IN | 172 | 67% |
| OK | 886 | 65% |
| KS | 324 | 64% |
| AZ | 173 | 61% |
| MEORC | 242 | 60% |
| UT | 257 | 57% |
| OH | 237 | 55% |
| FL | 679 | 53% |
| CO | 311 | 50% |
| MD | 263 | 48% |
| IL | 204 | 47% |
| TN | 272 | 46% |
| LA | 282 | 46% |
| PA | 349 | 46% |
| GA | 267 | 45% |
| DC | 204 | 44% |
| ME | 295 | 40% |
| MO | 459 | 38% |
| AR | 249 | 37% |
| VA | 696 | 36% |
| HI | 171 | 35% |
| CT | 280 | 34% |
| MA | 419 | 34% |
| NC | 454 | 34% |
| NY | 320 | 31% |
| MN | 284 | 30% |
| AL | 254 | 25% |
| SC | 162 | 24% |
| KY | 270 | 23% |
| NJ | 260 | 10% |
| NCI Average | 9,695 | 43% |

Table 21. Chose or had some input in choosing where they work (among those determined to have a paid community job from the Background Section)*
Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|--------------|------------------|
| MO | 41 | 97% |
| MEORC | 40 | 97% |
| FL | 142 | 95% |
| KY | 37 | 93% |
| KS | 59 | 93% |
| IN | 57 | 91% |
| AZ | 36 | 90% |
| CO | 103 | 89% |
| GA | 39 | 88% |
| ME | 80 | 88% |
| PA | 58 | 88% |
| TN | 47 | 87% |
| NC | 64 | 86% |
| IL | 32 | 86% |
| LA | 42 | 83% |
| VA | 85 | 83% |
| MA | 116 | 83% |
| OK | 246 | 81% |
| NY | 46 | 78% |
| MD | 82 | 78% |
| UT | 73 | 74% |
| CT | 99 | 71% |
| MN | 105 | 67% |
| OH | 42 | 64% |
| AR | 20 | 63% |
| NJ | 30 | 50% |
| SC | 72 | 36% |
| NCI Average | 1,893 | 81% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, HI, and DC.

Table 22. Chose or had some input in choosing where they go during the day (among those with a day program or activity)
Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| MEORC | 342 | 83% |
| KS | 335 | 78% |
| AZ | 302 | 77% |
| CO | 384 | 76% |
| GA | 380 | 76% |
| FL | 951 | 76% |
| MO | 327 | 70% |
| IN | 285 | 66% |
| NC | 540 | 65% |
| IL | 286 | 64% |
| UT | 280 | 64% |
| OK | 412 | 62% |
| TN | 260 | 61% |
| PA | 429 | 60% |
| MD | 347 | 59% |
| VA | 617 | 58% |
| ME | 265 | 58% |
| KY | 373 | 57% |
| DC | 232 | 56% |
| CT | 300 | 52% |
| HI | 372 | 52% |
| LA | 302 | 51% |
| OH | 313 | 50% |
| AL | 372 | 50% |
| NY | 359 | 49% |
| MA | 385 | 46% |
| AR | 265 | 46% |
| MN | 290 | 41% |
| SC | 316 | 22% |
| NJ | 380 | 18% |
| NCI Average | 11,001 | 58% |

Table 23. Chose or were aware they could request to change the staff who help them at their home, job, or day program or activity

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| MEORC | 371 | 87% |
| AZ | 324 | 86% |
| SC | 378 | 84% |
| TN | 379 | 83% |
| KS | 374 | 81% |
| HI | 384 | 80% |
| FL | 1,302 | 79% |
| UT | 399 | 77% |
| GA | 430 | 77% |
| IN | 354 | 76% |
| OK | 949 | 75% |
| LA | 408 | 72% |
| AL | 393 | 66% |
| NC | 698 | 65% |
| CO | 377 | 64% |
| OH | 364 | 63% |
| DC | 284 | 61% |
| IL | 291 | 61% |
| MD | 372 | 59% |
| ME | 364 | 58% |
| VA | 875 | 58% |
| AR | 381 | 58% |
| MA | 498 | 53% |
| MO | 473 | 52% |
| NY | 389 | 50% |
| PA | 509 | 49% |
| CT | 342 | 44% |
| MN | 366 | 38% |
| KY | 416 | 34% |
| NJ | 361 | 19% |
| NCI Average | 13,805 | 64% |

Table 24. Choose or help decide their daily schedule

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| AL | 395 | 93% |
| MEORC | 410 | 92% |
| GA | 432 | 92% |
| AZ | 453 | 91% |
| SC | 387 | 90% |
| FL | 1,451 | 90% |
| KS | 397 | 89% |
| KY | 441 | 89% |
| PA | 668 | 88% |
| MO | 506 | 88% |
| UT | 399 | 87% |
| MA | 519 | 83% |
| ME | 387 | 82% |
| OH | 404 | 81% |
| NC | 743 | 81% |
| LA | 434 | 80% |
| VA | 911 | 79% |
| OK | 971 | 79% |
| TN | 398 | 79% |
| IN | 389 | 79% |
| IL | 338 | 77% |
| AR | 386 | 76% |
| HI | 397 | 76% |
| NY | 426 | 76% |
| CT | 379 | 73% |
| MD | 412 | 72% |
| DC | 289 | 71% |
| CO | 389 | 71% |
| MN | 386 | 70% |
| NJ | 408 | 67% |
| NCI Average | 14,905 | 81% |

Table 25. Choose or help decide how to spend free time

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| MEORC | 413 | 97% |
| SC | 384 | 96% |
| GA | 431 | 95% |
| PA | 676 | 95% |
| KY | 447 | 95% |
| AL | 391 | 94% |
| LA | 436 | 94% |
| AZ | 457 | 94% |
| KS | 394 | 94% |
| FL | 1,455 | 94% |
| MO | 507 | 93% |
| TN | 397 | 92% |
| NC | 746 | 92% |
| UT | 408 | 92% |
| OH | 402 | 91% |
| CO | 394 | 90% |
| ME | 390 | 90% |
| VA | 914 | 90% |
| IL | 340 | 90% |
| IN | 394 | 89% |
| OK | 980 | 89% |
| AR | 387 | 88% |
| MA | 518 | 87% |
| CT | 378 | 87% |
| MN | 390 | 85% |
| NY | 428 | 83% |
| HI | 400 | 81% |
| MD | 411 | 79% |
| DC | 289 | 77% |
| NJ | 417 | 71% |
| NCI Average | 14,974 | 89% |

Table 26. Choose or help decide what to buy with their money

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| GA | 429 | 96% |
| AL | 397 | 95% |
| KY | 439 | 94% |
| MEORC | 418 | 94% |
| SC | 379 | 93% |
| AZ | 444 | 92% |
| PA | 664 | 91% |
| LA | 431 | 89% |
| NC | 742 | 89% |
| AR | 387 | 89% |
| OH | 401 | 88% |
| VA | 910 | 88% |
| MO | 504 | 88% |
| KS | 388 | 87% |
| FL | 1,447 | 86% |
| ME | 381 | 85% |
| DC | 290 | 85% |
| UT | 406 | 85% |
| OK | 972 | 85% |
| IL | 335 | 84% |
| CO | 393 | 84% |
| MD | 409 | 84% |
| IN | 391 | 83% |
| TN | 395 | 83% |
| MA | 511 | 81% |
| MN | 389 | 81% |
| CT | 378 | 81% |
| HI | 388 | 80% |
| NY | 430 | 79% |
| NJ | 411 | 60% |
| NCI Average | 14,859 | 86% |

Table 27. Life Decisions Scale
(Adjusted Variable)

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| MEORC | 415 | 77% |
| AZ | 415 | 76% |
| KS | 398 | 74% |
| FL | 1,404 | 72% |
| GA | 442 | 70% |
| IN | 388 | 69% |
| OK | 978 | 68% |
| UT | 406 | 65% |
| CO | 399 | 65% |
| TN | 394 | 65% |
| IL | 328 | 60% |
| HI | 402 | 59% |
| LA | 435 | 59% |
| NC | 738 | 59% |
| MD | 411 | 56% |
| ME | 393 | 55% |
| OH | 405 | 55% |
| PA | 622 | 54% |
| DC | 297 | 54% |
| VA | 920 | 52% |
| AR | 386 | 51% |
| MO | 507 | 50% |
| AL | 397 | 50% |
| MA | 521 | 48% |
| SC | 386 | 47% |
| CT | 383 | 47% |
| NY | 426 | 47% |
| KY | 432 | 44% |
| MN | 388 | 40% |
| NJ | 419 | 16% |
| NCI Average | 14,835 | 57% |

Table 28. Everyday Choices Scale
(Adjusted Variable)

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| GA | 441 | 93% |
| AL | 397 | 93% |
| AZ | 461 | 92% |
| SC | 392 | 92% |
| KY | 450 | 91% |
| MEORC | 423 | 91% |
| PA | 682 | 90% |
| FL | 1,472 | 90% |
| MO | 509 | 90% |
| KS | 404 | 89% |
| LA | 440 | 88% |
| UT | 409 | 88% |
| NC | 756 | 87% |
| OH | 416 | 86% |
| ME | 395 | 86% |
| VA | 926 | 86% |
| TN | 399 | 85% |
| AR | 388 | 85% |
| IL | 343 | 85% |
| MA | 524 | 84% |
| IN | 398 | 84% |
| OK | 985 | 84% |
| CO | 399 | 82% |
| CT | 390 | 81% |
| NY | 435 | 80% |
| MN | 395 | 79% |
| HI | 406 | 79% |
| MD | 423 | 79% |
| DC | 298 | 78% |
| NJ | 423 | 71% |
| NCI Average | 15,179 | 86% |

Person Chose Case Manager/Service Coordinator




Table 29. Chose or were aware they could request to change their case manager/service coordinator

Includes 'yes' responses to: chose case manager/service coordinator and case manager/service coordinator was assigned but can be changed if requested; proxy respondents were allowed for this question

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MEORC | 99% | 409 | n/a | 100% | 99% | 98% |
| AZ | 93% | 442 | n/a | 91% | n/a | 94% |
| KS | 83% | 386 | n/a | 83% | 93% | 77% |
| SC | 83% | 361 | n/a | 74% | 73% | 89% |
| TN | 82% | 383 | n/a | 77% | 89% | 87% |
| FL | 80% | 1,347 | n/a | 72% | 93% | 81% |
| AL | 75% | 393 | n/a | 78% | 79% | 68% |
| HI | 75% | 373 | n/a | 53% | n/a | 85% |
| LA | 74% | 348 | 56% | 83% | 81% | 77% |
| UT | 73% | 380 | 10% | 80% | 89% | 70% |
| IN | 73% | 372 | n/a | 90% | 72% | 72% |
| OK | 69% | 934 | n/a | 59% | 71% | 59% |
| Within Average Range | | | | | | |
| MD | 67% | 396 | n/a | 60% | 95% | 67% |
| NY | 65% | 410 | n/a | 59% | 85% | 68% |
| IL | 64% | 326 | n/a | 58% | 77% | 71% |
| AR | 63% | 382 | 22% | 56% | 72% | 79% |
| ME | 63% | 356 | n/a | 54% | 80% | 76% |
| CO | 63% | 374 | n/a | 77% | 73% | 60% |
| NC | 61% | 605 | 29% | 62% | 74% | 71% |
| Significantly Below Average | | | | | | |
| GA | 55% | 427 | n/a | 49% | 62% | 58% |
| OH | 54% | 378 | n/a | 64% | 47% | 50% |
| MO | 49% | 500 | 5% | 56% | 57% | 46% |
| VA | 49% | 852 | 19% | 53% | 79% | 50% |
| MN | 48% | 373 | n/a | 44% | 60% | 53% |
| DC | 46% | 259 | n/a | 49% | 51% | 36% |
| PA | 44% | 622 | 28% | 44% | 51% | 48% |
| CT | 37% | 359 | 24% | 26% | 49% | 54% |
| KY | 35% | 441 | n/a | 32% | 21% | 38% |
| MA | 32% | 495 | n/a | 31% | 41% | 30% |
| NJ | 29% | 413 | n/a | 31% | n/a | 23% |
| NCI Average | 63% | 14,096 | 24% | 62% | 71% | 65% |

Work

People have support to find and maintain community-integrated employment.

There are 11 Work indicators measured by the Adult Consumer Survey:

1. The percentage of people with a paid job in the community.
2. The average number of hours worked biweekly by people with jobs in the community.
3. The average biweekly earnings of people with paid jobs in the community.
4. The average biweekly hourly earnings of people with a paid job in the community.
5. Of those with a paid job in the community, the percentage of people who were continuously employed throughout the previous year.
6. Of those with a paid job in the community, the average length of time they have been working at their current job.
7. Of those with a paid job in the community, the percentage of people who receive vacation and/or sick time benefits.
8. The percentage of people who have a goal of integrated employment in their service plan.
9. The percentage of people who do not have a paid job in the community but would like to have one.
10. The percentage of people who go to a day program or have some other daily activity.
11. The percentage of people who do volunteer work.

Additionally, NCI reports on the type of paid community jobs individuals have (individually-supported, competitive, or group-supported), as well as the most common jobs individuals hold.

Tables 30 through 41 present items from the Work domain. All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.




Table 30. Have a paid job in the community*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MN | 31% | 366 | n/a | 33% | 52% | 29% |
| CT | 31% | 368 | 12% | 23% | 50% | 43% |
| MD | 29% | 363 | n/a | 17% | 42% | 39% |
| CO | 27% | 390 | n/a | 24% | 52% | 30% |
| OK | 27% | 986 | n/a | 29% | 28% | 17% |
| SC | 25% | 334 | n/a | 16% | 45% | 24% |
| MA | 24% | 524 | n/a | 15% | 39% | 40% |
| ME | 24% | 387 | n/a | 19% | 31% | 29% |
| Within Average Range | | | | | | |
| UT | 20% | 412 | 9% | 16% | 48% | 14% |
| DC | 20% | 80 | n/a | 27% | n/a | n/a |
| KS | 15% | 417 | n/a | 9% | 30% | 13% |
| TN | 15% | 377 | n/a | 11% | 19% | 13% |
| IN | 14% | 415 | n/a | 13% | 16% | 13% |
| MEORC | 14% | 440 | n/a | 3% | 17% | 16% |
| NC | 13% | 656 | 1% | 19% | 36% | 13% |
| LA | 13% | 422 | 1% | 13% | 19% | 18% |
| VA | 12% | 817 | 13% | 14% | 21% | 11% |
| OH | 12% | 415 | n/a | 5% | 24% | 12% |
| NY | 12% | 432 | n/a | 4% | 29% | 19% |
| IL | 12% | 336 | n/a | 14% | 22% | 9% |
| Significantly Below Average | | | | | | |
| PA | 12% | 600 | 0% | 5% | 17% | 16% |
| KY | 11% | 435 | n/a | 7% | 14% | 10% |
| AZ | 10% | 435 | n/a | 7% | n/a | 11% |
| FL | 10% | 1,485 | n/a | 3% | 21% | 10% |
| MO | 9% | 489 | 5% | 9% | 9% | 21% |
| GA | 8% | 475 | n/a | 7% | 33% | 7% |
| AR | 8% | 366 | 2% | 8% | 13% | 5% |
| NJ | 8% | 452 | n/a | 8% | n/a | 5% |
| HI | 5% | 406 | n/a | 0% | n/a | 7% |
| AL | 5% | 399 | n/a | 5% | 8% | 3% |
| NCI Average | 16% | 14,479 | 5% | 13% | 28% | 17% |

*Reported for those who were determined to have a paid community job from the Background Information section.




Table 31. Type of employment among those reported to have a paid job in the community* **
Information may have been obtained through state records or a proxy respondent

| State | Individually-Supported | Competitive | Group-Supported | N |
|--------------------|------------------------|-------------|-----------------|--------------|
| AZ | 7% | 29% | 64% | 28 |
| CO | 26% | 31% | 43% | 91 |
| CT | 27% | 15% | 58% | 88 |
| FL | 43% | 50% | 7% | 132 |
| GA | 36% | 39% | 24% | 33 |
| IL | 28% | 56% | 16% | 25 |
| IN | 42% | 54% | 4% | 52 |
| KS | 25% | 47% | 27% | 55 |
| KY | 39% | 61% | 0% | 38 |
| LA | 9% | 38% | 53% | 32 |
| MA | 31% | 21% | 48% | 114 |
| MD | 33% | 13% | 53% | 75 |
| ME | 60% | 28% | 13% | 40 |
| MEORC | 29% | 31% | 41% | 49 |
| MN | 26% | 13% | 62% | 86 |
| MO | 22% | 64% | 14% | 36 |
| NC | 55% | 32% | 14% | 66 |
| NJ | 29% | 67% | 4% | 24 |
| NY | 37% | 33% | 30% | 43 |
| OH | 50% | 12% | 38% | 50 |
| OK | 18% | 28% | 55% | 200 |
| PA | 37% | 42% | 21% | 52 |
| SC | 9% | 19% | 72% | 47 |
| TN | 58% | 19% | 22% | 36 |
| UT | 54% | 22% | 24% | 74 |
| VA | 16% | 17% | 67% | 81 |
| NCI Average | 33% | 34% | 34% | 1,647 |

*Reported for those who were determined to have a paid community job from the Background Information section.

**Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): Al, AR, DC, HI.

Average Bi-weekly Hours By Type of Community Employment Support




Table 32. Average number of biweekly hours by type of community employment

Information may have been obtained through state records or a proxy respondent

| State | Individually-Supported | Competitive | Group-Supported |
|--------------------|------------------------|-------------|-----------------|
| CO | 17 | 23 | 28 |
| CT | n/a | n/a | 32 |
| FL | 28 | 25 | n/a |
| IN | 22 | 29 | n/a |
| KS | n/a | 19 | n/a |
| KY | n/a | 29 | n/a |
| MA | 22 | 28 | 31 |
| MD | 28 | n/a | 30 |
| ME | 16 | n/a | n/a |
| MEORC | n/a | n/a | 26 |
| MN | 31 | n/a | 30 |
| NC | 20 | n/a | n/a |
| OH | 33 | n/a | n/a |
| OK | 35 | 34 | 50 |
| PA | n/a | 41 | n/a |
| SC | n/a | n/a | 31 |
| UT | 14 | n/a | n/a |
| VA | n/a | n/a | 30 |
| NCI Average | 24 | 28 | 32 |

*Several states have N/A responses by type of employment due to low response rates (response rate is less than 20).

**Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, DC, GA, HI, LA, MO, NJ, NY, and TN.

Average Biweekly Gross Wages By Type of Community Employment Support




Table 33. Average biweekly gross wages by type of community employment* **

Information may have been obtained through state records or a proxy respondent

| State | Individually-Supported | Competitive | Group-Supported |
|--------------------|------------------------|-----------------|-----------------|
| CO | \$155.42 | \$189.79 | \$158.99 |
| CT | n/a | n/a | \$169.03 |
| IN | \$188.80 | \$261.50 | n/a |
| KY | n/a | \$205.88 | n/a |
| MA | \$182.36 | \$249.89 | \$141.79 |
| MD | n/a | n/a | \$229.63 |
| MN | \$235.00 | n/a | \$108.89 |
| NC | \$125.98 | n/a | n/a |
| OH | \$303.06 | n/a | n/a |
| OK | \$223.76 | \$242.95 | \$234.61 |
| UT | \$128.52 | n/a | n/a |
| VA | n/a | n/a | \$152.18 |
| NCI Average | \$197.89 | \$227.44 | \$170.73 |

*Several states have N/A responses by type of employment due to low response rates (response rate is less than 20).

**Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, DC, GA, HI, IL, KS, LA, ME, MEORC, MO, NJ, NY, PA, SC, and TN.

Average Biweekly Hourly Wage By Type of Community Employment Support




Table 34. Average biweekly hourly wage by type of community employment

Information may have been obtained through state records or a proxy respondent

| State | Individually-Supported | Competitive | Group-Supported |
|--------------------|------------------------|---------------|-----------------|
| CO | \$8.27 | \$8.27 | \$5.73 |
| CT | n/a | n/a | \$5.96 |
| FL | \$8.70 | \$8.29 | n/a |
| IN | \$8.69 | \$8.97 | n/a |
| KY | n/a | \$7.59 | n/a |
| MA | \$8.22 | \$9.23 | \$5.89 |
| MD | n/a | n/a | \$7.56 |
| MN | \$7.75 | n/a | \$4.05 |
| NC | \$8.21 | n/a | n/a |
| OH | \$9.30 | n/a | n/a |
| OK | \$6.98 | \$6.87 | \$4.79 |
| UT | \$8.83 | n/a | n/a |
| VA | n/a | n/a | \$5.88 |
| NCI Average | \$8.33 | \$8.20 | \$5.69 |

*Several states have N/A responses by type of employment due to low response rates (response rate is less than 20).

**Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, DC, GA, HI, IL, KS, LA, ME, MEORC, MO, NJ, NY, PA, SC, and TN.

**Worked 10 Out of the Past 12 Months in a Paid
Community Job (If Currently Has a Paid
Community Job)**




Table 35. Worked 10 of the past 12 months in community employment (among those reported to have a job in the community)*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| OK | 90% | 266 | n/a | 88% | 92% | n/a |
| Within Average Range | | | | | | |
| KS | 92% | 59 | n/a | n/a | 90% | n/a |
| ME | 91% | 91 | n/a | 91% | n/a | 95% |
| LA | 90% | 49 | n/a | n/a | n/a | 91% |
| CT | 89% | 104 | n/a | 88% | 91% | 88% |
| VA | 89% | 91 | n/a | 90% | n/a | n/a |
| FL | 88% | 147 | n/a | n/a | 82% | 95% |
| MD | 88% | 94 | n/a | 87% | n/a | 90% |
| MO | 88% | 42 | n/a | n/a | n/a | n/a |
| MA | 88% | 122 | n/a | 89% | 88% | 91% |
| CO | 88% | 104 | n/a | 81% | 95% | 83% |
| TN | 87% | 52 | n/a | n/a | 85% | n/a |
| MEORC | 86% | 50 | n/a | n/a | n/a | 92% |
| UT | 85% | 82 | n/a | 85% | 84% | 87% |
| MN | 85% | 104 | n/a | 86% | n/a | 84% |
| AZ | 85% | 39 | n/a | n/a | n/a | 92% |
| IL | 84% | 38 | n/a | 85% | n/a | n/a |
| NJ | 83% | 29 | n/a | n/a | n/a | n/a |
| KY | 81% | 47 | n/a | n/a | n/a | n/a |
| AR | 81% | 26 | n/a | n/a | n/a | n/a |
| GA | 80% | 40 | n/a | n/a | n/a | n/a |
| IN | 79% | 57 | n/a | n/a | n/a | 72% |
| PA | 79% | 66 | n/a | n/a | n/a | 84% |
| NC | 79% | 84 | n/a | 67% | n/a | 90% |
| NY | 76% | 50 | n/a | n/a | n/a | 71% |
| SC | 75% | 68 | n/a | n/a | n/a | 79% |
| OH | 73% | 51 | n/a | n/a | 85% | 70% |
| NCI Average | 84% | 2,052 | n/a | 85% | 88% | 85% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, HI, and DC.

Average Months at Current Job




Table 36. Length of employment in current job (among those reported to have a job in the community)*

Information may have been obtained through state records or a proxy respondent

| State | Average Months Employed | N |
|-----------------------------|-------------------------|--------------|
| Within Average Range | | |
| AR | 62.0 | 20 |
| AZ | 50.9 | 31 |
| CO | 69.1 | 98 |
| CT | 89.2 | 90 |
| FL | 74.8 | 143 |
| GA | 73.9 | 34 |
| IL | 82.6 | 37 |
| IN | 68.7 | 56 |
| KS | 71.3 | 52 |
| KY | 49.5 | 42 |
| LA | 80.4 | 45 |
| MA | 75.0 | 119 |
| MD | 82.2 | 68 |
| ME | 63.0 | 76 |
| MEORC | 74.1 | 41 |
| MO | 84.6 | 37 |
| NC | 52.7 | 68 |
| NJ | 98.7 | 21 |
| NY | 53.1 | 48 |
| OH | 73.2 | 51 |
| OK | 73.5 | 265 |
| PA | 73.4 | 40 |
| SC | 52.7 | 40 |
| TN | 59.6 | 41 |
| UT | 54.2 | 76 |
| VA | 62.3 | 74 |
| NCI Average | 69.4 | 1,713 |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, DC, HI, and MN.

Receives Paid Vacation and/or Sick Time at Community Job




Table 37. Receives paid vacation and/or sick time at their job (among those reported to have a job in the community)*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| CT | 64% | 83 | n/a | 60% | 76% | 53% |
| Within Average Range | | | | | | |
| NJ | 46% | 26 | n/a | n/a | n/a | n/a |
| OH | 43% | 51 | n/a | n/a | 45% | 52% |
| MEORC | 41% | 39 | n/a | n/a | n/a | 43% |
| IL | 37% | 35 | n/a | 45% | n/a | n/a |
| MA | 36% | 118 | n/a | 33% | 46% | 40% |
| PA | 29% | 48 | n/a | n/a | n/a | 38% |
| KY | 28% | 39 | n/a | n/a | n/a | n/a |
| VA | 26% | 76 | n/a | 29% | n/a | n/a |
| KS | 26% | 54 | n/a | n/a | 21% | n/a |
| MN | 26% | 94 | n/a | 30% | n/a | 20% |
| MD | 25% | 75 | n/a | 15% | n/a | 26% |
| ME | 25% | 68 | n/a | 32% | n/a | n/a |
| GA | 24% | 37 | n/a | n/a | n/a | n/a |
| NY | 20% | 44 | n/a | n/a | n/a | n/a |
| CO | 20% | 102 | n/a | 25% | 18% | 28% |
| LA | 19% | 48 | n/a | n/a | n/a | 9% |
| IN | 18% | 55 | n/a | n/a | n/a | 13% |
| FL | 18% | 139 | n/a | n/a | 31% | 12% |
| MO | 17% | 41 | n/a | n/a | n/a | n/a |
| NC | 15% | 71 | n/a | 5% | n/a | 28% |
| AR | 14% | 22 | n/a | n/a | n/a | n/a |
| AZ | 9% | 32 | n/a | n/a | n/a | 9% |
| Significantly Below Average | | | | | | |
| OK | 17% | 245 | n/a | 8% | 19% | n/a |
| UT | 11% | 71 | n/a | n/a | 21% | 10% |
| TN | 10% | 41 | n/a | n/a | n/a | n/a |
| SC | 2% | 60 | n/a | n/a | n/a | 0% |
| NCI Average | 25% | 1,814 | n/a | 28% | 35% | 25% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, DC, and HI.

Job Industry




Table 38. Four most common job types (among those reported to have a job in the community)*

Information may have been obtained through state records or a proxy respondent

| State | Food Preparation and Food Service | Building and Grounds Cleaning or Maintenance | Retail | Assembly, Manufacturing, or Packaging | N |
|--------------------|-----------------------------------|----------------------------------------------|------------|---------------------------------------|--------------|
| AR | 31% | 38% | 12% | 8% | 26 |
| AZ | 16% | 21% | 13% | 21% | 38 |
| CO | 16% | 35% | 11% | 9% | 107 |
| CT | 14% | 33% | 12% | 11% | 111 |
| FL | 27% | 15% | 27% | 5% | 147 |
| GA | 5% | 31% | 21% | 18% | 39 |
| IL | 15% | 25% | 28% | 5% | 40 |
| IN | 30% | 16% | 34% | 5% | 56 |
| KS | 24% | 27% | 13% | 15% | 62 |
| KY | 40% | 15% | 25% | 4% | 48 |
| LA | 12% | 47% | 10% | 4% | 49 |
| MA | 13% | 31% | 15% | 13% | 123 |
| MD | 19% | 38% | 14% | 10% | 100 |
| ME | 16% | 32% | 25% | 11% | 88 |
| MEORC | 22% | 38% | 9% | 9% | 55 |
| MN | 12% | 33% | 4% | 19% | 104 |
| MO | 17% | 59% | 7% | 5% | 41 |
| NC | 29% | 25% | 11% | 5% | 83 |
| NJ | 18% | 45% | 14% | 0% | 22 |
| NY | 13% | 38% | 15% | 10% | 52 |
| OH | 20% | 33% | 6% | 10% | 51 |
| OK | 7% | 28% | 23% | 4% | 266 |
| PA | 22% | 18% | 21% | 6% | 68 |
| SC | 9% | 38% | 9% | 0% | 74 |
| TN | 13% | 49% | 11% | 6% | 53 |
| UT | 23% | 46% | 16% | 7% | 83 |
| VA | 8% | 35% | 12% | 12% | 91 |
| NCI Average | 18% | 33% | 15% | 9% | 2,077 |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, DC, and HI.




Table 39. Would like a job in the community* (among those without a job; ‘yes’ responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent’s Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| ME | 66% | 176 | n/a | 72% | 56% | 63% |
| UT | 62% | 164 | n/a | 68% | 52% | 57% |
| HI | 62% | 203 | n/a | 62% | n/a | 69% |
| OK | 58% | 239 | n/a | 77% | 55% | n/a |
| Within Average Range | | | | | | |
| MD | 60% | 101 | n/a | 49% | n/a | 72% |
| DC | 58% | 24 | n/a | n/a | n/a | n/a |
| MN | 58% | 97 | n/a | 59% | n/a | 60% |
| NC | 56% | 216 | n/a | 61% | n/a | 51% |
| GA | 55% | 247 | n/a | 51% | 67% | 56% |
| LA | 55% | 162 | 86% | 49% | 53% | 45% |
| AR | 54% | 153 | n/a | 48% | 57% | 64% |
| TN | 54% | 198 | n/a | 55% | 55% | 46% |
| AL | 54% | 295 | n/a | 58% | 47% | 50% |
| IL | 53% | 140 | n/a | 57% | n/a | 47% |
| NY | 53% | 224 | n/a | 48% | 60% | 61% |
| NJ | 49% | 154 | n/a | 47% | n/a | 47% |
| MEORC | 49% | 258 | n/a | 55% | 51% | 44% |
| MO | 49% | 213 | n/a | 50% | 50% | 29% |
| IN | 47% | 223 | n/a | 58% | 46% | 46% |
| MA | 45% | 229 | n/a | 47% | 31% | 53% |
| CO | 44% | 161 | n/a | 46% | n/a | 41% |
| VA | 44% | 193 | n/a | 47% | n/a | 53% |
| KY | 42% | 232 | n/a | 49% | n/a | 35% |
| OH | 41% | 226 | n/a | 29% | 50% | 47% |
| CT | 41% | 95 | n/a | 40% | n/a | 50% |
| Significantly Below Average | | | | | | |
| FL | 42% | 773 | n/a | 50% | 40% | 37% |
| PA | 37% | 275 | n/a | 42% | 31% | 42% |
| SC | 34% | 92 | n/a | 28% | n/a | 30% |
| KS | 33% | 215 | n/a | 28% | 38% | 36% |
| AZ | 10% | 283 | n/a | 12% | n/a | 8% |
| NCI Average | 49% | 6,261 | 86% | 50% | 49% | 48% |

*Reported for those who were determined to not have a community job from the Background Information section.

Has Community Employment as a Goal in Service Plan




Table 40. Have community employment as a goal in their service plan

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| OK | 51% | 954 | n/a | 52% | 52% | 24% |
| MN | 40% | 324 | n/a | 41% | 58% | 39% |
| MD | 39% | 371 | n/a | 28% | 49% | 48% |
| DC | 37% | 246 | n/a | 31% | 56% | 42% |
| ME | 32% | 378 | n/a | 28% | 40% | 39% |
| MA | 31% | 519 | n/a | 21% | 40% | 55% |
| Within Average Range | | | | | | |
| OH | 31% | 414 | n/a | 20% | 37% | 37% |
| CT | 29% | 392 | 4% | 19% | 52% | 43% |
| TN | 29% | 395 | n/a | 26% | 34% | 26% |
| CO | 28% | 386 | n/a | 26% | 46% | 29% |
| UT | 28% | 408 | 14% | 28% | 49% | 20% |
| KS | 27% | 412 | n/a | 17% | 44% | 26% |
| IN | 27% | 408 | n/a | 39% | 26% | 24% |
| NY | 27% | 423 | n/a | 14% | 49% | 43% |
| PA | 25% | 610 | 8% | 17% | 25% | 36% |
| LA | 25% | 424 | 22% | 28% | 26% | 25% |
| MEORC | 21% | 427 | n/a | 7% | 29% | 24% |
| SC | 21% | 364 | n/a | 9% | 55% | 19% |
| KY | 20% | 431 | n/a | 18% | 19% | 22% |
| MO | 20% | 484 | 29% | 14% | 21% | 32% |
| AL | 20% | 388 | n/a | 24% | 29% | 11% |
| Significantly Below Average | | | | | | |
| FL | 20% | 1,461 | n/a | 13% | 37% | 19% |
| AR | 19% | 372 | 3% | 13% | 32% | 13% |
| NC | 18% | 683 | 1% | 20% | 39% | 20% |
| VA | 17% | 841 | 33% | 17% | 26% | 19% |
| HI | 17% | 405 | n/a | 21% | n/a | 18% |
| AZ | 16% | 444 | n/a | 8% | n/a | 18% |
| IL | 15% | 342 | n/a | 15% | 29% | 14% |
| GA | 8% | 464 | n/a | 6% | 26% | 6% |
| NJ | 7% | 438 | n/a | 9% | n/a | 4% |
| NCI Average | 25% | 14,608 | 14% | 21% | 38% | 27% |

Attends a Day Program or Regular Activity




Table 41. Attend a day program or regular activity

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AL | 95% | 323 | n/a | 95% | 92% | 96% |
| NJ | 93% | 236 | n/a | 94% | n/a | 93% |
| HI | 92% | 255 | n/a | 95% | n/a | 91% |
| SC | 90% | 325 | n/a | 92% | 64% | 95% |
| GA | 87% | 298 | n/a | 92% | 60% | 91% |
| MEORC | 83% | 361 | n/a | 89% | 74% | 87% |
| IL | 80% | 246 | n/a | 85% | 68% | 77% |
| KY | 80% | 300 | n/a | 95% | 65% | 70% |
| OH | 78% | 363 | n/a | 86% | 65% | 77% |
| Within Average Range | | | | | | |
| KS | 77% | 317 | n/a | 92% | 66% | 62% |
| NY | 75% | 306 | n/a | 90% | 40% | 72% |
| ME | 74% | 293 | n/a | 71% | 60% | 88% |
| NC | 73% | 413 | 84% | 89% | 45% | 65% |
| CO | 73% | 310 | n/a | 79% | 49% | 70% |
| DC | 72% | 187 | n/a | 76% | 57% | 78% |
| MA | 71% | 394 | n/a | 83% | 39% | 69% |
| MD | 71% | 309 | n/a | 76% | 46% | 74% |
| AR | 70% | 237 | n/a | 84% | 57% | 60% |
| LA | 66% | 262 | 94% | 84% | 43% | 61% |
| AZ | 65% | 395 | n/a | 86% | n/a | 57% |
| CT | 64% | 262 | n/a | 79% | 39% | 58% |
| TN | 63% | 292 | n/a | 67% | 51% | 77% |
| Significantly Below Average | | | | | | |
| PA | 63% | 464 | n/a | 89% | 27% | 60% |
| UT | 61% | 290 | n/a | 78% | 33% | 62% |
| VA | 58% | 508 | 65% | 71% | 41% | 62% |
| MN | 58% | 251 | n/a | 65% | 34% | 54% |
| FL | 55% | 961 | n/a | 77% | 38% | 51% |
| IN | 54% | 318 | n/a | 61% | 60% | 47% |
| MO | 43% | 315 | 40% | 48% | 41% | 38% |
| OK | 41% | 555 | n/a | 65% | 37% | n/a |
| NCI Average | 71% | 10,346 | 71% | 81% | 52% | 70% |




Table 42. Do volunteer work

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| CO | 47% | 307 | n/a | 42% | 41% | 58% |
| SC | 46% | 319 | n/a | 42% | 39% | 51% |
| ME | 42% | 292 | n/a | 40% | 41% | 53% |
| MD | 41% | 318 | n/a | 34% | 51% | 44% |
| GA | 41% | 289 | n/a | 44% | 34% | 43% |
| HI | 41% | 243 | n/a | 40% | n/a | 43% |
| Within Average Range | | | | | | |
| NJ | 39% | 229 | n/a | 37% | n/a | 43% |
| UT | 39% | 271 | n/a | 37% | 27% | 46% |
| NY | 37% | 294 | n/a | 41% | 24% | 40% |
| NC | 36% | 396 | 8% | 42% | 36% | 33% |
| MN | 34% | 247 | n/a | 29% | 28% | 47% |
| IL | 33% | 227 | n/a | 26% | 30% | 43% |
| AR | 33% | 224 | n/a | 32% | 28% | 40% |
| PA | 33% | 442 | n/a | 33% | 17% | 40% |
| VA | 32% | 482 | n/a | 35% | 17% | 41% |
| DC | 32% | 180 | n/a | 25% | 39% | 34% |
| CT | 31% | 256 | n/a | 27% | 31% | 35% |
| IN | 30% | 316 | n/a | 23% | 26% | 33% |
| TN | 30% | 285 | n/a | 27% | 26% | 36% |
| MA | 29% | 382 | n/a | 28% | 16% | 36% |
| KS | 29% | 303 | n/a | 28% | 33% | 26% |
| OH | 29% | 360 | n/a | 30% | 27% | 28% |
| Significantly Below Average | | | | | | |
| OK | 26% | 537 | n/a | 18% | 26% | n/a |
| FL | 25% | 945 | n/a | 23% | 26% | 26% |
| MO | 24% | 309 | 26% | 18% | 28% | 18% |
| MEORC | 23% | 346 | n/a | 27% | 22% | 25% |
| AL | 21% | 316 | n/a | 18% | 12% | 27% |
| KY | 18% | 300 | n/a | 13% | 4% | 22% |
| LA | 17% | 259 | 11% | 17% | 14% | 20% |
| AZ | 11% | 394 | n/a | 9% | n/a | 12% |
| NCI Average | 32% | 10,068 | 15% | 30% | 28% | 36% |

Self-Determination

People have authority and are supported to direct and manage their own services.

There are six indicators measured by the Adult Consumer Survey:

1. The proportion of people who are currently using a self-directed supports option.
2. The proportion of people self-directing who report that someone talked with them about their individual budget/services.
3. The proportion of people self-directing who have help in deciding how to use their individual budget/services.
4. The proportion of people self-directing who report they want more help in deciding how to use their budget/services.
5. The proportion of people self-directing who receive information about their budget/services that is easy to understand.
6. The proportion of people self-directing who report they can make changes to their individual budget/services if they need to.

Tables 42 through 48 present the results for these six core indicators.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.




Table 43. Using a self-directed supports option*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| IL | 30% | 325 | n/a | 7% | 27% | 58% |
| UT | 20% | 407 | 0% | 0% | 6% | 48% |
| IN | 19% | 401 | n/a | 19% | 12% | 22% |
| KS | 18% | 414 | n/a | 1% | 11% | 54% |
| FL | 18% | 1,454 | n/a | 0% | 10% | 30% |
| AR | 17% | 382 | 12% | 15% | 22% | 18% |
| KY | 16% | 442 | n/a | 1% | 11% | 34% |
| VA | 15% | 823 | 8% | 3% | 16% | 47% |
| CT | 14% | 391 | 0% | 0% | 21% | 35% |
| Within Average Range | | | | | | |
| HI | 12% | 406 | n/a | 2% | n/a | 20% |
| PA | 8% | 618 | 0% | 4% | 2% | 16% |
| TN | 7% | 389 | n/a | 5% | 5% | 15% |
| NJ | 7% | 453 | n/a | 0% | n/a | 18% |
| Significantly Below Average | | | | | | |
| NY | 5% | 425 | n/a | 1% | 10% | 8% |
| ME | 4% | 364 | n/a | 2% | 7% | 6% |
| SC | 4% | 350 | n/a | 6% | 3% | 2% |
| MD | 4% | 361 | n/a | 2% | 8% | 5% |
| MA | 3% | 524 | n/a | 0% | 4% | 10% |
| CO | 3% | 393 | n/a | 1% | 12% | 2% |
| LA | 3% | 443 | 0% | 0% | 1% | 8% |
| NC | 2% | 687 | 4% | 2% | 0% | 2% |
| GA | 2% | 473 | n/a | 0% | 0% | 6% |
| AZ | 2% | 444 | n/a | 2% | n/a | 3% |
| OH | 2% | 416 | n/a | 1% | 2% | 2% |
| MO | 2% | 506 | 2% | 0% | 0% | 16% |
| MEORC | 1% | 431 | n/a | 0% | 4% | 1% |
| AL | 1% | 389 | n/a | 0% | 0% | 1% |
| OK | 0% | 985 | n/a | 0% | 0% | 0% |
| DC | 0% | 135 | n/a | 0% | 0% | 0% |
| NCI Average | 8% | 14,231 | 3% | 3% | 8% | 17% |

*Data were not analyzed for the MN due to an insufficient number of respondents (fewer than 20).

Table 44. Reported that someone talked with them about their individual budget/services (among those self-directing; 'yes' responses only)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|-----------------------------|------------------|------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| CT | 87% | 31 | n/a | n/a | n/a | n/a |
| HI | 86% | 22 | n/a | n/a | n/a | 90% |
| KS | 83% | 30 | n/a | n/a | n/a | n/a |
| FL | 80% | 101 | n/a | n/a | n/a | 79% |
| IL | 79% | 33 | n/a | n/a | n/a | 72% |
| UT | 74% | 34 | n/a | n/a | n/a | 73% |
| IN | 72% | 39 | n/a | n/a | n/a | 67% |
| KY | 65% | 26 | n/a | n/a | n/a | 65% |
| NCI Average | 78% | 316 | n/a | n/a | n/a | 74% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AZ, CO, DC, GA, LA, MA, MD, ME, MEROC, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA.

Table 45. Have help deciding how to use their individual budget/services (among those self-directing; ‘yes’ responses only)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent’s Home |
|-----------------------------|------------------|------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| KS | 100% | 28 | n/a | n/a | n/a | n/a |
| FL | 96% | 94 | n/a | n/a | n/a | 96% |
| CT | 93% | 28 | n/a | n/a | n/a | n/a |
| IN | 93% | 28 | n/a | n/a | n/a | n/a |
| IL | 92% | 26 | n/a | n/a | n/a | n/a |
| UT | 87% | 30 | n/a | n/a | n/a | 85% |
| KY | 63% | 24 | n/a | n/a | n/a | 62% |
| NCI Average | 89% | 258 | n/a | n/a | n/a | 81% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA.

Table 46. Can make changes to their individual budget/services if they need to (among those self-directing; 'yes' responses only)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|-----------------------------|------------------|------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| IN | 90% | 29 | n/a | n/a | n/a | n/a |
| CT | 88% | 25 | n/a | n/a | n/a | n/a |
| FL | 85% | 89 | n/a | n/a | n/a | 86% |
| IL | 85% | 26 | n/a | n/a | n/a | n/a |
| KS | 74% | 27 | n/a | n/a | n/a | n/a |
| UT | 70% | 23 | n/a | n/a | n/a | 67% |
| NCI Average | 82% | 219 | n/a | n/a | n/a | 76% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KY, LA, MA, MD, ME, MEROC, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA.

Table 47. Need more help deciding how to use their budget/services (among those self-directing; ‘yes’ and ‘maybe’ responses)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent’s Home |
|-----------------------------|------------------|------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| FL | 38% | 90 | n/a | n/a | n/a | 34% |
| IN | 33% | 30 | n/a | n/a | n/a | n/a |
| UT | 33% | 24 | n/a | n/a | n/a | 36% |
| KS | 26% | 27 | n/a | n/a | n/a | n/a |
| CT | 23% | 26 | n/a | n/a | n/a | n/a |
| IL | 21% | 24 | n/a | n/a | n/a | n/a |
| NCI Average | 29% | 221 | n/a | n/a | n/a | 35% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KY, LA, MA, MD, ME, MEROC, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA.

Table 48. Receive enough information about their budget/services (among those self-directing; ‘yes’ responses only)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent’s Home |
|------------------------------------|------------------|------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| CT | 91% | 23 | n/a | n/a | n/a | n/a |
| Within Average Range | | | | | | |
| FL | 82% | 84 | n/a | n/a | n/a | 82% |
| KS | 79% | 24 | n/a | n/a | n/a | n/a |
| IL | 71% | 24 | n/a | n/a | n/a | n/a |
| UT | 68% | 22 | n/a | n/a | n/a | 65% |
| IN | 68% | 31 | n/a | n/a | n/a | n/a |
| NCI Average | 77% | 208 | n/a | n/a | n/a | 74% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KY, LA, MA, MD, ME, MERO, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, and VA.

Table 49. Information they receive about their budget/services is easy to understand (among those self-directing; 'yes' responses only)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| IN | 88% | 24 | n/a | n/a | n/a | n/a |
| Within Average Range | | | | | | |
| IL | 81% | 21 | n/a | n/a | n/a | n/a |
| FL | 57% | 77 | n/a | n/a | n/a | 60% |
| CT | 57% | 21 | n/a | n/a | n/a | n/a |
| NCI Average | 71% | 143 | n/a | n/a | n/a | 60% |

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, AZ, CO, DC, GA, HI, KS, KY, LA, MA, MD, ME, MEROC, MN, MO, NC, NJ, NY, OH, OK, PA, SC, TN, UT, and VA.

Community Inclusion

People have support to participate in everyday community activities.

There is one Community Inclusion indicator:

The proportion of people who regularly participate in integrated activities in their communities.

Seven items from the Adult Consumer Survey were used to measure this indicator. These items assess how often consumers:

1. Go shopping (in the past month)
2. Go out on errands or appointments (in the past month)
3. Go out for entertainment (in the past month)
4. Go out to eat (in the past month)
5. Go to religious services (in the past month)
6. Go out for exercise (in the past month)
7. Go on vacation (in the past year)

The seven items were risk-adjusted and are presented in Tables 49 through 55.

Results from the Community Inclusion composite scale score, shown in Table 56, were produced by adding four of the items: the number of times the person went shopping, on errands, out for entertainment, and out to eat. The Community Inclusion scale was risk-adjusted.¹³

All un-collapsed and unadjusted data frequencies for these survey questions are displayed in Appendix B.

¹³ Outcome adjustment or “risk adjustment” is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. For a more robust description of risk adjustment see ‘Outcome Adjustment’ on page 199.

Table 50. Number of times people reported they went out shopping in the past month

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| HI | 404 | 6.0 |
| ME | 393 | 5.8 |
| OK | 978 | 5.7 |
| NC | 710 | 5.6 |
| TN | 392 | 5.4 |
| IN | 396 | 5.3 |
| CO | 393 | 5.0 |
| FL | 1,470 | 4.6 |
| VA | 892 | 4.6 |
| MN | 384 | 4.4 |
| MD | 399 | 4.4 |
| PA | 646 | 4.4 |
| KS | 392 | 4.4 |
| CT | 367 | 4.3 |
| NY | 432 | 4.1 |
| MA | 510 | 4.0 |
| MO | 505 | 4.0 |
| UT | 399 | 3.9 |
| DC | 292 | 3.9 |
| AR | 375 | 3.8 |
| GA | 407 | 3.3 |
| IL | 340 | 3.3 |
| KY | 442 | 3.2 |
| OH | 376 | 3.2 |
| MEORC | 392 | 3.1 |
| LA | 432 | 3.1 |
| NJ | 345 | 2.5 |
| AL | 313 | 2.5 |
| SC | 366 | 2.4 |
| AZ | 453 | 2.0 |
| NCI Average | 14,595 | 4.1 |

Table 51. Number of times people reported they went out on errands in the past month

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| OK | 975 | 5.3 |
| ME | 389 | 5.0 |
| IN | 396 | 4.9 |
| CT | 362 | 3.6 |
| MO | 505 | 3.5 |
| PA | 634 | 3.3 |
| FL | 1,459 | 3.2 |
| MA | 510 | 3.1 |
| AR | 372 | 3.0 |
| CO | 387 | 3.0 |
| TN | 383 | 3.0 |
| NC | 713 | 3.0 |
| KS | 389 | 3.0 |
| HI | 389 | 2.9 |
| MN | 375 | 2.9 |
| DC | 282 | 2.9 |
| UT | 398 | 2.8 |
| VA | 897 | 2.8 |
| MD | 407 | 2.6 |
| NY | 431 | 2.6 |
| KY | 442 | 2.3 |
| LA | 430 | 2.2 |
| IL | 334 | 2.2 |
| OH | 381 | 1.9 |
| GA | 377 | 1.9 |
| MEORC | 373 | 1.9 |
| NJ | 339 | 1.8 |
| AL | 309 | 1.3 |
| AZ | 442 | 1.3 |
| SC | 365 | 1.0 |
| NCI Average | 14,445 | 2.8 |

Table 52. Reported number of times people went out in the past month for entertainment

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| CO | 384 | 4.2 |
| OK | 984 | 4.0 |
| UT | 403 | 3.8 |
| DC | 298 | 3.7 |
| TN | 394 | 3.6 |
| CT | 360 | 3.5 |
| IN | 390 | 3.3 |
| ME | 384 | 3.2 |
| FL | 1,464 | 3.2 |
| MD | 407 | 3.1 |
| AR | 377 | 2.9 |
| VA | 890 | 2.7 |
| MN | 381 | 2.7 |
| KS | 391 | 2.6 |
| NJ | 357 | 2.6 |
| KY | 436 | 2.6 |
| NY | 430 | 2.5 |
| MA | 504 | 2.5 |
| NC | 720 | 2.5 |
| PA | 648 | 2.4 |
| GA | 400 | 2.3 |
| MO | 500 | 2.3 |
| AZ | 451 | 2.1 |
| IL | 331 | 1.9 |
| LA | 433 | 1.9 |
| HI | 398 | 1.9 |
| MEORC | 377 | 1.7 |
| SC | 374 | 1.7 |
| AL | 313 | 1.4 |
| OH | 379 | 1.3 |
| NCI Average | 14,558 | 2.7 |

Table 53. Reported number of times people went out to eat in the past month

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| HI | 401 | 5.5 |
| IN | 397 | 5.3 |
| TN | 385 | 5.1 |
| ME | 381 | 4.9 |
| OK | 980 | 4.9 |
| NC | 713 | 4.9 |
| MA | 516 | 4.8 |
| CO | 381 | 4.6 |
| VA | 902 | 4.2 |
| CT | 369 | 4.2 |
| AR | 380 | 4.1 |
| FL | 1,463 | 4.0 |
| KS | 392 | 3.6 |
| PA | 639 | 3.5 |
| MO | 504 | 3.5 |
| MD | 396 | 3.5 |
| MN | 386 | 3.4 |
| GA | 401 | 3.4 |
| UT | 404 | 3.3 |
| DC | 291 | 3.2 |
| KY | 441 | 3.1 |
| LA | 435 | 3.1 |
| OH | 370 | 3.0 |
| NY | 431 | 2.8 |
| MEORC | 386 | 2.8 |
| IL | 339 | 2.6 |
| AL | 313 | 2.5 |
| NJ | 333 | 2.0 |
| SC | 371 | 2.0 |
| AZ | 450 | 1.5 |
| NCI Average | 14,550 | 3.6 |

Table 54. Number of times people reported they went out to religious services in the past month
Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| DC | 283 | 2.5 |
| NC | 730 | 2.5 |
| UT | 399 | 2.4 |
| GA | 391 | 2.4 |
| TN | 389 | 2.3 |
| AR | 380 | 2.1 |
| IN | 395 | 2.1 |
| OK | 979 | 2.1 |
| MN | 383 | 2.0 |
| LA | 433 | 2.0 |
| VA | 883 | 2.0 |
| AL | 325 | 2.0 |
| OH | 402 | 1.9 |
| IL | 331 | 1.8 |
| SC | 364 | 1.7 |
| CO | 392 | 1.6 |
| MD | 391 | 1.6 |
| HI | 369 | 1.6 |
| KS | 385 | 1.6 |
| FL | 1,460 | 1.6 |
| NJ | 345 | 1.5 |
| PA | 647 | 1.5 |
| MEORC | 399 | 1.5 |
| KY | 436 | 1.5 |
| MO | 502 | 1.4 |
| NY | 426 | 1.3 |
| CT | 367 | 1.3 |
| AZ | 449 | 1.2 |
| MA | 499 | 1.2 |
| ME | 391 | 1.1 |
| NCI Average | 14,525 | 1.8 |

Table 55. Number of times people reported they went out for exercise in the past month
Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| SC | 377 | 13.6 |
| HI | 404 | 10.5 |
| DC | 299 | 10.2 |
| UT | 402 | 10.1 |
| CO | 388 | 9.5 |
| NC | 729 | 9.0 |
| OH | 383 | 8.8 |
| MD | 402 | 8.6 |
| PA | 648 | 8.1 |
| ME | 382 | 7.8 |
| IL | 331 | 7.1 |
| FL | 1,465 | 6.8 |
| OK | 977 | 6.7 |
| CT | 365 | 6.7 |
| NY | 430 | 6.5 |
| AR | 380 | 6.4 |
| TN | 388 | 6.3 |
| LA | 430 | 6.0 |
| MO | 507 | 6.0 |
| KS | 395 | 5.5 |
| MA | 515 | 5.5 |
| IN | 392 | 5.3 |
| MN | 385 | 5.1 |
| AZ | 448 | 4.8 |
| VA | 894 | 4.7 |
| NJ | 358 | 3.4 |
| MEORC | 384 | 3.3 |
| GA | 420 | 2.5 |
| AL | 365 | 2.0 |
| KY | 434 | 1.9 |
| NCI Average | 14,677 | 6.6 |

Table 56. Number of times people reported they went on vacation in the past year

Adjusted Variable; proxy respondents were allowed for this question

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| MN | 382 | 1.4 |
| VA | 895 | 1.2 |
| MD | 396 | 1.1 |
| DC | 283 | 1.1 |
| NC | 733 | 1.0 |
| CT | 367 | 1.0 |
| UT | 401 | 1.0 |
| ME | 389 | 1.0 |
| PA | 627 | 0.9 |
| AR | 383 | 0.9 |
| CO | 387 | 0.9 |
| MA | 509 | 0.8 |
| IN | 392 | 0.8 |
| KS | 391 | 0.8 |
| IL | 324 | 0.8 |
| OK | 969 | 0.8 |
| NY | 431 | 0.8 |
| SC | 363 | 0.8 |
| FL | 1,464 | 0.8 |
| TN | 382 | 0.7 |
| NJ | 384 | 0.6 |
| OH | 403 | 0.6 |
| LA | 430 | 0.5 |
| MO | 498 | 0.5 |
| GA | 396 | 0.4 |
| KY | 427 | 0.4 |
| HI | 392 | 0.4 |
| AL | 349 | 0.4 |
| MEORC | 402 | 0.4 |
| AZ | 450 | 0.3 |
| NCI Average | 14,599 | 0.8 |

Table 57. Community Inclusion Scale Score

Adjusted Variable

| State | N (observed) | Adjusted Average |
|--------------------|---------------|------------------|
| OK | 968 | 19.9 |
| ME | 364 | 19.2 |
| IN | 384 | 18.8 |
| TN | 368 | 17.1 |
| CO | 367 | 16.8 |
| HI | 377 | 16.5 |
| NC | 657 | 16.4 |
| CT | 326 | 15.6 |
| FL | 1,421 | 15.2 |
| MA | 485 | 14.7 |
| VA | 843 | 14.6 |
| AR | 352 | 14.1 |
| UT | 392 | 13.9 |
| MD | 370 | 13.8 |
| KS | 371 | 13.8 |
| PA | 585 | 13.8 |
| MN | 363 | 13.5 |
| DC | 268 | 13.4 |
| MO | 487 | 13.3 |
| NY | 423 | 12.2 |
| KY | 425 | 11.4 |
| GA | 357 | 11.1 |
| LA | 415 | 10.3 |
| IL | 318 | 10.2 |
| MEORC | 330 | 9.5 |
| OH | 342 | 9.3 |
| NJ | 272 | 8.9 |
| AL | 300 | 7.8 |
| SC | 346 | 7.1 |
| AZ | 423 | 6.7 |
| NCI Average | 13,699 | 13.3 |

Relationships

People have friends and relationships.

There are six Relationship indicators:

1. The proportion of people who have friends and caring relationships with people other than support staff and family members.
2. The proportion of people who have a close friend, someone they can talk to about personal things.
3. The proportion of people who are able to see their (a) families and (b) friends whenever they want.
4. The proportion of people who feel lonely.
5. The proportion of people who can go on a date if they want.
6. The proportion of people who report they get to help others.

Tables 57 through 63 present the results for these six core indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

Has Friends




Table 58. Have friends who are not staff or family members ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AL | 90% | 316 | n/a | 91% | 100% | 84% |
| SC | 88% | 320 | n/a | 92% | 81% | 89% |
| OH | 85% | 364 | n/a | 89% | 88% | 83% |
| NJ | 84% | 233 | n/a | 79% | n/a | 89% |
| ME | 82% | 294 | n/a | 80% | 84% | 83% |
| Within Average Range | | | | | | |
| MN | 82% | 249 | n/a | 82% | 93% | 78% |
| KS | 81% | 304 | n/a | 78% | 87% | 84% |
| MO | 81% | 313 | 68% | 86% | 81% | 85% |
| AR | 80% | 237 | n/a | 75% | 80% | 89% |
| CO | 80% | 309 | n/a | 75% | 88% | 83% |
| IL | 79% | 249 | n/a | 78% | 92% | 81% |
| MA | 78% | 384 | n/a | 75% | 82% | 81% |
| PA | 78% | 447 | n/a | 72% | 86% | 80% |
| MEORC | 77% | 364 | n/a | 88% | 76% | 74% |
| UT | 77% | 283 | n/a | 76% | 75% | 81% |
| FL | 77% | 955 | n/a | 73% | 80% | 77% |
| IN | 76% | 315 | n/a | 74% | 70% | 78% |
| GA | 75% | 291 | n/a | 67% | 88% | 77% |
| VA | 74% | 512 | n/a | 78% | 67% | 70% |
| NC | 74% | 412 | 72% | 77% | 80% | 72% |
| LA | 73% | 267 | 58% | 75% | 72% | 77% |
| OK | 73% | 553 | n/a | 80% | 72% | n/a |
| NY | 72% | 300 | n/a | 68% | 79% | 69% |
| CT | 72% | 267 | n/a | 71% | 64% | 77% |
| MD | 72% | 317 | n/a | 78% | 79% | 68% |
| DC | 66% | 191 | n/a | 62% | 74% | 71% |
| Significantly Below Average | | | | | | |
| TN | 67% | 289 | n/a | 63% | 67% | 71% |
| AZ | 62% | 400 | n/a | 53% | n/a | 68% |
| HI | 62% | 253 | n/a | 68% | n/a | 68% |
| KY | 48% | 301 | n/a | 36% | 45% | 62% |
| NCI Average | 76% | 10,289 | 66% | 75% | 79% | 77% |




Table 59. Have a best friend (may be staff or family)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AL | 88% | 318 | n/a | 86% | 97% | 88% |
| MN | 87% | 238 | n/a | 89% | 85% | 82% |
| Within Average Range | | | | | | |
| HI | 86% | 242 | n/a | 75% | n/a | 87% |
| OH | 85% | 357 | n/a | 94% | 88% | 81% |
| SC | 84% | 313 | n/a | 89% | 86% | 84% |
| CT | 84% | 254 | n/a | 83% | 87% | 84% |
| KS | 84% | 286 | n/a | 82% | 84% | 87% |
| UT | 83% | 284 | n/a | 80% | 80% | 88% |
| IL | 82% | 249 | n/a | 82% | 81% | 84% |
| PA | 82% | 434 | n/a | 86% | 86% | 78% |
| DC | 81% | 181 | n/a | 79% | 76% | 91% |
| IN | 81% | 311 | n/a | 81% | 78% | 82% |
| TN | 81% | 287 | n/a | 78% | 79% | 83% |
| MEORC | 81% | 343 | n/a | 81% | 83% | 79% |
| VA | 81% | 492 | n/a | 85% | 72% | 82% |
| MA | 81% | 371 | n/a | 77% | 81% | 87% |
| OK | 80% | 541 | n/a | 79% | 80% | n/a |
| AR | 80% | 232 | n/a | 79% | 81% | 73% |
| FL | 79% | 936 | n/a | 78% | 78% | 80% |
| NC | 79% | 396 | 87% | 77% | 88% | 77% |
| MD | 78% | 320 | n/a | 77% | 87% | 80% |
| MO | 77% | 299 | 67% | 83% | 81% | 58% |
| AZ | 77% | 397 | n/a | 73% | n/a | 77% |
| ME | 76% | 288 | n/a | 73% | 78% | 75% |
| NJ | 76% | 224 | n/a | 77% | n/a | 78% |
| LA | 76% | 261 | 69% | 78% | 72% | 79% |
| GA | 75% | 277 | n/a | 72% | 82% | 76% |
| NY | 74% | 298 | n/a | 72% | 74% | 70% |
| Significantly Below Average | | | | | | |
| CO | 64% | 299 | n/a | 59% | 66% | 68% |
| KY | 63% | 295 | n/a | 56% | 68% | 68% |
| NCI Average | 79% | 10,023 | 74% | 79% | 81% | 80% |




Table 60. Have friends (may be staff or family) and the support needed to see their friends when they want ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| CO | 91% | 271 | n/a | 86% | 100% | 91% |
| IL | 90% | 232 | n/a | 91% | 96% | 88% |
| KS | 90% | 284 | n/a | 86% | 95% | 88% |
| TN | 88% | 275 | n/a | 90% | 87% | 89% |
| HI | 87% | 230 | n/a | 80% | n/a | 86% |
| PA | 86% | 421 | n/a | 84% | 89% | 84% |
| OH | 85% | 341 | n/a | 87% | 84% | 83% |
| Within Average Range | | | | | | |
| MO | 83% | 286 | n/a | 79% | 86% | 87% |
| MD | 83% | 303 | n/a | 81% | 92% | 80% |
| OK | 82% | 516 | n/a | 90% | 82% | n/a |
| CT | 82% | 252 | n/a | 83% | 82% | 77% |
| LA | 82% | 231 | 68% | 85% | 80% | 85% |
| VA | 82% | 454 | n/a | 76% | 76% | 84% |
| MEORC | 81% | 329 | n/a | 87% | 77% | 80% |
| UT | 80% | 269 | n/a | 80% | 83% | 80% |
| NY | 80% | 267 | n/a | 79% | 95% | 73% |
| NC | 79% | 369 | 78% | 83% | 68% | 80% |
| AR | 79% | 225 | n/a | 75% | 76% | 89% |
| MN | 79% | 228 | n/a | 79% | 72% | 79% |
| AL | 78% | 298 | n/a | 73% | 86% | 83% |
| MA | 78% | 353 | n/a | 78% | 86% | 75% |
| SC | 78% | 307 | n/a | 73% | 80% | 78% |
| NJ | 77% | 212 | n/a | 77% | n/a | 76% |
| IN | 77% | 299 | n/a | 70% | 82% | 75% |
| FL | 77% | 866 | n/a | 76% | 81% | 74% |
| DC | 73% | 165 | n/a | 82% | 72% | 58% |
| GA | 70% | 254 | n/a | 66% | 81% | 68% |
| Significantly Below Average | | | | | | |
| ME | 66% | 265 | n/a | 64% | 64% | 68% |
| KY | 53% | 295 | n/a | 39% | 64% | 66% |
| AZ | 33% | 358 | n/a | 36% | n/a | 28% |
| NCI Average | 78% | 9,455 | 73% | 77% | 82% | 78% |




Table 61. Have family they see and the support needed to see their family when they want ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MD | 90% | 306 | n/a | 87% | 94% | 95% |
| PA | 88% | 408 | n/a | 85% | 88% | 91% |
| IL | 87% | 223 | n/a | 82% | 87% | 95% |
| OH | 86% | 341 | n/a | 84% | 86% | 89% |
| SC | 86% | 317 | n/a | 84% | 89% | 90% |
| Within Average Range | | | | | | |
| HI | 86% | 225 | n/a | 77% | n/a | 88% |
| KS | 85% | 278 | n/a | 78% | 88% | 98% |
| TN | 84% | 262 | n/a | 73% | 81% | 99% |
| MN | 84% | 225 | n/a | 88% | 69% | 86% |
| NY | 83% | 264 | n/a | 78% | 87% | 87% |
| UT | 81% | 277 | n/a | 80% | 82% | 83% |
| CT | 80% | 243 | n/a | 71% | 80% | 93% |
| DC | 80% | 154 | n/a | 77% | 71% | 89% |
| OK | 80% | 462 | n/a | 80% | 79% | n/a |
| LA | 79% | 257 | 64% | 73% | 72% | 94% |
| CO | 79% | 286 | n/a | 69% | 78% | 96% |
| VA | 79% | 457 | n/a | 72% | 88% | 92% |
| IN | 78% | 304 | n/a | 71% | 67% | 85% |
| MA | 78% | 339 | n/a | 76% | 74% | 93% |
| NJ | 78% | 201 | n/a | 72% | n/a | 91% |
| MEORC | 77% | 325 | n/a | 70% | 68% | 88% |
| AL | 77% | 300 | n/a | 64% | 88% | 88% |
| MO | 76% | 268 | 75% | 66% | 77% | 97% |
| GA | 76% | 260 | n/a | 59% | 76% | 88% |
| AR | 76% | 223 | n/a | 68% | 73% | 96% |
| NC | 76% | 381 | 70% | 70% | 76% | 84% |
| AZ | 75% | 394 | n/a | 45% | n/a | 89% |
| ME | 73% | 258 | n/a | 65% | 74% | 87% |
| Significantly Average | | | | | | |
| FL | 71% | 869 | n/a | 51% | 68% | 82% |
| KY | 69% | 273 | n/a | 48% | 70% | 90% |
| NCI Average | 80% | 9,380 | 70% | 72% | 79% | 90% |




Table 62. Can go on a date if they want or can date with some restriction ('yes, can date' and 'yes, can date with some restriction or rules' responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| ME | 95% | 229 | n/a | 94% | 100% | 88% |
| KS | 95% | 227 | n/a | 95% | 96% | 93% |
| MEORC | 93% | 305 | n/a | 94% | 99% | 89% |
| CO | 91% | 248 | n/a | 89% | 100% | 85% |
| KY | 90% | 214 | n/a | 93% | n/a | 92% |
| GA | 90% | 232 | n/a | 89% | 100% | 87% |
| OH | 89% | 346 | n/a | 94% | 96% | 86% |
| PA | 88% | 329 | n/a | 92% | 94% | 85% |
| Within Average Range | | | | | | |
| NJ | 89% | 183 | n/a | 88% | n/a | 88% |
| AR | 88% | 205 | n/a | 85% | 96% | 86% |
| IN | 88% | 256 | n/a | 95% | 89% | 87% |
| UT | 88% | 259 | n/a | 85% | 93% | 89% |
| MA | 88% | 312 | n/a | 90% | 93% | 79% |
| FL | 86% | 734 | n/a | 85% | 94% | 82% |
| AL | 85% | 261 | n/a | 89% | 100% | 76% |
| MN | 85% | 192 | n/a | 84% | 92% | 82% |
| NY | 85% | 208 | n/a | 84% | 94% | 80% |
| MO | 84% | 253 | 55% | 83% | 87% | 96% |
| OK | 83% | 484 | n/a | 88% | 83% | n/a |
| NC | 83% | 340 | n/a | 84% | 97% | 77% |
| TN | 83% | 197 | n/a | 91% | 80% | 80% |
| LA | 80% | 202 | 76% | 87% | 79% | 76% |
| SC | 76% | 314 | n/a | 85% | 92% | 68% |
| MD | 76% | 291 | n/a | 76% | 94% | 74% |
| IL | 75% | 220 | n/a | 81% | 83% | 69% |
| CT | 74% | 205 | n/a | 71% | 86% | 67% |
| Significantly Below Average | | | | | | |
| VA | 75% | 401 | n/a | 81% | 83% | 65% |
| DC | 71% | 162 | n/a | 68% | 78% | 84% |
| HI | 60% | 135 | n/a | n/a | n/a | 59% |
| AZ | 43% | 343 | n/a | 33% | n/a | 48% |
| NCI Average | 83% | 8,287 | 65% | 85% | 92% | 80% |




Table 63. Feel lonely at least half the time ('yes' and 'sometimes' responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| KY | 51% | 300 | n/a | 58% | 67% | 39% |
| CO | 50% | 294 | n/a | 57% | 51% | 41% |
| Within Average Range | | | | | | |
| ME | 48% | 284 | n/a | 45% | 60% | 40% |
| UT | 47% | 287 | n/a | 57% | 53% | 37% |
| GA | 46% | 281 | n/a | 51% | 56% | 41% |
| MO | 46% | 307 | 58% | 49% | 42% | 41% |
| NJ | 44% | 233 | n/a | 46% | n/a | 42% |
| OK | 43% | 543 | n/a | 51% | 43% | n/a |
| SC | 43% | 314 | n/a | 53% | 44% | 33% |
| MA | 43% | 365 | n/a | 46% | 49% | 34% |
| LA | 43% | 254 | 62% | 38% | 43% | 40% |
| IL | 42% | 244 | n/a | 49% | 46% | 33% |
| MEORC | 41% | 347 | n/a | 46% | 43% | 38% |
| AL | 40% | 314 | n/a | 41% | 61% | 33% |
| MN | 40% | 241 | n/a | 44% | 48% | 35% |
| KS | 40% | 297 | n/a | 38% | 49% | 33% |
| OH | 40% | 355 | n/a | 38% | 45% | 36% |
| NY | 40% | 293 | n/a | 47% | 31% | 34% |
| MD | 40% | 312 | n/a | 37% | 37% | 42% |
| DC | 38% | 185 | n/a | 38% | 41% | 39% |
| IN | 38% | 301 | n/a | 57% | 37% | 34% |
| NC | 38% | 404 | 55% | 43% | 36% | 30% |
| HI | 38% | 240 | n/a | 36% | n/a | 36% |
| VA | 37% | 479 | n/a | 39% | 32% | 35% |
| FL | 36% | 922 | n/a | 41% | 37% | 30% |
| PA | 35% | 440 | n/a | 35% | 53% | 31% |
| TN | 34% | 287 | n/a | 37% | 38% | 26% |
| Significantly Below Average | | | | | | |
| CT | 30% | 260 | n/a | 30% | 28% | 26% |
| AR | 30% | 227 | n/a | 28% | 33% | 21% |
| AZ | 15% | 379 | n/a | 17% | n/a | 13% |
| NCI Average | 40% | 9,989 | 58% | 43% | 45% | 34% |

Can Help Other People




Table 64. Can help other people if they want, at least some of the time ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| OH | 97% | 361 | n/a | 96% | 97% | 97% |
| CO | 95% | 303 | n/a | 95% | 93% | 97% |
| AL | 94% | 318 | n/a | 93% | 97% | 94% |
| UT | 93% | 289 | n/a | 93% | 94% | 92% |
| OK | 93% | 544 | n/a | 97% | 93% | n/a |
| NJ | 92% | 226 | n/a | 93% | n/a | 92% |
| SC | 92% | 313 | n/a | 90% | 92% | 95% |
| AR | 92% | 234 | n/a | 85% | 93% | 98% |
| GA | 92% | 288 | n/a | 86% | 100% | 93% |
| MD | 91% | 322 | n/a | 90% | 97% | 92% |
| KS | 91% | 297 | n/a | 90% | 93% | 90% |
| Within Average Range | | | | | | |
| IN | 90% | 311 | n/a | 90% | 89% | 90% |
| MN | 89% | 247 | n/a | 89% | 97% | 90% |
| MA | 89% | 372 | n/a | 87% | 93% | 92% |
| PA | 89% | 456 | n/a | 86% | 94% | 92% |
| NC | 88% | 406 | 92% | 86% | 89% | 92% |
| HI | 88% | 238 | n/a | 94% | n/a | 88% |
| CT | 88% | 262 | n/a | 84% | 92% | 91% |
| DC | 87% | 182 | n/a | 81% | 84% | 95% |
| VA | 87% | 497 | n/a | 85% | 77% | 94% |
| IL | 87% | 248 | n/a | 88% | 88% | 87% |
| FL | 86% | 941 | n/a | 88% | 90% | 84% |
| TN | 86% | 292 | n/a | 80% | 89% | 88% |
| ME | 86% | 292 | n/a | 83% | 86% | 89% |
| LA | 85% | 267 | 85% | 89% | 84% | 84% |
| NY | 84% | 290 | n/a | 83% | 86% | 85% |
| MO | 84% | 302 | 55% | 82% | 89% | 85% |
| MEORC | 83% | 350 | n/a | 87% | 81% | 83% |
| Significantly Below Average | | | | | | |
| KY | 45% | 298 | n/a | 43% | 43% | 48% |
| AZ | 27% | 392 | n/a | 26% | n/a | 25% |
| NCI Average | 86% | 10,138 | 77% | 85% | 89% | 87% |

Satisfaction

People are satisfied with the services and supports they receive.

There are seven Satisfaction indicators:

1. The proportion of people satisfied with where they live.
2. The proportion of people who would like to live somewhere else.
3. The proportion of people who talk to their neighbors.
4. The proportion of people who are satisfied with their paid community job.
5. The proportion of people who have a paid community job who would like to work somewhere else.
6. The proportion of people who are satisfied with their day program or other daily activity.
7. The proportion of people who go to a day program or have another daily activity who would like to go somewhere else or do something else during the day.

Tables 64 through 70 present items that correspond to the Satisfaction domain. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.




Table 65. Like their home ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 97% | 399 | n/a | 95% | n/a | 99% |
| GA | 95% | 290 | n/a | 94% | 91% | 97% |
| HI | 95% | 254 | n/a | 92% | n/a | 97% |
| KY | 94% | 301 | n/a | 95% | 100% | 93% |
| Within Average Range | | | | | | |
| TN | 93% | 294 | n/a | 92% | 88% | 99% |
| AL | 92% | 318 | n/a | 88% | 94% | 97% |
| KS | 92% | 313 | n/a | 93% | 90% | 92% |
| SC | 92% | 324 | n/a | 85% | 92% | 99% |
| OH | 92% | 363 | n/a | 90% | 86% | 95% |
| OK | 91% | 557 | n/a | 86% | 92% | n/a |
| MEORC | 91% | 369 | n/a | 91% | 90% | 93% |
| CO | 91% | 310 | n/a | 88% | 88% | 96% |
| IL | 91% | 251 | n/a | 85% | 96% | 96% |
| LA | 91% | 269 | 84% | 88% | 90% | 96% |
| NC | 91% | 422 | 85% | 90% | 80% | 96% |
| FL | 90% | 972 | n/a | 86% | 86% | 95% |
| IN | 90% | 317 | n/a | 90% | 85% | 94% |
| VA | 90% | 514 | n/a | 86% | 93% | 97% |
| NJ | 89% | 236 | n/a | 84% | n/a | 93% |
| MN | 89% | 254 | n/a | 89% | 86% | 90% |
| PA | 88% | 467 | n/a | 88% | 89% | 92% |
| MD | 88% | 319 | n/a | 86% | 83% | 89% |
| NY | 88% | 304 | n/a | 86% | 90% | 92% |
| AR | 87% | 239 | n/a | 81% | 86% | 100% |
| MO | 87% | 316 | 67% | 87% | 89% | 97% |
| UT | 87% | 291 | n/a | 83% | 83% | 95% |
| CT | 87% | 273 | n/a | 80% | 85% | 96% |
| DC | 86% | 192 | n/a | 82% | 87% | 92% |
| Significantly Below Average | | | | | | |
| MA | 84% | 392 | n/a | 81% | 77% | 99% |
| ME | 79% | 295 | n/a | 74% | 71% | 87% |
| NCI Average | 90% | 10,415 | 78% | 87% | 88% | 95% |




Table 66. Would like to live somewhere else ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| NJ | 35% | 232 | n/a | 39% | n/a | 29% |
| OK | 34% | 551 | n/a | 48% | 33% | n/a |
| Within Average Range | | | | | | |
| DC | 36% | 190 | n/a | 36% | 37% | 38% |
| LA | 33% | 268 | 72% | 43% | 19% | 23% |
| AR | 32% | 235 | n/a | 42% | 34% | 13% |
| ME | 32% | 289 | n/a | 38% | 31% | 25% |
| MO | 31% | 312 | 60% | 30% | 33% | 12% |
| AL | 31% | 317 | n/a | 37% | 28% | 24% |
| UT | 30% | 287 | n/a | 30% | 27% | 29% |
| NC | 29% | 412 | 67% | 32% | 36% | 23% |
| OH | 29% | 363 | n/a | 30% | 32% | 27% |
| MA | 29% | 379 | n/a | 31% | 30% | 18% |
| CO | 28% | 309 | n/a | 32% | 29% | 28% |
| TN | 28% | 290 | n/a | 25% | 37% | 19% |
| IN | 27% | 313 | n/a | 23% | 32% | 26% |
| VA | 27% | 499 | n/a | 30% | 38% | 23% |
| MD | 26% | 319 | n/a | 29% | 26% | 22% |
| MN | 26% | 241 | n/a | 29% | 14% | 25% |
| IL | 26% | 245 | n/a | 36% | 19% | 18% |
| CT | 25% | 270 | n/a | 32% | 23% | 14% |
| MEORC | 24% | 356 | n/a | 38% | 20% | 19% |
| NY | 23% | 299 | n/a | 28% | 15% | 21% |
| FL | 22% | 959 | n/a | 26% | 24% | 18% |
| PA | 22% | 456 | n/a | 22% | 20% | 17% |
| KS | 21% | 310 | n/a | 15% | 29% | 22% |
| HI | 20% | 251 | n/a | 25% | n/a | 20% |
| Significantly Below Average | | | | | | |
| GA | 19% | 291 | n/a | 18% | 14% | 20% |
| SC | 18% | 317 | n/a | 31% | 19% | 7% |
| AZ | 11% | 395 | n/a | 16% | n/a | 7% |
| KY | 8% | 301 | n/a | 9% | 8% | 7% |
| NCI Average | 26% | 10,256 | 66% | 30% | 26% | 20% |




Table 67. Talk with their neighbors at least some of the time ('yes, but not often' and 'yes, often' responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| KY | 84% | 303 | n/a | 83% | 92% | 86% |
| SC | 83% | 320 | n/a | 72% | 86% | 89% |
| AR | 75% | 237 | n/a | 70% | 69% | 72% |
| Within Average Range | | | | | | |
| LA | 71% | 266 | 70% | 58% | 76% | 76% |
| MO | 71% | 310 | 65% | 71% | 70% | 74% |
| FL | 70% | 951 | n/a | 54% | 77% | 77% |
| PA | 70% | 440 | n/a | 49% | 84% | 77% |
| MEORC | 69% | 359 | n/a | 55% | 78% | 65% |
| DC | 69% | 191 | n/a | 64% | 72% | 74% |
| UT | 68% | 283 | n/a | 57% | 77% | 78% |
| VA | 67% | 504 | n/a | 58% | 88% | 74% |
| KS | 66% | 307 | n/a | 57% | 75% | 72% |
| NY | 66% | 299 | n/a | 53% | 80% | 78% |
| IL | 66% | 250 | n/a | 59% | 84% | 74% |
| NC | 65% | 413 | 92% | 44% | 80% | 70% |
| GA | 65% | 285 | n/a | 52% | 80% | 72% |
| IN | 64% | 316 | n/a | 42% | 63% | 67% |
| MN | 64% | 245 | n/a | 62% | 66% | 69% |
| HI | 62% | 244 | n/a | 51% | n/a | 67% |
| MD | 62% | 321 | n/a | 49% | 76% | 69% |
| CO | 61% | 306 | n/a | 55% | 76% | 69% |
| TN | 61% | 293 | n/a | 57% | 57% | 69% |
| OH | 61% | 365 | n/a | 50% | 68% | 63% |
| OK | 61% | 552 | n/a | 55% | 61% | n/a |
| NJ | 60% | 230 | n/a | 55% | n/a | 72% |
| CT | 60% | 265 | n/a | 44% | 75% | 67% |
| Significantly Below Average | | | | | | |
| MA | 58% | 382 | n/a | 42% | 78% | 81% |
| AL | 56% | 315 | n/a | 44% | 77% | 64% |
| ME | 55% | 291 | n/a | 45% | 72% | 60% |
| AZ | 36% | 399 | n/a | 17% | n/a | 42% |
| NCI Average | 65% | 10,242 | 76% | 54% | 75% | 71% |




Table 68. Have a paid job in the community and like where they work ('yes' responses only)*

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| KY | 100% | 39 | n/a | n/a | n/a | n/a |
| MEORC | 100% | 39 | n/a | n/a | n/a | n/a |
| KS | 98% | 60 | n/a | n/a | 100% | n/a |
| Within Average Range | | | | | | |
| LA | 97% | 35 | n/a | n/a | n/a | n/a |
| IL | 96% | 27 | n/a | n/a | n/a | n/a |
| TN | 95% | 40 | n/a | n/a | n/a | n/a |
| GA | 94% | 36 | n/a | n/a | n/a | n/a |
| AZ | 94% | 35 | n/a | n/a | n/a | 92% |
| FL | 94% | 140 | n/a | n/a | 94% | 93% |
| VA | 93% | 75 | n/a | n/a | n/a | n/a |
| SC | 93% | 74 | n/a | n/a | n/a | 97% |
| MA | 93% | 115 | n/a | 93% | 92% | 97% |
| NY | 93% | 42 | n/a | n/a | n/a | 95% |
| OK | 93% | 215 | n/a | 91% | 92% | n/a |
| MO | 93% | 40 | n/a | n/a | 95% | n/a |
| MD | 92% | 74 | n/a | n/a | n/a | 94% |
| NC | 91% | 58 | n/a | n/a | n/a | n/a |
| UT | 91% | 67 | n/a | n/a | 89% | 95% |
| IN | 91% | 54 | n/a | n/a | n/a | 86% |
| OH | 90% | 41 | n/a | n/a | n/a | n/a |
| PA | 90% | 50 | n/a | n/a | n/a | 90% |
| CO | 90% | 99 | n/a | 86% | 86% | 88% |
| ME | 90% | 77 | n/a | 88% | n/a | 90% |
| MN | 89% | 81 | n/a | 89% | n/a | n/a |
| NJ | 89% | 27 | n/a | n/a | n/a | n/a |
| CT | 86% | 87 | n/a | 85% | 86% | 88% |
| NCI Average | 93% | 1,727 | n/a | 89% | 92% | 92% |

*Reported for those who were determined to have a paid community job from the Background Information section.

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, DC, and HI.

Wants to Work Somewhere Else




Table 69. Have a paid job in the community and want to work somewhere else* ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| OH | 49% | 41 | n/a | n/a | n/a | n/a |
| TN | 45% | 38 | n/a | n/a | n/a | n/a |
| UT | 43% | 68 | n/a | n/a | 44% | 36% |
| ME | 40% | 73 | n/a | 58% | n/a | n/a |
| MA | 39% | 114 | n/a | 45% | 27% | 39% |
| NC | 38% | 58 | n/a | n/a | n/a | n/a |
| MN | 37% | 75 | n/a | 47% | n/a | n/a |
| GA | 34% | 35 | n/a | n/a | n/a | n/a |
| PA | 34% | 50 | n/a | n/a | n/a | 42% |
| NY | 33% | 43 | n/a | n/a | n/a | 25% |
| OK | 31% | 213 | n/a | 39% | 32% | n/a |
| IN | 30% | 53 | n/a | n/a | n/a | 36% |
| CT | 29% | 86 | n/a | 31% | 20% | 36% |
| NJ | 28% | 25 | n/a | n/a | n/a | n/a |
| MD | 28% | 68 | n/a | n/a | n/a | 24% |
| VA | 28% | 76 | n/a | 26% | n/a | n/a |
| MEORC | 27% | 37 | n/a | n/a | n/a | n/a |
| CO | 27% | 100 | n/a | 33% | 23% | 27% |
| IL | 26% | 27 | n/a | n/a | n/a | n/a |
| KS | 25% | 56 | n/a | n/a | 30% | n/a |
| MO | 25% | 40 | n/a | n/a | n/a | n/a |
| SC | 25% | 73 | n/a | n/a | n/a | 19% |
| LA | 24% | 34 | n/a | n/a | n/a | n/a |
| FL | 21% | 135 | n/a | n/a | 19% | 19% |
| Significantly Below Average | | | | | | |
| AZ | 11% | 35 | n/a | n/a | n/a | 12% |
| KY | 8% | 40 | n/a | n/a | n/a | n/a |
| NCI Average | 30% | 1,693 | n/a | 40% | 28% | 29% |

*Reported for those who were determined to have a paid community job from the Background Information section.

*Data were not analyzed for the following states due to an insufficient number of respondents (fewer than 20): AL, AR, DC, and HI.




Table 70. Attend a day program or activity and likes where they go or what they do ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 95% | 249 | n/a | 95% | n/a | 94% |
| SC | 93% | 291 | n/a | 95% | 83% | 94% |
| PA | 93% | 289 | n/a | 90% | n/a | 95% |
| Within Average Range | | | | | | |
| TN | 93% | 182 | n/a | 94% | 85% | 97% |
| MD | 93% | 216 | n/a | 94% | n/a | 94% |
| HI | 92% | 233 | n/a | 94% | n/a | 90% |
| AL | 91% | 306 | n/a | 86% | 94% | 96% |
| OH | 91% | 278 | n/a | 94% | 86% | 91% |
| IL | 90% | 197 | n/a | 89% | n/a | 96% |
| NJ | 90% | 217 | n/a | 86% | n/a | 93% |
| FL | 90% | 521 | n/a | 86% | 88% | 93% |
| NC | 90% | 296 | 86% | 86% | n/a | 94% |
| DC | 89% | 133 | n/a | 85% | 90% | 89% |
| NY | 89% | 227 | n/a | 90% | n/a | 89% |
| VA | 89% | 289 | n/a | 87% | n/a | 96% |
| MEORC | 89% | 297 | n/a | 92% | 85% | 91% |
| GA | 89% | 258 | n/a | 86% | 86% | 94% |
| KS | 89% | 237 | n/a | 90% | 86% | 85% |
| AR | 88% | 164 | n/a | 97% | 82% | 93% |
| CO | 88% | 224 | n/a | 75% | 90% | 96% |
| MN | 87% | 143 | n/a | 94% | n/a | 79% |
| OK | 87% | 224 | n/a | 90% | 85% | n/a |
| MA | 87% | 276 | n/a | 87% | 67% | 94% |
| KY | 86% | 237 | n/a | 87% | n/a | 87% |
| MO | 85% | 129 | n/a | 76% | 92% | n/a |
| CT | 85% | 164 | n/a | 83% | n/a | 90% |
| LA | 83% | 168 | 77% | 81% | 83% | 87% |
| UT | 82% | 177 | n/a | 77% | 90% | 86% |
| IN | 80% | 171 | n/a | n/a | 81% | 80% |
| Significantly Below Average | | | | | | |
| ME | 76% | 214 | n/a | 78% | 74% | 71% |
| NCI Average | 88% | 7,007 | 82% | 88% | 85% | 91% |




Table 71. Attend a day program or activity and want to go someplace else or do something different during the day ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| OK | 50% | 214 | n/a | 49% | 52% | n/a |
| Within Average Range | | | | | | |
| UT | 45% | 166 | n/a | 51% | n/a | 36% |
| LA | 44% | 163 | 65% | 42% | 37% | 39% |
| MD | 43% | 209 | n/a | 38% | n/a | 45% |
| VA | 43% | 266 | n/a | 41% | n/a | 42% |
| TN | 43% | 175 | n/a | 48% | 45% | 32% |
| AR | 42% | 160 | n/a | 31% | 46% | 36% |
| MN | 42% | 129 | n/a | 39% | n/a | 46% |
| MO | 40% | 124 | n/a | 42% | 41% | n/a |
| IL | 40% | 189 | n/a | 50% | n/a | 31% |
| ME | 39% | 200 | n/a | 48% | 34% | 24% |
| DC | 38% | 123 | n/a | 41% | n/a | 23% |
| IN | 38% | 161 | n/a | n/a | 46% | 29% |
| NJ | 37% | 214 | n/a | 38% | n/a | 35% |
| CT | 37% | 153 | n/a | 36% | n/a | 30% |
| AL | 36% | 298 | n/a | 39% | 39% | 29% |
| NC | 35% | 280 | n/a | 33% | n/a | 31% |
| OH | 34% | 270 | n/a | 33% | 31% | 37% |
| NY | 33% | 225 | n/a | 32% | n/a | 34% |
| FL | 32% | 502 | n/a | 34% | 34% | 29% |
| MA | 32% | 269 | n/a | 35% | 27% | 29% |
| GA | 31% | 248 | n/a | 31% | 30% | 31% |
| CO | 31% | 207 | n/a | 42% | 25% | 28% |
| PA | 31% | 265 | n/a | 42% | n/a | 24% |
| MEORC | 31% | 290 | n/a | 32% | 33% | 30% |
| Significantly Below Average | | | | | | |
| KS | 25% | 228 | n/a | 22% | 27% | 31% |
| HI | 24% | 219 | n/a | 33% | n/a | 23% |
| KY | 19% | 237 | n/a | 24% | n/a | 13% |
| SC | 9% | 285 | n/a | 13% | 5% | 7% |
| AZ | 9% | 247 | n/a | 14% | n/a | 7% |
| NCI Average | 34% | 6,716 | 65% | 36% | 35% | 30% |

Service Coordination

Service coordinators are accessible, responsive, and support the person's participation in service planning.

There are seven Service Coordination indicators:

1. The proportion of people who have met their service coordinators.
2. The proportion of people reporting that their service coordinators ask them what they want.
3. The proportion of people reporting that service coordinators help them get what they need.
4. The proportion of people who report that their service coordinator calls them back right away.
5. The proportion of people whose support workers come when they are supposed to.
6. The proportion of people who get the help they need to work out problems with their support workers.
7. The proportion of people who report that they helped make their service plan.

Tables 71 through 77 present the results for these seven core indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.




Table 72. Met their service coordinator/case manager ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| UT | 99% | 285 | n/a | 97% | 100% | 100% |
| FL | 99% | 951 | n/a | 98% | 100% | 99% |
| KS | 98% | 312 | n/a | 98% | 98% | 100% |
| MO | 98% | 307 | 95% | 94% | 100% | 100% |
| NY | 97% | 301 | n/a | 95% | 100% | 99% |
| Within Average Range | | | | | | |
| TN | 97% | 291 | n/a | 97% | 97% | 98% |
| KY | 97% | 302 | n/a | 97% | 100% | 95% |
| MEORC | 97% | 355 | n/a | 97% | 98% | 97% |
| AZ | 96% | 395 | n/a | 94% | n/a | 96% |
| AL | 96% | 319 | n/a | 96% | 100% | 95% |
| OK | 96% | 556 | n/a | 91% | 96% | n/a |
| IL | 95% | 240 | n/a | 91% | 100% | 98% |
| SC | 95% | 320 | n/a | 91% | 100% | 95% |
| HI | 95% | 239 | n/a | 92% | n/a | 95% |
| AR | 95% | 237 | n/a | 97% | 97% | 91% |
| CT | 94% | 265 | n/a | 94% | 96% | 92% |
| MA | 94% | 380 | n/a | 94% | 99% | 95% |
| ME | 94% | 292 | n/a | 95% | 97% | 90% |
| LA | 94% | 223 | 85% | 95% | 97% | 94% |
| VA | 94% | 497 | 55% | 96% | 96% | 95% |
| PA | 94% | 445 | n/a | 95% | 97% | 96% |
| MN | 94% | 251 | n/a | 93% | 97% | 97% |
| OH | 93% | 357 | n/a | 93% | 96% | 91% |
| IN | 93% | 312 | n/a | 100% | 96% | 89% |
| CO | 93% | 310 | n/a | 92% | 95% | 90% |
| DC | 92% | 169 | n/a | 94% | 94% | 97% |
| GA | 92% | 289 | n/a | 92% | 97% | 89% |
| NC | 92% | 357 | n/a | 86% | 100% | 94% |
| MD | 91% | 285 | n/a | 89% | 88% | 91% |
| NJ | 90% | 220 | n/a | 92% | n/a | 82% |
| NCI Average | 95% | 10,062 | 78% | 94% | 97% | 94% |

Case Manager/Service Coordinator Asks What Person Wants




Table 73. Service coordinator/case manager asks them what they want ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AL | 96% | 313 | n/a | 96% | 94% | 96% |
| TN | 95% | 290 | n/a | 94% | 94% | 97% |
| MEORC | 95% | 334 | n/a | 98% | 92% | 95% |
| LA | 94% | 219 | 88% | 98% | 97% | 92% |
| KS | 93% | 299 | n/a | 95% | 95% | 87% |
| FL | 93% | 914 | n/a | 91% | 95% | 93% |
| Within Average Range | | | | | | |
| AZ | 91% | 378 | n/a | 94% | n/a | 90% |
| HI | 91% | 210 | n/a | 97% | n/a | 92% |
| IL | 90% | 238 | n/a | 93% | 100% | 85% |
| MO | 90% | 294 | n/a | 89% | 90% | 97% |
| PA | 89% | 393 | n/a | 93% | 88% | 86% |
| VA | 89% | 476 | n/a | 86% | 96% | 89% |
| CO | 89% | 306 | n/a | 85% | 88% | 90% |
| UT | 89% | 270 | n/a | 86% | 89% | 90% |
| KY | 88% | 302 | n/a | 85% | 91% | 93% |
| IN | 88% | 280 | n/a | 79% | 90% | 89% |
| MD | 88% | 304 | n/a | 87% | 89% | 87% |
| DC | 87% | 165 | n/a | 89% | 97% | 83% |
| SC | 87% | 307 | n/a | 88% | 86% | 86% |
| NC | 86% | 308 | n/a | 88% | 86% | 88% |
| NY | 86% | 293 | n/a | 86% | 82% | 86% |
| AR | 85% | 229 | n/a | 82% | 85% | 93% |
| MA | 85% | 356 | n/a | 80% | 86% | 94% |
| CT | 84% | 254 | n/a | 78% | 88% | 88% |
| OK | 83% | 531 | n/a | 79% | 84% | n/a |
| MN | 83% | 229 | n/a | 85% | 76% | 84% |
| OH | 83% | 349 | n/a | 78% | 87% | 84% |
| Significantly Below Average | | | | | | |
| GA | 80% | 267 | n/a | 76% | 82% | 86% |
| ME | 79% | 274 | n/a | 74% | 85% | 85% |
| NJ | 73% | 197 | n/a | 76% | n/a | 66% |
| NCI Average | 88% | 9,579 | 88% | 87% | 89% | 89% |

Case Manager/Service Coordinator Helps Get What Person Needs




Table 74. Service coordinator/case manager helps them get what they need ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| SC | 97% | 313 | n/a | 93% | 100% | 98% |
| AZ | 95% | 374 | n/a | 97% | n/a | 94% |
| MEORC | 94% | 327 | n/a | 100% | 92% | 94% |
| TN | 94% | 237 | n/a | 94% | 90% | 100% |
| KS | 93% | 287 | n/a | 93% | 96% | 91% |
| LA | 93% | 212 | 89% | 98% | 89% | 95% |
| FL | 92% | 889 | n/a | 90% | 95% | 92% |
| Within Average Range | | | | | | |
| IL | 92% | 235 | n/a | 93% | 100% | 91% |
| AR | 92% | 227 | n/a | 86% | 91% | 98% |
| AL | 92% | 310 | n/a | 90% | 94% | 93% |
| MN | 90% | 222 | n/a | 94% | 82% | 90% |
| CT | 89% | 244 | n/a | 81% | 93% | 93% |
| OK | 89% | 525 | n/a | 86% | 89% | n/a |
| PA | 89% | 379 | n/a | 94% | 85% | 89% |
| MD | 88% | 297 | n/a | 86% | 89% | 88% |
| MO | 88% | 291 | 86% | 90% | 90% | 85% |
| UT | 87% | 278 | n/a | 87% | 84% | 90% |
| NC | 87% | 270 | n/a | 84% | 92% | 89% |
| HI | 87% | 200 | n/a | 77% | n/a | 90% |
| VA | 87% | 462 | n/a | 84% | 92% | 87% |
| IN | 86% | 259 | n/a | 89% | 88% | 85% |
| CO | 86% | 299 | n/a | 89% | 85% | 80% |
| NY | 84% | 278 | n/a | 84% | 85% | 83% |
| OH | 84% | 349 | n/a | 88% | 85% | 82% |
| KY | 84% | 298 | n/a | 85% | 86% | 85% |
| ME | 83% | 269 | n/a | 87% | 80% | 82% |
| DC | 81% | 159 | n/a | 81% | 79% | 85% |
| Significantly Below Average | | | | | | |
| NJ | 79% | 189 | n/a | 76% | n/a | 86% |
| MA | 78% | 332 | n/a | 75% | 80% | 90% |
| GA | 72% | 234 | n/a | 62% | 79% | 77% |
| NCI Average | 88% | 9,245 | 88% | 87% | 88% | 89% |




Table 75. Service coordinator/case manager calls them back right away ('calls back right away' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 96% | 360 | n/a | 92% | n/a | 96% |
| SC | 95% | 294 | n/a | 95% | 97% | 94% |
| HI | 90% | 143 | n/a | n/a | n/a | 88% |
| AL | 89% | 224 | n/a | 86% | 91% | 93% |
| FL | 86% | 642 | n/a | 81% | 86% | 89% |
| MO | 86% | 188 | n/a | 88% | 90% | 88% |
| IN | 84% | 219 | n/a | 78% | 78% | 90% |
| PA | 83% | 242 | n/a | 88% | 78% | 87% |
| Within Average Range | | | | | | |
| LA | 83% | 166 | 83% | 92% | 79% | 78% |
| AR | 82% | 159 | n/a | 76% | 82% | 86% |
| NY | 82% | 223 | n/a | 81% | 67% | 87% |
| IL | 80% | 173 | n/a | 76% | 95% | 81% |
| TN | 80% | 214 | n/a | 82% | 79% | 80% |
| KS | 80% | 214 | n/a | 79% | 76% | 85% |
| NC | 79% | 154 | n/a | 83% | 71% | 79% |
| CO | 78% | 231 | n/a | 79% | 79% | 79% |
| KY | 76% | 290 | n/a | 77% | 73% | 79% |
| MD | 75% | 262 | n/a | 78% | 68% | 72% |
| CT | 74% | 196 | n/a | 75% | 66% | 77% |
| UT | 71% | 183 | n/a | 62% | 71% | 77% |
| MN | 71% | 181 | n/a | 70% | 50% | 83% |
| VA | 71% | 358 | n/a | 65% | 77% | 71% |
| OK | 70% | 364 | n/a | 65% | 69% | n/a |
| DC | 64% | 139 | n/a | 64% | 61% | 73% |
| GA | 63% | 122 | n/a | 60% | n/a | 62% |
| Significantly Below Average | | | | | | |
| MEORC | 66% | 226 | n/a | 85% | 57% | 68% |
| MA | 65% | 215 | n/a | 63% | 67% | 75% |
| ME | 55% | 165 | n/a | 53% | 56% | 58% |
| NJ | 51% | 49 | n/a | 50% | n/a | 60% |
| OH | 42% | 183 | n/a | 56% | 39% | 38% |
| NCI Average | 75% | 6,779 | 83% | 75% | 73% | 78% |




Table 76. Support workers come when they are supposed to ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| TN | 98% | 273 | n/a | 99% | 95% | 99% |
| IL | 98% | 216 | n/a | 97% | 92% | 100% |
| AL | 97% | 315 | n/a | 97% | 94% | 98% |
| AZ | 97% | 267 | n/a | 99% | n/a | 97% |
| Within Average Range | | | | | | |
| HI | 97% | 234 | n/a | 97% | n/a | 95% |
| GA | 97% | 281 | n/a | 96% | 94% | 97% |
| CT | 96% | 226 | n/a | 97% | 96% | 96% |
| MN | 96% | 223 | n/a | 98% | 96% | 95% |
| PA | 96% | 292 | n/a | 96% | 90% | 98% |
| MD | 96% | 267 | n/a | 94% | 94% | 97% |
| MEORC | 96% | 328 | n/a | 97% | 92% | 98% |
| SC | 96% | 315 | n/a | 95% | 94% | 95% |
| DC | 95% | 166 | n/a | 94% | 94% | 94% |
| AR | 95% | 226 | n/a | 100% | 92% | 100% |
| VA | 95% | 460 | n/a | 94% | 91% | 96% |
| LA | 94% | 236 | 97% | 98% | 94% | 91% |
| FL | 94% | 830 | n/a | 91% | 96% | 95% |
| OH | 94% | 323 | n/a | 94% | 96% | 94% |
| NC | 94% | 384 | 96% | 95% | 91% | 92% |
| NJ | 94% | 206 | n/a | 95% | n/a | 90% |
| IN | 93% | 261 | n/a | 100% | 93% | 92% |
| MA | 93% | 361 | n/a | 93% | 94% | 97% |
| KS | 93% | 293 | n/a | 92% | 95% | 95% |
| NY | 93% | 259 | n/a | 95% | 94% | 89% |
| MO | 93% | 274 | 92% | 94% | 91% | n/a |
| OK | 92% | 532 | n/a | 92% | 92% | n/a |
| CO | 91% | 292 | n/a | 82% | 86% | 95% |
| KY | 91% | 274 | n/a | 90% | 90% | 95% |
| UT | 90% | 276 | n/a | 91% | 85% | 91% |
| Significantly Below Average | | | | | | |
| ME | 83% | 223 | n/a | 84% | 91% | 68% |
| NCI Average | 94% | 9,113 | 95% | 95% | 93% | 94% |

Person Gets Help to Fix Problems With Staff




Table 77. Get the help they need to work out problems they have with their support workers ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 97% | 253 | n/a | 100% | n/a | 95% |
| AL | 97% | 270 | n/a | 97% | 100% | 96% |
| TN | 97% | 265 | n/a | 95% | 96% | 100% |
| Within Average Range | | | | | | |
| KY | 95% | 266 | n/a | 97% | n/a | 95% |
| SC | 95% | 306 | n/a | 95% | 94% | 96% |
| CT | 95% | 204 | n/a | 94% | 97% | 96% |
| HI | 95% | 221 | n/a | 96% | n/a | 95% |
| OH | 95% | 312 | n/a | 92% | 96% | 94% |
| GA | 94% | 238 | n/a | 91% | 100% | 92% |
| FL | 94% | 655 | n/a | 93% | 95% | 94% |
| UT | 93% | 257 | n/a | 91% | 92% | 95% |
| PA | 93% | 246 | n/a | 97% | 84% | 96% |
| NY | 93% | 226 | n/a | 95% | 96% | 89% |
| CO | 93% | 276 | n/a | 89% | 97% | 92% |
| MN | 92% | 183 | n/a | 91% | 100% | 89% |
| LA | 92% | 215 | 89% | 93% | 93% | 92% |
| KS | 92% | 265 | n/a | 96% | 90% | 90% |
| MD | 92% | 252 | n/a | 94% | 82% | 93% |
| MO | 92% | 250 | 82% | 91% | 95% | n/a |
| IN | 91% | 232 | n/a | 96% | 90% | 90% |
| DC | 91% | 150 | n/a | 86% | 96% | 91% |
| NJ | 90% | 187 | n/a | 90% | n/a | 89% |
| AR | 89% | 202 | n/a | 91% | 83% | 94% |
| IL | 89% | 190 | n/a | 91% | n/a | 86% |
| MA | 88% | 325 | n/a | 85% | 92% | 100% |
| NC | 88% | 282 | 100% | 89% | 100% | 85% |
| OK | 88% | 442 | n/a | 88% | 88% | n/a |
| ME | 88% | 261 | n/a | 85% | 93% | 87% |
| VA | 88% | 423 | n/a | 84% | 95% | 91% |
| MEORC | 87% | 270 | n/a | 84% | 89% | 85% |
| NCI Average | 92% | 8,124 | 90% | 92% | 93% | 92% |




Table 78. Helped make their service plan ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| SC | 99% | 301 | n/a | 100% | 97% | 98% |
| MEORC | 96% | 339 | n/a | 100% | 97% | 94% |
| MO | 93% | 289 | 76% | 94% | 94% | 91% |
| KS | 92% | 274 | n/a | 93% | 95% | 87% |
| CO | 92% | 297 | n/a | 86% | 100% | 91% |
| Within Average Range | | | | | | |
| IL | 91% | 220 | n/a | 89% | 96% | 91% |
| UT | 91% | 250 | n/a | 93% | 91% | 87% |
| NC | 89% | 331 | 87% | 87% | 97% | 88% |
| GA | 88% | 280 | n/a | 79% | 97% | 94% |
| FL | 88% | 864 | n/a | 84% | 90% | 90% |
| ME | 88% | 258 | n/a | 86% | 92% | 87% |
| VA | 88% | 441 | n/a | 87% | 91% | 94% |
| LA | 87% | 217 | 76% | 88% | 91% | 86% |
| CT | 87% | 215 | n/a | 86% | 84% | 95% |
| AZ | 87% | 374 | n/a | 86% | n/a | 88% |
| MD | 86% | 303 | n/a | 83% | 97% | 85% |
| MA | 86% | 369 | n/a | 84% | 91% | 92% |
| NY | 86% | 273 | n/a | 86% | 87% | 83% |
| TN | 86% | 279 | n/a | 83% | 88% | 85% |
| NJ | 86% | 212 | n/a | 88% | n/a | 79% |
| AR | 86% | 217 | n/a | 74% | 93% | 88% |
| PA | 84% | 348 | n/a | 84% | 90% | 87% |
| KY | 84% | 290 | n/a | 82% | 86% | 91% |
| IN | 84% | 281 | n/a | 86% | 82% | 83% |
| OK | 83% | 499 | n/a | 77% | 85% | n/a |
| AL | 83% | 315 | n/a | 79% | 94% | 84% |
| HI | 81% | 204 | n/a | 68% | n/a | 87% |
| DC | 79% | 152 | n/a | 82% | 83% | 69% |
| Significantly Below Average | | | | | | |
| OH | 79% | 307 | n/a | 76% | 81% | 79% |
| MN | 74% | 193 | n/a | 75% | 69% | 72% |
| NCI Average | 87% | 9,192 | 80% | 85% | 90% | 87% |

Access

Publicly funded services are readily available to individuals who need and qualify for them.

There are three Access indicators:

1. The rate at which people report that they get the services they need.
2. The proportion of people who report having adequate transportation when they want to go somewhere.
3. The proportion of people who feel their support staff have been appropriately trained to meet their needs.

Tables 78 through 81 present the results from the Access sub-domain. Table 80 presents modes of transportation used. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions by state are displayed in Appendix B.




Table 79. Get the services they need ('yes' responses only)
 Information may have been obtained through a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MEORC | 93% | 415 | n/a | 99% | 92% | 92% |
| KS | 93% | 384 | n/a | 96% | 93% | 88% |
| IL | 93% | 324 | n/a | 91% | 93% | 95% |
| OK | 93% | 978 | n/a | 92% | 93% | 82% |
| TN | 93% | 391 | n/a | 96% | 92% | 88% |
| MO | 92% | 500 | 90% | 96% | 92% | 86% |
| AR | 90% | 381 | 98% | 90% | 92% | 82% |
| KY | 90% | 444 | n/a | 90% | 97% | 88% |
| MN | 90% | 384 | n/a | 93% | 91% | 82% |
| MD | 86% | 399 | n/a | 91% | 82% | 82% |
| NJ | 86% | 406 | n/a | 89% | n/a | 83% |
| UT | 86% | 405 | 90% | 89% | 88% | 84% |
| Within Average Range | | | | | | |
| HI | 85% | 392 | n/a | 92% | n/a | 79% |
| OH | 84% | 404 | n/a | 91% | 85% | 82% |
| GA | 83% | 428 | n/a | 86% | 86% | 78% |
| CT | 83% | 367 | 96% | 89% | 82% | 68% |
| PA | 83% | 661 | 96% | 90% | 86% | 74% |
| NY | 83% | 423 | n/a | 88% | 76% | 74% |
| SC | 82% | 386 | n/a | 78% | 73% | 87% |
| MA | 81% | 506 | n/a | 86% | 76% | 75% |
| AZ | 81% | 453 | n/a | 85% | n/a | 79% |
| DC | 80% | 292 | n/a | 82% | 73% | 75% |
| LA | 79% | 429 | 95% | 92% | 64% | 66% |
| IN | 77% | 398 | n/a | 94% | 87% | 69% |
| Significantly Below Average | | | | | | |
| VA | 76% | 880 | 99% | 79% | 81% | 64% |
| AL | 74% | 392 | n/a | 70% | 79% | 79% |
| NC | 73% | 740 | 97% | 78% | 60% | 60% |
| CO | 72% | 392 | n/a | 71% | 71% | 64% |
| FL | 66% | 1,430 | n/a | 69% | 75% | 60% |
| ME | 37% | 388 | n/a | 42% | 47% | 32% |
| NCI Average | 82% | 14,772 | 95% | 86% | 82% | 76% |

Always Has a Way to Get Places




Table 80. Always have a way to get places when they want to go somewhere (‘yes’ responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent’s Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| TN | 97% | 288 | n/a | 96% | 98% | 98% |
| HI | 95% | 237 | n/a | 91% | n/a | 95% |
| PA | 91% | 450 | n/a | 93% | 85% | 96% |
| OK | 91% | 546 | n/a | 80% | 92% | n/a |
| MD | 90% | 317 | n/a | 92% | 95% | 89% |
| KY | 90% | 300 | n/a | 92% | 83% | 89% |
| Within Average Range | | | | | | |
| IL | 89% | 245 | n/a | 88% | 92% | 88% |
| OH | 88% | 356 | n/a | 93% | 89% | 86% |
| AR | 88% | 236 | n/a | 86% | 86% | 98% |
| MEORC | 88% | 356 | n/a | 89% | 89% | 87% |
| KS | 88% | 304 | n/a | 84% | 90% | 88% |
| IN | 87% | 312 | n/a | 82% | 94% | 84% |
| MO | 87% | 308 | 50% | 87% | 91% | 91% |
| SC | 87% | 314 | n/a | 86% | 92% | 86% |
| VA | 87% | 497 | n/a | 84% | 89% | 91% |
| CT | 86% | 260 | n/a | 88% | 85% | 84% |
| LA | 85% | 264 | 79% | 89% | 87% | 83% |
| MN | 84% | 244 | n/a | 84% | 83% | 85% |
| NC | 84% | 412 | 87% | 84% | 85% | 79% |
| MA | 84% | 380 | n/a | 82% | 90% | 78% |
| UT | 82% | 278 | n/a | 79% | 84% | 84% |
| FL | 81% | 931 | n/a | 78% | 82% | 82% |
| CO | 80% | 310 | n/a | 62% | 83% | 88% |
| DC | 79% | 182 | n/a | 84% | 68% | 82% |
| Significantly Below Average | | | | | | |
| AL | 76% | 320 | n/a | 69% | 75% | 86% |
| GA | 75% | 285 | n/a | 73% | 71% | 76% |
| NY | 74% | 297 | n/a | 76% | 78% | 63% |
| NJ | 72% | 225 | n/a | 74% | n/a | 72% |
| ME | 67% | 287 | n/a | 66% | 68% | 62% |
| AZ | 64% | 400 | n/a | 49% | n/a | 70% |
| NCI Average | 84% | 10,141 | 72% | 82% | 85% | 84% |

Typical Modes of Transportation




Table 81. Use various types of transportation (not mutually exclusive)

| State | Transports self | Ride from family or friends | Ride from staff in staff's car | Ride from staff in provider van or vehicle | Public transportation such as bus | Specialized transportation such as paratransit service | Taxi service |
|--------------------|-----------------|-----------------------------|--------------------------------|--------------------------------------------|-----------------------------------|--------------------------------------------------------|--------------|
| AL | 6% | 48% | 7% | 68% | 9% | 6% | 0% |
| AR | 42% | 53% | 76% | 52% | 10% | 5% | 4% |
| AZ | 2% | 68% | 15% | 28% | 4% | 8% | 1% |
| CO | 25% | 52% | 68% | 48% | 21% | 24% | 3% |
| CT | 19% | 44% | 37% | 63% | 12% | 3% | 4% |
| DC | 24% | 18% | 18% | 63% | 31% | 19% | 4% |
| FL | 19% | 54% | 39% | 32% | 13% | 15% | 1% |
| GA | 13% | 59% | 46% | 75% | 8% | 5% | 1% |
| HI | 25% | 54% | 38% | 39% | 15% | 39% | 2% |
| IL | 16% | 46% | 25% | 63% | 19% | 12% | 4% |
| IN | 22% | 64% | 57% | 18% | 14% | 6% | 2% |
| KS | 22% | 44% | 29% | 62% | 15% | 3% | 3% |
| KY | 2% | 59% | 65% | 60% | 12% | 13% | 2% |
| LA | 11% | 57% | 40% | 53% | 4% | 4% | 1% |
| MA | 25% | 44% | 54% | 70% | 19% | 17% | 7% |
| MD | 17% | 47% | 43% | 58% | 23% | 15% | 6% |
| ME | 45% | 53% | 60% | 58% | 13% | 35% | 10% |
| MEORC | 15% | 49% | 46% | 37% | 12% | 3% | 2% |
| MN | 22% | 55% | 39% | 51% | 25% | 16% | 2% |
| MO | 19% | 26% | 47% | 50% | 7% | 4% | 2% |
| NC | 20% | 61% | 56% | 42% | 10% | 13% | 4% |
| NJ | 6% | 29% | 8% | 67% | 8% | 15% | 0% |
| NY | 26% | 47% | 20% | 58% | 22% | 27% | 7% |
| OH | 8% | 36% | 31% | 25% | 12% | 23% | 2% |
| OK | 7% | 8% | 63% | 31% | 2% | 1% | 0% |
| PA | 21% | 53% | 26% | 30% | 15% | 12% | 2% |
| SC | 10% | 64% | 7% | 77% | 4% | 1% | 1% |
| TN | 3% | 30% | 22% | 71% | 3% | 2% | 0% |
| UT | 34% | 59% | 58% | 51% | 24% | 13% | 0% |
| VA | 7% | 46% | 31% | 56% | 6% | 31% | 5% |
| NCI Average | 18% | 48% | 39% | 52% | 13% | 13% | 3% |

Staff Have the Right Training to Meet Person's Needs




Table 82. Staff have adequate training to meet person’s needs (‘yes’ responses only)
 Information may have been obtained through a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent’s Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| IL | 98% | 291 | 31% | 56% | 6% | 31% |
| AL | 98% | 327 | 39% | 52% | 13% | 13% |
| MEORC | 96% | 392 | n/a | 95% | 98% | 95% |
| SC | 96% | 381 | n/a | 95% | 97% | 97% |
| AZ | 95% | 384 | n/a | 99% | n/a | 94% |
| Within Average Range | | | | | | |
| TN | 96% | 305 | n/a | 98% | 93% | 98% |
| PA | 95% | 463 | n/a | 98% | 92% | 94% |
| AR | 94% | 327 | 96% | 93% | 94% | 94% |
| MD | 94% | 377 | n/a | 94% | 86% | 96% |
| DC | 94% | 254 | n/a | 91% | 90% | 100% |
| FL | 94% | 1,281 | n/a | 93% | 95% | 95% |
| GA | 94% | 311 | n/a | 93% | 93% | 94% |
| NJ | 94% | 323 | n/a | 93% | n/a | 96% |
| OK | 94% | 548 | n/a | 94% | 94% | n/a |
| MO | 93% | 337 | 84% | 94% | 97% | 90% |
| CT | 93% | 329 | 90% | 94% | 92% | 93% |
| NC | 93% | 649 | 98% | 95% | 98% | 91% |
| KY | 93% | 304 | n/a | 93% | n/a | 96% |
| MN | 93% | 367 | n/a | 93% | 97% | 90% |
| OH | 93% | 373 | n/a | 91% | 93% | 94% |
| UT | 93% | 360 | n/a | 95% | 88% | 93% |
| KS | 92% | 340 | n/a | 91% | 90% | 96% |
| LA | 92% | 321 | 88% | 96% | 93% | 91% |
| HI | 92% | 331 | n/a | 95% | n/a | 89% |
| NY | 91% | 385 | n/a | 91% | 97% | 88% |
| VA | 91% | 744 | 98% | 94% | 96% | 85% |
| IN | 90% | 354 | n/a | 100% | 95% | 87% |
| MA | 90% | 474 | n/a | 90% | 91% | 88% |
| Significantly Below Average | | | | | | |
| CO | 82% | 367 | n/a | 85% | 85% | 76% |
| ME | 80% | 318 | n/a | 79% | 83% | 78% |
| NCI Average | 93% | 11,700 | 78% | 91% | 86% | 87% |

Health

People secure needed health services.

The Health indicators are collected with the Background Information section of the Adult Consumer Survey. The 12 core Health indicators are:

1. The proportion of people who have a primary care doctor.
2. The proportion of people who had a complete annual physical exam in the past year.
3. The proportion of people described as having poor health.
4. The proportion of people who had a routine dental exam in the past year.
5. The proportion of people who had a vision screening in the past year.
6. The proportion of people who had a hearing test in the past 5 years.
7. The proportion of women 18 and over who had a Pap test in the past 3 years.
8. The proportion of women 40 and over who had a mammogram in the past 2 years.
9. The proportion of men 50 and over who had a PSA test in the past year.
10. The proportion of people age 50 and older who had a screening for colorectal cancer in the past year.
11. The proportion of people who had a flu vaccination in the past year.
12. The proportion of people who have ever had a vaccination for pneumonia.

Tables 82 through 92 present the results for these 12 core indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

NOTE: Unlike reports prior to 2009-2010, "DON'T KNOW" responses were not included in the denominator.




Table 83. Have a primary care doctor*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AR | 100% | 393 | 100% | 100% | 100% | 100% |
| HI | 100% | 407 | n/a | 100% | n/a | 100% |
| Within Average Range | | | | | | |
| NY | 99% | 432 | n/a | 100% | 98% | 100% |
| MA | 99% | 525 | n/a | 100% | 97% | 99% |
| TN | 99% | 398 | n/a | 98% | 99% | 100% |
| AL | 99% | 395 | n/a | 100% | 100% | 98% |
| VA | 99% | 838 | 99% | 99% | 100% | 99% |
| OK | 99% | 984 | n/a | 98% | 99% | 100% |
| LA | 99% | 442 | 100% | 99% | 97% | 99% |
| KS | 99% | 415 | n/a | 98% | 100% | 98% |
| SC | 99% | 386 | n/a | 100% | 95% | 98% |
| ME | 99% | 383 | n/a | 99% | 98% | 99% |
| NJ | 99% | 448 | n/a | 99% | n/a | 98% |
| NC | 99% | 717 | 99% | 99% | 100% | 98% |
| IN | 99% | 421 | n/a | 100% | 99% | 98% |
| IL | 99% | 346 | n/a | 100% | 100% | 96% |
| CT | 98% | 398 | 100% | 99% | 98% | 96% |
| CO | 98% | 394 | n/a | 99% | 98% | 99% |
| PA | 98% | 636 | 100% | 99% | 95% | 98% |
| AZ | 98% | 464 | n/a | 99% | n/a | 99% |
| UT | 98% | 406 | 100% | 98% | 98% | 97% |
| GA | 98% | 472 | n/a | 98% | 98% | 97% |
| DC | 98% | 138 | n/a | 98% | 96% | 100% |
| MEORC | 98% | 437 | n/a | 100% | 96% | 98% |
| MD | 98% | 383 | n/a | 98% | 92% | 99% |
| FL | 97% | 1,484 | n/a | 99% | 97% | 97% |
| MO | 97% | 507 | 95% | 96% | 99% | 97% |
| KY | 97% | 437 | n/a | 97% | 97% | 96% |
| OH | 96% | 416 | n/a | 98% | 90% | 96% |
| NCI Average | 98% | 14,502 | 99% | 99% | 98% | 98% |

*Data were not analyzed for MN due to an insufficient number of respondents (fewer than 20).




Table 84. In poor health ('poor health' response only)

Information may have been obtained through state records or a proxy respondent)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MN ¹⁴ | 10% | 406 | n/a | 12% | 12% | 4% |
| KS | 9% | 402 | n/a | 9% | 10% | 10% |
| Within Average Range | | | | | | |
| AR | 8% | 396 | 8% | 5% | 5% | 10% |
| KY | 8% | 440 | n/a | 10% | 7% | 8% |
| NC | 7% | 719 | 5% | 4% | 9% | 6% |
| CT | 6% | 399 | 18% | 3% | 7% | 7% |
| VA | 6% | 843 | 20% | 3% | 13% | 5% |
| UT | 5% | 411 | 10% | 3% | 10% | 5% |
| PA | 5% | 640 | 8% | 6% | 2% | 5% |
| ME | 5% | 386 | n/a | 5% | 6% | 1% |
| MD | 5% | 370 | n/a | 6% | 5% | 3% |
| FL | 5% | 1,485 | n/a | 4% | 5% | 5% |
| LA | 5% | 440 | 7% | 0% | 6% | 6% |
| TN | 5% | 399 | n/a | 4% | 5% | 5% |
| AZ | 4% | 458 | n/a | 6% | n/a | 3% |
| MEORC | 4% | 436 | n/a | 2% | 6% | 2% |
| OH | 4% | 416 | n/a | 3% | 2% | 2% |
| IN | 4% | 422 | n/a | 15% | 4% | 2% |
| MO | 4% | 508 | 7% | 6% | 2% | 3% |
| OK | 4% | 984 | n/a | 1% | 4% | 4% |
| NY | 3% | 434 | n/a | 2% | 5% | 4% |
| NJ | 3% | 450 | n/a | 3% | n/a | 5% |
| MA | 3% | 527 | n/a | 3% | 6% | 1% |
| HI | 3% | 405 | n/a | 5% | n/a | 1% |
| DC | 3% | 245 | n/a | 4% | 0% | 4% |
| CO | 3% | 396 | n/a | 4% | 2% | 2% |
| Significantly Below Average | | | | | | |
| IL | 2% | 352 | n/a | 2% | 3% | 2% |
| GA | 2% | 473 | n/a | 4% | 2% | 1% |
| SC | 2% | 394 | n/a | 3% | 3% | 2% |
| AL | 1% | 399 | n/a | 1% | 0% | 1% |
| NCI Average | 5% | 15,035 | 10% | 5% | 5% | 4% |

¹⁴ MN used number of ER visits in last 12 months as proxy.

Had a Physical Exam in the Past Year




Table 85. Had a complete physical exam in the past year (within the last year or less responses)
 Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| OK | 98% | 984 | n/a | 98% | 98% | 100% |
| AR | 96% | 390 | 98% | 93% | 93% | 98% |
| LA | 95% | 438 | 98% | 96% | 96% | 91% |
| MO | 94% | 502 | 89% | 97% | 94% | 92% |
| NJ | 94% | 439 | n/a | 97% | n/a | 89% |
| MA | 94% | 514 | n/a | 95% | 91% | 89% |
| CT | 93% | 377 | 100% | 96% | 91% | 86% |
| FL | 93% | 1,473 | n/a | 97% | 92% | 91% |
| PA | 93% | 603 | 96% | 99% | 88% | 90% |
| ME | 93% | 386 | n/a | 95% | 87% | 91% |
| TN | 93% | 395 | n/a | 94% | 95% | 88% |
| NC | 93% | 682 | 98% | 97% | 93% | 85% |
| Within Average Range | | | | | | |
| IN | 91% | 412 | n/a | 95% | 92% | 90% |
| NY | 91% | 417 | n/a | 96% | 85% | 83% |
| KY | 90% | 399 | n/a | 97% | 83% | 84% |
| AL | 90% | 393 | n/a | 93% | 89% | 85% |
| UT | 90% | 368 | 100% | 96% | 88% | 84% |
| CO | 88% | 391 | n/a | 93% | 90% | 88% |
| SC | 87% | 281 | n/a | 94% | 86% | 78% |
| IL | 87% | 326 | n/a | 96% | 84% | 75% |
| GA | 86% | 452 | n/a | 92% | 79% | 83% |
| VA | 86% | 808 | 95% | 89% | 87% | 74% |
| MD | 85% | 346 | n/a | 94% | 75% | 76% |
| HI | 85% | 399 | n/a | 95% | n/a | 81% |
| OH | 85% | 414 | n/a | 99% | 88% | 73% |
| DC | 84% | 136 | n/a | 82% | 82% | 79% |
| Significantly Below Average | | | | | | |
| AZ | 82% | 348 | n/a | 82% | n/a | 82% |
| MEORC | 79% | 384 | n/a | 92% | 84% | 65% |
| KS | 75% | 394 | n/a | 75% | 73% | 73% |
| MN | 62% | 343 | n/a | 73% | 66% | 37% |
| NCI Average | 88% | 14,194 | 97% | 93% | 87% | 83% |




Table 86. Had a dental exam in the past year (within the last year or less responses)

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MA | 90% | 504 | n/a | 92% | 87% | 85% |
| CT | 90% | 362 | 100% | 96% | 83% | 79% |
| TN | 90% | 378 | n/a | 97% | 92% | 76% |
| NJ | 89% | 378 | n/a | 94% | n/a | 78% |
| CO | 88% | 394 | n/a | 91% | 90% | 78% |
| NY | 86% | 382 | n/a | 95% | 69% | 73% |
| PA | 86% | 527 | 96% | 97% | 69% | 77% |
| OK | 86% | 961 | n/a | 89% | 85% | 83% |
| MO | 85% | 492 | 77% | 89% | 87% | 68% |
| NC | 84% | 651 | 97% | 89% | 78% | 76% |
| Within Average Range | | | | | | |
| DC | 86% | 118 | n/a | 86% | 85% | 80% |
| AR | 84% | 320 | 100% | 81% | 82% | 73% |
| KY | 84% | 328 | n/a | 89% | n/a | 76% |
| SC | 83% | 253 | n/a | 94% | 85% | 62% |
| IN | 82% | 410 | n/a | 86% | 80% | 81% |
| IL | 79% | 306 | n/a | 90% | 73% | 65% |
| AL | 78% | 351 | n/a | 88% | 78% | 58% |
| LA | 78% | 387 | 98% | 96% | 51% | 59% |
| UT | 77% | 325 | 100% | 86% | 75% | 66% |
| MD | 77% | 319 | n/a | 89% | 56% | 65% |
| ME | 76% | 354 | n/a | 76% | 77% | 78% |
| Significantly Below | | | | | | |
| OH | 73% | 412 | n/a | 88% | 72% | 62% |
| MN | 72% | 361 | n/a | 80% | 74% | 55% |
| GA | 71% | 398 | n/a | 79% | 73% | 61% |
| FL | 71% | 1,439 | n/a | 85% | 67% | 65% |
| MEORC | 71% | 345 | n/a | 80% | 70% | 65% |
| VA | 70% | 714 | 95% | 69% | 75% | 54% |
| AZ | 70% | 309 | n/a | 63% | n/a | 74% |
| KS | 68% | 328 | n/a | 67% | 71% | 64% |
| HI | 57% | 350 | n/a | 71% | n/a | 52% |
| NCI Average | 79% | 13,156 | 95% | 86% | 76% | 70% |




Table 87. Had an eye exam in the past year (within the last year or less responses)
 Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| TN | 76% | 360 | n/a | 81% | 82% | 59% |
| KY | 76% | 309 | n/a | 84% | n/a | 67% |
| IL | 73% | 277 | n/a | 83% | 73% | 53% |
| SC | 72% | 235 | n/a | 91% | 79% | 37% |
| MO | 72% | 499 | 55% | 78% | 74% | 59% |
| LA | 70% | 363 | 85% | 95% | 48% | 47% |
| PA | 69% | 483 | 85% | 77% | 48% | 62% |
| OK | 69% | 888 | n/a | 92% | 68% | 24% |
| NY | 67% | 367 | n/a | 74% | 66% | 53% |
| AR | 67% | 299 | 65% | 69% | 68% | 52% |
| Within Average Range | | | | | | |
| DC | 65% | 105 | n/a | 64% | 52% | n/a |
| HI | 62% | 366 | n/a | 67% | n/a | 60% |
| CO | 61% | 374 | n/a | 76% | 39% | 42% |
| GA | 60% | 309 | n/a | 59% | 64% | 56% |
| MA | 59% | 474 | n/a | 64% | 67% | 35% |
| NJ | 58% | 253 | n/a | 62% | n/a | 55% |
| MN | 58% | 308 | n/a | 60% | 57% | 40% |
| FL | 55% | 1,389 | n/a | 73% | 61% | 45% |
| CT | 55% | 297 | 46% | 65% | 41% | 43% |
| AZ | 54% | 260 | n/a | 49% | n/a | 55% |
| KS | 53% | 320 | n/a | 48% | 59% | 55% |
| UT | 52% | 238 | n/a | 62% | 56% | 37% |
| Significantly Below Average | | | | | | |
| IN | 51% | 383 | n/a | 43% | 56% | 50% |
| MD | 49% | 259 | n/a | 60% | 29% | 35% |
| AL | 48% | 320 | n/a | 51% | 53% | 38% |
| VA | 47% | 532 | 54% | 43% | 57% | 37% |
| NC | 46% | 566 | 65% | 55% | 64% | 33% |
| OH | 44% | 412 | n/a | 54% | 42% | 39% |
| ME | 44% | 362 | n/a | 43% | 40% | 42% |
| MEORC | 40% | 314 | n/a | 34% | 44% | 36% |
| NCI Average | 59% | 11,921 | 65% | 65% | 57% | 46% |




Table 88. Had a hearing test in the past five years (within five years or less responses)

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| TN | 93% | 322 | n/a | 98% | 95% | 81% |
| DC | 92% | 101 | n/a | 92% | 96% | n/a |
| HI | 89% | 325 | n/a | 85% | n/a | 89% |
| PA | 87% | 321 | 95% | 91% | n/a | 78% |
| KY | 79% | 196 | n/a | 86% | n/a | 66% |
| IL | 78% | 192 | n/a | 84% | n/a | 59% |
| AZ | 77% | 193 | n/a | 75% | n/a | 78% |
| NY | 75% | 347 | n/a | 90% | 41% | 51% |
| Within Average Range | | | | | | |
| MN | 75% | 175 | n/a | 79% | n/a | 64% |
| CT | 75% | 205 | 96% | 81% | 61% | 50% |
| NJ | 75% | 120 | n/a | 75% | n/a | 76% |
| AR | 73% | 214 | 91% | n/a | 60% | 52% |
| MD | 70% | 147 | n/a | 78% | n/a | 57% |
| LA | 70% | 316 | 100% | 85% | 29% | 38% |
| MA | 66% | 391 | n/a | 75% | 62% | 48% |
| AL | 63% | 157 | n/a | 73% | n/a | 46% |
| Significantly Below Average | | | | | | |
| MO | 61% | 382 | 95% | 57% | 53% | 39% |
| GA | 59% | 233 | n/a | 63% | n/a | 56% |
| VA | 58% | 391 | 99% | 48% | n/a | 41% |
| MEORC | 58% | 180 | n/a | 79% | 52% | 43% |
| SC | 57% | 118 | n/a | 80% | n/a | 27% |
| UT | 52% | 177 | n/a | 66% | 42% | 41% |
| KS | 50% | 198 | n/a | 49% | 54% | 53% |
| CO | 49% | 368 | n/a | 60% | 38% | 25% |
| NC | 48% | 417 | 84% | 53% | 33% | 29% |
| OK | 46% | 715 | n/a | 45% | 48% | 29% |
| ME | 44% | 223 | n/a | 46% | 37% | 59% |
| IN | 43% | 313 | n/a | 55% | 56% | 36% |
| OH | 42% | 405 | n/a | 52% | 33% | 36% |
| FL | 41% | 1,177 | n/a | 48% | 36% | 40% |
| NCI Average | 65% | 9,019 | 94% | 71% | 51% | 51% |

Had a Pap Test Women




Table 89. Had a Pap test in the past three years (among women; within the past three years or less responses)

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| DC | 94% | 32 | n/a | n/a | n/a | n/a |
| AR | 83% | 111 | 91% | n/a | 89% | 55% |
| GA | 83% | 104 | n/a | 93% | n/a | 62% |
| MD | 82% | 79 | n/a | 87% | n/a | 61% |
| SC | 81% | 75 | n/a | 83% | n/a | 71% |
| PA | 81% | 157 | n/a | 84% | 95% | 66% |
| KY | 80% | 103 | n/a | 94% | n/a | 46% |
| Within Average Range | | | | | | |
| CT | 77% | 121 | n/a | 88% | 83% | 43% |
| LA | 76% | 133 | 100% | 93% | 68% | 46% |
| AL | 75% | 142 | n/a | 81% | n/a | 59% |
| MEORC | 74% | 122 | n/a | 86% | 80% | 58% |
| TN | 74% | 110 | n/a | 79% | 79% | 61% |
| MO | 70% | 172 | n/a | 69% | 68% | n/a |
| NY | 69% | 150 | n/a | 79% | n/a | 45% |
| HI | 69% | 105 | n/a | n/a | n/a | 59% |
| MA | 67% | 209 | n/a | 69% | 77% | 55% |
| OH | 64% | 184 | n/a | 89% | 79% | 47% |
| IL | 64% | 78 | n/a | 68% | n/a | 55% |
| KS | 62% | 116 | n/a | 70% | 69% | 41% |
| VA | 60% | 222 | 73% | 69% | 83% | 42% |
| NJ | 58% | 55 | n/a | 70% | n/a | n/a |
| UT | 58% | 97 | n/a | 90% | n/a | 33% |
| MN | 56% | 79 | n/a | 52% | n/a | n/a |
| Significantly Below Average | | | | | | |
| OK | 59% | 345 | n/a | 69% | 60% | n/a |
| FL | 58% | 554 | n/a | 72% | 72% | 47% |
| NC | 53% | 213 | 73% | 69% | n/a | 31% |
| ME | 52% | 126 | n/a | 45% | 80% | n/a |
| IN | 50% | 145 | n/a | n/a | 79% | 34% |
| AZ | 46% | 84 | n/a | 55% | n/a | 35% |
| CO | 42% | 153 | n/a | 48% | 77% | 33% |
| NCI Average | 67% | 4,376 | 84% | 75% | 78% | 49% |




Table 90. Had a mammogram test in the past two years (among women age 40 and over; within the past two years or less responses)

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| SC | 89% | 46 | n/a | 90% | n/a | n/a |
| AR | 89% | 70 | n/a | n/a | n/a | n/a |
| PA | 87% | 114 | n/a | 97% | 81% | 74% |
| MA | 85% | 139 | n/a | 86% | 91% | n/a |
| Within Average Range | | | | | | |
| DC | 88% | 24 | n/a | n/a | n/a | n/a |
| MN | 85% | 62 | n/a | 86% | n/a | n/a |
| IL | 84% | 51 | n/a | 84% | n/a | n/a |
| NY | 83% | 100 | n/a | 89% | n/a | n/a |
| KY | 82% | 56 | n/a | 93% | n/a | n/a |
| LA | 82% | 83 | 96% | 96% | n/a | n/a |
| MD | 81% | 54 | n/a | 84% | n/a | n/a |
| TN | 80% | 80 | n/a | 81% | 83% | n/a |
| AL | 79% | 96 | n/a | 85% | n/a | 61% |
| MEORC | 78% | 79 | n/a | 79% | 90% | n/a |
| CT | 77% | 90 | n/a | 88% | n/a | n/a |
| GA | 76% | 59 | n/a | 89% | n/a | n/a |
| MO | 76% | 133 | n/a | 69% | 81% | n/a |
| UT | 74% | 46 | n/a | n/a | n/a | n/a |
| FL | 73% | 267 | n/a | 78% | 76% | 69% |
| IN | 72% | 50 | n/a | n/a | 72% | n/a |
| VA | 72% | 151 | 87% | 73% | n/a | 50% |
| OK | 70% | 288 | n/a | 90% | 70% | n/a |
| HI | 68% | 56 | n/a | n/a | n/a | n/a |
| AZ | 66% | 32 | n/a | n/a | n/a | n/a |
| NC | 65% | 117 | 72% | n/a | n/a | n/a |
| OH | 65% | 99 | n/a | 88% | n/a | 45% |
| KS | 63% | 63 | n/a | 56% | 82% | n/a |
| ME | 62% | 81 | n/a | 55% | n/a | n/a |
| NJ | 54% | 37 | n/a | 65% | n/a | n/a |
| Significantly Below Average | | | | | | |
| CO | 57% | 101 | n/a | 67% | n/a | n/a |
| NCI Average | 75% | 2,724 | 85% | 81% | 81% | 60% |




Table 91. Had a colorectal cancer screening in the past year (among people age 50 and over; within the last year or less responses)

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| PA | 30% | 92 | n/a | 26% | n/a | n/a |
| AZ | 30% | 20 | n/a | n/a | n/a | n/a |
| GA | 29% | 66 | n/a | 29% | n/a | n/a |
| SC | 28% | 46 | n/a | n/a | n/a | n/a |
| NJ | 28% | 50 | n/a | 31% | n/a | n/a |
| IL | 26% | 62 | n/a | 23% | n/a | n/a |
| MO | 25% | 171 | n/a | 21% | 28% | n/a |
| NY | 24% | 132 | n/a | 26% | n/a | n/a |
| TN | 24% | 95 | n/a | 31% | 23% | n/a |
| DC | 24% | 29 | n/a | n/a | n/a | n/a |
| KY | 24% | 50 | n/a | 35% | n/a | n/a |
| AL | 24% | 102 | n/a | 22% | n/a | n/a |
| NC | 22% | 145 | 23% | 33% | n/a | n/a |
| ME | 19% | 102 | n/a | 14% | n/a | n/a |
| KS | 18% | 93 | n/a | 15% | 23% | n/a |
| FL | 18% | 330 | n/a | 17% | 21% | 17% |
| IN | 18% | 67 | n/a | n/a | 13% | n/a |
| OK | 18% | 388 | n/a | 31% | 17% | n/a |
| AR | 17% | 69 | 14% | n/a | n/a | n/a |
| MEORC | 17% | 69 | n/a | 16% | 24% | n/a |
| VA | 17% | 171 | 18% | 14% | n/a | n/a |
| OH | 17% | 136 | n/a | 20% | 23% | 9% |
| LA | 16% | 86 | 21% | 16% | n/a | n/a |
| MA | 16% | 181 | n/a | 16% | 11% | n/a |
| CT | 15% | 127 | 15% | 14% | n/a | n/a |
| MN | 8% | 36 | n/a | 9% | n/a | n/a |
| UT | 8% | 39 | n/a | n/a | n/a | n/a |
| Significantly Below Average | | | | | | |
| CO | 9% | 124 | n/a | 0% | n/a | n/a |
| MD | 6% | 33 | n/a | 10% | n/a | n/a |
| HI | 0% | 58 | n/a | 0% | n/a | n/a |
| NCI Average | 19% | 3,169 | 18% | 20% | 20% | 13% |

Had a Flu Vaccine in the Past Year




Table 92. Had a flu vaccine in the past year (within the last year or less responses)*
 Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| CT | 89% | 281 | 100% | 96% | 95% | 57% |
| VA | 87% | 630 | 94% | 90% | 91% | 68% |
| MO | 87% | 494 | 90% | 91% | 87% | 70% |
| TN | 87% | 265 | n/a | 93% | 82% | 80% |
| UT | 87% | 278 | 100% | 98% | 86% | 75% |
| NJ | 86% | 199 | n/a | 88% | n/a | 83% |
| MD | 86% | 190 | n/a | 91% | 91% | 75% |
| Within Average Range | | | | | | |
| DC | 85% | 75 | n/a | 94% | n/a | n/a |
| NY | 83% | 343 | n/a | 91% | 75% | 65% |
| ME | 83% | 286 | n/a | 86% | 73% | 74% |
| MA | 82% | 472 | n/a | 87% | 83% | 74% |
| AR | 81% | 316 | 97% | 95% | 74% | 67% |
| PA | 80% | 350 | n/a | 90% | 78% | 67% |
| LA | 80% | 343 | 93% | 97% | 57% | 60% |
| MEORC | 80% | 219 | n/a | 89% | 82% | 62% |
| SC | 79% | 177 | n/a | 90% | 85% | 61% |
| KS | 78% | 336 | n/a | 88% | 73% | 68% |
| IL | 78% | 226 | n/a | 83% | n/a | 67% |
| OK | 76% | 954 | n/a | 85% | 75% | 73% |
| NC | 75% | 580 | 94% | 79% | 68% | 59% |
| CO | 74% | 380 | n/a | 90% | 60% | 60% |
| HI | 73% | 220 | n/a | 71% | n/a | 67% |
| AL | 73% | 318 | n/a | 81% | 74% | 60% |
| AZ | 72% | 162 | n/a | 90% | n/a | 61% |
| GA | 71% | 375 | n/a | 78% | 54% | 74% |
| Significantly Below Average | | | | | | |
| KY | 66% | 271 | n/a | 72% | 64% | 58% |
| OH | 64% | 407 | n/a | 80% | 65% | 52% |
| IN | 61% | 400 | n/a | 70% | 72% | 54% |
| FL | 51% | 1,384 | n/a | 66% | 48% | 42% |
| NCI Average | 78% | 10,931 | 95% | 86% | 75% | 65% |

*Data were not analyzed for MN due to an insufficient number of respondents (fewer than 20).




Table 93. Had a pneumonia vaccine*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above | | | | | | |
| PA | 57% | 205 | n/a | 58% | n/a | 54% |
| MO | 55% | 405 | 71% | 61% | 48% | 41% |
| OK | 47% | 773 | n/a | 50% | 46% | 55% |
| Within Average Range | | | | | | |
| DC | 63% | 32 | n/a | n/a | n/a | n/a |
| AZ | 53% | 98 | n/a | 66% | n/a | 41% |
| MD | 51% | 98 | n/a | 60% | n/a | 35% |
| TN | 49% | 162 | n/a | 54% | 45% | 37% |
| MA | 47% | 362 | n/a | 55% | 49% | 19% |
| CT | 46% | 139 | n/a | 61% | n/a | 15% |
| AR | 46% | 231 | 86% | 14% | 26% | 35% |
| VA | 46% | 423 | 58% | 40% | n/a | 34% |
| NY | 45% | 278 | n/a | 55% | 25% | 25% |
| IL | 43% | 157 | n/a | 43% | n/a | 43% |
| NC | 41% | 458 | 69% | 29% | 17% | 23% |
| UT | 41% | 173 | n/a | 46% | 53% | 36% |
| AL | 41% | 232 | n/a | 52% | 22% | 32% |
| MEORC | 41% | 147 | n/a | 52% | 39% | 31% |
| KY | 38% | 202 | n/a | 38% | n/a | 32% |
| LA | 38% | 268 | 45% | 35% | 30% | 37% |
| HI | 36% | 105 | n/a | 29% | n/a | 29% |
| NJ | 35% | 81 | n/a | 40% | n/a | 19% |
| ME | 34% | 207 | n/a | 42% | 26% | 17% |
| SC | 33% | 105 | n/a | 41% | n/a | 25% |
| KS | 32% | 256 | n/a | 38% | 29% | 24% |
| Significantly Below Average | | | | | | |
| OH | 31% | 404 | n/a | 34% | 39% | 20% |
| CO | 26% | 364 | n/a | 26% | 25% | 24% |
| IN | 24% | 370 | n/a | 26% | 26% | 21% |
| GA | 22% | 314 | n/a | 28% | 13% | 21% |
| FL | 20% | 1,299 | n/a | 24% | 15% | 19% |
| NCI Average | 43% | 8,348 | 66% | 43% | 32% | 30% |

*Data were not analyzed for MN due to an insufficient number of respondents (fewer than 20).

Medications

Medications are managed effectively and appropriately.

There is one Medications indicator collected using the Background Information section of the Adult Consumer Survey:

1. The proportion of people taking medications for mood disorders, anxiety, behavior problems, or psychotic disorders.

Table 93 presents the results for this core indicator. The corresponding chart shows un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

Takes Medication for Mood Disorders, Anxiety, Behavior Challenges, and/or Psychotic Disorder




Table 94. Take medication for at least one of the following: mood disorders, anxiety, behavior problems, and/or psychotic disorder*

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MO | 71% | 494 | 79% | 69% | 77% | 36% |
| KY | 67% | 419 | n/a | 81% | 64% | 51% |
| KS | 66% | 391 | n/a | 75% | 68% | 45% |
| TN | 66% | 357 | n/a | 73% | 79% | 44% |
| OK | 66% | 983 | n/a | 61% | 68% | 39% |
| VA | 63% | 841 | 59% | 69% | 71% | 48% |
| UT | 62% | 398 | 76% | 80% | 66% | 44% |
| MA | 62% | 521 | n/a | 71% | 56% | 32% |
| Within Average Range | | | | | | |
| CO | 61% | 393 | n/a | 71% | 38% | 42% |
| ME | 60% | 372 | n/a | 74% | 44% | 27% |
| IN | 58% | 408 | n/a | 79% | 73% | 48% |
| AR | 57% | 383 | 44% | 73% | 68% | 40% |
| GA | 55% | 460 | n/a | 73% | 54% | 32% |
| MEORC | 54% | 414 | n/a | 72% | 59% | 37% |
| AL | 54% | 390 | n/a | 70% | 55% | 32% |
| PA | 54% | 611 | 56% | 70% | 43% | 40% |
| NY | 53% | 420 | n/a | 63% | 51% | 34% |
| IL | 53% | 348 | n/a | 67% | 57% | 33% |
| CT | 52% | 384 | 31% | 65% | 56% | 41% |
| LA | 52% | 439 | 53% | 70% | 65% | 30% |
| NC | 52% | 689 | 43% | 73% | 70% | 38% |
| MD | 50% | 344 | n/a | 69% | 46% | 28% |
| NJ | 48% | 440 | n/a | 64% | n/a | 28% |
| DC | 48% | 119 | n/a | 53% | 61% | 21% |
| Significantly Below Average | | | | | | |
| FL | 48% | 1,459 | n/a | 73% | 49% | 35% |
| OH | 47% | 416 | n/a | 71% | 55% | 30% |
| SC | 43% | 344 | n/a | 65% | 31% | 28% |
| AZ | 39% | 438 | n/a | 58% | n/a | 32% |
| HI | 32% | 404 | n/a | 46% | n/a | 18% |
| NCI Average | 55% | 14,079 | 55% | 69% | 59% | 36% |

*Data were not analyzed for MN due to an insufficient number of respondents (fewer than 20).

Wellness

People are supported to maintain healthy habits.

There is one Wellness indicator collected with the Background Information section of the Adult Consumer Survey:

1. The proportion of people who maintain healthy habits in such areas as:
 - a. Exercise
 - b. Weight
 - c. Smoking

Tables 94 through 96 present the results for these three core indicators. Table 96 presents simple proportions for the four BMI categories.

The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

**Engages in Regular, Moderate Physical Activity
30 Minutes a Day, 3 Days a Week**




Table 95. Engage in regular physical activity (at least 30 minutes three times a week)

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MN | 35% | 390 | n/a | 30% | 40% | 43% |
| FL | 31% | 1,452 | n/a | 35% | 31% | 29% |
| IN | 31% | 413 | n/a | 33% | 27% | 32% |
| OK | 30% | 981 | n/a | 35% | 30% | 39% |
| MA | 29% | 522 | n/a | 24% | 38% | 34% |
| Within Average Range | | | | | | |
| CO | 28% | 395 | n/a | 17% | 38% | 33% |
| MO | 28% | 504 | 25% | 20% | 34% | 29% |
| ME | 27% | 384 | n/a | 26% | 38% | 28% |
| GA | 26% | 473 | n/a | 21% | 41% | 26% |
| NC | 26% | 714 | 27% | 25% | 40% | 28% |
| HI | 24% | 400 | n/a | 25% | n/a | 26% |
| DC | 24% | 131 | n/a | 33% | 23% | 18% |
| UT | 23% | 404 | 14% | 21% | 29% | 23% |
| AR | 22% | 385 | 13% | 23% | 32% | 20% |
| LA | 22% | 440 | 9% | 34% | 8% | 31% |
| OH | 22% | 417 | n/a | 17% | 23% | 23% |
| SC | 22% | 396 | n/a | 15% | 25% | 25% |
| KS | 22% | 408 | n/a | 20% | 26% | 15% |
| VA | 20% | 832 | 11% | 22% | 20% | 20% |
| KY | 19% | 435 | n/a | 13% | 7% | 23% |
| AL | 19% | 394 | n/a | 20% | 32% | 14% |
| IL | 18% | 346 | n/a | 17% | 29% | 18% |
| TN | 18% | 388 | n/a | 14% | 17% | 21% |
| NY | 17% | 424 | n/a | 16% | 28% | 15% |
| Significantly Below Average | | | | | | |
| PA | 17% | 616 | 11% | 15% | 16% | 20% |
| MD | 16% | 358 | n/a | 18% | 22% | 14% |
| AZ | 15% | 441 | n/a | 11% | n/a | 15% |
| NJ | 13% | 441 | n/a | 13% | n/a | 15% |
| CT | 12% | 388 | 0% | 10% | 11% | 20% |
| MEORC | 8% | 426 | n/a | 7% | 10% | 9% |
| NCI Average | 22% | 14,698 | 14% | 21% | 26% | 24% |




Table 96. BMI category

Information may have been obtained through state records or a proxy respondent

| State | Underweight | Normal Weight | Overweight | Obese | N |
|--------------------|-------------|---------------|------------|------------|---------------|
| AL | 4% | 25% | 28% | 44% | 395 |
| AR | 7% | 34% | 28% | 31% | 363 |
| AZ | 7% | 47% | 25% | 21% | 247 |
| CO | 5% | 32% | 32% | 31% | 357 |
| CT | 4% | 36% | 33% | 27% | 260 |
| DC | 5% | 28% | 32% | 34% | 117 |
| FL | 8% | 37% | 29% | 27% | 1,306 |
| GA | 6% | 28% | 32% | 34% | 392 |
| HI | 6% | 40% | 25% | 29% | 404 |
| IL | 7% | 28% | 28% | 37% | 320 |
| IN | 6% | 37% | 24% | 34% | 413 |
| KS | 5% | 28% | 25% | 42% | 353 |
| KY | 3% | 24% | 29% | 43% | 438 |
| LA | 9% | 35% | 27% | 30% | 428 |
| MA | 5% | 32% | 29% | 34% | 514 |
| MD | 5% | 34% | 31% | 30% | 222 |
| ME | 4% | 30% | 32% | 34% | 314 |
| MEORC | 1% | 29% | 28% | 42% | 341 |
| MN | 7% | 39% | 31% | 23% | 360 |
| MO | 4% | 36% | 31% | 29% | 493 |
| NC | 9% | 36% | 26% | 29% | 619 |
| NJ | 4% | 33% | 27% | 36% | 346 |
| NY | 6% | 35% | 28% | 31% | 418 |
| OH | 5% | 28% | 31% | 35% | 408 |
| OK | 4% | 34% | 31% | 31% | 985 |
| PA | 5% | 32% | 31% | 32% | 370 |
| SC | 4% | 34% | 24% | 38% | 231 |
| TN | 5% | 29% | 28% | 37% | 337 |
| UT | 6% | 32% | 28% | 34% | 386 |
| VA | 6% | 36% | 28% | 29% | 758 |
| NCI Average | 5% | 33% | 29% | 33% | 1,2895 |




Table 97. Chew or smoke tobacco

Information may have been obtained through state records or a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| SC | 12% | 384 | n/a | 17% | 35% | 4% |
| KY | 12% | 439 | n/a | 19% | 28% | 4% |
| Within Average Range | | | | | | |
| MEORC | 11% | 414 | n/a | 12% | 19% | 4% |
| KS | 11% | 407 | n/a | 8% | 22% | 4% |
| MO | 10% | 507 | 10% | 7% | 13% | 8% |
| TN | 10% | 398 | n/a | 11% | 16% | 2% |
| OK | 9% | 985 | n/a | 12% | 10% | 4% |
| CO | 9% | 394 | n/a | 8% | 12% | 6% |
| ME | 8% | 382 | n/a | 9% | 10% | 1% |
| OH | 8% | 416 | n/a | 6% | 16% | 5% |
| LA | 8% | 400 | 7% | 10% | 14% | 3% |
| IL | 7% | 349 | n/a | 6% | 14% | 6% |
| IN | 7% | 415 | n/a | 8% | 12% | 4% |
| PA | 7% | 597 | 4% | 8% | 19% | 3% |
| GA | 7% | 469 | n/a | 5% | 22% | 4% |
| AL | 6% | 391 | n/a | 9% | 8% | 3% |
| NY | 6% | 427 | n/a | 3% | 12% | 8% |
| UT | 6% | 407 | 0% | 8% | 11% | 1% |
| NC | 6% | 700 | 2% | 11% | 18% | 1% |
| MN | 6% | 396 | n/a | 8% | 6% | 2% |
| DC | 6% | 109 | n/a | 4% | 17% | 0% |
| MA | 6% | 527 | n/a | 3% | 15% | 2% |
| MD | 5% | 350 | n/a | 6% | 14% | 3% |
| AR | 5% | 384 | 2% | 8% | 10% | 1% |
| Significantly Below Average | | | | | | |
| FL | 5% | 1,459 | n/a | 5% | 14% | 2% |
| VA | 4% | 840 | 0% | 4% | 18% | 1% |
| CT | 4% | 392 | 4% | 3% | 13% | 1% |
| NJ | 2% | 447 | n/a | 3% | n/a | 1% |
| AZ | 2% | 420 | n/a | 5% | n/a | 0% |
| HI | 1% | 380 | n/a | 0% | n/a | 2% |
| NCI Average | 7% | 14,585 | 4% | 8% | 15% | 3% |

Respect and Rights

People receive the same respect and protections as others in the community.

There are four Respect and Rights indicators:

1. The proportion of people whose basic rights are not respected by others, including:
 - a. People enter the home without permission
 - b. People enter bedroom without permission
 - c. Restrictions on being alone with others
 - d. Mail gets opened without permission
 - e. Restrictions on using the phone or Internet
2. The proportion of people who report satisfaction with the amount of privacy they have.
3. The proportion of people indicating that most support staff treat them with respect.
4. The proportion of people who have participated in a self-advocacy group meeting, conference, or event.

Tables 97 through 104 present items from the Respect and Rights sub-domain. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.




Table 98. People always knock before entering home ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| SC | 98% | 324 | n/a | 95% | 97% | 98% |
| AZ | 96% | 394 | n/a | 95% | n/a | 96% |
| TN | 96% | 291 | n/a | 95% | 96% | 98% |
| CO | 95% | 312 | n/a | 87% | 100% | 94% |
| PA | 93% | 442 | n/a | 91% | 94% | 95% |
| Within Average Range | | | | | | |
| LA | 93% | 268 | 61% | 97% | 97% | 97% |
| AL | 92% | 316 | n/a | 89% | 100% | 93% |
| OH | 91% | 358 | n/a | 90% | 94% | 90% |
| KY | 91% | 300 | n/a | 89% | 92% | 94% |
| MN | 91% | 240 | n/a | 91% | 93% | 90% |
| IN | 91% | 313 | n/a | 84% | 88% | 94% |
| IL | 90% | 251 | n/a | 94% | 92% | 89% |
| FL | 90% | 920 | n/a | 85% | 91% | 93% |
| VA | 90% | 495 | n/a | 92% | 100% | 96% |
| MEORC | 90% | 347 | n/a | 87% | 93% | 88% |
| NJ | 90% | 227 | n/a | 92% | n/a | 87% |
| UT | 90% | 285 | n/a | 85% | 89% | 92% |
| DC | 89% | 189 | n/a | 83% | 95% | 97% |
| OK | 88% | 548 | n/a | 84% | 87% | n/a |
| MA | 87% | 376 | n/a | 83% | 93% | 92% |
| MD | 87% | 323 | n/a | 85% | 86% | 87% |
| KS | 87% | 299 | n/a | 86% | 86% | 90% |
| NY | 86% | 292 | n/a | 87% | 85% | 81% |
| MO | 85% | 304 | 68% | 78% | 91% | 94% |
| AR | 85% | 236 | n/a | 92% | 86% | 89% |
| NC | 84% | 363 | 43% | 85% | 92% | 91% |
| CT | 84% | 269 | n/a | 84% | 92% | 84% |
| GA | 84% | 283 | n/a | 80% | 91% | 86% |
| HI | 82% | 226 | n/a | 74% | n/a | 83% |
| Significantly Below Average | | | | | | |
| ME | 74% | 276 | n/a | 62% | 91% | 80% |
| NCI Average | 89% | 10,067 | 57% | 87% | 92% | 91% |




Table 99. People always knock before entering bedroom ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 95% | 393 | n/a | 91% | n/a | 96% |
| SC | 92% | 323 | n/a | 98% | 94% | 88% |
| CO | 92% | 311 | n/a | 85% | 98% | 91% |
| TN | 92% | 286 | n/a | 92% | 92% | 91% |
| KY | 91% | 303 | n/a | 91% | 87% | 94% |
| FL | 88% | 892 | n/a | 84% | 91% | 88% |
| Within Average Range | | | | | | |
| GA | 87% | 281 | n/a | 88% | 100% | 80% |
| LA | 86% | 254 | 70% | 81% | 94% | 89% |
| IN | 86% | 300 | n/a | 82% | 90% | 85% |
| VA | 85% | 486 | n/a | 83% | 95% | 84% |
| DC | 85% | 184 | n/a | 86% | 83% | 81% |
| KS | 85% | 281 | n/a | 84% | 88% | 79% |
| IL | 84% | 249 | n/a | 90% | 100% | 77% |
| CT | 84% | 264 | n/a | 82% | 89% | 85% |
| PA | 83% | 408 | n/a | 77% | 74% | 86% |
| MN | 83% | 226 | n/a | 83% | 90% | 80% |
| AL | 83% | 320 | n/a | 84% | 89% | 83% |
| MA | 83% | 366 | n/a | 81% | 95% | 74% |
| NY | 82% | 287 | n/a | 86% | 82% | 71% |
| MD | 82% | 315 | n/a | 78% | 91% | 80% |
| NC | 82% | 396 | 80% | 86% | 78% | 73% |
| MO | 81% | 289 | 74% | 79% | 87% | 66% |
| OH | 80% | 335 | n/a | 80% | 84% | 76% |
| OK | 79% | 521 | n/a | 76% | 80% | n/a |
| UT | 78% | 268 | n/a | 78% | 85% | 77% |
| AR | 78% | 233 | n/a | 80% | 80% | 85% |
| NJ | 77% | 222 | n/a | 77% | n/a | 74% |
| Significantly Below Average | | | | | | |
| ME | 74% | 256 | n/a | 70% | 89% | 62% |
| HI | 70% | 229 | n/a | 51% | n/a | 73% |
| MEORC | 69% | 330 | n/a | 75% | 64% | 70% |
| NCI Average | 83% | 9,808 | 75% | 82% | 88% | 81% |

Can Be Alone at Home With Visitors or Friends




Table 100. Can be alone at home with visitors ('yes' responses only)
 Information may have been obtained through a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| KY | 91% | 435 | n/a | 90% | 89% | 94% |
| MEORC | 89% | 389 | n/a | 88% | 93% | 86% |
| KS | 89% | 368 | n/a | 88% | 96% | 89% |
| AL | 89% | 366 | n/a | 87% | 95% | 89% |
| PA | 86% | 594 | 100% | 80% | 95% | 85% |
| SC | 86% | 355 | n/a | 81% | 97% | 90% |
| GA | 85% | 384 | n/a | 85% | 93% | 84% |
| OH | 84% | 397 | n/a | 80% | 93% | 82% |
| LA | 84% | 395 | 96% | 83% | 79% | 77% |
| MA | 84% | 467 | n/a | 81% | 93% | 82% |
| Within Average Range | | | | | | |
| IL | 82% | 305 | n/a | 82% | 100% | 77% |
| CO | 81% | 346 | n/a | 75% | 98% | 90% |
| TN | 81% | 381 | n/a | 82% | 76% | 85% |
| FL | 80% | 1,228 | n/a | 76% | 92% | 78% |
| NC | 80% | 655 | 95% | 77% | 83% | 72% |
| VA | 80% | 862 | 83% | 76% | 84% | 79% |
| AR | 80% | 364 | 86% | 73% | 75% | 80% |
| MO | 79% | 462 | 70% | 81% | 80% | 86% |
| IN | 79% | 351 | n/a | 76% | 81% | 80% |
| CT | 79% | 331 | 82% | 71% | 86% | 82% |
| UT | 76% | 381 | 90% | 74% | 94% | 71% |
| ME | 75% | 372 | n/a | 64% | 90% | 73% |
| NY | 75% | 387 | n/a | 66% | 93% | 81% |
| MD | 71% | 355 | n/a | 64% | 89% | 71% |
| Significantly Below Average | | | | | | |
| MN | 67% | 347 | n/a | 64% | 87% | 61% |
| HI | 63% | 277 | n/a | 50% | n/a | 65% |
| NJ | 63% | 342 | n/a | 61% | n/a | 62% |
| DC | 61% | 245 | n/a | 61% | 64% | 74% |
| OK | 56% | 935 | n/a | 72% | 53% | 52% |
| AZ | 40% | 405 | n/a | 28% | n/a | 46% |
| NCI Average | 77% | 13,481 | 88% | 74% | 87% | 77% |




Table 101. Have enough privacy at home ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 98% | 389 | n/a | 99% | n/a | 98% |
| TN | 97% | 286 | n/a | 96% | 97% | 99% |
| PA | 96% | 418 | n/a | 99% | 95% | 96% |
| GA | 96% | 274 | n/a | 95% | 96% | 95% |
| VA | 94% | 501 | n/a | 91% | 100% | 97% |
| FL | 94% | 888 | n/a | 90% | 95% | 96% |
| Within Average Range | | | | | | |
| KY | 94% | 292 | n/a | 94% | n/a | 98% |
| OH | 94% | 359 | n/a | 93% | 95% | 94% |
| MEORC | 93% | 339 | n/a | 91% | 96% | 94% |
| AL | 92% | 300 | n/a | 90% | 91% | 95% |
| LA | 92% | 242 | 90% | 86% | 96% | 95% |
| IN | 92% | 303 | n/a | 87% | 90% | 94% |
| MN | 91% | 237 | n/a | 89% | 96% | 91% |
| KS | 91% | 286 | n/a | 91% | 90% | 90% |
| CT | 90% | 258 | n/a | 87% | 93% | 93% |
| MD | 90% | 307 | n/a | 90% | 94% | 90% |
| MO | 90% | 302 | 88% | 90% | 90% | 97% |
| NY | 90% | 281 | n/a | 89% | 94% | 92% |
| UT | 89% | 274 | n/a | 84% | 93% | 92% |
| SC | 89% | 320 | n/a | 91% | 91% | 91% |
| CO | 89% | 284 | n/a | 77% | 86% | 93% |
| MA | 89% | 359 | n/a | 88% | 96% | 89% |
| IL | 89% | 240 | n/a | 88% | n/a | 91% |
| OK | 89% | 463 | n/a | 82% | 89% | n/a |
| AR | 88% | 234 | n/a | 88% | 88% | 96% |
| NC | 88% | 387 | 75% | 86% | 85% | 88% |
| DC | 86% | 178 | n/a | 84% | 94% | 83% |
| NJ | 85% | 228 | n/a | 80% | n/a | 90% |
| Significantly Below Average | | | | | | |
| ME | 84% | 276 | n/a | 81% | 91% | 84% |
| HI | 80% | 233 | n/a | 65% | n/a | 82% |
| NCI Average | 91% | 9,738 | 84% | 88% | 93% | 92% |

Mail or Email Is Never Read by Others Without Permission




Table 102. Others never read their mail without permission ('no' responses only)
 Information may have been obtained through a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| MEORC | 96% | 394 | n/a | 97% | 97% | 95% |
| TN | 95% | 351 | n/a | 97% | 92% | 96% |
| KY | 95% | 405 | n/a | 94% | 100% | 95% |
| NJ | 95% | 325 | n/a | 95% | n/a | 94% |
| FL | 94% | 1,198 | n/a | 96% | 95% | 93% |
| AZ | 94% | 375 | n/a | 92% | n/a | 95% |
| AL | 94% | 336 | n/a | 96% | 92% | 92% |
| LA | 92% | 385 | 94% | 96% | 88% | 91% |
| OH | 92% | 395 | n/a | 90% | 95% | 92% |
| ME | 91% | 367 | n/a | 91% | 95% | 87% |
| NC | 90% | 663 | 100% | 91% | 93% | 83% |
| Within Average Range | | | | | | |
| CO | 90% | 335 | n/a | 86% | 100% | 84% |
| GA | 89% | 334 | n/a | 91% | 100% | 81% |
| KS | 88% | 336 | n/a | 93% | 88% | 78% |
| MA | 88% | 458 | n/a | 86% | 96% | 83% |
| MO | 87% | 462 | 74% | 89% | 88% | 91% |
| PA | 87% | 616 | 84% | 86% | 90% | 85% |
| MN | 85% | 325 | n/a | 89% | 84% | 78% |
| NY | 85% | 356 | n/a | 89% | 90% | 76% |
| OK | 84% | 893 | n/a | 86% | 84% | 75% |
| IN | 83% | 339 | n/a | 87% | 81% | 83% |
| DC | 82% | 228 | n/a | 84% | 83% | 77% |
| UT | 80% | 340 | n/a | 83% | 90% | 73% |
| Significantly Below Average | | | | | | |
| AR | 80% | 336 | 96% | 86% | 84% | 71% |
| VA | 80% | 788 | 94% | 85% | 87% | 74% |
| HI | 79% | 275 | n/a | 92% | n/a | 77% |
| CT | 78% | 294 | n/a | 76% | 86% | 76% |
| MD | 77% | 349 | n/a | 79% | 84% | 73% |
| IL | 75% | 296 | n/a | 84% | 77% | 63% |
| SC | 67% | 333 | n/a | 59% | 86% | 67% |
| NCI Average | 86% | 12,887 | 90% | 88% | 90% | 83% |




Table 103. Can use phone and Internet without restriction ('yes, without restriction' response only)
 Information may have been obtained through a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| KY | 97% | 337 | n/a | 97% | 100% | 96% |
| MEORC | 96% | 374 | n/a | 96% | 98% | 94% |
| GA | 95% | 349 | n/a | 98% | 100% | 91% |
| MA | 95% | 439 | n/a | 93% | 99% | 96% |
| LA | 94% | 360 | 95% | 91% | 96% | 95% |
| NY | 94% | 332 | n/a | 94% | 100% | 94% |
| FL | 94% | 1,072 | n/a | 93% | 98% | 94% |
| IL | 94% | 275 | n/a | 93% | 100% | 93% |
| NC | 94% | 576 | 95% | 91% | 100% | 93% |
| PA | 93% | 528 | n/a | 94% | 97% | 93% |
| VA | 92% | 690 | 94% | 92% | 100% | 92% |
| Within Average Range | | | | | | |
| MO | 93% | 402 | 88% | 89% | 96% | 94% |
| DC | 92% | 218 | n/a | 93% | 93% | 93% |
| OK | 91% | 762 | n/a | 89% | 92% | n/a |
| AL | 91% | 345 | n/a | 91% | 95% | 91% |
| KS | 91% | 320 | n/a | 89% | 97% | 85% |
| IN | 91% | 319 | n/a | 100% | 94% | 88% |
| TN | 91% | 319 | n/a | 89% | 92% | 90% |
| OH | 91% | 379 | n/a | 89% | 98% | 90% |
| AR | 90% | 300 | 92% | 88% | 92% | 86% |
| CT | 89% | 289 | n/a | 85% | 100% | 90% |
| HI | 88% | 225 | n/a | 80% | n/a | 87% |
| CO | 88% | 317 | n/a | 84% | 97% | 90% |
| SC | 87% | 366 | n/a | 84% | 100% | 88% |
| MD | 87% | 322 | n/a | 83% | 95% | 90% |
| UT | 86% | 317 | n/a | 80% | 95% | 86% |
| MN | 86% | 303 | n/a | 83% | 100% | 85% |
| ME | 85% | 332 | n/a | 78% | 98% | 88% |
| Significantly Below Average | | | | | | |
| NJ | 80% | 322 | n/a | 84% | n/a | 79% |
| AZ | 39% | 369 | n/a | 27% | n/a | 43% |
| NCI Average | 89% | 11,858 | 93% | 87% | 97% | 89% |



Table 104. Staff (at home, work, and/or day activity or program) are nice and polite ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 97% | 268 | n/a | 99% | n/a | 97% |
| Within Average Range | | | | | | |
| IN | 97% | 264 | n/a | 93% | 96% | 99% |
| TN | 97% | 275 | n/a | 98% | 95% | 97% |
| LA | 97% | 240 | 90% | 95% | 98% | 99% |
| SC | 96% | 317 | n/a | 93% | 94% | 98% |
| HI | 96% | 246 | n/a | 94% | n/a | 94% |
| IL | 96% | 223 | n/a | 94% | 92% | 99% |
| GA | 95% | 288 | n/a | 93% | 94% | 97% |
| MEORC | 95% | 328 | n/a | 94% | 93% | 97% |
| AL | 94% | 317 | n/a | 93% | 86% | 98% |
| NY | 94% | 264 | n/a | 94% | 100% | 93% |
| FL | 94% | 850 | n/a | 90% | 94% | 97% |
| NJ | 94% | 208 | n/a | 92% | n/a | 95% |
| PA | 94% | 324 | n/a | 90% | 90% | 98% |
| OK | 93% | 533 | n/a | 91% | 93% | n/a |
| CT | 93% | 234 | n/a | 92% | 98% | 91% |
| DC | 93% | 173 | n/a | 90% | 91% | 97% |
| MD | 93% | 269 | n/a | 90% | 94% | 94% |
| OH | 92% | 330 | n/a | 88% | 96% | 93% |
| AR | 92% | 224 | n/a | 92% | 92% | 95% |
| NC | 92% | 388 | 96% | 91% | 97% | 92% |
| VA | 91% | 478 | n/a | 88% | 92% | 95% |
| KS | 91% | 299 | n/a | 87% | 96% | 90% |
| MN | 91% | 229 | n/a | 91% | 84% | 92% |
| MO | 91% | 284 | 92% | 89% | 92% | 95% |
| MA | 91% | 373 | n/a | 90% | 89% | 93% |
| UT | 89% | 277 | n/a | 88% | 83% | 93% |
| CO | 88% | 300 | n/a | 86% | 86% | 91% |
| KY | 87% | 280 | n/a | 85% | 90% | 93% |
| ME | 77% | 280 | n/a | 74% | 73% | 76% |
| NCI Average | 93% | 9,363 | 92% | 91% | 92% | 94% |

Participated in a Self-Advocacy Meeting, Conference, or Event




Table 105. Have attended a self-advocacy event or chose not to ('yes' and 'no, chose not to' responses)
 Information may have been obtained through a proxy respondent

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Within Average Range | | | | | | |
| DC | 50% | 219 | n/a | 54% | 58% | 46% |
| HI | 46% | 384 | n/a | 45% | n/a | 50% |
| AL | 46% | 373 | n/a | 42% | 76% | 42% |
| IL | 44% | 258 | n/a | 38% | 42% | 48% |
| SC | 44% | 352 | n/a | 43% | 42% | 45% |
| NJ | 43% | 355 | n/a | 44% | n/a | 41% |
| KS | 38% | 270 | n/a | 38% | 49% | 27% |
| MO | 38% | 398 | 25% | 46% | 39% | 33% |
| TN | 38% | 333 | n/a | 40% | 34% | 42% |
| OK | 37% | 822 | n/a | 40% | 38% | n/a |
| UT | 36% | 348 | n/a | 38% | 41% | 28% |
| NC | 36% | 577 | 70% | 33% | 36% | 21% |
| CT | 36% | 311 | n/a | 35% | 53% | 32% |
| MA | 36% | 428 | n/a | 34% | 38% | 34% |
| MEORC | 36% | 359 | n/a | 35% | 47% | 31% |
| MN | 35% | 358 | n/a | 39% | 41% | 29% |
| OH | 33% | 393 | n/a | 39% | 30% | 31% |
| MD | 30% | 305 | n/a | 30% | 52% | 31% |
| ME | 30% | 369 | n/a | 33% | 38% | 18% |
| NY | 30% | 322 | n/a | 30% | 17% | 33% |
| KY | 28% | 176 | n/a | 32% | n/a | 21% |
| LA | 27% | 354 | 38% | 30% | 13% | 23% |
| IN | 27% | 305 | n/a | 25% | 32% | 24% |
| Significantly Below Average | | | | | | |
| VA | 27% | 660 | 24% | 30% | 36% | 23% |
| FL | 24% | 1,262 | n/a | 22% | 31% | 22% |
| AR | 24% | 335 | 23% | 32% | 26% | 19% |
| GA | 23% | 348 | n/a | 27% | 22% | 19% |
| PA | 21% | 499 | n/a | 13% | 17% | 22% |
| AZ | 17% | 199 | n/a | 18% | n/a | 15% |
| CO | 17% | 370 | n/a | 20% | 18% | 19% |
| NCI Average | 33% | 12,042 | 36% | 34% | 37% | 30% |

Safety

People are safe from abuse, neglect, and injury.

There are two Safety indicators:

1. The proportion of people who report that they never feel scared or afraid in their home, neighborhood, workplace, and day program/daily activity.
2. The proportion of people who report having someone to go to for help when they feel afraid.

Tables 105 through 108 present the results for the four survey items measuring these indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.




Table 106. Rarely or never feel scared or afraid in their home ('no' responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| AZ | 93% | 390 | n/a | 91% | n/a | 94% |
| GA | 92% | 291 | n/a | 91% | 88% | 94% |
| KY | 91% | 298 | n/a | 88% | 92% | 93% |
| FL | 89% | 946 | n/a | 88% | 89% | 89% |
| OH | 88% | 356 | n/a | 89% | 86% | 88% |
| Within Average Range | | | | | | |
| HI | 87% | 248 | n/a | 80% | n/a | 86% |
| SC | 86% | 309 | n/a | 80% | 89% | 87% |
| AL | 85% | 322 | n/a | 84% | 89% | 85% |
| NC | 83% | 409 | 60% | 83% | 73% | 87% |
| MEORC | 83% | 355 | n/a | 77% | 84% | 85% |
| DC | 82% | 185 | n/a | 77% | 86% | 84% |
| MN | 82% | 249 | n/a | 80% | 79% | 82% |
| TN | 82% | 292 | n/a | 82% | 82% | 81% |
| PA | 81% | 458 | n/a | 84% | 85% | 79% |
| IL | 81% | 243 | n/a | 79% | 77% | 82% |
| MD | 81% | 320 | n/a | 80% | 79% | 82% |
| VA | 80% | 499 | n/a | 80% | 88% | 76% |
| AR | 80% | 235 | n/a | 78% | 74% | 87% |
| MO | 80% | 309 | 78% | 76% | 82% | 85% |
| NY | 80% | 297 | n/a | 74% | 83% | 85% |
| CT | 79% | 269 | n/a | 75% | 88% | 83% |
| LA | 79% | 268 | 75% | 83% | 77% | 79% |
| IN | 79% | 314 | n/a | 86% | 72% | 82% |
| CO | 78% | 307 | n/a | 71% | 73% | 85% |
| KS | 78% | 304 | n/a | 74% | 77% | 82% |
| OK | 78% | 553 | n/a | 78% | 76% | n/a |
| NJ | 77% | 231 | n/a | 77% | n/a | 72% |
| Significantly Below Average | | | | | | |
| MA | 74% | 379 | n/a | 69% | 78% | 84% |
| UT | 71% | 288 | n/a | 66% | 66% | 79% |
| ME | 67% | 294 | n/a | 68% | 71% | 63% |
| NCI Average | 82% | 10,218 | 71% | 80% | 81% | 83% |




Table 107. Rarely or never feel scared or afraid in their neighborhood ('no' responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|---------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| OH | 93% | 360 | n/a | 96% | 94% | 91% |
| GA | 93% | 290 | n/a | 94% | 88% | 93% |
| SC | 92% | 309 | n/a | 90% | 92% | 95% |
| KY | 91% | 297 | n/a | 88% | 92% | 93% |
| AZ | 89% | 386 | n/a | 90% | n/a | 88% |
| FL | 88% | 931 | n/a | 90% | 84% | 89% |
| Within Average Range | | | | | | |
| CT | 88% | 264 | n/a | 90% | 88% | 86% |
| PA | 87% | 445 | n/a | 87% | 86% | 87% |
| AL | 86% | 321 | n/a | 86% | 86% | 86% |
| MN | 86% | 242 | n/a | 87% | 78% | 86% |
| MO | 85% | 304 | 86% | 85% | 84% | 91% |
| TN | 85% | 289 | n/a | 79% | 89% | 85% |
| NC | 84% | 403 | n/a | 87% | 74% | 85% |
| NY | 84% | 299 | n/a | 79% | 90% | 86% |
| CO | 83% | 302 | n/a | 86% | 80% | 81% |
| VA | 83% | 491 | n/a | 86% | 88% | 78% |
| HI | 83% | 241 | n/a | 79% | n/a | 81% |
| AR | 82% | 233 | n/a | 85% | 76% | 80% |
| IN | 81% | 312 | n/a | 83% | 79% | 82% |
| KS | 81% | 296 | n/a | 79% | 76% | 90% |
| MEORC | 80% | 352 | n/a | 72% | 85% | 81% |
| MD | 80% | 313 | n/a | 75% | 73% | 81% |
| MA | 79% | 364 | n/a | 75% | 83% | 78% |
| NJ | 78% | 225 | n/a | 79% | n/a | 73% |
| DC | 78% | 183 | n/a | 79% | 80% | 76% |
| LA | 77% | 265 | 81% | 80% | 75% | 77% |
| IL | 77% | 242 | n/a | 76% | 73% | 78% |
| Significantly Below Average | | | | | | |
| OK | 77% | 538 | n/a | 78% | 76% | n/a |
| UT | 73% | 288 | n/a | 74% | 67% | 75% |
| ME | 71% | 288 | n/a | 68% | 75% | 75% |
| NCI Average | 83% | 10,073 | 84% | 83% | 82% | 84% |

Never Scared or Afraid at Work, Day Program or Regular Activity




Table 108. Rarely or never feel scared or afraid at their work or day program ('no' responses)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| KY | 94% | 251 | n/a | 92% | n/a | 98% |
| GA | 94% | 265 | n/a | 95% | 96% | 95% |
| SC | 94% | 293 | n/a | 92% | 97% | 93% |
| OH | 92% | 325 | n/a | 90% | 96% | 92% |
| FL | 91% | 620 | n/a | 88% | 92% | 92% |
| Within Average Range | | | | | | |
| AL | 90% | 309 | n/a | 90% | 94% | 89% |
| DC | 89% | 142 | n/a | 90% | 93% | 89% |
| AZ | 89% | 281 | n/a | 90% | n/a | 89% |
| CT | 89% | 230 | n/a | 86% | 97% | 88% |
| MN | 89% | 211 | n/a | 90% | 78% | 92% |
| MO | 88% | 161 | n/a | 87% | 89% | n/a |
| NY | 88% | 257 | n/a | 85% | 100% | 89% |
| KS | 88% | 269 | n/a | 86% | 88% | 90% |
| MEORC | 88% | 314 | n/a | 83% | 90% | 88% |
| PA | 88% | 337 | n/a | 89% | 93% | 83% |
| NC | 87% | 321 | n/a | 89% | 82% | 90% |
| AR | 87% | 175 | n/a | 88% | 86% | 81% |
| HI | 86% | 234 | n/a | 85% | n/a | 84% |
| LA | 86% | 197 | 83% | 85% | 85% | 89% |
| MD | 85% | 255 | n/a | 83% | 86% | 88% |
| VA | 85% | 338 | n/a | 85% | 95% | 85% |
| IN | 83% | 206 | n/a | 87% | 85% | 83% |
| IL | 83% | 206 | n/a | 83% | n/a | 88% |
| TN | 83% | 196 | n/a | 82% | 81% | 85% |
| OK | 82% | 424 | n/a | 75% | 84% | n/a |
| CO | 81% | 279 | n/a | 89% | 88% | 74% |
| NJ | 81% | 226 | n/a | 83% | n/a | 79% |
| MA | 80% | 332 | n/a | 77% | 93% | 81% |
| Significantly Below Average | | | | | | |
| UT | 77% | 238 | n/a | 74% | 85% | 78% |
| ME | 72% | 232 | n/a | 73% | 78% | 72% |
| NCI Average | 86% | 8,124 | 83% | 86% | 89% | 87% |

Person Has Someone to Go to for Help If Afraid




Table 109. Have someone to go to for help if they ever feel scared ('yes' responses only)

| State | Overall In State | N | Institution | Community-Based | Individual Home | Parent's Home |
|------------------------------------|------------------|--------------|-------------|-----------------|-----------------|---------------|
| Significantly Above Average | | | | | | |
| SC | 98% | 314 | n/a | 98% | 97% | 99% |
| TN | 97% | 287 | n/a | 98% | 96% | 98% |
| CO | 96% | 301 | n/a | 93% | 95% | 99% |
| Within Average Range | | | | | | |
| KY | 95% | 296 | n/a | 97% | 96% | 93% |
| IL | 95% | 235 | n/a | 97% | 91% | 93% |
| UT | 95% | 286 | n/a | 96% | 91% | 96% |
| OH | 95% | 356 | n/a | 96% | 97% | 92% |
| GA | 94% | 275 | n/a | 92% | 97% | 96% |
| NY | 94% | 292 | n/a | 96% | 95% | 89% |
| AR | 94% | 230 | n/a | 86% | 93% | 98% |
| MEORC | 94% | 358 | n/a | 87% | 95% | 96% |
| HI | 94% | 239 | n/a | 85% | n/a | 95% |
| LA | 93% | 264 | 88% | 92% | 97% | 92% |
| MA | 93% | 361 | n/a | 90% | 97% | 99% |
| IN | 93% | 308 | n/a | 96% | 91% | 93% |
| ME | 92% | 287 | n/a | 91% | 91% | 93% |
| MO | 92% | 298 | 96% | 93% | 90% | 94% |
| DC | 92% | 183 | n/a | 91% | 89% | 95% |
| NC | 92% | 385 | 86% | 89% | 92% | 95% |
| MN | 92% | 239 | n/a | 93% | 93% | 93% |
| AZ | 91% | 387 | n/a | 94% | n/a | 91% |
| FL | 91% | 923 | n/a | 92% | 92% | 91% |
| VA | 91% | 499 | 95% | 87% | 96% | 94% |
| PA | 91% | 417 | n/a | 94% | 85% | 94% |
| AL | 91% | 320 | n/a | 90% | 92% | 92% |
| KS | 91% | 302 | n/a | 90% | 92% | 95% |
| CT | 89% | 256 | n/a | 87% | 91% | 90% |
| NJ | 89% | 227 | n/a | 89% | n/a | 85% |
| MD | 88% | 323 | n/a | 94% | 84% | 85% |
| Significantly Below Average | | | | | | |
| OK | 87% | 540 | n/a | 86% | 86% | n/a |
| NCI Average | 93% | 9,988 | 91% | 92% | 93% | 94% |

II. NCI History and Activities

This section briefly describes the history of the National Core Indicators and NCI Surveys

Overview of National Core Indicators

In December 1996, the National Association of State Directors of Developmental Disabilities Services (NASDDDS), in collaboration with Human Services Research Institute (HSRI), launched the Core Indicators Project. The aim of the project was to support state developmental disabilities operating agencies in the development and implementation of performance and outcome indicators—and related data collection strategies—so that they could measure service delivery system performance. This effort, now called National Core Indicators (NCI), strives to provide states with valid and reliable tools to help improve system performance and better serve people with intellectual and developmental disabilities and their families. Moreover, NASDDDS' active sponsorship of NCI facilitates pooled knowledge, expertise, and resources among the states.

In 1997, 15 states convened to discuss the scope and content of a potential performance measurement framework. Directors and staff from these 15 states worked to identify the major domains and sub-domains of performance, indicators, measures, and data sources. The original 61 indicators, developed through a consensus process, were intended to provide a system-level “snapshot” of how well each state was performing. The states were guided by a set of criteria that was designed to select indicators that were:

1. Measurable
2. Related to issues the states had some ability to influence
3. Important to all individuals they served, regardless of level of disability or residential setting.


During this initial phase, data collection protocols were developed and field-tested, including a face-to-face Adult Consumer Survey (for individuals age 18 and older who were receiving services) and a mail-out Adult Family Survey (for families who have an adult family member living at home). Seven states volunteered to pilot test the indicators. Eight additional states served on the Steering Committee.

Since the initial field test, NCI has expanded its scope to include outcomes of services for children with intellectual and developmental disabilities and their families. In addition, NCI continues to develop and refine the indicators and expand state participation. For more information about NCI states, technical reports, and other resources, please visit <http://www.nationalcoreindicators.org>.

State Participation

During the 2013-2014 data collection cycle, 40 states, the District of Columbia and 22 sub-state entities participated in NCI. State participation is entirely voluntary, and participating states are highlighted on the map below.

NCI State Participation 2013-14



The Core Indicators

The Core Indicators are the standard measures used across states to assess the outcomes of services provided to individuals and families. Indicators address key areas of concern, including employment, respect/rights, service planning, community inclusion, choice, and health and safety. An example of a Core Indicator would be, “The proportion of people who have a paid job in the community.” To see the entire list of Core Indicators, please visit <http://www.nationalcoreindicators.org/indicators>.

Each survey instrument is designed to measure certain Core Indicators. While most indicators correspond to a single survey question, a few refer to clusters of related questions. For example, the indicator that measures Community Inclusion (the proportion of people who regularly participate in everyday integrated activities in their communities) is measured by several survey questions that ask about separate community activities.

The current set of performance indicators includes approximately 100 consumer, family, system, and health and safety outcomes—outcomes that are important for understanding the overall health of public developmental disabilities agencies. Indicators are organized across five broad domains: Individual Outcomes; Health, Welfare and Rights; Staff Stability and Competency; Family Outcomes; and System Performance. Each domain is broken down into sub-domains (see Table 110). Four data sources are used to assess outcomes: the Adult Consumer Survey, three Family Surveys, a Provider Survey (e.g., staff turnover), and system data from state administrative records (e.g., mortality rates).

The indicators have remained generally consistent over the years and thus can be used to analyze system-level trends over time. However, the NCI program is a dynamic effort that allows for measures to be added, dropped, or changed to reflect the current and future priorities of participating states.

The data collection tools used to gather indicator data are regularly refined and tested to ensure they remain valid, reliable, and applicable to current issues within the field. Details on the design and testing of this tool are provided in the next section of this report.

Domains and Sub-Domains

The following table lists the domains and sub-domains covered by the NCI Adult Consumer Survey indicators.

Table 110. Adult Consumer Survey Indicators: Domains and Sub-Domains

| Domain | Sub-Domain | Concern Statement |
|---------------------------------------|----------------------------|--------------------------------------------------------------------------------------------------------------|
| Individual Outcomes | Work | People have support to find and maintain community integrated employment. |
| | Community Inclusion | People have support to participate in everyday community activities. |
| | Choice and Decision-Making | People make choices about their lives and are actively engaged in planning their services and supports. |
| | Self Determination | People have authority and are supported to direct and manage their own services. |
| | Relationships | People have friends and relationships. |
| | Satisfaction | People are satisfied with the services and supports they receive. |
| Health, Welfare, and Rights | Safety | People are safe from abuse, neglect, and injury. |
| | Health | People secure needed health services. |
| | Medications | Medications are managed effectively and appropriately. |
| | Wellness | People are supported to maintain healthy habits. |
| | Respect/Rights | People receive the same respect and protections as others in the community. |
| Staff Stability and Competence | Staff Competence | Direct contact staff are competent to provide services and support. |
| System Performance | Service Coordination | Service coordinators are accessible, responsive, and support the person's participation in service planning. |
| | Access | Publicly funded services are readily available to individuals who need and qualify for them. |

How NCI Data Are Used

The Core Indicators provide information for quality management and are intended to be used in conjunction with other state data sources, such as risk management information, regional level performance data, results of provider monitoring processes, and administrative information gathered at the individual service coordination level. States typically use the indicator data to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Some states use NCI as a data source for supplemental performance measures in their home and community-based services waiver quality management systems and include the information in support of evidentiary reports to the Centers for Medicare & Medicaid Services. Many states share the indicator data with

stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction. It is also important to note that states do not use the information in a punitive way to sanction service providers, nor do they use the results to remediate individual issues (unless specifically requested by the participant or required by law as in the case of suspected abuse, neglect, or mistreatment).

Caution and Limitations

This report does not provide benchmarks for acceptable or unacceptable levels of performance. Rather, it is up to each state to decide whether its score or percentage is acceptable. States that fall into the “below average” tier on any scale or indicator are not necessarily underperforming; instead, this placement indicates only that the state’s scale score or indicator percentage is significantly lower than the average of all states—where “significantly” means “not due to chance.” The results tables throughout this report display states’ scores relative to one another and show which states tend to have similar results. Notably, the difference between a “below average” state and the average across the other states may be very small, and it is up to public managers, policy-makers, and other stakeholders to decide whether a state’s result relative to the NCI Average suggests that changes or further investigation are necessary.

Moreover, the NCI Average should not be interpreted as defining “acceptable” levels of performance or satisfaction. Instead, it represents a multi-state “norm” that describes average levels of performance or satisfaction across the participating states. In some instances there are few significant differences among the states; this denotes that the majority of states are performing similarly. Instances where several states’ results are especially high (considerably above the average level) might define a level of performance that could serve as a guidepost for other states.

Data from previous years are not presented in this report. Comparisons of results from year to year should be made with caution: even slight changes in wording or response options of certain questions may affect comparability of results from one year to the next; the mix of participating states differs slightly each year and may affect the NCI Averages; and states draw new samples each year rather than following the same group of individuals.

III. Methodology

This section describes the protocol for administering the Adult Consumer Survey, including sampling criteria, administration guidelines, and surveying procedures.

Administration

A key principle of NCI is the importance of gathering information directly from service recipients. The indicators are meant to apply to all individuals receiving services, regardless of disability type, and NCI administration protocols dictate that every person selected into the sample is given an opportunity to respond (no one is prescreened or predetermined to be unable to respond). Moreover, survey questions should not be marked “not applicable” on the basis of a person’s level of ability.

Information for the Adult Consumer Survey is collected via a direct conversation with the person receiving services. Additionally, background information is primarily collected from the individual’s record. Section I questions, which pertain to personal experiences and require subjective responses, may only be answered by the individual receiving services. Section II of the survey—which consists of objective questions on the individual’s involvement in the community, their choices, respect and rights, and their access to services—allows for the use of “proxies” or other respondents who know the individual well (such as a family member or friend).

Proxy Respondents

Studies have found that the greatest discrepancies between individual and proxy responses occur when the information being collected is subjective (i.e., related to how a person feels; proxies would be aware of the correct answers only if the individual had previously expressed his or her feelings).¹⁵ Questions relating to observable behaviors tend to have higher levels of agreement. By excluding proxies, a large percentage of individuals (most of whom are unable to respond) would be unrepresented in the data. Thus, the NCI project determined at the outset that proxy respondents would be used, though only for specific questions and only in situations where the individual surveyed either could not effectively communicate with the surveyor or chose to have a proxy respondent.

As mentioned, the use of proxy respondents for the NCI tool is limited to questions in Section II, which relates to observable and/or measurable items: Community Inclusion, Choices, Respect/Rights, and Access to Needed Services. These questions deal with everyday occurrences on which others may reliably report. State records are also used to report objective data on an

¹⁵ Magaziner, Jay, Sheryl Zimmerman, Ann L. Gruber-Baldini, J. Richard Hebel, and Kathleen M. Fox. "Proxy Reporting in Five Areas of Functional Status Comparison with Self-Reports and Observations of Performance." *American Journal of Epidemiology* 146.5 (1997): 418-28.

individual's health status and exam history as well as employment status; this information is collected in the Background Section of the survey.

There are also ways to reduce discrepancies that may arise. First, it is important to make the questions as accessible as possible to increase participation by all individuals. NCI attempts to make the language in the Adult Consumer Survey as easy to understand as possible and includes suggested rephrasing for questions that may be nuanced or more difficult to understand. The NCI surveys are also routinely revised based on feedback from states, self-advocates, families, and surveyors who are administering the tool. Secondly, it is important to establish a set of standards for proxy respondents. NCI aims to increase the reliability of proxy responses by allowing only those people who know the individual well (family, friends, staff, etc.) to serve as proxy respondents. To avoid conflict, service coordinators are not allowed to respond as proxies. Further, if both the individual and a proxy respondent answer a question, the individual's answer is recorded so long as his/her answer is deemed reliable by the surveyor. Surveyors also keep track of who responds to each question—the individual or the proxy—and the proxy's relationship to the individual.

Surveyor Training

States employ a variety of individuals to conduct the face-to-face meetings for the NCI Adult Consumer Survey. To avoid conflict, surveyors cannot be administered by the individual's service provider, relative, personal case manager, staff member, or other close contact. Given this constraint, states often use university students, state staff, private contractors, advocacy organizations, and individuals with disabilities and their families to conduct the surveys.

HSRI and NASDDDS staff provide both on-site surveyor training to new states and refresher trainings (via webinar) for states that have previously participated. Typically, this instruction takes the form of a "train-the-trainer" session, whereby training is provided to a group of staff from the state's lead agency and/or those managing the surveyors. These individuals then go on to train those who will conduct the actual face-to-face surveys. However, often the on-site trainings are attended by the surveyors themselves. Either way, the goal is to provide a standardized training to ensure uniform application of the survey.

Trainings consist of a detailed review of the survey tool and an overview of general surveying techniques. Trainers are given a packet of standardized materials to be used at the on-site training sessions. An additional session reviews the process for entering survey data in the Online Data Entry Survey Application (ODESA).

Criteria for Exclusion of Responses

All individuals selected in the survey sample are given an opportunity to participate in a face-to-face meeting. There are no prescreening procedures. Exclusion of responses occurs at the time of data analysis by HSRI, based on the criteria described below. There is no threshold of number of answers to be given in order to consider a survey complete. The total number of surveys administered in 2013-14 was 15,268.

Surveys are excluded if the following criteria are met:

1. There are no valid answers to Section I or II; or
2. Section II is not completed, or has been completed only by the individual; and
 - a. The surveyor determines that the individual receiving services did not understand the questions being asked in Section I.
 - b. The surveyor records that the individual receiving services gave inconsistent responses in Section I.

Responses for Section I

Only individuals receiving services may answer questions in Section I. As shown in Table 111, 69% of individuals in the total 2013-2014 sample were able to respond to Section I of the direct meeting. Table 110 also shows the percentage of valid responses by state, which ranged from 52% to 88%.

Responses for Section II

Section II allows for multiple respondents who know the individual well (e.g., family, friend, support worker) to provide answers. If an individual's responses were excluded from Section I in the final analysis, responses from Section II were also excluded if the individual was the only respondent to Section II. For 2013-14, the valid response rate (proxies included) to Section II was 98%.

Sampling

Each state is instructed to attempt to complete a minimum of 400 surveys with a random sample of individuals over the age of 18 who are receiving at least one publicly funded service besides case management. A sample size of 400 guarantees valid comparisons to be made across states with a 95% confidence level and a margin of error of +/- 5%, no matter how large the service population size. A 95% confidence level and a margin of error of +/-5% is mandatory for each state's sample to be included in this report. Most states sample more than 400 individuals to account for refusals and surveys that may be deemed invalid. Table 111 presents the number of surveys completed by state. A more detailed description of each state's sampling strategy can be found in Appendix C.

Table 111. Valid Surveys and Response Rates by State: 2013-14

| State | % Valid Answers to Section I | % Valid Answers to Section II | Number of Valid Surveys Completed | % of Total Sample Size (N) |
|-------------|------------------------------|-------------------------------|-----------------------------------|----------------------------|
| AL | 80.8% | 99.3% | 400 | 2.6% |
| AR | 68.5% | 97.0% | 400 | 2.6% |
| AZ | 87.0% | 98.7% | 471 | 3.0% |
| CO | 78.1% | 99.3% | 402 | 2.6% |
| CT | 69.4% | 98.0% | 402 | 2.6% |
| DC | 70.6% | 98.1% | 310 | 2.0% |
| FL | 66.1% | 99.1% | 1,500 | 9.7% |
| GA | 68.2% | 92.3% | 481 | 3.1% |
| HI | 62.7% | 99.8% | 407 | 2.6% |
| IL | 73.1% | 96.1% | 360 | 2.3% |
| IN | 77.6% | 94.9% | 428 | 2.8% |
| KS | 78.8% | 97.1% | 419 | 2.7% |
| KY | 68.0% | 100.0% | 450 | 2.9% |
| LA | 61.9% | 99.1% | 444 | 2.9% |
| MA | 74.8% | 100.0% | 527 | 3.4% |
| MD | 79.9% | 97.7% | 437 | 2.8% |
| ME | 76.6% | 99.5% | 398 | 2.6% |
| MEORC | 84.4% | 95.9% | 443 | 2.9% |
| MN | 63.1% | 97.3% | 406 | 2.6% |
| MO | 63.4% | 99.6% | 511 | 3.3% |
| NC | 56.8% | 97.8% | 775 | 5.0% |
| NJ | 51.9% | 91.6% | 462 | 3.0% |
| NY | 69.8% | 98.9% | 440 | 2.8% |
| OH | 88.2% | 100.0% | 417 | 2.7% |
| OK | 56.8% | 99.9% | 986 | 6.4% |
| PA | 70.0% | 98.9% | 697 | 4.5% |
| SC | 80.9% | 97.5% | 403 | 2.6% |
| TN | 72.6% | 98.5% | 405 | 2.6% |
| UT | 70.9% | 99.5% | 413 | 2.7% |
| VA | 58.0% | 99.5% | 931 | 6.0% |
| NCI Average | 69.3% | 98.2% | 15,525 | 100.0% |

IV. Data Analysis

This section explains the statistical methods used to analyze the Adult Consumer Survey data. It includes an explanation of how certain outcomes are “adjusted” for the purposes of making comparisons across states. This section also discusses scale construction and significance testing of results.

Data Management and Analysis

HSRI coordinates the NCI data management and analysis. States were required to enter survey data into the Online Data Entry Survey Application (ODESA) system; HSRI staff subsequently download the data into an SPSS data file. This data file is then “cleaned” (reviewed for completeness and compliance with standard NCI formats) and invalid responses are eliminated. Files from individual states are then merged into a single SPSS file. The merged file from 2013-2014 was used for all analyses in this report.

Below is a summary of the statistical procedures used to analyze the Adult Consumer Survey data.

Outcome Adjustment

Outcome adjustment or “risk adjustment” is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. This procedure allows for more legitimate state comparisons by effectively “leveling the playing field.” This analysis helps account for the fact that states have different eligibility definitions for services and may have samples with different characteristics. Only those indicators that are likely to be affected by individual characteristics were adjusted (e.g., indicators in the Choice and Community Inclusion sub-domains). For example, a person who has limited mobility and is older may be less likely to participate in shopping or other community activities. On the other hand, such characteristics should not affect whether a person has friends or staff who are respectful.

The indicators are risk-adjusted using the following six characteristics: age, level of intellectual disability, primary means of expression (spoken or not), level of mobility, mental illness/psychiatric diagnosis, and whether any behavioral supports are needed to prevent self-injury, disruptive, or destructive behavior. In this report, results for indicators that were adjusted are labeled as such, and unadjusted results are presented in Appendix A.

For this report, outcome adjustment was performed using logistic regression. This statistical analysis produced a predicted value that one would expect to observe given the individual’s characteristics. The state’s average observed rate (i.e., the state average prior to risk-adjustment) was adjusted by the average predicted rate to produce the risk-adjusted rate. As a result of this procedure, differences in adjusted indicators reflect true state differences rather than differences due to the demographic or characteristic makeup of state service populations.

Scale Development

Scales are used to combine similar responses from multiple questions into one outcome. In this way we can measure an overarching concept rather than specific elements of the concept. For the Adult Consumer Survey, scales are used for two sub-domains: 1) Community Inclusion and 2) Choice and Decision-Making. To create a scale, statistical tests are required to ensure that the multiple items share common properties.

For this report, the Choice and Decision-Making sub-domain was divided into two scales: Life Decisions and Everyday Choices. These scales were created by averaging the items within those categories¹⁶ for each individual. The Community Inclusion sub-domain consists of a single scale that was created by totaling the individual's scores for four of the questions relating to the number of times people went out in the community for particular activities. Higher scale scores represent higher levels of community inclusion and choice. The scales were also risk-adjusted.

Each scale's reliability was assessed using Cronbach's alpha. The scales had an adequate level of internal consistency and reliability.

Collapsing Data

For many of the indicators in this report, only "yes" responses are analyzed and reported for state to state comparisons and significance testing. However, there are several indicators for which the "yes" response was collapsed with the middle response (for example, a "sometimes" response, or a "some input" response) to form the "yes" indicator category which was then analyzed and subsequently reported. For example, for choice indicators, responses "person chose" and "person had some input" were collapsed into one "yes, person chose" category. For those indicators, the two responses were considered to be equally indicative of a positive outcome. Appendix A contains the collapsing and recoding rules for all indicators and risk-adjustment variables.

Significance Testing

In this report, for all non-adjusted items, each state's score was compared to the NCI Average (the average across all NCI states). These comparisons were conducted using t-tests. T-tests were performed only on non-adjusted indicators.

¹⁶ Indicators used for scales are listed in the corresponding sections.

The t-test analyses determined whether each state's percentage was:

1. Significantly higher than the other states' average (NCI Average, average of averages),
2. Within the average range (i.e., not statistically different from the NCI Average); or
3. Significantly lower than the other states' average.

A conservative cut-off point of $p \leq 0.005$ was used to determine significant differences. The placement of each state into one of these three groups is indicated in tables for each outcome.

V. Appendices

Appendix A

Rules for Recoding and Combining Variables to Compute Core Indicators

Table A1. Background Information Variables Used to Adjust Outcomes

| BI Item # | Variable Name | Recode or Collapse? |
|---------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BI-3 | DOB | Create AGE variable |
| BI-9 | LEVELMR08 | 5 categories: a) No ID ; b) Mild ; c) Moderate ; d) Severe ; and e) Profound |
| BI-10 | DXMIPD | As is |
| BI-12 | EXPRESS | Collapse into 2 categories: a) spoken and b) non-spoken |
| BI-13 | MOBILITY08 | As is |
| BI-14 | HEALTH | As is |
| BI-54, BI-55, BI-56 | SELFJN08, DISBEH08, UNCPBEH08 | Create a new binary variable Supp_beh_problems which equals 1 if any support is needed for any of the three variables (if Selfjn08 or Disbeh08 or Uncpbeh08= 2 or 3), and equal 0 if no support is needed (if Selfjn08 and Disbeh08 and Uncpbeh08 = 1). |

Table A2. Outcome Variables -- Rules for Analysis

| Survey Item # | Variable Name | Recode or Collapse? | Risk Adjust? |
|---------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| BI-15 | PRIMDOC | Treat <i>Don't know</i> (3) as missing | |
| BI-16 | PHYSEXAM | Treat <i>Don't know</i> (3) as missing | |
| BI-17 | DENTVIS08 | Collapse <i>Within the last six months</i> (1) and <i>Within the past year</i> (2), treat <i>Don't know</i> (4) as missing | |
| BI-18 | EYEEXAM | Collapse all categories that say <i>more than one year ago</i> ((2),(3),(4),(5),(6)), treat <i>Don't know</i> (7) as missing | |
| BI-19 | HEARTEST | Collapse <i>5 years ago or more</i> (2), <i>Never had a hearing test</i> (3), treat <i>Don't know</i> (4) as missing | |
| BI-20 | FLUVACC | Treat <i>Don't know</i> (3) as missing | |
| BI-21 | PNEUVACC | Treat <i>Don't know</i> (3) as missing | |
| BI-24 | PHYSACT08 | Create a new binary variable PhysAct_Mod which equals 1 when BI-24a=1 and BI-24b=1 or 2 | |
| BI-26 | PAPTEST | Collapse all categories that say 1) <i>more than three years ago</i> ((4),(5),(6)), and 2) <i>within the past three years</i> ((1),(2),(3)), treat <i>Don't know</i> (7) as missing | |
| BI-27 | MAMMO | Collapse all categories that say 1) <i>more than two years ago</i> ((3),(4),(5),(6)), and 2) <i>within the past two years</i> ((1),(2)), treat <i>Don't know</i> (7) as missing | |
| BI-28 | PSATEST | Collapse all categories that say <i>more than one year ago</i> ((2),(3),(4),(5),(6)), treat <i>Don't know</i> (7) as missing | |
| BI-29 | CCSCREEN | Collapse all categories that say <i>more than one year ago</i> ((2),(3),(4),(5),(6)), treat <i>Don't know</i> (7) as missing | |
| Q2 | LIKEAJOB | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q3 | LIKEJOB | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q4 | JOBELSE | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q6 | JOBSTAFNICE | Collapse <i>No</i> (0) and <i>Sometimes or some staff</i> (1) | |
| Q7 | HAVEDAYACT | As is | |
| Q8 | LIKEDAYACT | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |

| Survey Item # | Variable Name | Recode or Collapse? | Risk Adjust? |
|---------------|-----------------------|----------------------------------------------------------------------------------|--------------|
| Q9 | DAYACTELSE | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q11 | DAYACTSTAFNICE | Collapse <i>No</i> (0) and <i>Sometimes or some staff</i> (1) | |
| Q12 | VOLUNT | As is | |
| Q13 | LIKEHOME | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q14 | HOMEELSE | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q15 | LIKEHOOD | Collapse <i>No</i> (0) and <i>In-between</i> (1) | |
| Q16 | TALKNEIGH | Collapse <i>Yes, not often</i> (1) and <i>Yes, often</i> (2) | |
| Q18 | HOMESTAF | Collapse <i>No</i> (0) and <i>Sometimes or some staff</i> (1) | |
| Q19 | ENTERHM | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q20 | ENTERBRM | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q21 | BEALONE | As is (except for Texas, where collapse <i>No</i> (0) and <i>Sometimes</i> (1)) | |
| Q22 | AFRAIDHM | Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) | |
| Q23 | AFRAIDNH | Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) | |
| Q24 | AFRAIDDAY | Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) | |
| Q25 | AFRAIDHELP | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q27 | HASFRNDS | Collapse <i>No</i> (0) and <i>Only staff or family</i> (1) | |
| Q28 | BESTFRND | As is | |
| Q29 | SEEFRNDS | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q30 | CANDATE | Collapse <i>Yes</i> (2) and <i>Yes, with restrictions</i> (1) | |
| Q31 | LONELY | Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) | |
| Q33 | SEEFAMILY | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q34 | HELPOTH | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q35 | KNOWSCM08 | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |

| Survey Item # | Variable Name | Recode or Collapse? | Risk Adjust? |
|---------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------|-----------------------------------------------------|
| Q36 | SPLAN | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q37 | MSPLAN | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q38 | ASKIMPOR | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q39 | HELPSGET08 | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q40 | GETSBACK | Collapse <i>Takes a long time</i> (0) and <i>In-between</i> (1) | |
| Q42 | TRANSPOR | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q43 | BUDGTALK | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q44 | BUDGHELP | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q45 | BUDGCHANG | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q46 | BUDGMORE | Collapse <i>Yes</i> (2) and <i>Maybe</i> (1) | |
| Q47 | FININFO | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q48 | FINEASY | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q49 | SWORKCOME | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q50 | SWORKHELP | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |
| Q54-Q60 | SHOPTIMES, ERRTIMES, ENTTIMES, EATTIMES, RELTIMES, SPORTIMES, VACATIMES | Recode so that if did not partake in activity, then, e.g., SHOPTIMES = 0. | YES, YES, YES, YES, YES, YES, YES |

| Survey Item # | Variable Name | Recode or Collapse? | Risk Adjust? |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Q61, Q63, Q64, Q65, Q66, Q67, Q69, Q70, Q72, Q73, Q74 | CHOSHOME08, ROOMATES08, CHSSTAFF, SCHEDULE, FREETIME, CHOSJOB, CHOSJBSTF, CHOOSDAY, CHSDSTF, CHOOSBUY, CHOOSCM | Collapse <i>Person chose/chooses</i> (2) and <i>Person had/has some input</i> (1) | YES, YES, YES, YES, YES, YES, YES, YES, YES, YES, NO |
| Q62, Q68, Q71 | HVISIT, JOBVISIT, DVISIT | Collapse <i>Did not visit before current</i> (0) and <i>Visited only current</i> (1) | |
| Q75 | MAILOPEN | As is | |
| Q76 | ALONEGST08 | As is | |
| Q77 | USEPHONE08 | As is | |
| Q78 | SELFADVO | Collapse <i>Yes</i> (2) and <i>Had opportunity</i> (1) | |
| Q79 | SERVED | Collapse <i>No</i> (0) and <i>Sometimes</i> (1) | |
| Q80 | STFTRN | Collapse <i>No</i> (0) and <i>Maybe</i> (1) | |

Appendix B

Un-collapsed and unadjusted data by state

Choice and Decision-Making Un-Collapsed and Unadjusted

Table B1. Who chose (or picked) the place where you live? (unadjusted and un-collapsed)

| State | Person made the choice | Person had some input | Someone else chose | N |
|--------------------|------------------------|-----------------------|--------------------|--------------|
| AL | 21% | 28% | 51% | 251 |
| AR | 12% | 20% | 68% | 250 |
| AZ | 22% | 46% | 32% | 174 |
| CO | 35% | 28% | 37% | 308 |
| CT | 17% | 26% | 57% | 277 |
| DC | 13% | 32% | 55% | 202 |
| FL | 37% | 27% | 36% | 686 |
| GA | 24% | 40% | 35% | 265 |
| HI | 11% | 24% | 65% | 180 |
| IL | 26% | 32% | 41% | 205 |
| IN | 35% | 33% | 33% | 175 |
| KS | 34% | 38% | 28% | 325 |
| KY | 16% | 36% | 48% | 269 |
| LA | 16% | 26% | 58% | 277 |
| MA | 23% | 29% | 48% | 413 |
| MD | 22% | 24% | 54% | 255 |
| ME | 23% | 32% | 45% | 295 |
| MEORC | 56% | 25% | 19% | 244 |
| MN | 16% | 26% | 58% | 306 |
| MO | 17% | 22% | 61% | 469 |
| NC | 21% | 24% | 55% | 468 |
| NJ | 7% | 14% | 79% | 261 |
| NY | 18% | 29% | 53% | 315 |
| OH | 39% | 15% | 46% | 232 |
| OK | 34% | 22% | 44% | 890 |
| PA | 25% | 32% | 44% | 346 |
| SC | 22% | 7% | 71% | 164 |
| TN | 20% | 28% | 52% | 276 |
| UT | 36% | 26% | 38% | 257 |
| VA | 16% | 27% | 57% | 693 |
| MS* | 14% | 27% | 59% | 241 |
| NM* | 25% | 36% | 39% | 224 |
| NCI Average | 24% | 27% | 49% | 9,728 |

*MS and NM data are not included in NCI Average.

Table B2. Did you choose (or pick) the people you live with (or did you choose to live by yourself)? (unadjusted and un-collapsed)

| State | Yes, chose people s/he lives with, or chose to live alone | Chose some people or had some input | No, someone else chose | N |
|--------------------|-----------------------------------------------------------|-------------------------------------|------------------------|--------------|
| AL | 17% | 10% | 73% | 254 |
| AR | 27% | 7% | 66% | 249 |
| AZ | 25% | 38% | 37% | 173 |
| CO | 28% | 24% | 48% | 311 |
| CT | 24% | 10% | 66% | 280 |
| DC | 23% | 22% | 56% | 204 |
| FL | 40% | 17% | 44% | 679 |
| GA | 21% | 26% | 54% | 267 |
| HI | 9% | 23% | 68% | 171 |
| IL | 28% | 21% | 51% | 204 |
| IN | 51% | 20% | 28% | 172 |
| KS | 43% | 23% | 34% | 324 |
| KY | 11% | 14% | 75% | 270 |
| LA | 24% | 16% | 60% | 282 |
| MA | 25% | 14% | 61% | 419 |
| MD | 36% | 13% | 51% | 263 |
| ME | 28% | 14% | 58% | 295 |
| MEORC | 53% | 14% | 33% | 242 |
| MN | 15% | 14% | 71% | 284 |
| MO | 19% | 19% | 62% | 459 |
| NC | 17% | 13% | 70% | 454 |
| NJ | 5% | 8% | 87% | 260 |
| NY | 18% | 15% | 67% | 320 |
| OH | 56% | 7% | 37% | 237 |
| OK | 50% | 14% | 37% | 886 |
| PA | 33% | 15% | 52% | 349 |
| SC | 25% | 2% | 73% | 162 |
| TN | 33% | 13% | 54% | 272 |
| UT | 39% | 21% | 41% | 257 |
| VA | 16% | 16% | 68% | 696 |
| MS* | 15% | 11% | 74% | 241 |
| NM* | 34% | 25% | 40% | 228 |
| NCI Average | 28% | 16% | 56% | 9,695 |

*MS and NM data are not included in NCI Average.

Table B3. Who chose (or picked) the place where you work? (unadjusted and un-collapsed)

| State | Person made the choice | Person had some input | Someone else chose | N |
|--------------------|------------------------|-----------------------|--------------------|--------------|
| AR | 25% | 40% | 35% | 20 |
| AZ | 53% | 39% | 8% | 36 |
| CO | 53% | 36% | 11% | 103 |
| CT | 42% | 29% | 28% | 99 |
| FL | 77% | 19% | 4% | 142 |
| GA | 64% | 26% | 10% | 39 |
| IL | 59% | 28% | 13% | 32 |
| IN | 63% | 30% | 7% | 57 |
| KS | 64% | 29% | 7% | 59 |
| KY | 62% | 32% | 5% | 37 |
| LA | 33% | 52% | 14% | 42 |
| MA | 41% | 45% | 15% | 116 |
| MD | 49% | 33% | 18% | 82 |
| ME | 50% | 39% | 11% | 80 |
| MEORC | 75% | 23% | 3% | 40 |
| MN | 29% | 38% | 33% | 105 |
| MO | 78% | 20% | 2% | 41 |
| NC | 44% | 44% | 13% | 64 |
| NJ | 23% | 33% | 43% | 30 |
| NY | 48% | 35% | 17% | 46 |
| OH | 45% | 26% | 29% | 42 |
| OK | 54% | 26% | 20% | 246 |
| PA | 50% | 40% | 10% | 58 |
| SC | 26% | 13% | 61% | 72 |
| TN | 60% | 28% | 13% | 47 |
| UT | 52% | 23% | 25% | 73 |
| VA | 28% | 55% | 16% | 85 |
| AL | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| MS* | 26% | 59% | 15% | 46 |
| NM* | 46% | 40% | 14% | 90 |
| NCI Average | 50% | 33% | 17% | 1,893 |

*MS and NM data are not included in NCI Average.

Table B4. Who chose (or picked) where you go during the day? (unadjusted)

| State | Person made the choice | Person had some input | Someone else chose | N |
|--------------------|------------------------|-----------------------|--------------------|---------------|
| AL | 21% | 33% | 47% | 372 |
| AR | 18% | 23% | 58% | 265 |
| AZ | 37% | 41% | 22% | 302 |
| CO | 39% | 39% | 22% | 384 |
| CT | 24% | 27% | 49% | 300 |
| DC | 27% | 30% | 44% | 232 |
| FL | 45% | 32% | 23% | 951 |
| GA | 36% | 42% | 22% | 380 |
| HI | 23% | 26% | 51% | 372 |
| IL | 34% | 34% | 33% | 286 |
| IN | 46% | 24% | 29% | 285 |
| KS | 44% | 36% | 20% | 335 |
| KY | 17% | 43% | 40% | 373 |
| LA | 19% | 27% | 54% | 302 |
| MA | 17% | 32% | 50% | 385 |
| MD | 35% | 25% | 40% | 347 |
| ME | 31% | 31% | 38% | 265 |
| MEORC | 63% | 25% | 12% | 342 |
| MN | 16% | 27% | 57% | 290 |
| MO | 36% | 33% | 31% | 327 |
| NC | 21% | 40% | 39% | 540 |
| NJ | 7% | 15% | 78% | 380 |
| NY | 25% | 25% | 50% | 359 |
| OH | 42% | 13% | 44% | 313 |
| OK | 40% | 20% | 40% | 412 |
| PA | 31% | 31% | 38% | 429 |
| SC | 19% | 6% | 75% | 316 |
| TN | 26% | 37% | 37% | 260 |
| UT | 34% | 29% | 37% | 280 |
| VA | 16% | 38% | 47% | 617 |
| MS* | 13% | 31% | 56% | 397 |
| NM* | 26% | 48% | 25% | 297 |
| NCI Average | 30% | 29% | 41% | 11,001 |

*MS and NM data are not included in NCI Average.

Table B5. Did you choose (did this person choose) the staff who help you at your home, work, day program or activity? (unadjusted)

| State | Yes, person chose staff | Staff are assigned, but person can request a change | No, someone else chose | N |
|--------------------|-------------------------|-----------------------------------------------------|------------------------|---------------|
| AL | 1% | 67% | 32% | 393 |
| AR | 23% | 35% | 43% | 381 |
| AZ | 18% | 69% | 13% | 324 |
| CO | 8% | 57% | 35% | 377 |
| CT | 19% | 25% | 56% | 342 |
| DC | 14% | 46% | 39% | 284 |
| FL | 41% | 40% | 19% | 1,302 |
| GA | 8% | 71% | 21% | 430 |
| HI | 16% | 65% | 19% | 384 |
| IL | 14% | 48% | 38% | 291 |
| IN | 39% | 40% | 22% | 354 |
| KS | 16% | 65% | 19% | 374 |
| KY | 9% | 27% | 64% | 416 |
| LA | 15% | 56% | 29% | 408 |
| MA | 19% | 37% | 45% | 498 |
| MD | 26% | 35% | 39% | 372 |
| ME | 8% | 51% | 40% | 364 |
| MEORC | 18% | 71% | 11% | 371 |
| MN | 12% | 25% | 63% | 366 |
| MO | 8% | 43% | 49% | 473 |
| NC | 20% | 43% | 37% | 698 |
| NJ | 6% | 16% | 78% | 361 |
| NY | 8% | 43% | 49% | 389 |
| OH | 50% | 17% | 33% | 364 |
| OK | 29% | 45% | 26% | 949 |
| PA | 13% | 36% | 50% | 509 |
| SC | 62% | 23% | 15% | 378 |
| TN | 26% | 57% | 17% | 379 |
| UT | 24% | 54% | 22% | 399 |
| VA | 13% | 43% | 44% | 875 |
| MS* | 6% | 14% | 80% | 408 |
| NM* | 18% | 62% | 20% | 376 |
| NCI Average | 19% | 45% | 35% | 13,805 |

*MS and NM data are not included in NCI Average.

Table B6. Who decides your daily schedule (like when to get up, when to eat, when to go to sleep)? (unadjusted)

| State | Person decides | Person has help deciding | Someone else decides | N |
|--------------------|----------------|--------------------------|----------------------|---------------|
| AL | 72% | 22% | 6% | 395 |
| AR | 41% | 34% | 26% | 386 |
| AZ | 75% | 17% | 8% | 453 |
| CO | 42% | 32% | 26% | 389 |
| CT | 41% | 33% | 26% | 379 |
| DC | 49% | 23% | 28% | 289 |
| FL | 54% | 36% | 9% | 1,451 |
| GA | 61% | 32% | 7% | 432 |
| HI | 40% | 35% | 26% | 397 |
| IL | 46% | 35% | 20% | 338 |
| IN | 53% | 29% | 17% | 389 |
| KS | 56% | 34% | 10% | 397 |
| KY | 61% | 30% | 10% | 441 |
| LA | 43% | 33% | 24% | 434 |
| MA | 51% | 35% | 13% | 519 |
| MD | 51% | 23% | 26% | 412 |
| ME | 50% | 35% | 16% | 387 |
| MEORC | 78% | 17% | 5% | 410 |
| MN | 41% | 31% | 28% | 386 |
| MO | 51% | 37% | 13% | 506 |
| NC | 35% | 42% | 23% | 743 |
| NJ | 32% | 43% | 25% | 408 |
| NY | 48% | 29% | 22% | 426 |
| OH | 73% | 14% | 14% | 404 |
| OK | 49% | 27% | 24% | 971 |
| PA | 57% | 32% | 10% | 668 |
| SC | 38% | 54% | 7% | 387 |
| TN | 44% | 35% | 22% | 398 |
| UT | 54% | 34% | 12% | 399 |
| VA | 27% | 48% | 25% | 911 |
| MS* | 72% | 16% | 12% | 404 |
| NM* | 57% | 35% | 8% | 394 |
| NCI Average | 50% | 32% | 17% | 14,905 |

*MS and NM data are not included in NCI Average.

Table B7. Who decides how you spend your free time (when you are not working, in school, or at the day program)? (unadjusted)

| State | Person decides | Person has help deciding | Someone else decides | N |
|--------------------|----------------|--------------------------|----------------------|---------------|
| AL | 74% | 22% | 4% | 391 |
| AR | 67% | 20% | 13% | 387 |
| AZ | 77% | 18% | 5% | 457 |
| CO | 67% | 25% | 8% | 394 |
| CT | 62% | 27% | 11% | 378 |
| DC | 55% | 24% | 21% | 289 |
| FL | 67% | 27% | 6% | 1,455 |
| GA | 73% | 23% | 4% | 431 |
| HI | 54% | 26% | 20% | 400 |
| IL | 65% | 27% | 8% | 340 |
| IN | 74% | 18% | 8% | 394 |
| KS | 73% | 22% | 5% | 394 |
| KY | 74% | 22% | 4% | 447 |
| LA | 72% | 21% | 7% | 436 |
| MA | 64% | 28% | 9% | 518 |
| MD | 56% | 26% | 18% | 411 |
| ME | 68% | 24% | 7% | 390 |
| MEORC | 87% | 11% | 2% | 413 |
| MN | 60% | 28% | 12% | 390 |
| MO | 69% | 24% | 7% | 507 |
| NC | 56% | 35% | 10% | 746 |
| NJ | 36% | 44% | 20% | 417 |
| NY | 61% | 24% | 15% | 428 |
| OH | 87% | 6% | 6% | 402 |
| OK | 70% | 17% | 13% | 980 |
| PA | 77% | 19% | 4% | 676 |
| SC | 83% | 14% | 3% | 384 |
| TN | 70% | 22% | 8% | 397 |
| UT | 69% | 23% | 8% | 408 |
| VA | 53% | 35% | 12% | 914 |
| MS* | 81% | 14% | 5% | 412 |
| NM* | 68% | 28% | 4% | 394 |
| NCI Average | 67% | 23% | 9% | 14,974 |

*MS and NM data are not included in NCI Average.

Table B8. Do you choose what you buy with your spending money? (unadjusted)

| State | Person chooses | Person has help choosing what to buy, or has set limits | Someone else chooses | N |
|--------------------|----------------|---------------------------------------------------------|----------------------|---------------|
| AL | 72% | 24% | 4% | 397 |
| AR | 39% | 48% | 13% | 387 |
| AZ | 77% | 15% | 8% | 444 |
| CO | 57% | 30% | 13% | 393 |
| CT | 49% | 33% | 18% | 378 |
| DC | 49% | 36% | 15% | 290 |
| FL | 41% | 46% | 14% | 1,447 |
| GA | 57% | 40% | 3% | 429 |
| HI | 46% | 31% | 23% | 388 |
| IL | 54% | 33% | 13% | 335 |
| IN | 61% | 26% | 13% | 391 |
| KS | 55% | 35% | 10% | 388 |
| KY | 67% | 29% | 5% | 439 |
| LA | 55% | 29% | 15% | 431 |
| MA | 48% | 39% | 13% | 511 |
| MD | 59% | 26% | 15% | 409 |
| ME | 62% | 27% | 11% | 381 |
| MEORC | 78% | 18% | 3% | 418 |
| MN | 46% | 39% | 15% | 389 |
| MO | 54% | 33% | 13% | 504 |
| NC | 35% | 50% | 15% | 742 |
| NJ | 22% | 46% | 32% | 411 |
| NY | 52% | 29% | 19% | 430 |
| OH | 82% | 10% | 8% | 401 |
| OK | 58% | 22% | 20% | 972 |
| PA | 64% | 29% | 8% | 664 |
| SC | 86% | 9% | 5% | 379 |
| TN | 53% | 30% | 17% | 395 |
| UT | 54% | 31% | 15% | 406 |
| VA | 37% | 47% | 16% | 910 |
| MS* | 74% | 20% | 6% | 411 |
| NM* | 61% | 33% | 6% | 399 |
| NCI Average | 56% | 31% | 13% | 14,859 |

*MS and NM data are not included in NCI Average.

Table B9. Did you choose or pick your case manager/service coordinator?

| State | Yes, chose case manager/service coordinator | Case manager/service coordinator was assigned but can be changed if requested by person | No, someone else chose case manager/service coordinator | N |
|--------------------|---------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------|---------------|
| AL | 1% | 74% | 25% | 393 |
| AR | 5% | 58% | 37% | 382 |
| AZ | 2% | 91% | 7% | 442 |
| CO | 6% | 57% | 37% | 374 |
| CT | 5% | 32% | 63% | 359 |
| DC | 5% | 41% | 54% | 259 |
| FL | 44% | 36% | 20% | 1347 |
| GA | 3% | 52% | 45% | 427 |
| HI | 8% | 67% | 25% | 373 |
| IL | 6% | 58% | 37% | 326 |
| IN | 41% | 32% | 27% | 372 |
| KS | 29% | 54% | 17% | 386 |
| KY | 6% | 28% | 66% | 441 |
| LA | 6% | 67% | 26% | 348 |
| MA | 4% | 28% | 68% | 495 |
| MD | 21% | 46% | 33% | 396 |
| ME | 14% | 49% | 37% | 356 |
| MEORC | 12% | 87% | 1% | 409 |
| MN | 8% | 40% | 52% | 373 |
| MO | 2% | 47% | 51% | 500 |
| NC | 6% | 55% | 39% | 605 |
| NJ | 2% | 26% | 71% | 413 |
| NY | 13% | 52% | 35% | 410 |
| OH | 38% | 16% | 46% | 378 |
| OK | 19% | 50% | 31% | 934 |
| PA | 8% | 36% | 56% | 622 |
| SC | 61% | 22% | 17% | 361 |
| TN | 18% | 64% | 18% | 383 |
| UT | 38% | 36% | 27% | 380 |
| VA | 7% | 42% | 51% | 852 |
| MS* | 10% | 18% | 71% | 269 |
| NM* | 17% | 46% | 37% | 351 |
| NCI Average | 15% | 48% | 37% | 14,096 |

*MS and NM data are not included in NCI Average.

Work Un-Collapsed

Table B10. Person has a paid job in the community

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 5% | 95% | 399 |
| AR | 8% | 92% | 366 |
| AZ | 10% | 90% | 435 |
| CO | 27% | 73% | 390 |
| CT | 31% | 69% | 368 |
| DC | 20% | 80% | 80 |
| FL | 10% | 90% | 1,485 |
| GA | 8% | 92% | 475 |
| HI | 5% | 95% | 406 |
| IL | 12% | 88% | 336 |
| IN | 14% | 86% | 415 |
| KS | 15% | 85% | 417 |
| KY | 11% | 89% | 435 |
| LA | 13% | 87% | 422 |
| MA | 24% | 76% | 524 |
| MD | 29% | 71% | 363 |
| ME | 24% | 76% | 387 |
| MEORC | 14% | 86% | 440 |
| MN | 31% | 69% | 366 |
| MO | 9% | 91% | 489 |
| NC | 13% | 87% | 656 |
| NJ | 8% | 92% | 452 |
| NY | 12% | 88% | 432 |
| OH | 12% | 88% | 415 |
| OK | 27% | 73% | 986 |
| PA | 12% | 88% | 600 |
| SC | 25% | 75% | 334 |
| TN | 15% | 85% | 377 |
| UT | 20% | 80% | 412 |
| VA | 12% | 88% | 817 |
| MS* | 13% | 87% | 423 |
| NM* | 24% | 76% | 396 |
| NCI Average | 16% | 84% | 14,479 |

*MS and NM data are not included in NCI Average.

Table B11. Job industry

| State | Food preparation and food service | Building and grounds cleaning or maintenance | Personal care provider | Retail job such as sales clerk or stock person | General office and administrative support | Farming, fishing, forestry worker | Construction or repair occupation |
|--------------------|-----------------------------------|----------------------------------------------|------------------------|------------------------------------------------|-------------------------------------------|-----------------------------------|-----------------------------------|
| AR | 31% | 38% | 0% | 12% | 0% | 0% | 0% |
| AZ | 16% | 21% | 0% | 13% | 0% | 0% | 0% |
| CO | 16% | 35% | 0% | 11% | 1% | 1% | 0% |
| CT | 14% | 33% | 0% | 12% | 4% | 2% | 0% |
| FL | 27% | 15% | 0% | 27% | 5% | 1% | 0% |
| GA | 5% | 31% | 3% | 21% | 5% | 0% | 0% |
| IL | 15% | 25% | 0% | 28% | 8% | 0% | 0% |
| IN | 30% | 16% | 0% | 34% | 2% | 4% | 0% |
| KS | 24% | 27% | 0% | 13% | 3% | 2% | 2% |
| KY | 40% | 15% | 0% | 25% | 2% | 0% | 0% |
| LA | 12% | 47% | 2% | 10% | 2% | 0% | 0% |
| MA | 13% | 31% | 0% | 15% | 9% | 0% | 0% |
| MD | 19% | 38% | 0% | 14% | 3% | 0% | 0% |
| ME | 16% | 32% | 1% | 25% | 2% | 1% | 0% |
| MEORC | 22% | 38% | 0% | 9% | 4% | 0% | 0% |
| MN | 12% | 33% | 0% | 4% | 6% | 1% | 0% |
| MO | 17% | 59% | 0% | 7% | 2% | 2% | 2% |
| NC | 25% | 49% | 0% | 8% | 2% | 0% | 0% |
| NJ | 29% | 25% | 0% | 11% | 6% | 0% | 0% |
| NY | 18% | 45% | 0% | 14% | 5% | 0% | 0% |
| OH | 24% | 26% | 0% | 9% | 13% | 0% | 1% |
| OK | 13% | 38% | 2% | 15% | 6% | 0% | 0% |
| PA | 20% | 33% | 0% | 6% | 8% | 4% | 0% |
| SC | 7% | 28% | 1% | 23% | 7% | 0% | 1% |
| TN | 22% | 18% | 3% | 21% | n/a | 0% | 0% |
| UT | 9% | 38% | 0% | 9% | n/a | 0% | 0% |
| VA | 13% | 49% | 0% | 11% | 6% | 0% | 0% |
| AL | 23% | 46% | 1% | 16% | 1% | 0% | 0% |
| DC | 8% | 35% | 0% | 12% | 0% | 0% | 0% |
| HI | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| NM* | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| NCI Average | 19% | 34% | 0% | 15% | 4% | 1% | 0% |

*MS and NM data are not included in NCI Average.

Table B12. Job industry (continued)

| State | Assembly, manufacturing, or packaging | Materials handling, mail distribution | Management, business, or financial operations | Professional or technical occupation | Self-employed | Other | N |
|--------------------|---------------------------------------|---------------------------------------|-----------------------------------------------|--------------------------------------|---------------|------------|--------------|
| AR | 8% | 4% | 0% | 0% | 0% | 8% | 26 |
| AZ | 21% | 5% | 0% | 0% | 0% | 24% | 38 |
| CO | 9% | 3% | 0% | 0% | 0% | 24% | 107 |
| CT | 11% | 4% | 0% | 0% | 1% | 20% | 111 |
| FL | 5% | 1% | 0% | 1% | 1% | 18% | 147 |
| GA | 18% | 5% | 0% | 0% | 0% | 13% | 39 |
| IL | 5% | 0% | 0% | 0% | 0% | 20% | 40 |
| IN | 5% | 2% | 0% | 0% | 2% | 5% | 56 |
| KS | 15% | 3% | 0% | 0% | 2% | 10% | 62 |
| KY | 4% | 2% | 0% | 0% | 0% | 13% | 48 |
| LA | 4% | 4% | 0% | 0% | 0% | 18% | 49 |
| MA | 13% | 2% | 1% | 0% | 2% | 15% | 123 |
| MD | 10% | 4% | 0% | 0% | 1% | 11% | 100 |
| ME | 11% | 2% | 0% | 0% | 1% | 8% | 88 |
| MEORC | 9% | 2% | 0% | 0% | 2% | 15% | 55 |
| MN | 19% | 4% | 0% | 0% | 0% | 22% | 104 |
| MO | 5% | 0% | 0% | 0% | 2% | 2% | 41 |
| NC | 4% | 2% | 0% | 0% | 0% | 11% | 53 |
| NJ | 5% | 1% | 1% | 0% | 1% | 20% | 83 |
| NY | 0% | 5% | 0% | 0% | 0% | 14% | 22 |
| OH | 1% | 6% | 0% | 0% | 0% | 20% | 93 |
| OK | 10% | 2% | 0% | 0% | 0% | 13% | 52 |
| PA | 10% | 4% | 0% | 0% | 0% | 16% | 51 |
| SC | 4% | 4% | 0% | 0% | 1% | 24% | 266 |
| TN | 6% | 4% | 0% | 1% | 0% | 25% | 68 |
| UT | 0% | 4% | 0% | 0% | 0% | 39% | 74 |
| VA | 6% | 4% | 0% | 0% | 2% | 9% | 53 |
| AL | 7% | 0% | 0% | 0% | 2% | 4% | 83 |
| DC | 12% | 10% | 0% | 0% | 0% | 23% | 91 |
| HI | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| NM* | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| NCI Average | 9% | 3% | 0% | 0% | 1% | 16% | 1,864 |

*MS and NM data are not included in NCI Average.

Table B13. Did this person work 10 out of the last 12 months in a community job?

| State | Yes | No | N |
|--------------------|------------|------------|--------------|
| AR | 81% | 19% | 26 |
| AZ | 85% | 15% | 39 |
| CO | 88% | 13% | 104 |
| CT | 89% | 11% | 104 |
| FL | 88% | 12% | 147 |
| GA | 80% | 20% | 40 |
| IL | 84% | 16% | 38 |
| IN | 79% | 21% | 57 |
| KS | 92% | 8% | 59 |
| KY | 81% | 19% | 47 |
| LA | 90% | 10% | 49 |
| MA | 88% | 12% | 122 |
| MD | 88% | 12% | 94 |
| ME | 91% | 9% | 91 |
| MEORC | 86% | 14% | 50 |
| MN | 85% | 15% | 104 |
| MO | 88% | 12% | 42 |
| NC | 79% | 21% | 84 |
| NJ | 83% | 17% | 29 |
| NY | 76% | 24% | 50 |
| OH | 73% | 27% | 51 |
| OK | 90% | 10% | 266 |
| PA | 79% | 21% | 66 |
| SC | 75% | 25% | 68 |
| TN | 87% | 13% | 52 |
| UT | 85% | 15% | 82 |
| VA | 89% | 11% | 91 |
| AL | n/a | n/a | n/a |
| DC | n/a | n/a | n/a |
| HI | n/a | n/a | n/a |
| MS* | 80% | 20% | 50 |
| NM* | 83% | 17% | 94 |
| NCI Average | 84% | 16% | 2,052 |

*MS and NM data are not included in NCI Average.

Table B14. Does this person receive paid vacation and/or sick time at his/her job?

| State | Yes | No | N |
|--------------------|------------|------------|--------------|
| AR | 14% | 86% | 22 |
| AZ | 9% | 91% | 32 |
| CO | 20% | 80% | 102 |
| CT | 64% | 36% | 83 |
| HI | 15% | 85% | 13 |
| IL | 37% | 63% | 35 |
| IN | 18% | 82% | 55 |
| KS | 26% | 74% | 54 |
| KY | 28% | 72% | 39 |
| LA | 19% | 81% | 48 |
| MA | 36% | 64% | 118 |
| MD | 25% | 75% | 75 |
| ME | 25% | 75% | 68 |
| MEORC | 41% | 59% | 39 |
| MN | 26% | 74% | 94 |
| MO | 17% | 83% | 41 |
| NC | 15% | 85% | 71 |
| NJ | 46% | 54% | 26 |
| NY | 20% | 80% | 44 |
| OH | 43% | 57% | 51 |
| OK | 17% | 83% | 245 |
| PA | 29% | 71% | 48 |
| SC | 2% | 98% | 60 |
| TN | 10% | 90% | 41 |
| UT | 11% | 89% | 71 |
| VA | 26% | 74% | 76 |
| AL | n/a | n/a | n/a |
| DC | n/a | n/a | n/a |
| FL | n/a | n/a | n/a |
| GA | n/a | n/a | n/a |
| MS* | 0% | 100% | 45 |
| NM* | 42% | 58% | 77 |
| NCI Average | 24% | 76% | 1,681 |

*MS and NM data are not included in NCI Average.

Table B15. [If no paid community job] Would you like to have a job in the community?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|------------|--------------|
| AL | 54% | 11% | 36% | 295 |
| AR | 54% | 7% | 39% | 153 |
| AZ | 10% | 2% | 88% | 283 |
| CO | 44% | 4% | 52% | 161 |
| CT | 41% | 7% | 52% | 95 |
| DC | 58% | 0% | 42% | 24 |
| FL | 42% | 10% | 48% | 773 |
| GA | 55% | 13% | 31% | 247 |
| HI | 62% | 1% | 37% | 203 |
| IL | 53% | 4% | 44% | 140 |
| IN | 47% | 7% | 46% | 223 |
| KS | 33% | 9% | 57% | 215 |
| KY | 42% | 3% | 55% | 232 |
| LA | 55% | 7% | 38% | 162 |
| MA | 45% | 5% | 50% | 229 |
| MD | 60% | 6% | 34% | 101 |
| ME | 66% | 9% | 26% | 176 |
| MEORC | 49% | 7% | 45% | 258 |
| MN | 58% | 4% | 38% | 97 |
| MO | 49% | 7% | 44% | 213 |
| NC | 56% | 6% | 38% | 216 |
| NJ | 49% | 18% | 33% | 154 |
| NY | 53% | 5% | 42% | 224 |
| OH | 41% | 4% | 55% | 226 |
| OK | 58% | 5% | 37% | 239 |
| PA | 37% | 4% | 58% | 275 |
| SC | 34% | 0% | 66% | 92 |
| TN | 54% | 1% | 45% | 198 |
| UT | 62% | 5% | 33% | 164 |
| VA | 44% | 6% | 50% | 193 |
| MS* | 67% | 8% | 25% | 308 |
| NM* | 34% | 11% | 55% | 283 |
| NCI Average | 49% | 6% | 45% | 6,261 |

*MS and NM data are not included in NCI Average.

Table B16. Is community employment a goal in this person’s service plan?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 20% | 80% | 388 |
| AR | 19% | 81% | 372 |
| AZ | 16% | 84% | 444 |
| CO | 28% | 72% | 386 |
| CT | 29% | 71% | 392 |
| DC | 37% | 63% | 246 |
| FL | 20% | 80% | 1,461 |
| GA | 8% | 92% | 464 |
| HI | 17% | 83% | 405 |
| IL | 15% | 85% | 342 |
| IN | 27% | 73% | 408 |
| KS | 27% | 73% | 412 |
| KY | 20% | 80% | 431 |
| LA | 25% | 75% | 424 |
| MA | 31% | 69% | 519 |
| MD | 39% | 61% | 371 |
| ME | 32% | 68% | 378 |
| MEORC | 21% | 79% | 427 |
| MN | 40% | 60% | 324 |
| MO | 20% | 80% | 484 |
| NC | 18% | 82% | 683 |
| NJ | 7% | 93% | 438 |
| NY | 27% | 73% | 423 |
| OH | 31% | 69% | 414 |
| OK | 51% | 49% | 954 |
| PA | 25% | 75% | 610 |
| SC | 21% | 79% | 364 |
| TN | 29% | 71% | 395 |
| UT | 28% | 72% | 408 |
| VA | 17% | 83% | 841 |
| MS* | 53% | 47% | 364 |
| NM* | 35% | 65% | 381 |
| NCI Average | 25% | 75% | 14,608 |

*MS and NM data are not included in NCI Average.

Table B17. Do you go to a day program or do some other regularly scheduled activity during the day?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 95% | 5% | 323 |
| AR | 70% | 30% | 237 |
| AZ | 65% | 35% | 395 |
| CO | 73% | 27% | 310 |
| CT | 64% | 36% | 262 |
| DC | 72% | 28% | 187 |
| FL | 55% | 45% | 961 |
| GA | 87% | 13% | 298 |
| HI | 92% | 8% | 255 |
| IL | 80% | 20% | 246 |
| IN | 54% | 46% | 318 |
| KS | 77% | 23% | 317 |
| KY | 80% | 20% | 300 |
| LA | 66% | 34% | 262 |
| MA | 71% | 29% | 394 |
| MD | 71% | 29% | 309 |
| ME | 74% | 26% | 293 |
| MEORC | 83% | 17% | 361 |
| MN | 58% | 42% | 251 |
| MO | 43% | 57% | 315 |
| NC | 73% | 27% | 413 |
| NJ | 93% | 7% | 236 |
| NY | 75% | 25% | 306 |
| OH | 78% | 22% | 363 |
| OK | 41% | 59% | 555 |
| PA | 63% | 37% | 464 |
| SC | 90% | 10% | 325 |
| TN | 63% | 37% | 292 |
| UT | 61% | 39% | 290 |
| VA | 58% | 42% | 508 |
| MS* | 89% | 11% | 413 |
| NM* | 70% | 30% | 398 |
| NCI Average | 71% | 29% | 10,346 |

*MS and NM data are not included in NCI Average.

Table B18. Do you do any volunteer work?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 21% | 79% | 316 |
| AR | 33% | 67% | 224 |
| AZ | 11% | 89% | 394 |
| CO | 47% | 53% | 307 |
| CT | 31% | 69% | 256 |
| DC | 32% | 68% | 180 |
| FL | 25% | 75% | 945 |
| GA | 41% | 59% | 289 |
| HI | 41% | 59% | 243 |
| IL | 33% | 67% | 227 |
| IN | 30% | 70% | 316 |
| KS | 29% | 71% | 303 |
| KY | 18% | 82% | 300 |
| LA | 17% | 83% | 259 |
| MA | 29% | 71% | 382 |
| MD | 41% | 59% | 318 |
| ME | 42% | 58% | 292 |
| MEORC | 23% | 77% | 346 |
| MN | 34% | 66% | 247 |
| MO | 24% | 76% | 309 |
| NC | 36% | 64% | 396 |
| NJ | 39% | 61% | 229 |
| NY | 37% | 63% | 294 |
| OH | 29% | 71% | 360 |
| OK | 26% | 74% | 537 |
| PA | 33% | 67% | 442 |
| SC | 46% | 54% | 319 |
| TN | 30% | 70% | 285 |
| UT | 39% | 61% | 271 |
| VA | 32% | 68% | 482 |
| MS* | 17% | 83% | 402 |
| NM* | 25% | 75% | 387 |
| NCI Average | 32% | 68% | 10,068 |

*MS and NM data are not included in NCI Average.

Self-Determination Un-Collapsed

Table B19. Is this person currently using a self-directed supports option?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 1% | 99% | 389 |
| AR | 17% | 83% | 382 |
| AZ | 2% | 98% | 444 |
| CO | 3% | 97% | 393 |
| CT | 14% | 86% | 391 |
| DC | 0% | 100% | 135 |
| FL | 18% | 82% | 1,454 |
| GA | 2% | 98% | 473 |
| HI | 12% | 88% | 406 |
| IL | 30% | 70% | 325 |
| IN | 19% | 81% | 401 |
| KS | 18% | 82% | 414 |
| KY | 16% | 84% | 442 |
| LA | 3% | 97% | 443 |
| MA | 3% | 97% | 524 |
| MD | 4% | 96% | 361 |
| ME | 4% | 96% | 364 |
| MEORC | 1% | 99% | 431 |
| MN | 96% | 4% | 27 |
| MO | 2% | 98% | 506 |
| NC | 2% | 98% | 687 |
| NJ | 7% | 93% | 453 |
| NY | 5% | 95% | 425 |
| OH | 2% | 98% | 416 |
| OK | 0% | 100% | 985 |
| PA | 8% | 92% | 618 |
| SC | 4% | 96% | 350 |
| TN | 7% | 93% | 389 |
| UT | 20% | 80% | 407 |
| VA | 15% | 85% | 823 |
| MS* | 2% | 98% | 397 |
| NM* | 7% | 93% | 402 |
| NCI Average | 11% | 89% | 14,258 |

*MS and NM data are not included in NCI Average.

*MN was not included in the calculation of the NCI average in the main body of this report for this variable

Table B20. Does someone talk with you about your budget and the services you can get?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|------------|------------|
| CT | 87% | 3% | 10% | 31 |
| FL | 80% | 11% | 9% | 101 |
| HI | 86% | 0% | 14% | 22 |
| IL | 79% | 6% | 15% | 33 |
| IN | 72% | 10% | 18% | 39 |
| KS | 83% | 3% | 13% | 30 |
| KY | 65% | 31% | 4% | 26 |
| UT | 74% | 12% | 15% | 34 |
| NM | n/a | n/a | n/a | n/a |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| AZ | n/a | n/a | n/a | n/a |
| CO | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| GA | n/a | n/a | n/a | n/a |
| LA | n/a | n/a | n/a | n/a |
| MA | n/a | n/a | n/a | n/a |
| MD | n/a | n/a | n/a | n/a |
| ME | n/a | n/a | n/a | n/a |
| MEORC | n/a | n/a | n/a | n/a |
| MN | n/a | n/a | n/a | n/a |
| MO | n/a | n/a | n/a | n/a |
| NC | n/a | n/a | n/a | n/a |
| NJ | n/a | n/a | n/a | n/a |
| NY | n/a | n/a | n/a | n/a |
| OH | n/a | n/a | n/a | n/a |
| OK | n/a | n/a | n/a | n/a |
| PA | n/a | n/a | n/a | n/a |
| SC | n/a | n/a | n/a | n/a |
| TN | n/a | n/a | n/a | n/a |
| VA | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a |
| NM* | 82% | 14% | 5% | 22 |
| NCI Average | 78% | 10% | 12% | 316 |

*MS and NM data are not included in NCI Average.

Table B21. Is there someone who helps you decide how to use your budget/services?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|------------|
| CT | 93% | 0% | 7% | 28 |
| FL | 96% | 2% | 2% | 94 |
| IL | 92% | 8% | 0% | 26 |
| IN | 93% | 4% | 4% | 28 |
| KS | 100% | 0% | 0% | 28 |
| KY | 63% | 33% | 4% | 24 |
| UT | 87% | 13% | 0% | 30 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| AZ | n/a | n/a | n/a | n/a |
| CO | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| GA | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| LA | n/a | n/a | n/a | n/a |
| MA | n/a | n/a | n/a | n/a |
| MD | n/a | n/a | n/a | n/a |
| ME | n/a | n/a | n/a | n/a |
| MEORC | n/a | n/a | n/a | n/a |
| MN | n/a | n/a | n/a | n/a |
| MO | n/a | n/a | n/a | n/a |
| NC | n/a | n/a | n/a | n/a |
| NJ | n/a | n/a | n/a | n/a |
| NY | n/a | n/a | n/a | n/a |
| OH | n/a | n/a | n/a | n/a |
| OK | n/a | n/a | n/a | n/a |
| PA | n/a | n/a | n/a | n/a |
| SC | n/a | n/a | n/a | n/a |
| TN | n/a | n/a | n/a | n/a |
| VA | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a |
| NM* | 85% | 15% | 0% | 20 |
| NCI Average | 89% | 9% | 2% | 258 |

*MS and NM data are not included in NCI Average.

Table B22. Can you make changes to your budget/services if you need to?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|------------|
| CT | 88% | 12% | 0% | 25 |
| FL | 85% | 10% | 4% | 89 |
| IL | 85% | 15% | 0% | 26 |
| IN | 90% | 7% | 3% | 29 |
| KS | 74% | 22% | 4% | 27 |
| UT | 70% | 26% | 4% | 23 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| AZ | n/a | n/a | n/a | n/a |
| CO | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| GA | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| KY | n/a | n/a | n/a | n/a |
| LA | n/a | n/a | n/a | n/a |
| MA | n/a | n/a | n/a | n/a |
| MD | n/a | n/a | n/a | n/a |
| ME | n/a | n/a | n/a | n/a |
| MEORC | n/a | n/a | n/a | n/a |
| MN | n/a | n/a | n/a | n/a |
| MO | n/a | n/a | n/a | n/a |
| NC | n/a | n/a | n/a | n/a |
| NJ | n/a | n/a | n/a | n/a |
| NY | n/a | n/a | n/a | n/a |
| OH | n/a | n/a | n/a | n/a |
| OK | n/a | n/a | n/a | n/a |
| PA | n/a | n/a | n/a | n/a |
| SC | n/a | n/a | n/a | n/a |
| TN | n/a | n/a | n/a | n/a |
| VA | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a |
| NM* | 90% | 10% | n/a | 20 |
| NCI Average | 82% | 15% | 3% | 219 |

*MS and NM data are not included in NCI Average.

Table B23. Do you want more help deciding how to use your budget/services, or do you have enough help?

| State | Want more help | Maybe, not sure | Have enough help | N |
|--------------------|----------------|-----------------|------------------|------------|
| CT | 19% | 4% | 77% | 26 |
| FL | 30% | 8% | 62% | 90 |
| IL | 13% | 8% | 79% | 24 |
| IN | 30% | 3% | 67% | 30 |
| KS | 15% | 11% | 74% | 27 |
| UT | 29% | 4% | 67% | 24 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| AZ | n/a | n/a | n/a | n/a |
| CO | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| GA | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| KY | n/a | n/a | n/a | n/a |
| LA | n/a | n/a | n/a | n/a |
| MA | n/a | n/a | n/a | n/a |
| MD | n/a | n/a | n/a | n/a |
| ME | n/a | n/a | n/a | n/a |
| MEORC | n/a | n/a | n/a | n/a |
| MN | n/a | n/a | n/a | n/a |
| MO | n/a | n/a | n/a | n/a |
| NC | n/a | n/a | n/a | n/a |
| NJ | n/a | n/a | n/a | n/a |
| NY | n/a | n/a | n/a | n/a |
| OH | n/a | n/a | n/a | n/a |
| OK | n/a | n/a | n/a | n/a |
| PA | n/a | n/a | n/a | n/a |
| SC | n/a | n/a | n/a | n/a |
| TN | n/a | n/a | n/a | n/a |
| VA | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a |
| NM* | n/a | n/a | n/a | n/a |
| NCI Average | 23% | 6% | 71% | 221 |

*MS and NM data are not included in NCI Average.

Table B24. Do you get information about how much money is left in your budget/services?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|------------|------------|
| CT | 19% | 4% | 77% | 23 |
| FL | 30% | 8% | 62% | 84 |
| IL | 13% | 8% | 79% | 24 |
| IN | 30% | 3% | 67% | 31 |
| KS | 15% | 11% | 74% | 24 |
| UT | 29% | 4% | 67% | 22 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| AZ | n/a | n/a | n/a | n/a |
| CO | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| GA | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| KY | n/a | n/a | n/a | n/a |
| LA | n/a | n/a | n/a | n/a |
| MA | n/a | n/a | n/a | n/a |
| MD | n/a | n/a | n/a | n/a |
| ME | n/a | n/a | n/a | n/a |
| MEORC | n/a | n/a | n/a | n/a |
| MN | n/a | n/a | n/a | n/a |
| MO | n/a | n/a | n/a | n/a |
| NC | n/a | n/a | n/a | n/a |
| NJ | n/a | n/a | n/a | n/a |
| NY | n/a | n/a | n/a | n/a |
| OH | n/a | n/a | n/a | n/a |
| OK | n/a | n/a | n/a | n/a |
| PA | n/a | n/a | n/a | n/a |
| SC | n/a | n/a | n/a | n/a |
| TN | n/a | n/a | n/a | n/a |
| VA | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a |
| NM* | n/a | n/a | n/a | n/a |
| NCI Average | 23% | 6% | 71% | 208 |

*MS and NM data are not included in NCI Average.

Table B25. If you get information about how much money is left in your budget/services, is the information easy to understand?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|------------|------------|
| CT | 57% | 19% | 24% | 21 |
| FL | 57% | 34% | 9% | 77 |
| IL | 81% | 10% | 10% | 21 |
| IN | 88% | 4% | 8% | 24 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| AZ | n/a | n/a | n/a | n/a |
| CO | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| GA | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| KS | n/a | n/a | n/a | n/a |
| KY | n/a | n/a | n/a | n/a |
| LA | n/a | n/a | n/a | n/a |
| MA | n/a | n/a | n/a | n/a |
| MD | n/a | n/a | n/a | n/a |
| ME | n/a | n/a | n/a | n/a |
| MEORC | n/a | n/a | n/a | n/a |
| MN | n/a | n/a | n/a | n/a |
| MO | n/a | n/a | n/a | n/a |
| NC | n/a | n/a | n/a | n/a |
| NJ | n/a | n/a | n/a | n/a |
| NY | n/a | n/a | n/a | n/a |
| OH | n/a | n/a | n/a | n/a |
| OK | n/a | n/a | n/a | n/a |
| PA | n/a | n/a | n/a | n/a |
| SC | n/a | n/a | n/a | n/a |
| TN | n/a | n/a | n/a | n/a |
| UT | n/a | n/a | n/a | n/a |
| VA | n/a | n/a | n/a | n/a |
| MS* | n/a | n/a | n/a | n/a |
| NM* | n/a | n/a | n/a | n/a |
| NCI Average | 71% | 17% | 13% | 143 |

*MS and NM data are not included in NCI Average.

Community Inclusion Un-Collapsed and Unadjusted

Table B26. In the past month, did you go shopping?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 88% | 12% | 392 |
| AR | 81% | 19% | 382 |
| AZ | 72% | 28% | 458 |
| CO | 86% | 14% | 398 |
| CT | 91% | 9% | 387 |
| DC | 86% | 14% | 293 |
| FL | 89% | 11% | 1,476 |
| GA | 92% | 8% | 431 |
| HI | 85% | 15% | 404 |
| IL | 91% | 9% | 340 |
| IN | 94% | 6% | 398 |
| KS | 90% | 10% | 397 |
| KY | 86% | 14% | 450 |
| LA | 76% | 24% | 437 |
| MA | 89% | 11% | 513 |
| MD | 89% | 11% | 410 |
| ME | 94% | 6% | 396 |
| MEORC | 90% | 10% | 421 |
| MN | 89% | 11% | 389 |
| MO | 89% | 11% | 506 |
| NC | 88% | 12% | 734 |
| NJ | 86% | 14% | 397 |
| NM | 95% | 5% | 398 |
| NY | 91% | 9% | 433 |
| OH | 79% | 21% | 411 |
| OK | 90% | 10% | 978 |
| PA | 88% | 12% | 677 |
| SC | 81% | 19% | 366 |
| TN | 93% | 7% | 395 |
| UT | 89% | 11% | 407 |
| VA | 86% | 14% | 913 |
| MS* | 93% | 7% | 411 |
| NM* | 95% | 5% | 398 |
| NCI Average | 87% | 13% | 14,989 |

*MS and NM data are not included in NCI Average.

Table B27. In the past month, how many times did you go shopping? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 3 | 313 |
| AR | 4 | 375 |
| AZ | 2 | 453 |
| CO | 5 | 393 |
| CT | 4 | 367 |
| DC | 4 | 292 |
| FL | 5 | 1,470 |
| GA | 3 | 407 |
| HI | 6 | 404 |
| IL | 3 | 340 |
| IN | 6 | 396 |
| KS | 5 | 392 |
| KY | 3 | 442 |
| LA | 3 | 432 |
| MA | 4 | 510 |
| MD | 4 | 399 |
| ME | 6 | 393 |
| MEORC | 3 | 392 |
| MN | 5 | 384 |
| MO | 4 | 505 |
| NC | 6 | 710 |
| NJ | 3 | 345 |
| NY | 4 | 432 |
| OH | 3 | 376 |
| OK | 5 | 978 |
| PA | 5 | 646 |
| SC | 3 | 366 |
| TN | 5 | 392 |
| UT | 4 | 399 |
| VA | 4 | 892 |
| MS* | 3 | 409 |
| NM* | 5 | 397 |
| NCI Average | 4 | 14,595 |

*MS and NM data are not included in NCI Average.

Table B28. In the past month, did you go out on errands or appointments?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 82% | 18% | 392 |
| AR | 84% | 16% | 384 |
| AZ | 55% | 45% | 448 |
| CO | 82% | 18% | 396 |
| CT | 89% | 11% | 383 |
| DC | 88% | 12% | 287 |
| FL | 84% | 16% | 1,464 |
| GA | 84% | 16% | 415 |
| HI | 80% | 20% | 390 |
| IL | 88% | 12% | 335 |
| IN | 87% | 13% | 397 |
| KS | 83% | 17% | 392 |
| KY | 90% | 10% | 449 |
| LA | 78% | 22% | 431 |
| MA | 88% | 12% | 513 |
| MD | 88% | 12% | 415 |
| ME | 93% | 7% | 393 |
| MEORC | 83% | 17% | 409 |
| MN | 87% | 13% | 386 |
| MO | 82% | 18% | 507 |
| NC | 84% | 16% | 732 |
| NJ | 86% | 14% | 403 |
| NY | 85% | 15% | 431 |
| OH | 63% | 37% | 409 |
| OK | 88% | 12% | 978 |
| PA | 88% | 12% | 666 |
| SC | 61% | 39% | 365 |
| TN | 90% | 10% | 391 |
| UT | 78% | 22% | 405 |
| VA | 82% | 18% | 911 |
| MS* | 86% | 14% | 408 |
| NM* | 91% | 9% | 395 |
| NCI Average | 83% | 17% | 14,877 |

*MS and NM data are not included in NCI Average.

Table B29. In the past month, how many times did you go out on errands? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 1 | 309 |
| AR | 3 | 372 |
| AZ | 1 | 442 |
| CO | 3 | 387 |
| CT | 4 | 362 |
| DC | 3 | 282 |
| FL | 3 | 1,459 |
| GA | 2 | 377 |
| HI | 3 | 389 |
| IL | 2 | 334 |
| IN | 5 | 396 |
| KS | 3 | 389 |
| KY | 3 | 442 |
| LA | 2 | 430 |
| MA | 3 | 510 |
| MD | 3 | 407 |
| ME | 5 | 389 |
| MEORC | 2 | 373 |
| MN | 3 | 375 |
| MO | 4 | 505 |
| NC | 3 | 713 |
| NJ | 2 | 339 |
| NY | 3 | 431 |
| OH | 2 | 381 |
| OK | 5 | 975 |
| PA | 3 | 634 |
| SC | 1 | 365 |
| TN | 3 | 383 |
| UT | 3 | 398 |
| VA | 3 | 897 |
| MS* | 2 | 407 |
| NM* | 4 | 393 |
| NCI Average | 3 | 14,445 |

*MS and NM data are not included in NCI Average.

Table B30. In the past month, did you go out for entertainment?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 71% | 29% | 392 |
| AR | 75% | 25% | 381 |
| AZ | 71% | 29% | 453 |
| CO | 81% | 19% | 395 |
| CT | 78% | 22% | 378 |
| DC | 84% | 16% | 299 |
| FL | 73% | 27% | 1,467 |
| GA | 78% | 22% | 426 |
| HI | 69% | 31% | 398 |
| IL | 71% | 29% | 332 |
| IN | 74% | 26% | 390 |
| KS | 69% | 31% | 392 |
| KY | 80% | 20% | 444 |
| LA | 64% | 36% | 438 |
| MA | 69% | 31% | 508 |
| MD | 75% | 25% | 413 |
| ME | 65% | 35% | 392 |
| MEORC | 58% | 42% | 397 |
| MN | 70% | 30% | 388 |
| MO | 65% | 35% | 503 |
| NC | 74% | 26% | 735 |
| NJ | 79% | 21% | 399 |
| NY | 71% | 29% | 430 |
| OH | 50% | 50% | 410 |
| OK | 74% | 26% | 984 |
| PA | 64% | 36% | 665 |
| SC | 59% | 41% | 374 |
| TN | 77% | 23% | 397 |
| UT | 74% | 26% | 408 |
| VA | 74% | 26% | 909 |
| MS* | 74% | 26% | 407 |
| NM* | 78% | 22% | 394 |
| NCI Average | 71% | 29% | 14,897 |

*MS and NM data are not included in NCI Average.

Table B31. In the past month, how many times did you go out for entertainment? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 1 | 313 |
| AR | 3 | 377 |
| AZ | 2 | 451 |
| CO | 4 | 384 |
| CT | 4 | 360 |
| DC | 4 | 298 |
| FL | 3 | 1,464 |
| GA | 2 | 400 |
| HI | 2 | 398 |
| IL | 2 | 331 |
| IN | 4 | 390 |
| KS | 3 | 391 |
| KY | 3 | 436 |
| LA | 2 | 433 |
| MA | 2 | 504 |
| MD | 3 | 407 |
| ME | 3 | 384 |
| MEORC | 2 | 377 |
| MN | 3 | 381 |
| MO | 2 | 500 |
| NC | 3 | 720 |
| NJ | 3 | 357 |
| NY | 2 | 430 |
| OH | 1 | 379 |
| OK | 4 | 984 |
| PA | 2 | 648 |
| SC | 2 | 374 |
| TN | 4 | 394 |
| UT | 4 | 403 |
| VA | 3 | 890 |
| MS* | 2 | 407 |
| NM* | 4 | 393 |
| NCI Average | 3 | 14,558 |

*MS and NM data are not included in NCI Average.

Table B32. In the past month, did you go out to a restaurant or coffee shop?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 88% | 12% | 393 |
| AR | 77% | 23% | 385 |
| AZ | 49% | 51% | 451 |
| CO | 94% | 6% | 392 |
| CT | 81% | 19% | 384 |
| DC | 85% | 15% | 292 |
| FL | 82% | 18% | 1,470 |
| GA | 92% | 8% | 433 |
| HI | 82% | 18% | 401 |
| IL | 87% | 13% | 340 |
| IN | 88% | 12% | 398 |
| KS | 85% | 15% | 397 |
| KY | 90% | 10% | 447 |
| LA | 74% | 26% | 437 |
| MA | 87% | 13% | 518 |
| MD | 81% | 19% | 408 |
| ME | 91% | 9% | 392 |
| MEORC | 84% | 16% | 412 |
| MN | 89% | 11% | 392 |
| MO | 79% | 21% | 508 |
| NC | 87% | 13% | 736 |
| NJ | 83% | 17% | 386 |
| NY | 76% | 24% | 431 |
| OH | 81% | 19% | 412 |
| OK | 82% | 18% | 982 |
| PA | 81% | 19% | 667 |
| SC | 74% | 26% | 371 |
| TN | 92% | 8% | 392 |
| UT | 85% | 15% | 409 |
| VA | 83% | 17% | 911 |
| MS* | 94% | 6% | 413 |
| NM* | 91% | 9% | 396 |
| NCI Average | 83% | 17% | 14,947 |

*MS and NM data are not included in NCI Average.

Table B33. In the past month, how many times did you go out to eat? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 3 | 313 |
| AR | 4 | 380 |
| AZ | 2 | 450 |
| CO | 5 | 381 |
| CT | 4 | 369 |
| DC | 3 | 291 |
| FL | 4 | 1,463 |
| GA | 4 | 401 |
| HI | 6 | 401 |
| IL | 3 | 339 |
| IN | 6 | 397 |
| KS | 4 | 392 |
| KY | 3 | 441 |
| LA | 3 | 435 |
| MA | 5 | 516 |
| MD | 4 | 396 |
| ME | 5 | 381 |
| MEORC | 3 | 386 |
| MN | 4 | 386 |
| MO | 3 | 504 |
| NC | 5 | 713 |
| NJ | 2 | 333 |
| NY | 3 | 431 |
| OH | 3 | 370 |
| OK | 5 | 980 |
| PA | 4 | 639 |
| SC | 2 | 371 |
| TN | 5 | 385 |
| UT | 3 | 404 |
| VA | 4 | 902 |
| MS* | 3 | 412 |
| NM* | 5 | 396 |
| NCI Average | 4 | 14,550 |

*MS and NM data are not included in NCI Average.

Table B34. In the past month, did you go out to a religious service or spiritual practice?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 66% | 34% | 379 |
| AR | 52% | 48% | 381 |
| AZ | 41% | 59% | 451 |
| CO | 40% | 60% | 393 |
| CT | 37% | 63% | 377 |
| DC | 66% | 34% | 284 |
| FL | 43% | 57% | 1,460 |
| GA | 71% | 29% | 412 |
| HI | 47% | 53% | 369 |
| IL | 50% | 50% | 332 |
| IN | 51% | 49% | 396 |
| KS | 41% | 59% | 387 |
| KY | 35% | 65% | 438 |
| LA | 55% | 45% | 435 |
| MA | 35% | 65% | 499 |
| MD | 49% | 51% | 394 |
| ME | 33% | 67% | 396 |
| MEORC | 44% | 56% | 406 |
| MN | 48% | 52% | 384 |
| MO | 36% | 64% | 504 |
| NC | 61% | 39% | 736 |
| NJ | 54% | 46% | 371 |
| NY | 37% | 63% | 427 |
| OH | 50% | 50% | 412 |
| OK | 48% | 52% | 979 |
| PA | 41% | 59% | 654 |
| SC | 60% | 40% | 364 |
| TN | 61% | 39% | 392 |
| UT | 51% | 49% | 401 |
| VA | 49% | 51% | 894 |
| MS* | 82% | 18% | 410 |
| NM* | 43% | 57% | 391 |
| NCI Average | 48% | 52% | 14,707 |

*MS and NM data are not included in NCI Average.

Table B35. In the past month, how many times did you go out to religious services? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 2 | 325 |
| AR | 2 | 380 |
| AZ | 1 | 449 |
| CO | 2 | 392 |
| CT | 1 | 367 |
| DC | 2 | 283 |
| FL | 2 | 1,460 |
| GA | 2 | 391 |
| HI | 2 | 369 |
| IL | 2 | 331 |
| IN | 2 | 395 |
| KS | 1 | 385 |
| KY | 1 | 436 |
| LA | 2 | 433 |
| MA | 1 | 499 |
| MD | 2 | 391 |
| ME | 1 | 391 |
| MEORC | 2 | 399 |
| MN | 2 | 383 |
| MO | 1 | 502 |
| NC | 2 | 730 |
| NJ | 2 | 345 |
| NY | 1 | 426 |
| OH | 2 | 402 |
| OK | 2 | 979 |
| PA | 2 | 647 |
| SC | 2 | 364 |
| TN | 2 | 389 |
| UT | 2 | 399 |
| VA | 2 | 883 |
| MS* | 3 | 410 |
| NM* | 2 | 390 |
| NCI Average | 2 | 14,525 |

*MS and NM data are not included in NCI Average.

Table B36. In the past month, did you go out for exercise?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 40% | 60% | 389 |
| AR | 56% | 44% | 382 |
| AZ | 77% | 23% | 455 |
| CO | 68% | 32% | 390 |
| CT | 64% | 36% | 379 |
| DC | 77% | 23% | 301 |
| FL | 52% | 48% | 1,468 |
| GA | 43% | 57% | 428 |
| HI | 85% | 15% | 404 |
| IL | 78% | 22% | 335 |
| IN | 54% | 46% | 392 |
| KS | 52% | 48% | 396 |
| KY | 29% | 71% | 443 |
| LA | 55% | 45% | 435 |
| MA | 50% | 50% | 516 |
| MD | 72% | 28% | 406 |
| ME | 62% | 38% | 388 |
| MEORC | 40% | 60% | 406 |
| MN | 61% | 39% | 388 |
| MO | 50% | 50% | 507 |
| NC | 68% | 32% | 745 |
| NJ | 55% | 45% | 393 |
| NY | 57% | 43% | 430 |
| OH | 60% | 40% | 405 |
| OK | 53% | 47% | 980 |
| PA | 59% | 41% | 659 |
| SC | 79% | 21% | 377 |
| TN | 59% | 41% | 394 |
| UT | 76% | 24% | 406 |
| VA | 54% | 46% | 906 |
| MS* | 79% | 21% | 411 |
| NM* | 49% | 51% | 398 |
| NCI Average | 59% | 41% | 14,903 |

*MS and NM data are not included in NCI Average.

Table B37. In the past month, how many times did you go out for exercise? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 2 | 365 |
| AR | 7 | 380 |
| AZ | 5 | 448 |
| CO | 9 | 388 |
| CT | 6 | 365 |
| DC | 10 | 299 |
| FL | 7 | 1,465 |
| GA | 3 | 420 |
| HI | 11 | 404 |
| IL | 7 | 331 |
| IN | 6 | 392 |
| KS | 5 | 395 |
| KY | 2 | 434 |
| LA | 6 | 430 |
| MA | 5 | 515 |
| MD | 8 | 402 |
| ME | 8 | 382 |
| MEORC | 3 | 384 |
| MN | 5 | 385 |
| MO | 6 | 507 |
| NC | 9 | 729 |
| NJ | 4 | 358 |
| NY | 6 | 430 |
| OH | 9 | 383 |
| OK | 6 | 977 |
| PA | 8 | 648 |
| SC | 14 | 377 |
| TN | 6 | 388 |
| UT | 10 | 402 |
| VA | 4 | 894 |
| MS* | 10 | 408 |
| NM* | 5 | 393 |
| NCI Average | 7 | 14,677 |

*MS and NM data are not included in NCI Average.

Table B38. In the past year, did you go away on a vacation?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 39% | 61% | 383 |
| AR | 46% | 54% | 383 |
| AZ | 18% | 82% | 451 |
| CO | 46% | 54% | 389 |
| CT | 49% | 51% | 369 |
| DC | 81% | 19% | 288 |
| FL | 47% | 53% | 1,467 |
| GA | 37% | 63% | 411 |
| HI | 25% | 75% | 393 |
| IL | 48% | 52% | 328 |
| IN | 50% | 50% | 394 |
| KS | 43% | 57% | 391 |
| KY | 31% | 69% | 431 |
| LA | 32% | 68% | 432 |
| MA | 49% | 51% | 510 |
| MD | 64% | 36% | 401 |
| ME | 51% | 49% | 393 |
| MEORC | 34% | 66% | 407 |
| MN | 52% | 48% | 386 |
| MO | 30% | 70% | 501 |
| NC | 47% | 53% | 739 |
| NJ | 53% | 47% | 398 |
| NY | 52% | 48% | 431 |
| OH | 46% | 54% | 410 |
| OK | 40% | 60% | 970 |
| PA | 46% | 54% | 648 |
| SC | 45% | 55% | 364 |
| TN | 38% | 62% | 386 |
| UT | 50% | 50% | 403 |
| VA | 52% | 48% | 902 |
| MS* | 43% | 57% | 391 |
| NM* | 51% | 49% | 394 |
| NCI Average | 45% | 55% | 14,759 |

*MS and NM data are not included in NCI Average.

Table B39. In the past year, how many times did you go on vacation? (unadjusted)

| State | Average times | N |
|--------------------|---------------|---------------|
| AL | 0 | 349 |
| AR | 1 | 383 |
| AZ | 0 | 450 |
| CO | 1 | 387 |
| CT | 1 | 367 |
| DC | 1 | 283 |
| FL | 1 | 1464 |
| GA | 0 | 396 |
| HI | 0 | 392 |
| IL | 1 | 324 |
| IN | 1 | 392 |
| KS | 1 | 391 |
| KY | 0 | 427 |
| LA | 0 | 430 |
| MA | 1 | 509 |
| MD | 1 | 396 |
| ME | 1 | 389 |
| MEORC | 0 | 402 |
| MN | 1 | 382 |
| MO | 0 | 498 |
| NC | 1 | 733 |
| NJ | 1 | 384 |
| NY | 1 | 431 |
| OH | 1 | 403 |
| OK | 1 | 969 |
| PA | 1 | 627 |
| SC | 1 | 363 |
| TN | 1 | 382 |
| UT | 1 | 401 |
| VA | 1 | 895 |
| MS* | 1 | 391 |
| NM* | 1 | 393 |
| NCI Average | 1 | 14,599 |

*MS and NM data are not included in NCI Average.

Relationships Un-Collapsed

Table B40. Do you have friends you like to talk to or do things with?

| State | Yes, friends other than staff or family | Yes, staff or family only | No | N |
|--------------------|-----------------------------------------|---------------------------|-----------|---------------|
| AL | 90% | 3% | 7% | 316 |
| AR | 80% | 15% | 5% | 237 |
| AZ | 62% | 28% | 10% | 400 |
| CO | 80% | 10% | 10% | 309 |
| CT | 72% | 19% | 8% | 267 |
| DC | 66% | 26% | 8% | 191 |
| FL | 77% | 16% | 8% | 955 |
| GA | 75% | 17% | 9% | 291 |
| HI | 62% | 34% | 5% | 253 |
| IL | 79% | 12% | 8% | 249 |
| IN | 76% | 16% | 8% | 315 |
| KS | 81% | 16% | 3% | 304 |
| KY | 48% | 50% | 2% | 301 |
| LA | 73% | 16% | 11% | 267 |
| MA | 78% | 15% | 6% | 384 |
| MD | 72% | 22% | 6% | 317 |
| ME | 82% | 9% | 9% | 294 |
| MEORC | 77% | 14% | 9% | 364 |
| MN | 82% | 11% | 7% | 249 |
| MO | 81% | 12% | 8% | 313 |
| NC | 74% | 17% | 9% | 412 |
| NJ | 84% | 7% | 9% | 233 |
| NY | 72% | 19% | 9% | 300 |
| OH | 85% | 9% | 6% | 364 |
| OK | 73% | 18% | 9% | 553 |
| PA | 78% | 14% | 8% | 447 |
| SC | 88% | 5% | 7% | 320 |
| TN | 67% | 27% | 6% | 289 |
| UT | 77% | 16% | 7% | 283 |
| VA | 74% | 17% | 9% | 512 |
| MS* | 77% | 16% | 7% | 410 |
| NM* | 78% | 12% | 9% | 394 |
| NCI Average | 76% | 17% | 7% | 10,289 |

*MS and NM data are not included in NCI Average.

Table B41. Do you have a best friend, or someone you are really close to?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 88% | 12% | 318 |
| AR | 80% | 20% | 232 |
| AZ | 77% | 23% | 397 |
| CO | 64% | 36% | 299 |
| CT | 84% | 16% | 254 |
| DC | 81% | 19% | 181 |
| FL | 79% | 21% | 936 |
| GA | 75% | 25% | 277 |
| HI | 86% | 14% | 242 |
| IL | 82% | 18% | 249 |
| IN | 81% | 19% | 311 |
| KS | 84% | 16% | 286 |
| KY | 63% | 37% | 295 |
| LA | 76% | 24% | 261 |
| MA | 81% | 19% | 371 |
| MD | 78% | 23% | 320 |
| ME | 76% | 24% | 288 |
| MEORC | 81% | 19% | 343 |
| MN | 87% | 13% | 238 |
| MO | 77% | 23% | 299 |
| NC | 79% | 21% | 396 |
| NJ | 76% | 24% | 224 |
| NY | 74% | 26% | 298 |
| OH | 85% | 15% | 357 |
| OK | 80% | 20% | 541 |
| PA | 82% | 18% | 434 |
| SC | 84% | 16% | 313 |
| TN | 81% | 19% | 287 |
| UT | 83% | 17% | 284 |
| VA | 81% | 19% | 492 |
| MS* | 84% | 16% | 401 |
| NM* | 66% | 34% | 381 |
| NCI Average | 79% | 21% | 10,023 |

*MS and NM data are not included in NCI Average.

Table B42. Can you see your friends when you want to see them?

| State | Yes, can see friends whenever s/he wants to | Sometimes can't see friends | No, often unable to see friends | N |
|--------------------|---------------------------------------------|-----------------------------|---------------------------------|--------------|
| AL | 78% | 19% | 3% | 298 |
| AR | 79% | 17% | 4% | 225 |
| AZ | 33% | 60% | 7% | 358 |
| CO | 91% | 7% | 3% | 271 |
| CT | 82% | 13% | 5% | 252 |
| DC | 73% | 22% | 4% | 165 |
| FL | 77% | 18% | 6% | 866 |
| GA | 70% | 21% | 9% | 254 |
| HI | 87% | 5% | 7% | 230 |
| IL | 90% | 7% | 3% | 232 |
| IN | 77% | 18% | 5% | 299 |
| KS | 90% | 8% | 2% | 284 |
| KY | 53% | 45% | 2% | 295 |
| LA | 82% | 13% | 5% | 231 |
| MA | 78% | 16% | 6% | 353 |
| MD | 83% | 11% | 7% | 303 |
| ME | 66% | 27% | 7% | 265 |
| MEORC | 81% | 16% | 4% | 329 |
| MN | 79% | 14% | 8% | 228 |
| MO | 83% | 13% | 4% | 286 |
| NC | 79% | 15% | 5% | 369 |
| NJ | 77% | 18% | 5% | 212 |
| NY | 80% | 17% | 3% | 267 |
| OH | 85% | 11% | 4% | 341 |
| OK | 82% | 11% | 7% | 516 |
| PA | 86% | 11% | 3% | 421 |
| SC | 78% | 18% | 5% | 307 |
| TN | 88% | 10% | 2% | 275 |
| UT | 80% | 13% | 6% | 269 |
| VA | 82% | 15% | 4% | 454 |
| MS* | 80% | 15% | 4% | 386 |
| NM* | 73% | 23% | 4% | 351 |
| NCI Average | 78% | 17% | 5% | 9,455 |

*MS and NM data are not included in NCI Average.

Table B43. Can you see your family when you want to see them?

| State | Yes, can see family whenever s/he wants to | Sometimes can't see family | No, often unable to see family | N |
|--------------------|--------------------------------------------|----------------------------|--------------------------------|--------------|
| AL | 77% | 19% | 4% | 300 |
| AR | 76% | 17% | 8% | 223 |
| AZ | 75% | 24% | 2% | 394 |
| CO | 79% | 14% | 7% | 286 |
| CT | 80% | 12% | 8% | 243 |
| DC | 80% | 10% | 10% | 154 |
| FL | 71% | 22% | 7% | 869 |
| GA | 76% | 19% | 5% | 260 |
| HI | 86% | 7% | 7% | 225 |
| IL | 87% | 10% | 3% | 223 |
| IN | 78% | 13% | 8% | 304 |
| KS | 85% | 12% | 3% | 278 |
| KY | 69% | 29% | 2% | 273 |
| LA | 79% | 16% | 5% | 257 |
| MA | 78% | 18% | 4% | 339 |
| MD | 90% | 6% | 4% | 306 |
| ME | 73% | 21% | 6% | 258 |
| MEORC | 77% | 19% | 4% | 325 |
| MN | 84% | 12% | 4% | 225 |
| MO | 76% | 17% | 7% | 268 |
| NC | 76% | 19% | 5% | 381 |
| NJ | 78% | 17% | 5% | 201 |
| NY | 83% | 14% | 3% | 264 |
| OH | 86% | 8% | 6% | 341 |
| OK | 80% | 13% | 8% | 462 |
| PA | 88% | 11% | 1% | 408 |
| SC | 86% | 8% | 6% | 317 |
| TN | 84% | 13% | 2% | 262 |
| UT | 81% | 11% | 8% | 277 |
| VA | 79% | 16% | 5% | 457 |
| MS* | 84% | 12% | 4% | 399 |
| NM* | 74% | 22% | 5% | 351 |
| NCI Average | 80% | 15% | 5% | 9,380 |

*MS and NM data are not included in NCI Average.

Table B44. Can you go on a date if you want to?

| State | Yes, can date, or is married or living with partner | Yes, but there are some restrictions or rules about dating | No | N |
|--------------------|-----------------------------------------------------|------------------------------------------------------------|------------|--------------|
| AL | 79% | 7% | 15% | 261 |
| AR | 67% | 21% | 12% | 205 |
| AZ | 18% | 25% | 57% | 343 |
| CO | 81% | 10% | 9% | 248 |
| CT | 50% | 24% | 26% | 205 |
| DC | 54% | 17% | 29% | 162 |
| FL | 76% | 10% | 14% | 734 |
| GA | 75% | 15% | 10% | 232 |
| HI | 36% | 24% | 40% | 135 |
| IL | 59% | 16% | 25% | 220 |
| IN | 73% | 15% | 12% | 256 |
| KS | 73% | 22% | 5% | 227 |
| KY | 44% | 46% | 10% | 214 |
| LA | 62% | 18% | 20% | 202 |
| MA | 73% | 14% | 13% | 312 |
| MD | 57% | 18% | 24% | 291 |
| ME | 75% | 20% | 5% | 229 |
| MEORC | 90% | 3% | 7% | 305 |
| MN | 63% | 22% | 15% | 192 |
| MO | 65% | 19% | 16% | 253 |
| NC | 65% | 18% | 17% | 340 |
| NJ | 69% | 20% | 11% | 183 |
| NY | 63% | 22% | 15% | 208 |
| OH | 86% | 4% | 11% | 346 |
| OK | 75% | 8% | 17% | 484 |
| PA | 73% | 16% | 12% | 329 |
| SC | 68% | 8% | 24% | 314 |
| TN | 56% | 27% | 17% | 197 |
| UT | 73% | 15% | 12% | 259 |
| VA | 54% | 21% | 25% | 401 |
| MS* | 45% | 29% | 26% | 374 |
| NM* | 75% | 18% | 7% | 270 |
| NCI Average | 65% | 18% | 17% | 8,287 |

*MS and NM data are not included in NCI Average.

Table B45. Do you ever feel lonely?

| State | Yes – often feels lonely | Sometimes | No – not often | N |
|--------------------|--------------------------|------------|----------------|--------------|
| AL | 10% | 31% | 60% | 314 |
| AR | 11% | 19% | 70% | 227 |
| AZ | 4% | 11% | 85% | 379 |
| CO | 10% | 40% | 50% | 294 |
| CT | 11% | 19% | 70% | 260 |
| DC | 9% | 30% | 62% | 185 |
| FL | 9% | 27% | 64% | 922 |
| GA | 8% | 38% | 54% | 281 |
| HI | 11% | 26% | 63% | 240 |
| IL | 15% | 27% | 58% | 244 |
| IN | 11% | 27% | 62% | 301 |
| KS | 14% | 26% | 60% | 297 |
| KY | 7% | 45% | 49% | 300 |
| LA | 10% | 33% | 57% | 254 |
| MA | 14% | 29% | 57% | 365 |
| MD | 16% | 24% | 60% | 312 |
| ME | 17% | 31% | 52% | 284 |
| MEORC | 10% | 32% | 59% | 347 |
| MN | 10% | 31% | 60% | 241 |
| MO | 14% | 31% | 54% | 307 |
| NC | 9% | 29% | 62% | 404 |
| NJ | 11% | 33% | 56% | 233 |
| NM | 4% | 26% | 70% | 376 |
| NY | 9% | 31% | 60% | 293 |
| OH | 12% | 28% | 60% | 355 |
| OK | 17% | 26% | 57% | 543 |
| PA | 7% | 29% | 65% | 440 |
| SC | 6% | 37% | 57% | 314 |
| TN | 11% | 23% | 66% | 287 |
| UT | 17% | 30% | 53% | 287 |
| VA | 12% | 25% | 63% | 479 |
| MS* | 8% | 25% | 67% | 408 |
| NM* | 4% | 26% | 70% | 376 |
| NCI Average | 11% | 29% | 60% | 9,989 |

*MS and NM data are not included in NCI Average.

Table B46. Can you help other people if you want to?

| State | Yes | Sometimes | No | N |
|--------------------|------------|-----------|-----------|---------------|
| AL | 94% | 3% | 3% | 318 |
| AR | 92% | 4% | 4% | 234 |
| AZ | 27% | 44% | 29% | 392 |
| CO | 95% | 3% | 2% | 303 |
| CT | 88% | 6% | 5% | 262 |
| DC | 87% | 7% | 5% | 182 |
| FL | 86% | 9% | 4% | 941 |
| GA | 92% | 6% | 2% | 288 |
| HI | 88% | 9% | 3% | 238 |
| IL | 87% | 6% | 7% | 248 |
| IN | 90% | 5% | 5% | 311 |
| KS | 91% | 6% | 4% | 297 |
| KY | 45% | 45% | 10% | 298 |
| LA | 85% | 8% | 7% | 267 |
| MA | 89% | 7% | 4% | 372 |
| MD | 91% | 4% | 5% | 322 |
| ME | 86% | 9% | 6% | 292 |
| MEORC | 83% | 14% | 3% | 350 |
| MN | 89% | 4% | 6% | 247 |
| MO | 84% | 8% | 9% | 302 |
| NC | 88% | 5% | 7% | 406 |
| NJ | 92% | 5% | 2% | 226 |
| NY | 84% | 11% | 5% | 290 |
| OH | 97% | 1% | 2% | 361 |
| OK | 93% | 3% | 4% | 544 |
| PA | 89% | 7% | 4% | 456 |
| SC | 92% | 3% | 5% | 313 |
| TN | 86% | 7% | 8% | 292 |
| UT | 93% | 4% | 3% | 289 |
| VA | 87% | 6% | 6% | 497 |
| MS* | 95% | 3% | 2% | 407 |
| NM* | 91% | 6% | 3% | 371 |
| NCI Average | 86% | 9% | 6% | 10,138 |

*MS and NM data are not included in NCI Average.

Satisfaction Un-Collapsed

Table B47. Do you like your home or where you live?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|-----------|---------------|
| AL | 92% | 3% | 5% | 318 |
| AR | 87% | 6% | 6% | 239 |
| AZ | 97% | 1% | 2% | 399 |
| CO | 91% | 4% | 5% | 310 |
| CT | 87% | 4% | 9% | 273 |
| DC | 86% | 6% | 8% | 192 |
| FL | 90% | 7% | 3% | 972 |
| GA | 95% | 3% | 1% | 290 |
| HI | 95% | 2% | 4% | 254 |
| IL | 91% | 5% | 4% | 251 |
| IN | 90% | 5% | 5% | 317 |
| KS | 92% | 4% | 4% | 313 |
| KY | 94% | 3% | 3% | 301 |
| LA | 91% | 6% | 3% | 269 |
| MA | 84% | 7% | 8% | 392 |
| MD | 88% | 6% | 6% | 319 |
| ME | 79% | 14% | 7% | 295 |
| MEORC | 91% | 4% | 5% | 369 |
| MN | 89% | 6% | 6% | 254 |
| MO | 87% | 7% | 6% | 316 |
| NC | 91% | 5% | 5% | 422 |
| NJ | 89% | 5% | 6% | 236 |
| NY | 88% | 7% | 6% | 304 |
| OH | 92% | 4% | 4% | 363 |
| OK | 91% | 4% | 5% | 557 |
| PA | 88% | 7% | 5% | 467 |
| SC | 92% | 4% | 4% | 324 |
| TN | 93% | 3% | 4% | 294 |
| UT | 87% | 8% | 5% | 291 |
| VA | 90% | 6% | 5% | 514 |
| MS* | 96% | 2% | 2% | 413 |
| NM* | 90% | 6% | 3% | 395 |
| NCI Average | 90% | 5% | 5% | 10,415 |

*MS and NM data are not included in NCI Average.

Table B48. Would you like to live somewhere else?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|------------|---------------|
| AL | 31% | 3% | 66% | 317 |
| AR | 32% | 9% | 58% | 235 |
| AZ | 11% | 4% | 86% | 395 |
| CO | 28% | 6% | 66% | 309 |
| CT | 25% | 8% | 67% | 270 |
| DC | 36% | 2% | 62% | 190 |
| FL | 22% | 11% | 67% | 959 |
| GA | 19% | 8% | 73% | 291 |
| HI | 20% | 2% | 78% | 251 |
| IL | 26% | 10% | 64% | 245 |
| IN | 27% | 11% | 62% | 313 |
| KS | 21% | 9% | 70% | 310 |
| KY | 8% | 5% | 88% | 301 |
| LA | 33% | 12% | 55% | 268 |
| MA | 29% | 9% | 62% | 379 |
| MD | 26% | 7% | 67% | 319 |
| ME | 32% | 15% | 53% | 289 |
| MEORC | 24% | 6% | 70% | 356 |
| MN | 26% | 7% | 68% | 241 |
| MO | 31% | 8% | 60% | 312 |
| NC | 29% | 4% | 67% | 412 |
| NJ | 35% | 10% | 55% | 232 |
| NY | 23% | 9% | 67% | 299 |
| OH | 29% | 11% | 60% | 363 |
| OK | 34% | 5% | 60% | 551 |
| PA | 22% | 10% | 68% | 456 |
| SC | 18% | 4% | 78% | 317 |
| TN | 28% | 3% | 70% | 290 |
| UT | 30% | 9% | 62% | 287 |
| VA | 27% | 8% | 64% | 499 |
| MS* | 30% | 7% | 63% | 411 |
| NM* | 18% | 9% | 74% | 387 |
| NCI Average | 26% | 8% | 66% | 10,256 |

*MS and NM data are not included in NCI Average.

Table B49. Do you ever talk with your neighbors?

| State | Yes, often (weekly or more) | Yes, but not often | No, or very rarely | N |
|--------------------|--------------------------------|-----------------------|-----------------------|---------------|
| AL | 23% | 33% | 44% | 315 |
| AR | 42% | 33% | 25% | 237 |
| AZ | 11% | 25% | 64% | 399 |
| CO | 20% | 42% | 39% | 306 |
| CT | 34% | 26% | 40% | 265 |
| DC | 36% | 33% | 31% | 191 |
| FL | 34% | 36% | 30% | 951 |
| GA | 30% | 35% | 35% | 285 |
| HI | 35% | 27% | 38% | 244 |
| IL | 38% | 28% | 34% | 250 |
| IN | 36% | 28% | 36% | 316 |
| KS | 36% | 31% | 34% | 307 |
| KY | 27% | 58% | 16% | 303 |
| LA | 41% | 30% | 29% | 266 |
| MA | 26% | 31% | 42% | 382 |
| MD | 34% | 27% | 38% | 321 |
| ME | 27% | 27% | 45% | 291 |
| MEORC | 36% | 32% | 31% | 359 |
| MN | 23% | 41% | 36% | 245 |
| MO | 39% | 31% | 29% | 310 |
| NC | 35% | 30% | 35% | 413 |
| NJ | 25% | 35% | 40% | 230 |
| NY | 35% | 31% | 34% | 299 |
| OH | 31% | 30% | 39% | 365 |
| OK | 30% | 31% | 39% | 552 |
| PA | 39% | 31% | 30% | 440 |
| SC | 63% | 20% | 17% | 320 |
| TN | 28% | 33% | 39% | 293 |
| UT | 42% | 27% | 32% | 283 |
| VA | 36% | 31% | 33% | 504 |
| MS* | 36% | 27% | 37% | 407 |
| NM* | 31% | 28% | 41% | 392 |
| NCI Average | 33% | 32% | 35% | 10,242 |

*MS and NM data are not included in NCI Average.

Table B50. [If paid community job] Do you like working where you work?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|-----------|--------------|
| AZ | 94% | 6% | 0% | 35 |
| CO | 90% | 4% | 6% | 99 |
| CT | 86% | 8% | 6% | 87 |
| FL | 94% | 5% | 1% | 140 |
| GA | 94% | 6% | 0% | 36 |
| IL | 96% | 4% | 0% | 27 |
| IN | 91% | 6% | 4% | 54 |
| KS | 98% | 0% | 2% | 60 |
| KY | 100% | 0% | 0% | 39 |
| LA | 97% | 3% | 0% | 35 |
| MA | 93% | 4% | 3% | 115 |
| MD | 92% | 4% | 4% | 74 |
| ME | 90% | 9% | 1% | 77 |
| MEORC | 100% | n/a | 0% | 39 |
| MN | 89% | 9% | 2% | 81 |
| MO | 93% | 8% | 0% | 40 |
| NC | 91% | 3% | 5% | 58 |
| NJ | 89% | 11% | 0% | 27 |
| NY | 93% | n/a | 7% | 42 |
| OH | 90% | 2% | 7% | 41 |
| OK | 93% | 6% | 1% | 215 |
| PA | 90% | 8% | 2% | 50 |
| SC | 93% | 5% | 1% | 74 |
| TN | 95% | 3% | 3% | 40 |
| UT | 91% | 9% | 0% | 67 |
| VA | 93% | 7% | 0% | 75 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| MS* | 100% | n/a | 0% | 44 |
| NM* | 92% | 7% | 1% | 91 |
| NCI Average | 93% | 5% | 2% | 1,727 |

*MS and NM data are not included in NCI Average.

Table B51. Would you like to work somewhere else?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|------------|--------------|
| AZ | 11% | 9% | 80% | 35 |
| CO | 27% | 10% | 63% | 100 |
| CT | 29% | 5% | 66% | 86 |
| FL | 21% | 12% | 67% | 135 |
| GA | 34% | 9% | 57% | 35 |
| IL | 26% | 7% | 67% | 27 |
| IN | 30% | 9% | 60% | 53 |
| KS | 25% | 7% | 68% | 56 |
| KY | 8% | 10% | 83% | 40 |
| LA | 24% | 15% | 62% | 34 |
| MA | 39% | 11% | 49% | 114 |
| MD | 28% | 6% | 66% | 68 |
| ME | 40% | 25% | 36% | 73 |
| MEORC | 27% | 11% | 62% | 37 |
| MN | 37% | 5% | 57% | 75 |
| MO | 25% | 10% | 65% | 40 |
| NC | 38% | 10% | 52% | 58 |
| NJ | 28% | 20% | 52% | 25 |
| NY | 33% | 7% | 60% | 43 |
| OH | 49% | 7% | 44% | 41 |
| OK | 31% | 8% | 62% | 213 |
| PA | 34% | 10% | 56% | 50 |
| SC | 25% | 8% | 67% | 73 |
| TN | 45% | 0% | 55% | 38 |
| UT | 43% | 9% | 49% | 68 |
| VA | 28% | 11% | 62% | 76 |
| AL | n/a | n/a | n/a | n/a |
| AR | n/a | n/a | n/a | n/a |
| DC | n/a | n/a | n/a | n/a |
| HI | n/a | n/a | n/a | n/a |
| MS* | 47% | 7% | 47% | 43 |
| NM* | 30% | 15% | 55% | 91 |
| NCI Average | 30% | 10% | 60% | 1,693 |

*MS and NM data are not included in NCI Average.

Table B52. If you attend a day program or activity, do you like your day activity?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|-----------|--------------|
| AL | 91% | 3% | 6% | 306 |
| AR | 88% | 5% | 7% | 164 |
| AZ | 95% | 3% | 2% | 249 |
| CO | 88% | 4% | 7% | 224 |
| CT | 85% | 9% | 7% | 164 |
| DC | 89% | 5% | 6% | 133 |
| FL | 90% | 8% | 2% | 521 |
| GA | 89% | 10% | 1% | 258 |
| HI | 92% | 4% | 4% | 233 |
| IL | 90% | 7% | 3% | 197 |
| IN | 80% | 12% | 9% | 171 |
| KS | 89% | 8% | 3% | 237 |
| KY | 86% | 11% | 3% | 237 |
| LA | 83% | 11% | 7% | 168 |
| MA | 87% | 8% | 5% | 276 |
| MD | 93% | 3% | 4% | 216 |
| ME | 76% | 18% | 6% | 214 |
| MEORC | 89% | 6% | 5% | 297 |
| MN | 87% | 5% | 8% | 143 |
| MO | 85% | 9% | 5% | 129 |
| NC | 90% | 5% | 6% | 296 |
| NJ | 90% | 6% | 4% | 217 |
| NY | 89% | 5% | 5% | 227 |
| OH | 91% | 6% | 3% | 278 |
| OK | 87% | 5% | 8% | 224 |
| PA | 93% | 7% | 1% | 289 |
| SC | 93% | 4% | 3% | 291 |
| TN | 93% | 4% | 3% | 182 |
| UT | 82% | 11% | 7% | 177 |
| VA | 89% | 5% | 6% | 289 |
| MS* | 93% | 5% | 2% | 363 |
| NM* | 87% | 9% | 3% | 275 |
| NCI Average | 88% | 7% | 5% | 7,007 |

*MS and NM data are not included in NCI Average.

Table B53. Would you like to go somewhere else or do something else during the day?

| State | Yes | In-between | No | N |
|--------------------|------------|------------|------------|--------------|
| AL | 36% | 5% | 60% | 298 |
| AR | 42% | 14% | 44% | 160 |
| AZ | 9% | 3% | 88% | 247 |
| CO | 31% | 7% | 62% | 207 |
| CT | 37% | 10% | 54% | 153 |
| DC | 38% | 7% | 55% | 123 |
| FL | 32% | 12% | 56% | 502 |
| GA | 31% | 17% | 52% | 248 |
| HI | 24% | 4% | 73% | 219 |
| IL | 40% | 8% | 52% | 189 |
| IN | 38% | 10% | 52% | 161 |
| KS | 25% | 15% | 60% | 228 |
| KY | 19% | 14% | 67% | 237 |
| LA | 44% | 9% | 47% | 163 |
| MA | 32% | 9% | 59% | 269 |
| MD | 43% | 4% | 53% | 209 |
| ME | 39% | 17% | 44% | 200 |
| MEORC | 31% | 12% | 57% | 290 |
| MN | 42% | 10% | 48% | 129 |
| MO | 40% | 9% | 51% | 124 |
| NC | 35% | 9% | 56% | 280 |
| NJ | 37% | 11% | 52% | 214 |
| NM | 12% | 15% | 72% | 265 |
| NY | 33% | 4% | 63% | 225 |
| OH | 34% | 6% | 60% | 270 |
| OK | 50% | 9% | 40% | 214 |
| PA | 31% | 5% | 64% | 265 |
| SC | 9% | 2% | 88% | 285 |
| TN | 43% | 5% | 52% | 175 |
| UT | 45% | 6% | 49% | 166 |
| VA | 43% | 9% | 48% | 266 |
| MS* | 42% | 12% | 46% | 357 |
| NM* | 12% | 15% | 72% | 265 |
| NCI Average | 34% | 9% | 57% | 6,716 |

*MS and NM data are not included in NCI Average.

Service Coordination Un-Collapsed

Table B54. Have you met your case manager/service coordinator?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|---------------|
| AL | 96% | 2% | 2% | 319 |
| AR | 95% | 5% | 0% | 237 |
| AZ | 96% | 3% | 1% | 395 |
| CO | 93% | 2% | 6% | 310 |
| CT | 94% | 4% | 2% | 265 |
| DC | 92% | 2% | 5% | 169 |
| FL | 99% | 1% | 1% | 951 |
| GA | 92% | 5% | 3% | 289 |
| HI | 95% | 3% | 2% | 239 |
| IL | 95% | 3% | 2% | 240 |
| IN | 93% | 4% | 4% | 312 |
| KS | 98% | 1% | 1% | 312 |
| KY | 97% | 2% | 2% | 302 |
| LA | 94% | 2% | 4% | 223 |
| MA | 94% | 3% | 3% | 380 |
| MD | 91% | 3% | 7% | 285 |
| ME | 94% | 3% | 3% | 292 |
| MEORC | 97% | 2% | 1% | 355 |
| MN | 94% | 2% | 5% | 251 |
| MO | 98% | 1% | 2% | 307 |
| NC | 92% | 3% | 5% | 357 |
| NJ | 90% | 6% | 4% | 220 |
| NY | 97% | 1% | 1% | 301 |
| OH | 93% | 0% | 7% | 357 |
| OK | 96% | 1% | 3% | 556 |
| PA | 94% | 2% | 4% | 445 |
| SC | 95% | 0% | 5% | 320 |
| TN | 97% | 1% | 1% | 291 |
| UT | 99% | 0% | 1% | 285 |
| VA | 94% | 3% | 3% | 497 |
| MS* | 71% | 8% | 21% | 330 |
| NM* | 94% | 6% | 0% | 365 |
| NCI Average | 95% | 2% | 3% | 10,062 |

*MS and NM data are not included in NCI Average.

Table B55. Does your case manager/service coordinator ask you what you want?

| State | Yes | Sometimes | No | N |
|--------------------|------------|-----------|-----------|--------------|
| AL | 96% | 2% | 2% | 313 |
| AR | 85% | 9% | 6% | 229 |
| AZ | 91% | 7% | 2% | 378 |
| CO | 89% | 6% | 5% | 306 |
| CT | 84% | 10% | 6% | 254 |
| DC | 87% | 7% | 5% | 165 |
| FL | 93% | 5% | 2% | 914 |
| GA | 80% | 16% | 4% | 267 |
| HI | 91% | 3% | 6% | 210 |
| IL | 90% | 8% | 2% | 238 |
| IN | 88% | 10% | 3% | 280 |
| KS | 93% | 3% | 3% | 299 |
| KY | 88% | 10% | 2% | 302 |
| LA | 94% | 2% | 4% | 219 |
| MA | 85% | 8% | 8% | 356 |
| MD | 88% | 7% | 5% | 304 |
| ME | 79% | 11% | 10% | 274 |
| MEORC | 95% | 4% | 1% | 334 |
| MN | 83% | 10% | 7% | 229 |
| MO | 90% | 6% | 4% | 294 |
| NC | 86% | 5% | 9% | 308 |
| NJ | 73% | 19% | 9% | 197 |
| NY | 86% | 9% | 6% | 293 |
| OH | 83% | 5% | 11% | 349 |
| OK | 83% | 8% | 8% | 531 |
| PA | 89% | 6% | 5% | 393 |
| SC | 87% | 5% | 8% | 307 |
| TN | 95% | 2% | 3% | 290 |
| UT | 89% | 7% | 4% | 270 |
| VA | 89% | 7% | 5% | 476 |
| MS* | 74% | 14% | 12% | 239 |
| NM* | 89% | 8% | 3% | 341 |
| NCI Average | 88% | 7% | 5% | 9,579 |

*MS and NM data are not included in NCI Average.

Table B56. If you ask for something, does your case manager/service coordinator help you get what you need?

| State | Yes, does help | Sometimes helps | No, does not help | N |
|--------------------|----------------|-----------------|-------------------|--------------|
| AL | 92% | 7% | 1% | 310 |
| AR | 92% | 7% | 1% | 227 |
| AZ | 95% | 4% | 1% | 374 |
| CO | 86% | 11% | 3% | 299 |
| CT | 89% | 6% | 5% | 244 |
| DC | 81% | 14% | 4% | 159 |
| FL | 92% | 6% | 2% | 889 |
| GA | 72% | 25% | 3% | 234 |
| HI | 87% | 9% | 5% | 200 |
| IL | 92% | 7% | 1% | 235 |
| IN | 86% | 9% | 4% | 259 |
| KS | 93% | 5% | 1% | 287 |
| KY | 84% | 16% | 1% | 298 |
| LA | 93% | 6% | 1% | 212 |
| MA | 78% | 15% | 7% | 332 |
| MD | 88% | 8% | 3% | 297 |
| ME | 83% | 13% | 4% | 269 |
| MEORC | 94% | 5% | 1% | 327 |
| MN | 90% | 8% | 2% | 222 |
| MO | 88% | 10% | 2% | 291 |
| NC | 87% | 8% | 4% | 270 |
| NJ | 79% | 15% | 5% | 189 |
| NY | 84% | 11% | 5% | 278 |
| OH | 84% | 6% | 10% | 349 |
| OK | 89% | 5% | 5% | 525 |
| PA | 89% | 9% | 3% | 379 |
| SC | 97% | 2% | 1% | 313 |
| TN | 94% | 5% | 1% | 237 |
| UT | 87% | 9% | 4% | 278 |
| VA | 87% | 9% | 5% | 462 |
| MS* | 88% | 9% | 3% | 247 |
| NM* | 86% | 13% | 1% | 330 |
| NCI Average | 88% | 9% | 3% | 9,245 |

*MS and NM data are not included in NCI Average.

Table B57. If you call and leave a message, does your case manager/service coordinator take a long time to call you back, or does s/he call back right away?

| State | Calls back right away | In-between | Takes a long time to call back | N |
|--------------------|-----------------------|------------|--------------------------------|--------------|
| AL | 89% | 9% | 1% | 224 |
| AR | 82% | 9% | 8% | 159 |
| AZ | 96% | 3% | 2% | 360 |
| CO | 78% | 19% | 3% | 231 |
| CT | 74% | 20% | 5% | 196 |
| DC | 64% | 20% | 16% | 139 |
| FL | 86% | 10% | 3% | 642 |
| GA | 63% | 31% | 6% | 122 |
| HI | 90% | 3% | 7% | 143 |
| IL | 80% | 16% | 4% | 173 |
| IN | 84% | 12% | 4% | 219 |
| KS | 80% | 19% | 1% | 214 |
| KY | 76% | 18% | 6% | 290 |
| LA | 83% | 17% | 1% | 166 |
| MA | 65% | 19% | 16% | 215 |
| MD | 75% | 14% | 11% | 262 |
| ME | 55% | 28% | 18% | 165 |
| MEORC | 66% | 24% | 10% | 226 |
| MN | 71% | 19% | 10% | 181 |
| MO | 86% | 12% | 2% | 188 |
| NC | 79% | 16% | 5% | 154 |
| NJ | 51% | 41% | 8% | 49 |
| NY | 82% | 11% | 8% | 223 |
| OH | 42% | 28% | 30% | 183 |
| OK | 70% | 16% | 15% | 364 |
| PA | 83% | 12% | 6% | 242 |
| SC | 95% | 3% | 2% | 294 |
| TN | 80% | 18% | 2% | 214 |
| UT | 71% | 16% | 13% | 183 |
| VA | 71% | 21% | 8% | 358 |
| MS* | 88% | 7% | 5% | 187 |
| NM* | 59% | 30% | 10% | 230 |
| NCI Average | 75% | 17% | 8% | 6,779 |

*MS and NM data are not included in NCI Average.

Table B58. Do your staff come when they are supposed to?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|--------------|
| AL | 97% | 2% | 1% | 315 |
| AR | 95% | 5% | 0% | 226 |
| AZ | 97% | 2% | 0% | 267 |
| CO | 91% | 4% | 5% | 292 |
| CT | 96% | 2% | 1% | 226 |
| DC | 95% | 4% | 1% | 166 |
| FL | 94% | 5% | 1% | 830 |
| GA | 97% | 3% | 0% | 281 |
| HI | 97% | 2% | 1% | 234 |
| IL | 98% | 1% | 1% | 216 |
| IN | 93% | 4% | 3% | 261 |
| KS | 93% | 5% | 2% | 293 |
| KY | 91% | 8% | 2% | 274 |
| LA | 94% | 3% | 3% | 236 |
| MA | 93% | 4% | 2% | 361 |
| MD | 96% | 3% | 1% | 267 |
| ME | 83% | 13% | 3% | 223 |
| MEORC | 96% | 3% | 2% | 328 |
| MN | 96% | 3% | 1% | 223 |
| MO | 93% | 5% | 3% | 274 |
| NC | 94% | 3% | 3% | 384 |
| NJ | 94% | 5% | 1% | 206 |
| NY | 93% | 5% | 2% | 259 |
| OH | 94% | 3% | 3% | 323 |
| OK | 92% | 4% | 4% | 532 |
| PA | 96% | 3% | 1% | 292 |
| SC | 96% | 3% | 1% | 315 |
| TN | 98% | 1% | 1% | 273 |
| UT | 90% | 7% | 3% | 276 |
| VA | 95% | 3% | 2% | 460 |
| MS* | 95% | 4% | 1% | 392 |
| NM* | 79% | 17% | 4% | 365 |
| NCI Average | 94% | 4% | 2% | 9,113 |

*MS and NM data are not included in NCI Average.

Table B59. If you have problems with your staff, do you get the help you want to fix these problems?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|--------------|
| AL | 97% | 1% | 1% | 270 |
| AR | 89% | 10% | 1% | 202 |
| AZ | 97% | 2% | 1% | 253 |
| CO | 93% | 4% | 3% | 276 |
| CT | 95% | 3% | 2% | 204 |
| DC | 91% | 5% | 5% | 150 |
| FL | 94% | 4% | 2% | 655 |
| GA | 94% | 4% | 3% | 238 |
| HI | 95% | 3% | 3% | 221 |
| IL | 89% | 6% | 5% | 190 |
| IN | 91% | 6% | 3% | 232 |
| KS | 92% | 5% | 3% | 265 |
| KY | 95% | 3% | 2% | 266 |
| LA | 92% | 5% | 3% | 215 |
| MA | 88% | 7% | 4% | 325 |
| MD | 92% | 3% | 5% | 252 |
| ME | 88% | 7% | 5% | 261 |
| MEORC | 87% | 10% | 3% | 270 |
| MN | 92% | 4% | 4% | 183 |
| MO | 92% | 3% | 5% | 250 |
| NC | 88% | 6% | 5% | 282 |
| NJ | 90% | 6% | 4% | 187 |
| NY | 93% | 4% | 3% | 226 |
| OH | 95% | 3% | 3% | 312 |
| OK | 88% | 6% | 6% | 442 |
| PA | 93% | 4% | 3% | 246 |
| SC | 95% | 2% | 3% | 306 |
| TN | 97% | 2% | 2% | 265 |
| UT | 93% | 4% | 3% | 257 |
| VA | 88% | 8% | 4% | 423 |
| MS* | 91% | 5% | 4% | 376 |
| NM* | 90% | 7% | 3% | 349 |
| NCI Average | 92% | 5% | 3% | 8,124 |

*MS and NM data are not included in NCI Average.

Table B60. Did you help make your service plan?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|--------------|
| AL | 83% | 15% | 2% | 315 |
| AR | 86% | 11% | 3% | 217 |
| AZ | 87% | 9% | 4% | 374 |
| CO | 92% | 4% | 4% | 297 |
| CT | 87% | 8% | 5% | 215 |
| DC | 79% | 11% | 11% | 152 |
| FL | 88% | 11% | 1% | 864 |
| GA | 88% | 10% | 2% | 280 |
| HI | 81% | 9% | 10% | 204 |
| IL | 91% | 6% | 3% | 220 |
| IN | 84% | 12% | 4% | 281 |
| KS | 92% | 7% | 1% | 274 |
| KY | 84% | 14% | 2% | 290 |
| LA | 87% | 8% | 5% | 217 |
| MA | 86% | 9% | 5% | 369 |
| MD | 86% | 8% | 6% | 303 |
| ME | 88% | 9% | 3% | 258 |
| MEORC | 96% | 3% | 1% | 339 |
| MN | 74% | 11% | 16% | 193 |
| MO | 93% | 5% | 2% | 289 |
| NC | 89% | 7% | 5% | 331 |
| NJ | 86% | 10% | 4% | 212 |
| NY | 86% | 9% | 5% | 273 |
| OH | 79% | 5% | 16% | 307 |
| OK | 83% | 5% | 12% | 499 |
| PA | 84% | 11% | 5% | 348 |
| SC | 99% | 1% | 0% | 301 |
| TN | 86% | 5% | 9% | 279 |
| UT | 91% | 6% | 3% | 250 |
| VA | 88% | 9% | 3% | 441 |
| MS* | 40% | 45% | 15% | 182 |
| NM* | 86% | 12% | 2% | 340 |
| NCI Average | 87% | 8% | 5% | 9,192 |

*MS and NM data are not included in NCI Average.

Access Un-Collapsed

Table B61. Do you get the services you need?

| State | Yes | Sometimes, or doesn't get enough of the services needed | No | N |
|--------------------|------------|---------------------------------------------------------|-----------|---------------|
| AL | 74% | 23% | 3% | 392 |
| AR | 90% | 4% | 6% | 381 |
| AZ | 81% | 7% | 12% | 453 |
| CO | 72% | 14% | 14% | 392 |
| CT | 83% | 12% | 5% | 367 |
| DC | 80% | 16% | 4% | 292 |
| FL | 66% | 13% | 21% | 1,430 |
| GA | 83% | 7% | 10% | 428 |
| HI | 85% | 11% | 4% | 392 |
| IL | 93% | 4% | 2% | 324 |
| IN | 77% | 11% | 12% | 398 |
| KS | 93% | 5% | 2% | 384 |
| KY | 90% | 5% | 6% | 444 |
| LA | 79% | 13% | 8% | 429 |
| MA | 81% | 10% | 8% | 506 |
| MD | 86% | 9% | 5% | 399 |
| ME | 37% | 55% | 8% | 388 |
| MEORC | 93% | 4% | 3% | 415 |
| MN | 90% | 7% | 3% | 384 |
| MO | 92% | 3% | 4% | 500 |
| NC | 73% | 16% | 11% | 740 |
| NJ | 86% | 9% | 4% | 406 |
| NY | 83% | 11% | 7% | 423 |
| OH | 84% | 10% | 5% | 404 |
| OK | 93% | 3% | 4% | 978 |
| PA | 83% | 11% | 6% | 661 |
| SC | 82% | 17% | 1% | 386 |
| TN | 93% | 4% | 4% | 391 |
| UT | 86% | 10% | 4% | 405 |
| VA | 76% | 13% | 11% | 880 |
| MS* | 93% | 5% | 3% | 405 |
| NM* | 85% | 9% | 6% | 393 |
| NCI Average | 82% | 11% | 7% | 14,772 |

*MS and NM data are not included in NCI Average.

Table B62. When you want to go somewhere, do you always have a way to get there?

| State | Yes, almost always | Sometimes | No, almost never | N |
|--------------------|--------------------|------------|------------------|---------------|
| AL | 76% | 23% | 1% | 320 |
| AR | 88% | 11% | 0% | 236 |
| AZ | 64% | 36% | 1% | 400 |
| CO | 80% | 19% | 2% | 310 |
| CT | 86% | 12% | 3% | 260 |
| DC | 79% | 17% | 4% | 182 |
| FL | 81% | 17% | 2% | 931 |
| GA | 75% | 24% | 1% | 285 |
| HI | 95% | 4% | 1% | 237 |
| IL | 89% | 9% | 2% | 245 |
| IN | 87% | 11% | 2% | 312 |
| KS | 88% | 12% | 1% | 304 |
| KY | 90% | 10% | 1% | 300 |
| LA | 85% | 12% | 3% | 264 |
| MA | 84% | 15% | 1% | 380 |
| MD | 90% | 7% | 3% | 317 |
| ME | 67% | 30% | 3% | 287 |
| MEORC | 88% | 11% | 1% | 356 |
| MN | 84% | 14% | 2% | 244 |
| MO | 87% | 11% | 2% | 308 |
| NC | 84% | 15% | 1% | 412 |
| NJ | 72% | 24% | 4% | 225 |
| NY | 74% | 22% | 4% | 297 |
| OH | 88% | 7% | 5% | 356 |
| OK | 91% | 6% | 3% | 546 |
| PA | 91% | 8% | 1% | 450 |
| SC | 87% | 7% | 6% | 314 |
| TN | 97% | 3% | n/a | 288 |
| UT | 82% | 14% | 4% | 278 |
| VA | 87% | 10% | 3% | 497 |
| MS* | 78% | 20% | 2% | 411 |
| NM* | 89% | 11% | n/a | 380 |
| NCI Average | 84% | 14% | 2% | 10,141 |

*MS and NM data are not included in NCI Average.

Table B63. How do you usually get to places you need to go?

| State | Transports self | Family or friends | Staff in staff's car | Staff in provider van or vehicle | Public transportation | Specialized transportation | Taxi service |
|--------------------|-----------------|-------------------|----------------------|----------------------------------|-----------------------|----------------------------|--------------|
| AL | 6% | 48% | 7% | 68% | 9% | 6% | 0% |
| AR | 42% | 53% | 76% | 52% | 10% | 5% | 4% |
| AZ | 2% | 68% | 15% | 28% | 4% | 8% | 1% |
| CO | 25% | 52% | 68% | 48% | 21% | 24% | 3% |
| CT | 19% | 44% | 37% | 63% | 12% | 3% | 4% |
| DC | 24% | 18% | 18% | 63% | 31% | 19% | 4% |
| FL | 19% | 54% | 39% | 32% | 13% | 15% | 1% |
| GA | 13% | 59% | 46% | 75% | 8% | 5% | 1% |
| HI | 25% | 54% | 38% | 39% | 15% | 39% | 2% |
| IL | 16% | 46% | 25% | 63% | 19% | 12% | 4% |
| IN | 22% | 64% | 57% | 18% | 14% | 6% | 2% |
| KS | 22% | 44% | 29% | 62% | 15% | 3% | 3% |
| KY | 2% | 59% | 65% | 60% | 12% | 13% | 2% |
| LA | 11% | 57% | 40% | 53% | 4% | 4% | 1% |
| MA | 25% | 44% | 54% | 70% | 19% | 17% | 7% |
| MD | 17% | 47% | 43% | 58% | 23% | 15% | 6% |
| ME | 45% | 53% | 60% | 58% | 13% | 35% | 10% |
| MEORC | 15% | 49% | 46% | 37% | 12% | 3% | 2% |
| MN | 22% | 55% | 39% | 51% | 25% | 16% | 2% |
| MO | 19% | 26% | 47% | 50% | 7% | 4% | 2% |
| NC | 20% | 61% | 56% | 42% | 10% | 13% | 4% |
| NJ | 6% | 29% | 8% | 67% | 8% | 15% | 0% |
| NY | 26% | 47% | 20% | 58% | 22% | 27% | 7% |
| OH | 8% | 36% | 31% | 25% | 12% | 23% | 2% |
| OK | 7% | 8% | 63% | 31% | 2% | 1% | 0% |
| PA | 21% | 53% | 26% | 30% | 15% | 12% | 2% |
| SC | 10% | 64% | 7% | 77% | 4% | 1% | 1% |
| TN | 3% | 30% | 22% | 71% | 3% | 2% | 0% |
| UT | 34% | 59% | 58% | 51% | 24% | 13% | 0% |
| VA | 7% | 46% | 31% | 56% | 6% | 31% | 5% |
| MS* | 4% | 48% | 9% | 68% | 1% | 0% | 0% |
| NM* | 22% | 57% | 64% | 46% | 13% | 12% | 0% |
| NCI Average | 18% | 48% | 39% | 52% | 13% | 13% | 3% |

*MS and NM data are not included in NCI Average.

Table B64. Do you feel your support staff have the right training to meet your needs?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|---------------|
| AL | 98% | 1% | 1% | 327 |
| AR | 94% | 3% | 2% | 327 |
| AZ | 96% | 3% | 2% | 384 |
| CO | 82% | 10% | 8% | 367 |
| CT | 93% | 4% | 2% | 329 |
| DC | 94% | 3% | 3% | 254 |
| FL | 94% | 5% | 1% | 1,281 |
| GA | 94% | 4% | 2% | 311 |
| HI | 92% | 5% | 4% | 331 |
| IL | 98% | 1% | 1% | 291 |
| IN | 90% | 6% | 4% | 354 |
| KS | 92% | 7% | 1% | 340 |
| KY | 93% | 4% | 3% | 304 |
| LA | 92% | 4% | 4% | 321 |
| MA | 90% | 7% | 3% | 474 |
| MD | 94% | 3% | 3% | 377 |
| ME | 80% | 13% | 7% | 318 |
| MEORC | 96% | 3% | 1% | 392 |
| MN | 93% | 4% | 3% | 367 |
| MO | 93% | 5% | 1% | 337 |
| NC | 93% | 5% | 2% | 649 |
| NJ | 94% | 4% | 2% | 323 |
| NY | 91% | 5% | 4% | 385 |
| OH | 93% | 5% | 2% | 373 |
| OK | 94% | 2% | 4% | 548 |
| PA | 95% | 4% | 1% | 463 |
| SC | 96% | 2% | 2% | 381 |
| TN | 96% | 3% | 2% | 305 |
| UT | 93% | 5% | 2% | 360 |
| VA | 91% | 5% | 3% | 744 |
| MS* | 95% | 4% | 2% | 398 |
| NM* | 92% | 7% | 2% | 373 |
| NCI Average | 93% | 4% | 3% | 12,317 |

*MS and NM data are not included in NCI Average.

Health Un-Collapsed

Table B65. Does this person have a primary care doctor?

| State | Yes | No | N |
|--------------------|------------|-----------|---------------|
| AL | 99% | 1% | 395 |
| AR | 100% | 0% | 393 |
| AZ | 98% | 2% | 464 |
| CO | 98% | 2% | 394 |
| CT | 98% | 2% | 398 |
| DC | 98% | 2% | 138 |
| FL | 97% | 3% | 1,484 |
| GA | 98% | 2% | 472 |
| HI | 100% | 0% | 407 |
| IL | 99% | 1% | 346 |
| IN | 99% | 1% | 421 |
| KS | 99% | 1% | 415 |
| KY | 97% | 3% | 437 |
| LA | 99% | 1% | 442 |
| MA | 99% | 1% | 525 |
| MD | 98% | 2% | 383 |
| ME | 99% | 1% | 383 |
| MEORC | 98% | 2% | 437 |
| MO | 97% | 3% | 507 |
| NC | 99% | 1% | 717 |
| NJ | 99% | 1% | 448 |
| NY | 99% | 1% | 432 |
| OH | 96% | 4% | 416 |
| OK | 99% | 1% | 984 |
| PA | 98% | 2% | 636 |
| SC | 99% | 1% | 386 |
| TN | 99% | 1% | 398 |
| UT | 98% | 2% | 406 |
| VA | 99% | 1% | 838 |
| MN | n/a | n/a | n/a |
| MS* | 95% | 5% | 399 |
| NM* | 99% | 2% | 400 |
| NCI Average | 95% | 5% | 14,504 |

*MS and NM data are not included in NCI Average.

*MN was not included in the calculation of the NCI average in the main body of this report for this variable

Table B66. Overall, how would you describe this person’s health?

| State | Excellent | Very good | Fairly good | Poor | N |
|--------------------|------------|------------|-------------|-----------|---------------|
| AL | 17% | 50% | 32% | 1% | 399 |
| AR | 6% | 36% | 51% | 8% | 396 |
| AZ | 14% | 50% | 32% | 4% | 458 |
| CO | 14% | 44% | 39% | 3% | 396 |
| CT | 12% | 43% | 39% | 6% | 399 |
| DC | 9% | 50% | 38% | 3% | 245 |
| FL | 15% | 42% | 38% | 5% | 1,485 |
| GA | 18% | 51% | 30% | 2% | 473 |
| HI | 4% | 29% | 63% | 3% | 405 |
| IL | 16% | 46% | 36% | 2% | 352 |
| IN | 12% | 53% | 31% | 4% | 422 |
| KS | 6% | 37% | 48% | 9% | 402 |
| KY | 9% | 43% | 41% | 8% | 440 |
| LA | 8% | 40% | 47% | 5% | 440 |
| MA | 21% | 52% | 24% | 3% | 527 |
| MD | 13% | 47% | 35% | 5% | 370 |
| ME | 11% | 41% | 43% | 5% | 386 |
| MEORC | 14% | 45% | 36% | 4% | 436 |
| MN | 86% | 0% | 3% | 10% | 406 |
| MO | 13% | 49% | 34% | 4% | 508 |
| NC | 12% | 38% | 43% | 7% | 719 |
| NJ | 4% | 36% | 56% | 3% | 450 |
| NY | 12% | 45% | 40% | 3% | 434 |
| OH | 17% | 50% | 29% | 4% | 416 |
| OK | 14% | 46% | 36% | 4% | 984 |
| PA | 16% | 45% | 35% | 5% | 640 |
| SC | 8% | 54% | 36% | 2% | 394 |
| TN | 8% | 38% | 50% | 5% | 399 |
| UT | 9% | 45% | 40% | 5% | 411 |
| VA | 9% | 41% | 44% | 6% | 843 |
| MS* | 11% | 56% | 31% | 2% | 438 |
| NM* | 14% | 42% | 41% | 4% | 397 |
| NCI Average | 14% | 43% | 38% | 5% | 14,629 |

*MS and NM data are not included in NCI Average.

*MN was not included in the calculation of the NCI average in the main body of this report for this variable

Table B67. When was his/her last complete annual physical exam?

| State | In the past year (anytime less than 12 months ago) | One year ago or more | N |
|--------------------|----------------------------------------------------------|----------------------|---------------|
| AL | 90% | 10% | 393 |
| AR | 96% | 4% | 390 |
| AZ | 82% | 18% | 348 |
| CO | 88% | 12% | 391 |
| CT | 93% | 7% | 377 |
| DC | 84% | 16% | 136 |
| FL | 93% | 7% | 1,473 |
| GA | 86% | 14% | 452 |
| HI | 85% | 15% | 399 |
| IL | 87% | 13% | 326 |
| IN | 91% | 9% | 412 |
| KS | 75% | 25% | 394 |
| KY | 90% | 10% | 399 |
| LA | 95% | 5% | 438 |
| MA | 94% | 6% | 514 |
| MD | 85% | 15% | 346 |
| ME | 93% | 7% | 386 |
| MEORC | 79% | 21% | 384 |
| MN | 62% | 38% | 343 |
| MO | 94% | 6% | 502 |
| NC | 93% | 7% | 682 |
| NJ | 94% | 6% | 439 |
| NY | 91% | 9% | 417 |
| OH | 85% | 15% | 414 |
| OK | 98% | 2% | 984 |
| PA | 93% | 7% | 603 |
| SC | 87% | 13% | 281 |
| TN | 93% | 7% | 395 |
| UT | 90% | 10% | 368 |
| VA | 86% | 14% | 808 |
| MS* | 74% | 26% | 335 |
| NM* | 98% | 2% | 398 |
| NCI Average | 88% | 12% | 14,194 |

*MS and NM data are not included in NCI Average.

Table B68. When was his/her last dentist visit?

| State | Within the last six months (anytime less than 6 months ago) | Within the past year (6 months but less than 12 months ago) | One year ago or more | N |
|--------------------|-------------------------------------------------------------|-------------------------------------------------------------|----------------------|---------------|
| AL | 51% | 27% | 22% | 351 |
| AR | 50% | 35% | 16% | 320 |
| AZ | 37% | 32% | 30% | 309 |
| CO | 54% | 34% | 12% | 394 |
| CT | 52% | 38% | 10% | 362 |
| DC | 58% | 29% | 14% | 118 |
| FL | 43% | 28% | 29% | 1,439 |
| GA | 35% | 37% | 29% | 398 |
| HI | 25% | 32% | 43% | 350 |
| IL | 46% | 33% | 21% | 306 |
| IN | 54% | 28% | 18% | 410 |
| KS | 44% | 24% | 32% | 328 |
| KY | 41% | 44% | 16% | 328 |
| LA | 43% | 35% | 22% | 387 |
| MA | 56% | 35% | 10% | 504 |
| MD | 42% | 35% | 23% | 319 |
| ME | 42% | 34% | 24% | 354 |
| MEORC | 24% | 47% | 29% | 345 |
| MN | 50% | 22% | 28% | 361 |
| MO | 48% | 36% | 15% | 492 |
| NC | 56% | 27% | 16% | 651 |
| NJ | 35% | 54% | 11% | 378 |
| NY | 58% | 28% | 14% | 382 |
| OH | 33% | 40% | 27% | 412 |
| OK | 61% | 25% | 14% | 961 |
| PA | 53% | 33% | 14% | 527 |
| SC | 58% | 25% | 17% | 253 |
| TN | 57% | 33% | 10% | 378 |
| UT | 43% | 34% | 23% | 325 |
| VA | 42% | 28% | 30% | 714 |
| MS* | 38% | 27% | 35% | 215 |
| NM* | 58% | 38% | 4% | 385 |
| NCI Average | 46% | 33% | 21% | 13,156 |

*MS and NM data are not included in NCI Average.

Table B69. When was the last time this person had an eye examination/vision screening?

| State | Within the past year | Within the past 2 years | Within the past 3 years | Within the past 5 years | 5 or more years ago | Has never had one | N |
|--------------------|----------------------|-------------------------|-------------------------|-------------------------|---------------------|-------------------|---------------|
| AL | 48% | 32% | 11% | 6% | 3% | 1% | 320 |
| AR | 67% | 20% | 6% | 2% | 5% | 1% | 299 |
| AZ | 54% | 25% | 8% | 7% | 5% | 1% | 260 |
| CO | 61% | 25% | 5% | 4% | 3% | 2% | 374 |
| CT | 55% | 35% | 3% | 2% | 4% | 2% | 297 |
| DC | 65% | 26% | 10% | 0% | 0% | 0% | 105 |
| FL | 55% | 19% | 6% | 5% | 9% | 5% | 1,389 |
| GA | 60% | 16% | 4% | 7% | 6% | 7% | 309 |
| HI | 62% | 26% | 3% | 2% | 4% | 3% | 366 |
| IL | 73% | 19% | 4% | 1% | 2% | 1% | 277 |
| IN | 51% | 30% | 5% | 3% | 6% | 4% | 383 |
| KS | 53% | 25% | 6% | 6% | 7% | 2% | 320 |
| KY | 76% | 16% | 3% | 2% | 2% | 1% | 309 |
| LA | 70% | 13% | 6% | 2% | 7% | 2% | 363 |
| MA | 59% | 30% | 4% | 2% | 3% | 3% | 474 |
| MD | 49% | 38% | 5% | 2% | 6% | 1% | 259 |
| ME | 44% | 30% | 18% | 6% | 2% | 1% | 362 |
| MEORC | 40% | 41% | 9% | 4% | 4% | 2% | 314 |
| MN | 58% | 22% | 9% | 5% | 6% | 0% | 308 |
| MO | 72% | 23% | 3% | 1% | 1% | 1% | 499 |
| NC | 46% | 25% | 10% | 4% | 11% | 4% | 566 |
| NJ | 58% | 28% | 2% | 6% | 3% | 2% | 253 |
| NY | 67% | 24% | 3% | 2% | 4% | 1% | 367 |
| OH | 44% | 35% | 8% | 4% | 6% | 3% | 412 |
| OK | 69% | 14% | 3% | 2% | 7% | 5% | 888 |
| PA | 69% | 25% | 3% | 1% | 2% | 0% | 483 |
| SC | 72% | 15% | 4% | 2% | 3% | 3% | 235 |
| TN | 76% | 17% | 3% | 3% | 1% | 1% | 360 |
| UT | 52% | 21% | 6% | 9% | 8% | 4% | 238 |
| VA | 47% | 26% | 8% | 3% | 10% | 7% | 532 |
| MS* | 58% | 29% | 5% | 3% | 5% | 2% | 200 |
| NM* | 42% | 49% | 8% | 0% | 0% | 1% | 361 |
| NCI Average | 59% | 25% | 6% | 3% | 5% | 2% | 11,921 |

*MS and NM data are not included in NCI Average.

Table B70. When was the last time this person had a hearing test?

| State | Within the past 5 years (anytime less than 5 years ago) | 5 years ago or more | Has never had a hearing test | N |
|--------------------|---------------------------------------------------------|---------------------|------------------------------|--------------|
| AL | 63% | 16% | 21% | 157 |
| AR | 73% | 22% | 5% | 214 |
| AZ | 77% | 20% | 3% | 193 |
| CO | 49% | 32% | 20% | 368 |
| CT | 75% | 17% | 8% | 205 |
| DC | 92% | 5% | 3% | 101 |
| FL | 41% | 40% | 19% | 1,177 |
| GA | 59% | 18% | 23% | 233 |
| HI | 89% | 8% | 3% | 325 |
| IL | 78% | 18% | 4% | 192 |
| IN | 43% | 36% | 20% | 313 |
| KS | 50% | 35% | 15% | 198 |
| KY | 79% | 13% | 8% | 196 |
| LA | 70% | 20% | 11% | 316 |
| MA | 66% | 18% | 16% | 391 |
| MD | 70% | 27% | 3% | 147 |
| ME | 44% | 35% | 21% | 223 |
| MEORC | 58% | 28% | 14% | 180 |
| MN | 75% | 25% | 1% | 175 |
| MO | 61% | 13% | 26% | 382 |
| NC | 48% | 35% | 17% | 417 |
| NJ | 75% | 13% | 13% | 120 |
| NY | 75% | 17% | 8% | 347 |
| OH | 42% | 36% | 23% | 405 |
| OK | 46% | 20% | 34% | 715 |
| PA | 87% | 9% | 4% | 321 |
| SC | 57% | 23% | 20% | 118 |
| TN | 93% | 4% | 3% | 322 |
| UT | 52% | 30% | 18% | 177 |
| VA | 58% | 24% | 18% | 391 |
| MS* | 79% | 14% | 7% | 132 |
| NM* | 91% | 6% | 3% | 313 |
| NCI Average | 65% | 22% | 13% | 9,019 |

*MS and NM data are not included in NCI Average.

Table B71. If female, when was her last Pap test screening?

| State | Less than 12 months ago | Within the past 2 years | Within the 3 years | Within the past 5 years | 5 or more years ago | Has never had one | N |
|--------------------|-------------------------|-------------------------|--------------------|-------------------------|---------------------|-------------------|--------------|
| AL | 49% | 18% | 8% | 6% | 7% | 11% | 142 |
| AR | 55% | 20% | 8% | 3% | 4% | 11% | 111 |
| AZ | 24% | 17% | 6% | 4% | 8% | 42% | 84 |
| CO | 18% | 16% | 8% | 16% | 16% | 26% | 153 |
| CT | 45% | 25% | 7% | 4% | 7% | 12% | 121 |
| DC | 63% | 28% | 3% | 3% | 3% | 0% | 32 |
| FL | 41% | 12% | 5% | 4% | 7% | 31% | 554 |
| GA | 59% | 16% | 8% | 5% | 2% | 11% | 104 |
| HI | 30% | 34% | 5% | 4% | 4% | 24% | 105 |
| IL | 44% | 15% | 5% | 4% | 12% | 21% | 78 |
| IN | 39% | 8% | 2% | 3% | 5% | 43% | 145 |
| KS | 39% | 16% | 7% | 5% | 10% | 22% | 116 |
| KY | 59% | 13% | 8% | 0% | 5% | 16% | 103 |
| LA | 56% | 17% | 4% | 5% | 5% | 15% | 133 |
| MA | 35% | 22% | 9% | 5% | 9% | 20% | 209 |
| MD | 35% | 30% | 16% | 5% | 4% | 9% | 79 |
| ME | 24% | 17% | 11% | 10% | 16% | 23% | 126 |
| MEORC | 38% | 23% | 13% | 7% | 7% | 11% | 122 |
| MN | 23% | 18% | 15% | 22% | 23% | 0% | 79 |
| MO | 42% | 20% | 8% | 5% | 11% | 13% | 172 |
| NC | 35% | 12% | 6% | 7% | 12% | 29% | 213 |
| NJ | 29% | 24% | 5% | 5% | 7% | 29% | 55 |
| NY | 45% | 17% | 7% | 7% | 6% | 19% | 150 |
| OH | 32% | 22% | 10% | 5% | 9% | 22% | 184 |
| OK | 36% | 16% | 7% | 6% | 10% | 25% | 345 |
| PA | 54% | 20% | 7% | 4% | 4% | 11% | 157 |
| SC | 45% | 24% | 12% | 9% | 4% | 5% | 75 |
| TN | 48% | 18% | 7% | 6% | 7% | 13% | 110 |
| UT | 35% | 16% | 6% | 6% | 6% | 30% | 97 |
| VA | 36% | 20% | 5% | 6% | 14% | 20% | 222 |
| MS* | 49% | 26% | 14% | 2% | 5% | 3% | 93 |
| NM* | 16% | 16% | 11% | 11% | 12% | 34% | 116 |
| NCI Average | 40% | 19% | 8% | 6% | 8% | 19% | 4,376 |

*MS and NM data are not included in NCI Average.

Table B72. If female, when was her last mammogram?

| State | Less than 12 months ago | Within the past 2 years | Within the 3 years | Within the past 5 years | 5 or more years ago | Has never had one | N |
|--------------------|-------------------------|-------------------------|--------------------|-------------------------|---------------------|-------------------|--------------|
| AL | 59% | 20% | 5% | 2% | 3% | 10% | 96 |
| AR | 70% | 19% | 0% | 0% | 1% | 10% | 70 |
| AZ | 38% | 28% | 6% | 6% | 0% | 22% | 32 |
| CO | 35% | 23% | 8% | 12% | 6% | 17% | 101 |
| CT | 54% | 22% | 8% | 3% | 2% | 10% | 90 |
| DC | 75% | 13% | 8% | 0% | 0% | 4% | 24 |
| FL | 58% | 15% | 4% | 1% | 4% | 18% | 267 |
| GA | 58% | 19% | 3% | 3% | 0% | 17% | 59 |
| HI | 43% | 25% | 7% | 4% | 9% | 13% | 56 |
| IL | 67% | 18% | 4% | 6% | 2% | 4% | 51 |
| IN | 64% | 8% | 4% | 6% | 2% | 16% | 50 |
| KS | 51% | 13% | 5% | 13% | 3% | 16% | 63 |
| KY | 54% | 29% | 7% | 0% | 2% | 9% | 56 |
| LA | 70% | 12% | 1% | 2% | 2% | 12% | 83 |
| MA | 63% | 22% | 3% | 1% | 3% | 8% | 139 |
| MD | 52% | 30% | 7% | 6% | 0% | 6% | 54 |
| ME | 47% | 15% | 6% | 7% | 9% | 16% | 81 |
| MEORC | 46% | 33% | 8% | 5% | 5% | 4% | 79 |
| MN | 71% | 15% | 5% | 5% | 5% | 0% | 62 |
| MO | 58% | 18% | 7% | 2% | 3% | 13% | 133 |
| NC | 57% | 8% | 7% | 4% | 9% | 15% | 117 |
| NJ | 38% | 16% | 5% | 3% | 11% | 27% | 37 |
| NY | 62% | 21% | 2% | 4% | 7% | 4% | 100 |
| OH | 38% | 26% | 5% | 4% | 6% | 20% | 99 |
| OK | 58% | 12% | 3% | 2% | 3% | 23% | 288 |
| PA | 68% | 19% | 0% | 4% | 4% | 5% | 114 |
| SC | 57% | 33% | 4% | 0% | 2% | 4% | 46 |
| TN | 66% | 14% | 4% | 3% | 4% | 10% | 80 |
| UT | 54% | 20% | 2% | 2% | 0% | 22% | 46 |
| VA | 50% | 21% | 4% | 3% | 4% | 18% | 151 |
| MS* | 66% | 21% | 11% | 0% | 3% | 0% | 38 |
| NM* | 45% | 14% | 2% | 5% | 3% | 31% | 58 |
| NCI Average | 56% | 19% | 5% | 4% | 4% | 12% | 2,724 |

*MS and NM data are not included in NCI Average.

Table B73. When was this person’s last colorectal cancer screening (individuals 50 and over)?

| State | Less than 12 months ago | Within the past 2 years | Within the 3 years | Within the past 5 years | 5 or more years ago | Has never had one | N |
|--------------------|-------------------------|-------------------------|--------------------|-------------------------|---------------------|-------------------|--------------|
| AL | 24% | 19% | 2% | 13% | 17% | 26% | 102 |
| AR | 17% | 10% | 10% | 14% | 14% | 33% | 69 |
| AZ | 30% | 20% | 10% | 10% | 5% | 25% | 20 |
| CO | 9% | 9% | 5% | 9% | 7% | 61% | 124 |
| CT | 15% | 17% | 11% | 28% | 16% | 14% | 127 |
| DC | 24% | 34% | 3% | 21% | 14% | 3% | 29 |
| FL | 18% | 12% | 7% | 9% | 5% | 48% | 330 |
| GA | 29% | 5% | 11% | 2% | 5% | 50% | 66 |
| HI | 0% | 2% | 5% | 5% | 2% | 86% | 58 |
| IL | 26% | 13% | 8% | 10% | 10% | 34% | 62 |
| IN | 18% | 10% | 4% | 10% | 9% | 48% | 67 |
| KS | 18% | 13% | 9% | 8% | 10% | 43% | 93 |
| KY | 24% | 30% | 4% | 12% | 4% | 26% | 50 |
| LA | 16% | 7% | 6% | 2% | 9% | 59% | 86 |
| MA | 16% | 16% | 9% | 13% | 15% | 30% | 181 |
| MD | 6% | 21% | 12% | 6% | 12% | 42% | 33 |
| ME | 19% | 11% | 7% | 10% | 12% | 42% | 102 |
| MEORC | 17% | 13% | 14% | 20% | 6% | 29% | 69 |
| MN | 8% | 14% | 6% | 28% | 44% | 0% | 36 |
| MO | 25% | 16% | 4% | 14% | 13% | 28% | 171 |
| NC | 22% | 16% | 10% | 14% | 11% | 27% | 145 |
| NJ | 28% | 22% | 18% | 10% | 6% | 16% | 50 |
| NY | 24% | 16% | 8% | 14% | 13% | 26% | 132 |
| OH | 17% | 13% | 6% | 10% | 8% | 46% | 136 |
| OK | 18% | 12% | 9% | 6% | 6% | 50% | 388 |
| PA | 30% | 24% | 9% | 12% | 2% | 23% | 92 |
| SC | 28% | 17% | 11% | 13% | 4% | 26% | 46 |
| TN | 24% | 16% | 14% | 8% | 6% | 32% | 95 |
| UT | 8% | 18% | 13% | 15% | 5% | 41% | 39 |
| VA | 17% | 18% | 7% | 6% | 8% | 44% | 171 |
| MS* | 7% | 13% | 3% | 13% | 10% | 53% | 30 |
| NM* | 18% | 11% | 10% | 6% | 8% | 47% | 62 |
| NCI Average | 19% | 15% | 8% | 12% | 10% | 35% | 3,169 |

*MS and NM data are not included in NCI Average.

Table B74. During the past 12 months, has this person had a flu vaccination?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 73% | 27% | 318 |
| AR | 81% | 19% | 316 |
| AZ | 72% | 28% | 162 |
| CO | 74% | 26% | 380 |
| CT | 89% | 11% | 281 |
| DC | 85% | 15% | 75 |
| FL | 51% | 49% | 1,384 |
| GA | 71% | 29% | 375 |
| HI | 73% | 27% | 220 |
| IL | 78% | 22% | 226 |
| IN | 61% | 40% | 400 |
| KS | 78% | 22% | 336 |
| KY | 66% | 34% | 271 |
| LA | 80% | 20% | 343 |
| MA | 82% | 18% | 472 |
| MD | 86% | 14% | 190 |
| ME | 83% | 17% | 286 |
| MEORC | 80% | 20% | 219 |
| MN | 100% | 0% | 153 |
| MO | 87% | 13% | 494 |
| NC | 75% | 25% | 580 |
| NJ | 86% | 14% | 199 |
| NY | 83% | 17% | 343 |
| OH | 64% | 36% | 407 |
| OK | 76% | 24% | 954 |
| PA | 80% | 20% | 350 |
| SC | 79% | 21% | 177 |
| TN | 87% | 13% | 265 |
| UT | 87% | 13% | 278 |
| VA | 87% | 13% | 630 |
| MS* | 67% | 33% | 251 |
| NM* | 74% | 26% | 360 |
| NCI Average | 79% | 21% | 11,084 |

*MS and NM data are not included in NCI Average.

Table B75. Has this person ever been vaccinated for pneumonia?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 41% | 59% | 318 |
| AR | 46% | 54% | 316 |
| AZ | 53% | 47% | 162 |
| CO | 26% | 74% | 380 |
| CT | 46% | 54% | 281 |
| DC | 63% | 38% | 75 |
| FL | 20% | 80% | 1,384 |
| GA | 22% | 78% | 375 |
| HI | 36% | 64% | 220 |
| IL | 43% | 57% | 226 |
| IN | 24% | 76% | 400 |
| KS | 32% | 68% | 336 |
| KY | 38% | 62% | 271 |
| LA | 38% | 62% | 343 |
| MA | 47% | 53% | 472 |
| MD | 51% | 49% | 190 |
| ME | 34% | 66% | 286 |
| MEORC | 41% | 59% | 219 |
| MN | 100% | 0% | 153 |
| MO | 55% | 45% | 494 |
| NC | 41% | 59% | 580 |
| NJ | 35% | 65% | 199 |
| NY | 45% | 55% | 343 |
| OH | 31% | 69% | 407 |
| OK | 47% | 53% | 954 |
| PA | 57% | 43% | 350 |
| SC | 33% | 67% | 177 |
| TN | 49% | 51% | 265 |
| UT | 41% | 59% | 278 |
| VA | 46% | 54% | 630 |
| MS* | 28% | 72% | 251 |
| NM* | 26% | 74% | 360 |
| NCI Average | 43% | 57% | 11,084 |

*MS and NM data are not included in NCI Average.

*MN was not included in the calculation of the NCI average in the main body of this report for this variable

Medication Un-Collapsed

Table B76. Takes medication for mood disorders, anxiety, behavior problems, psychotic disorders

| State | Mood Disorder | Anxiety | Behavior Problems | Psychotic Problems |
|--------------------|---------------|------------|-------------------|--------------------|
| AL | 36% | 20% | 25% | 20% |
| AR | 39% | 32% | 29% | 20% |
| AZ | 25% | 19% | 26% | 11% |
| CO | 45% | 30% | 27% | 17% |
| CT | 33% | 30% | 29% | 15% |
| DC | 24% | 14% | 30% | 27% |
| FL | 28% | 28% | 26% | 15% |
| GA | 28% | 24% | 29% | 25% |
| HI | 16% | 14% | 22% | 7% |
| IL | 32% | 22% | 22% | 18% |
| IN | 34% | 30% | 31% | 13% |
| KS | 51% | 33% | 33% | 22% |
| KY | 52% | 39% | 30% | 18% |
| LA | 32% | 21% | 25% | 18% |
| MA | 42% | 41% | 22% | 15% |
| MD | 31% | 23% | 26% | 17% |
| ME | 42% | 40% | 28% | 14% |
| MEORC | 42% | 28% | 15% | 14% |
| MN | n/a | n/a | n/a | n/a |
| MO | 55% | 38% | 43% | 26% |
| NC | 33% | 28% | 31% | 16% |
| NJ | 26% | 23% | 18% | 11% |
| NY | 33% | 30% | 26% | 13% |
| OH | 33% | 24% | 15% | 16% |
| OK | 56% | 44% | 35% | 30% |
| PA | 39% | 29% | 24% | 13% |
| SC | 23% | 17% | 21% | 16% |
| TN | 46% | 37% | 36% | 28% |
| UT | 51% | 42% | 37% | 11% |
| VA | 40% | 35% | 31% | 17% |
| MS* | 19% | 14% | 9% | 10% |
| NM* | 35% | 24% | 23% | 11% |
| NCI Average | 37% | 29% | 27% | 17% |

*MS and NM data are not included in NCI Average.

Wellness Un-Collapsed

Table B77. Does this person routinely engage in any moderate physical activity?

| State | Yes | No | N |
|--------------------|------------|------------|---------------|
| AL | 19% | 81% | 394 |
| AR | 22% | 78% | 385 |
| AZ | 15% | 85% | 441 |
| CO | 28% | 72% | 395 |
| CT | 12% | 88% | 388 |
| DC | 24% | 76% | 131 |
| FL | 31% | 69% | 1,452 |
| GA | 26% | 74% | 473 |
| HI | 24% | 76% | 400 |
| IL | 18% | 82% | 346 |
| IN | 31% | 69% | 413 |
| KS | 22% | 78% | 408 |
| KY | 19% | 81% | 435 |
| LA | 22% | 78% | 440 |
| MA | 29% | 71% | 522 |
| MD | 16% | 84% | 358 |
| ME | 27% | 73% | 384 |
| MEORC | 8% | 92% | 426 |
| MN | 35% | 65% | 390 |
| MO | 28% | 72% | 504 |
| NC | 26% | 74% | 714 |
| NJ | 13% | 87% | 441 |
| NY | 17% | 83% | 424 |
| OH | 22% | 78% | 417 |
| OK | 30% | 70% | 981 |
| PA | 17% | 83% | 616 |
| SC | 22% | 78% | 396 |
| TN | 18% | 82% | 388 |
| UT | 23% | 77% | 404 |
| VA | 20% | 80% | 832 |
| MS* | 32% | 68% | 433 |
| NM* | 33% | 67% | 399 |
| NCI Average | 22% | 78% | 14,698 |

*MS and NM data are not included in NCI Average.

Table B78. Person's BMI category

| State | Underweight | Normal weight | Overweight | Obese | N |
|--------------------|-------------|---------------|------------|------------|---------------|
| AL | 4% | 25% | 28% | 44% | 395 |
| AR | 7% | 34% | 28% | 31% | 363 |
| AZ | 7% | 47% | 25% | 21% | 247 |
| CO | 5% | 32% | 32% | 31% | 357 |
| CT | 4% | 36% | 33% | 27% | 260 |
| DC | 5% | 28% | 32% | 34% | 117 |
| FL | 8% | 37% | 29% | 27% | 1,306 |
| GA | 6% | 28% | 32% | 34% | 392 |
| HI | 6% | 40% | 25% | 29% | 404 |
| IL | 7% | 28% | 28% | 37% | 320 |
| IN | 6% | 37% | 24% | 34% | 413 |
| KS | 5% | 28% | 25% | 42% | 353 |
| KY | 3% | 24% | 29% | 43% | 438 |
| LA | 9% | 35% | 27% | 30% | 428 |
| MA | 5% | 32% | 29% | 34% | 514 |
| MD | 5% | 34% | 31% | 30% | 222 |
| ME | 4% | 30% | 32% | 34% | 314 |
| MEORC | 1% | 29% | 28% | 42% | 341 |
| MN | 7% | 39% | 31% | 23% | 360 |
| MO | 4% | 36% | 31% | 29% | 493 |
| NC | 9% | 36% | 26% | 29% | 619 |
| NJ | 4% | 33% | 27% | 36% | 346 |
| NY | 6% | 35% | 28% | 31% | 418 |
| OH | 5% | 28% | 31% | 35% | 408 |
| OK | 4% | 34% | 31% | 31% | 985 |
| PA | 5% | 32% | 31% | 32% | 370 |
| SC | 4% | 34% | 24% | 38% | 231 |
| TN | 5% | 29% | 28% | 37% | 337 |
| UT | 6% | 32% | 28% | 34% | 386 |
| VA | 6% | 36% | 28% | 29% | 758 |
| MS* | 3% | 28% | 32% | 36% | 354 |
| NM* | 6% | 32% | 29% | 33% | 386 |
| NCI Average | 5% | 33% | 29% | 33% | 12,895 |

*MS and NM data are not included in NCI Average.

Table B79. Does this person smoke or chew tobacco?

| State | Yes | No | N |
|--------------------|-----------|------------|---------------|
| AL | 6% | 94% | 391 |
| AR | 5% | 95% | 384 |
| AZ | 2% | 98% | 420 |
| CO | 9% | 91% | 394 |
| CT | 4% | 96% | 392 |
| DC | 6% | 94% | 109 |
| FL | 5% | 95% | 1,459 |
| GA | 7% | 93% | 469 |
| HI | 1% | 99% | 380 |
| IL | 7% | 93% | 349 |
| IN | 7% | 93% | 415 |
| KS | 11% | 89% | 407 |
| KY | 12% | 88% | 439 |
| LA | 8% | 93% | 400 |
| MA | 6% | 94% | 527 |
| MD | 5% | 95% | 350 |
| ME | 8% | 92% | 382 |
| MEORC | 11% | 89% | 414 |
| MN | 6% | 94% | 396 |
| MO | 10% | 90% | 507 |
| NC | 6% | 94% | 700 |
| NJ | 2% | 98% | 447 |
| NY | 6% | 94% | 427 |
| OH | 8% | 92% | 416 |
| OK | 9% | 91% | 985 |
| PA | 7% | 93% | 597 |
| SC | 12% | 88% | 384 |
| TN | 10% | 90% | 398 |
| UT | 6% | 94% | 407 |
| VA | 4% | 96% | 840 |
| MS* | 5% | 95% | 429 |
| NM* | 7% | 93% | 393 |
| NCI Average | 7% | 93% | 14,585 |

*MS and NM data are not included in NCI Average.

Respect and Rights Un-Collapsed

Table B80. Do people let you know before they come into your home?

| State | Yes | Sometimes | No | N |
|--------------------|------------|-----------|-----------|---------------|
| AL | 92% | 4% | 4% | 316 |
| AR | 85% | 8% | 7% | 236 |
| AZ | 96% | 2% | 2% | 394 |
| CO | 95% | 4% | 2% | 312 |
| CT | 84% | 8% | 8% | 269 |
| DC | 89% | 5% | 6% | 189 |
| FL | 90% | 6% | 4% | 920 |
| GA | 84% | 14% | 2% | 283 |
| HI | 82% | 5% | 12% | 226 |
| IL | 90% | 6% | 4% | 251 |
| IN | 91% | 6% | 3% | 313 |
| KS | 87% | 7% | 6% | 299 |
| KY | 91% | 7% | 2% | 300 |
| LA | 93% | 4% | 4% | 268 |
| MA | 87% | 7% | 6% | 376 |
| MD | 87% | 8% | 5% | 323 |
| ME | 74% | 13% | 13% | 276 |
| MEORC | 90% | 6% | 4% | 347 |
| MN | 91% | 5% | 4% | 240 |
| MO | 85% | 11% | 4% | 304 |
| NC | 84% | 7% | 8% | 363 |
| NJ | 90% | 6% | 4% | 227 |
| NY | 86% | 10% | 4% | 292 |
| OH | 91% | 2% | 7% | 358 |
| OK | 88% | 6% | 7% | 548 |
| PA | 93% | 4% | 3% | 442 |
| SC | 98% | 2% | 1% | 324 |
| TN | 96% | 1% | 3% | 291 |
| UT | 90% | 6% | 4% | 285 |
| VA | 90% | 6% | 4% | 495 |
| MS* | 94% | 3% | 3% | 409 |
| NM* | 88% | 8% | 3% | 390 |
| NCI Average | 89% | 6% | 5% | 10,067 |

*MS and NM data are not included in NCI Average.

Table B81. Do people let you know before coming into your bedroom?

| State | Yes | Sometimes | No | N |
|--------------------|------------|-----------|-----------|--------------|
| AL | 83% | 5% | 12% | 320 |
| AR | 78% | 8% | 14% | 233 |
| AZ | 95% | 2% | 3% | 393 |
| CO | 92% | 6% | 2% | 311 |
| CT | 84% | 8% | 8% | 264 |
| DC | 85% | 7% | 8% | 184 |
| FL | 88% | 7% | 5% | 892 |
| GA | 87% | 7% | 6% | 281 |
| HI | 70% | 8% | 22% | 229 |
| IL | 84% | 7% | 9% | 249 |
| IN | 86% | 9% | 5% | 300 |
| KS | 85% | 7% | 8% | 281 |
| KY | 91% | 6% | 3% | 303 |
| LA | 86% | 9% | 5% | 254 |
| MA | 83% | 10% | 7% | 366 |
| MD | 82% | 7% | 12% | 315 |
| ME | 74% | 16% | 9% | 256 |
| MEORC | 69% | 5% | 25% | 330 |
| MN | 83% | 7% | 10% | 226 |
| MO | 81% | 12% | 7% | 289 |
| NC | 82% | 9% | 9% | 396 |
| NJ | 77% | 11% | 12% | 222 |
| NY | 82% | 12% | 6% | 287 |
| OH | 80% | 6% | 14% | 335 |
| OK | 79% | 7% | 14% | 521 |
| PA | 83% | 7% | 10% | 408 |
| SC | 92% | 2% | 6% | 323 |
| TN | 92% | 4% | 5% | 286 |
| UT | 78% | 8% | 13% | 268 |
| VA | 85% | 10% | 5% | 486 |
| MS* | 77% | 8% | 15% | 389 |
| NM* | 88% | 7% | 5% | 376 |
| NCI Average | 83% | 8% | 9% | 9,808 |

*MS and NM data are not included in NCI Average.

Table B82. Can you be alone with friends or visitors at your home, or does someone have to be with you?

| State | Can be alone with friends or visitors | There are rules against being alone with friends or visitors | N |
|--------------------|---------------------------------------|--------------------------------------------------------------|---------------|
| AL | 89% | 11% | 366 |
| AR | 80% | 20% | 364 |
| AZ | 40% | 60% | 405 |
| CO | 81% | 19% | 346 |
| CT | 79% | 21% | 331 |
| DC | 61% | 39% | 245 |
| FL | 80% | 20% | 1,228 |
| GA | 85% | 15% | 384 |
| HI | 63% | 37% | 277 |
| IL | 82% | 18% | 305 |
| IN | 79% | 21% | 351 |
| KS | 89% | 11% | 368 |
| KY | 91% | 9% | 435 |
| LA | 84% | 16% | 395 |
| MA | 84% | 16% | 467 |
| MD | 71% | 29% | 355 |
| ME | 75% | 25% | 372 |
| MEORC | 89% | 11% | 389 |
| MN | 67% | 33% | 347 |
| MO | 79% | 21% | 462 |
| NC | 80% | 20% | 655 |
| NJ | 63% | 37% | 342 |
| NY | 75% | 25% | 387 |
| OH | 84% | 16% | 397 |
| OK | 56% | 44% | 935 |
| PA | 86% | 14% | 594 |
| SC | 86% | 14% | 355 |
| TN | 81% | 19% | 381 |
| UT | 76% | 24% | 381 |
| VA | 80% | 20% | 862 |
| MS* | 62% | 38% | 395 |
| NM* | 73% | 27% | 344 |
| NCI Average | 77% | 23% | 13,481 |

*MS and NM data are not included in NCI Average.

Table B83. Do you have enough privacy at home?

| State | Yes, has enough privacy | No, would like more privacy | N |
|--------------------|-------------------------|-----------------------------|--------------|
| AL | 92% | 8% | 300 |
| AR | 88% | 12% | 234 |
| AZ | 98% | 2% | 389 |
| CO | 89% | 11% | 284 |
| CT | 90% | 10% | 258 |
| DC | 86% | 14% | 178 |
| FL | 94% | 6% | 888 |
| GA | 96% | 4% | 274 |
| HI | 80% | 20% | 233 |
| IL | 89% | 11% | 240 |
| IN | 92% | 8% | 303 |
| KS | 91% | 9% | 286 |
| KY | 94% | 6% | 292 |
| LA | 92% | 8% | 242 |
| MA | 89% | 11% | 359 |
| MD | 90% | 10% | 307 |
| ME | 84% | 16% | 276 |
| MEORC | 93% | 7% | 339 |
| MN | 91% | 9% | 237 |
| MO | 90% | 10% | 302 |
| NC | 88% | 12% | 387 |
| NJ | 85% | 15% | 228 |
| NY | 90% | 10% | 281 |
| OH | 94% | 6% | 359 |
| OK | 89% | 11% | 463 |
| PA | 96% | 4% | 418 |
| SC | 89% | 11% | 320 |
| TN | 97% | 3% | 286 |
| UT | 89% | 11% | 274 |
| VA | 94% | 6% | 501 |
| MS* | 84% | 16% | 406 |
| NM* | 94% | 6% | 364 |
| NCI Average | 91% | 9% | 9,738 |

*MS and NM data are not included in NCI Average.

Table B84. Do people read your mail or email without asking you first?

| State | Person reads own mail/email or others read with permission | Mail/email is read without permission | N |
|--------------------|------------------------------------------------------------|---------------------------------------|---------------|
| AL | 94% | 6% | 336 |
| AR | 80% | 20% | 336 |
| AZ | 94% | 6% | 375 |
| CO | 90% | 10% | 335 |
| CT | 78% | 22% | 294 |
| DC | 82% | 18% | 228 |
| FL | 94% | 6% | 1,198 |
| GA | 89% | 11% | 334 |
| HI | 79% | 21% | 275 |
| IL | 75% | 25% | 296 |
| IN | 83% | 17% | 339 |
| KS | 88% | 12% | 336 |
| KY | 95% | 5% | 405 |
| LA | 92% | 8% | 385 |
| MA | 88% | 12% | 458 |
| MD | 77% | 23% | 349 |
| ME | 91% | 9% | 367 |
| MEORC | 96% | 4% | 394 |
| MN | 85% | 15% | 325 |
| MO | 87% | 13% | 462 |
| NC | 90% | 10% | 663 |
| NJ | 95% | 5% | 325 |
| NY | 85% | 15% | 356 |
| OH | 92% | 8% | 395 |
| OK | 84% | 16% | 893 |
| PA | 87% | 14% | 616 |
| SC | 67% | 33% | 333 |
| TN | 95% | 5% | 351 |
| UT | 80% | 20% | 340 |
| VA | 80% | 20% | 788 |
| MS* | 64% | 36% | 397 |
| NM* | 88% | 12% | 336 |
| NCI Average | 86% | 14% | 12,887 |

*MS and NM data are not included in NCI Average.

Table B85. Are you allowed to use the phone and Internet when you want to?

| State | Yes, can use anytime, either independently or with assistance | No, there are rules/restrictions on use of phone/Internet | N |
|--------------------|---------------------------------------------------------------|-----------------------------------------------------------|---------------|
| AL | 91% | 9% | 345 |
| AR | 90% | 10% | 300 |
| AZ | 39% | 61% | 369 |
| CO | 88% | 12% | 317 |
| CT | 89% | 11% | 289 |
| DC | 92% | 8% | 218 |
| FL | 94% | 6% | 1,072 |
| GA | 95% | 5% | 349 |
| HI | 88% | 12% | 225 |
| IL | 94% | 6% | 275 |
| IN | 91% | 9% | 319 |
| KS | 91% | 9% | 320 |
| KY | 97% | 3% | 337 |
| LA | 94% | 6% | 360 |
| MA | 95% | 5% | 439 |
| MD | 87% | 13% | 322 |
| ME | 85% | 15% | 332 |
| MEORC | 96% | 4% | 374 |
| MN | 86% | 14% | 303 |
| MO | 93% | 8% | 402 |
| NC | 94% | 6% | 576 |
| NJ | 80% | 20% | 322 |
| NY | 94% | 6% | 332 |
| OH | 91% | 10% | 379 |
| OK | 91% | 9% | 762 |
| PA | 93% | 7% | 528 |
| SC | 87% | 13% | 366 |
| TN | 91% | 9% | 319 |
| UT | 86% | 14% | 317 |
| VA | 93% | 8% | 690 |
| MS* | 86% | 14% | 402 |
| NM* | 93% | 7% | 340 |
| NCI Average | 89% | 11% | 11,858 |

*MS and NM data are not included in NCI Average.

Table B86. Do your staff treat you with respect?

| State | Yes, all staff, always | Sometimes or some staff | No | N |
|--------------------|------------------------|-------------------------|-----------|--------------|
| AL | 94% | 6% | 0% | 317 |
| AR | 92% | 7% | 1% | 224 |
| AZ | 97% | 3% | 0% | 268 |
| CO | 88% | 9% | 3% | 300 |
| CT | 93% | 6% | 1% | 234 |
| DC | 93% | 6% | 1% | 173 |
| FL | 94% | 5% | 1% | 850 |
| GA | 95% | 5% | 0% | 288 |
| HI | 96% | 4% | 0% | 246 |
| IL | 96% | 4% | 0% | 223 |
| IN | 97% | 2% | 0% | 264 |
| KS | 91% | 8% | 0% | 299 |
| KY | 87% | 12% | 1% | 280 |
| LA | 97% | 3% | 1% | 240 |
| MA | 91% | 8% | 1% | 373 |
| MD | 93% | 6% | 1% | 269 |
| ME | 77% | 21% | 2% | 280 |
| MEORC | 95% | 5% | 0% | 328 |
| MN | 91% | 7% | 2% | 229 |
| MO | 91% | 9% | 0% | 284 |
| NC | 92% | 6% | 2% | 388 |
| NJ | 94% | 5% | 0% | 208 |
| NY | 94% | 5% | 0% | 264 |
| OH | 92% | 7% | 1% | 330 |
| OK | 93% | 5% | 2% | 533 |
| PA | 94% | 6% | 0% | 324 |
| SC | 96% | 3% | 1% | 317 |
| TN | 97% | 3% | 0% | 275 |
| UT | 89% | 9% | 2% | 277 |
| VA | 91% | 8% | 0% | 478 |
| MS* | 94% | 5% | 1% | 390 |
| NM* | 87% | 13% | 0% | 381 |
| NCI Average | 93% | 6% | 1% | 9,363 |

*MS and NM data are not included in NCI Average.

Table B87. Have you ever participated in a self-advocacy group meeting, conference, or event?

| State | Yes | Had the opportunity but chose not to participate | No | N |
|--------------------|------------|--------------------------------------------------|------------|---------------|
| AL | 37% | 9% | 54% | 336 |
| AR | 19% | 5% | 76% | 336 |
| AZ | 16% | 2% | 83% | 375 |
| CO | 12% | 5% | 83% | 335 |
| CT | 29% | 7% | 64% | 294 |
| DC | 48% | 2% | 50% | 228 |
| FL | 20% | 4% | 76% | 1,198 |
| GA | 14% | 9% | 77% | 334 |
| HI | 41% | 6% | 54% | 275 |
| IL | 40% | 4% | 56% | 296 |
| IN | 22% | 5% | 73% | 339 |
| KS | 26% | 12% | 62% | 336 |
| KY | 21% | 7% | 72% | 405 |
| LA | 25% | 2% | 73% | 385 |
| MA | 26% | 11% | 64% | 458 |
| MD | 27% | 4% | 70% | 349 |
| ME | 26% | 4% | 70% | 367 |
| MEORC | 29% | 7% | 64% | 394 |
| MN | 30% | 6% | 65% | 325 |
| MO | 29% | 9% | 62% | 462 |
| NC | 30% | 6% | 64% | 663 |
| NJ | 33% | 9% | 58% | 325 |
| NY | 23% | 7% | 71% | 356 |
| OH | 31% | 2% | 67% | 395 |
| OK | 34% | 4% | 63% | 893 |
| PA | 18% | 3% | 79% | 616 |
| SC | 44% | 0% | 56% | 333 |
| TN | 34% | 4% | 63% | 351 |
| UT | 30% | 6% | 64% | 340 |
| VA | 20% | 7% | 73% | 788 |
| MS* | 25% | 0% | 75% | 397 |
| NM* | 23% | 2% | 76% | 336 |
| NCI Average | 28% | 5% | 67% | 12,042 |

*MS and NM data are not included in NCI Average.

Safety Un-Collapsed

Table B88. Are you ever afraid or scared when you are at home?

| State | Yes - most of the time | Sometimes | No - rarely | N |
|--------------------|------------------------|------------|-------------|---------------|
| AL | 3% | 12% | 85% | 322 |
| AR | 5% | 15% | 80% | 235 |
| AZ | 2% | 5% | 93% | 390 |
| CO | 6% | 16% | 78% | 307 |
| CT | 7% | 13% | 79% | 269 |
| DC | 5% | 13% | 82% | 185 |
| FL | 3% | 9% | 89% | 946 |
| GA | 1% | 7% | 92% | 291 |
| HI | 5% | 8% | 87% | 248 |
| IL | 7% | 12% | 81% | 243 |
| IN | 6% | 15% | 79% | 314 |
| KS | 5% | 17% | 78% | 304 |
| KY | 3% | 6% | 91% | 298 |
| LA | 11% | 10% | 79% | 268 |
| MA | 9% | 17% | 74% | 379 |
| MD | 11% | 8% | 81% | 320 |
| ME | 12% | 21% | 67% | 294 |
| MEORC | 5% | 12% | 83% | 355 |
| MN | 6% | 12% | 82% | 249 |
| MO | 9% | 11% | 80% | 309 |
| NC | 4% | 13% | 83% | 409 |
| NJ | 10% | 13% | 77% | 231 |
| NY | 4% | 16% | 80% | 297 |
| OH | 2% | 10% | 88% | 356 |
| OK | 8% | 14% | 78% | 553 |
| PA | 2% | 17% | 81% | 458 |
| SC | 1% | 13% | 86% | 309 |
| TN | 4% | 14% | 82% | 292 |
| UT | 11% | 18% | 71% | 288 |
| VA | 6% | 14% | 80% | 499 |
| MS* | 8% | 11% | 82% | 411 |
| NM* | 3% | 8% | 89% | 391 |
| NCI Average | 6% | 13% | 82% | 10,218 |

*MS and NM data are not included in NCI Average.

Table B89. Are you ever afraid or scared when you are out in your neighborhood?

| State | Yes - most of the time | Sometimes | No - rarely | N |
|--------------------|------------------------|------------|-------------|---------------|
| AL | 2% | 12% | 86% | 321 |
| AR | 6% | 12% | 82% | 233 |
| AZ | 3% | 9% | 89% | 386 |
| CO | 6% | 10% | 83% | 302 |
| CT | 5% | 8% | 88% | 264 |
| DC | 7% | 15% | 78% | 183 |
| FL | 3% | 9% | 88% | 931 |
| GA | 2% | 5% | 93% | 290 |
| HI | 7% | 11% | 83% | 241 |
| IL | 10% | 12% | 77% | 242 |
| IN | 5% | 13% | 81% | 312 |
| KS | 5% | 14% | 81% | 296 |
| KY | 2% | 8% | 91% | 297 |
| LA | 11% | 12% | 77% | 265 |
| MA | 7% | 14% | 79% | 364 |
| MD | 11% | 10% | 80% | 313 |
| ME | 9% | 20% | 71% | 288 |
| MEORC | 5% | 15% | 80% | 352 |
| MN | 4% | 10% | 86% | 242 |
| MO | 6% | 9% | 85% | 304 |
| NC | 7% | 8% | 84% | 403 |
| NJ | 7% | 15% | 78% | 225 |
| NY | 4% | 12% | 84% | 299 |
| OH | 3% | 4% | 93% | 360 |
| OK | 11% | 12% | 77% | 538 |
| PA | 2% | 11% | 87% | 445 |
| SC | 1% | 8% | 92% | 309 |
| TN | 4% | 11% | 85% | 289 |
| UT | 9% | 18% | 73% | 288 |
| VA | 6% | 11% | 83% | 491 |
| MS* | 7% | 10% | 83% | 405 |
| NM* | 2% | 9% | 89% | 383 |
| NCI Average | 6% | 11% | 83% | 10,073 |

*MS and NM data are not included in NCI Average.

Table B90. Are you ever afraid or scared at work or at your day program or other activity?

| State | Yes - most of the time | Sometimes | No - rarely | N |
|--------------------|------------------------|-----------|-------------|--------------|
| AL | 2% | 8% | 90% | 309 |
| AR | 4% | 9% | 87% | 175 |
| AZ | 6% | 5% | 89% | 281 |
| CO | 10% | 10% | 81% | 279 |
| CT | 5% | 6% | 89% | 230 |
| DC | 5% | 6% | 89% | 142 |
| FL | 3% | 7% | 91% | 620 |
| GA | 2% | 5% | 94% | 265 |
| HI | 5% | 9% | 86% | 234 |
| IL | 9% | 7% | 83% | 206 |
| IN | 6% | 11% | 83% | 206 |
| KS | 4% | 9% | 88% | 269 |
| KY | 1% | 5% | 94% | 251 |
| LA | 6% | 8% | 86% | 197 |
| MA | 6% | 13% | 80% | 332 |
| MD | 7% | 7% | 85% | 255 |
| ME | 12% | 16% | 72% | 232 |
| MEORC | 3% | 10% | 88% | 314 |
| MN | 3% | 9% | 89% | 211 |
| MO | 6% | 6% | 88% | 161 |
| NC | 5% | 8% | 87% | 321 |
| NJ | 7% | 12% | 81% | 226 |
| NY | 4% | 8% | 88% | 257 |
| OH | 2% | 6% | 92% | 325 |
| OK | 9% | 9% | 82% | 424 |
| PA | 4% | 9% | 88% | 337 |
| SC | 0% | 6% | 94% | 293 |
| TN | 4% | 13% | 83% | 196 |
| UT | 8% | 15% | 77% | 238 |
| VA | 6% | 9% | 85% | 338 |
| MS* | 5% | 5% | 90% | 363 |
| NM* | 4% | 9% | 87% | 314 |
| NCI Average | 5% | 9% | 86% | 8,124 |

*MS and NM data are not included in NCI Average.

Table B91. If you ever feel afraid, is there someone you can talk to?

| State | Yes | Maybe, not sure | No | N |
|--------------------|------------|-----------------|-----------|--------------|
| AL | 91% | 1% | 8% | 320 |
| AR | 94% | 3% | 3% | 230 |
| AZ | 91% | 4% | 4% | 387 |
| CO | 96% | 2% | 2% | 301 |
| CT | 89% | 5% | 6% | 256 |
| DC | 92% | 2% | 6% | 183 |
| FL | 91% | 4% | 4% | 923 |
| GA | 94% | 2% | 4% | 275 |
| HI | 94% | 4% | 3% | 239 |
| IL | 95% | 2% | 3% | 235 |
| IN | 93% | 3% | 4% | 308 |
| KS | 91% | 4% | 5% | 302 |
| KY | 95% | 1% | 4% | 296 |
| LA | 93% | 2% | 5% | 264 |
| MA | 93% | 4% | 3% | 361 |
| MD | 88% | 4% | 8% | 323 |
| ME | 92% | 3% | 5% | 287 |
| MEORC | 94% | 3% | 4% | 358 |
| MN | 92% | 2% | 7% | 239 |
| MO | 92% | 3% | 5% | 298 |
| NC | 92% | 4% | 4% | 385 |
| NJ | 89% | 4% | 7% | 227 |
| NY | 94% | 2% | 4% | 292 |
| OH | 95% | 1% | 4% | 356 |
| OK | 87% | 3% | 11% | 540 |
| PA | 91% | 4% | 5% | 417 |
| SC | 98% | 1% | 1% | 314 |
| TN | 97% | 1% | 2% | 287 |
| UT | 95% | 2% | 3% | 286 |
| VA | 91% | 6% | 3% | 499 |
| MS* | 92% | 5% | 3% | 408 |
| NM* | 91% | 5% | 4% | 375 |
| NCI Average | 93% | 3% | 5% | 9,988 |

*MS and NM data are not included in NCI Average.

Appendix C

State sample strategies

ALABAMA: A random sample was drawn from just the people receiving ICF/MR and HCBS Waiver services. This sample was random within this parameter. All drawn were adults 18 and over who received at least one service besides case management.

ARKANSAS: The State of Arkansas utilizes a stratified random sampling method. For our purpose the strata shared attribute is the Case Manager Provider entity. A random sample from each stratum is taken in a number proportional to the stratum's size (unduplicated count) when compared to the population. These subsets of the strata are then pooled to form a random sample.

ARIZONA: Arizona uses a computer program to randomly select 500 individuals from around the state (100 from each of the 5 regions). Each person selected is over the age of 18 and has received a service within the past year. Traditionally, the random selection comprises 50% Medicaid and 50% non-Medicaid individuals; however, because Arizona serves considerably more Medicaid members, a 50% split is not usually achieved.

COLORADO: A random sample of people 18 years and older who receive at least one service, not including case management, through the Supported Living Services (SLS) waiver, the Developmental Disabilities (DD) wavier or state SLS services.

CONNECTICUT: A random sample was drawn from the entire service population of adults over age 18 who receive at least one service besides case management.

DISTRICT OF COLUMBIA: A random sample of people 18 and older who are receiving at least one service from DDA in addition to service coordination.

FLORIDA: SAMPLE INFORMATION NOT PROVIDED

GEORGIA: The Georgia Quality Management System (GQMS) contract mandates that each provider rendering services through the Medicaid waivers to individuals with developmental disabilities has one annual review over the course of 5 years. Forty providers are reviewed each year through the Quality Enhancement Provider Review (QEPR) process (39 service providers and one support coordinator agency). Providers to receive the QEPR are randomly selected each year and 480 individuals for the Person Centered Reviews (who receive the NCI Adult Consumer Survey) are randomly selected from the caseloads of the 39 service providers. The PCR sample is

stratified by region and providers, meaning providers were first randomly selected proportionately from each region, and then individuals were randomly selected from those providers.

HAWAII: A random sample was drawn from the entire service population of adults over age 18 who receive at least one waiver service besides case management.

ILLINOIS: A random sample was drawn from the entire service population of adults over age 18, receiving waiver services only, who receive at least one service besides case management.

INDIANA: Indiana has two waivers—1) Family Support Waiver (FSW) and 2) Community Integration and Habilitation Waiver (CIH)—and eight state districts. Bi-annually we begin with a list of all waiver participants who are age 18 or over (12,384 as of June 18; FSW 4,747 and CIH 7,637) and a list of each district with the total number of participants living in each district. We divide the list of participants by waiver into two lists (FSW and CIH). With each list we assign a random number to each waiver participant using the EXCEL Randomization formula (=RAND()). We then sort the random numbers numerically from smallest to largest. From this list we draw in numeric order a statistically valid sample proportionately by district. We use the Sample Size Calculator by Raosoft, Inc. (<http://www.raosoft.com/samplesize.html>) to determine the statistical validity (5% margin of error, 95% confidence level and 50% response distribution) of the sample size.

KANSAS: SAMPLE INFORMATION NOT PROVIDED

KENTUCKY: Sampled the entire service population of adults over 18 receiving at least one service besides case management.

LOUISIANA: Draws a random sample of entire service population of adults over 18 receiving at least once service besides case management.

MASSACHUSETTS: SAMPLE INFORMATION NOT PROVIDED

MAINE: 400 interviews were completed from a random sample of adults over age 18 who receive at least one service in addition to case management.

MARYLAND:

MEORC: We sample adults over age 18 who receive at least one service besides case management. We survey at least 30 people in each of our participating counties, some counties more based on size (population) to meet the 400 requirement.

MICHIGAN: SAMPLE INFORMATION NOT PROVIDED**MINNESOTA: SAMPLE INFORMATION NOT PROVIDED**

MISSOURI: A sample was drawn to assure that all regions of the state were represented. There was one small Habilitation Center (institutional setting) that was not included, as all of the residents had been surveyed recently. Within this parameter, the sample was random and from the entire service population of adults over 18 receiving at least one service besides case management.

NORTH CAROLINA: Two samples were drawn:

1. A sample of adults 18 and over residing in Local Management Entities (LMEs) who had been diagnosed with intellectual disabilities and who received at least one state or federally funded service in the past year in addition to case management. Each LME was given a quota of 40 consumers to meet with. The State drew a random sample of 105 names for each LME. Piedmont Behavioral Healthcare drew its own sample. Because of its waiver designation, Piedmont does not submit paid claims to the Division in the same manner as other LMEs (i.e., Piedmont submits paid claims directly to CMS; its paid claims data are not included in the database from which the NCI sample is drawn).
2. A sample of adults 18 and over residing in the State's Developmental Centers. Four Developmental Centers and one Neuro-medical Facility participated in the 2009 survey. The Developmental Centers drew their own samples. Each was asked to select at least 30 participants for the Adult Consumer Survey.

NEW JERSEY: New Jersey uses a random sampling of individuals over the age of 21 who were receiving case management and at least one additional Division service.

NEW YORK: Sampled the entire service population of adults over 18 receiving at least one service besides case management. Our sample includes people getting residential, day and family support services as well as people who are self-directing their services.

OHIO: DODD pulls a random sample from their Individual Database System (IDS) of adults 18 years and older who receive services from a county board of DD. Services received must be services other than only Service & Support Administration (SSA) or Family Support Services (FSS). We also pull a sample of individuals who reside in private ICFs. The sample is divided into

11 regions and is given to our contractor, CMOR, to contact the county board staff to begin the survey process. The final sample should include a minimum of 36 interviews in each region.

OKLAHOMA: Random sample of adults receiving residential supports on Community Waiver and Homeward Bound Waiver.

PENNSYLVANIA: A sample was drawn from the entire service population of the Office of Developmental Persons (ODP) registered adults over 18 receiving at least case management or one other service. People surveyed in the prior year are excluded. Each of 48 Administrative Entities across the state (which cover a county or a group of smaller counties) arrange with an independent monitoring program to have up to 30 surveys completed from a random sample of 90 individuals issued by the state.

SOUTH CAROLINA: South Carolina selects a random sample from the service population of adults over 18 receiving at least one service in addition to case management.

TENNESSEE: A stratified random sample: The population will include equal numbers from the three regions of the state of adults with ID who receive DIDD Waiver services. 450 were pulled, 436 completed Background information, 408 completed interviews were entered into HSRI's database.

UTAH: A stratified method of sampling was used to create a random sample from both Home and Community Based Services and a State operated ICF/ID. The first random sample was derived from a population of people over the age of 18, with ID/RC/ABI, who were receiving Home and Community Based services. The second random sample was derived from a population of people over the age of 18, with ID/RC, who were receiving care at a State operated ICF/ID. Sample Breakdown: 450 HCBS, 25 ICF/ID.

VIRGINIA: A random sample of 800 individuals will include people who a) use ID Waiver services, DD Waiver services, DS Waiver Services; b) live in Training Centers; c) live in community ICF's/IIDD; d) live in nursing facilities and have an ID/DD diagnosis; as well as those who have moved from training centers on or after October 13, 2011.