

# Adult Consumer Survey

2014-15 Final Report



**NATIONAL CORE  
INDICATORS**

A Collaboration of  
the National Association of State Directors of  
Developmental Disabilities Services  
and Human Services Research Institute



Human Services  
Research Institute

**Human Services Research Institute (HSRI)**

2336 Massachusetts Avenue  
Cambridge, MA 02140

**N A S D D D S**

National Association of State Directors of Developmental Disabilities Services

**National Association of State Directors Of  
Developmental Disabilities Services  
(NASDDDS)**

301 N Fairfax Street  
Suite 101  
Alexandria, VA 22314-2633

3/16/2015

## **List of Abbreviations Used in This Report**

CIP – Core Indicators Project

CMS – Centers for Medicare & Medicaid Services

HCBS – Home and Community-Based Services

HSRI – Human Services Research Institute

N – Number of respondents

NASDDDS – National Association of State Directors of Developmental Disabilities Services

## Table of Contents

<b>Adult Consumer Survey.....</b>	<b>1</b>
<b>2014-15 Final Report .....</b>	<b>1</b>
Table of Contents.....	iv
<b>Executive Summary.....</b>	<b>1</b>
Demographic Characteristics of Respondents .....	1
Choice and Decision-Making.....	2
Work.....	2
Self-Determination .....	2
Community Inclusion .....	3
Relationships.....	3
Satisfaction .....	3
Service Coordination .....	3
Access.....	4
Health.....	4
Medications .....	5
Wellness.....	5
Respect and Rights .....	5
Safety .....	5
<b>I. Results .....</b>	<b>6</b>
<b>Survey Development.....</b>	<b>7</b>
Organization of the Survey .....	7
Pre-Survey Information.....	7



Background Information.....	7
Section I.....	7
Section II.....	8
Surveyor Feedback Sheet.....	8
Presentation of Data .....	9
<b>Demographic Characteristics of Respondents .....</b>	<b>10</b>
Profile of Respondents for Overall Sample.....	11
Table 1. Age†.....	11
Table 2. Gender.....	12
Table 3. Race.....	13
Table 4. Ethnicity .....	14
Table 5. Type of Residence.....	15
Table 6. Type of Residence, Continued.....	16
Table 7. Level of ID†.....	17
Table 8. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness.....	18
Table 9. Other Disabilities.....	19
Table 10. Primary Means of Expression .....	20
Table 11. Primary Language.....	21
Table 12. Overall Health.....	22
Table 13. Mobility†.....	23
Table 14. Support to Manage Self-Injurious Behavior†.....	24
Table 15. Support to Manage Disruptive Behavior†.....	25
Table 16. Support to Manage Destructive Behavior†.....	26
Table 17. Guardianship.....	27
Table 18 Who Owns or Leases the Home in which the Person Lives .....	28
<b>Core Indicator Outcomes and Comparisons Across States .....</b>	<b>29</b>
Note .....	29
Note .....	30

Table 19 Number of people in each type of residence .....	31
Choice and Decision-Making.....	32
People make choices about their lives and are actively engaged in planning their services and supports.....	32
Table 20 Chose or had some input in choosing where they live <i>if not in the family home</i> (Adjusted Variable, proxy respondents were allowed for this question) .....	33
Table 21 Chose or had some input in choosing their roommates <i>if not in the family home</i> (Adjusted Variable, proxy respondents were allowed for this question) .....	34
Table 22 Chose or had some input in choosing where they work (among those with a job in the community)* (Adjusted Variable, proxy respondents were allowed for this question) .....	35
Table 23 Chose or had some input in choosing where they go during the day (Adjusted Variable, proxy respondents were allowed for this question) .....	36
Table 24 Chose or could request to change the staff who help them at their home, job, or day program or activity (Adjusted Variable, proxy respondents were allowed for this question) .....	37
Table 25 Choose or help decide their daily schedule (Adjusted Variable, proxy respondents were allowed for this question).....	38
Table 26 Choose or help decide how to spend free time (Adjusted Variable, proxy respondents were allowed for this question) .....	39
Table 27 Choose or help decide what to buy with their money (Adjusted Variable, proxy respondents were allowed for this question).....	40
Table 28 Life Decisions Scale (Adjusted Variable) .....	41
Table 29 Everyday Choices Scale (Adjusted Variable).....	42
Table 30 Chose or could request to change their case manager/service coordinator (proxy respondents were allowed for this question).....	44
Work.....	45
People have support to find and maintain community integrated employment. ....	45
Table 31 Have a paid job in the community (information may have been obtained through state records) .....	48
Table 32 Type of employment among those reported to have a paid job in the community (information may have been obtained through state records) .....	50
Table 33 Average number of biweekly hours by type of community employment (information may have been obtained through state records.).....	52
Table 34 Average biweekly gross wages by type of community employment (information may have been obtained through state records) .....	54
Table 35 Average hourly wage earned in the past two weeks by type of community employment (information may have been obtained through state records) .....	56

Table 36 Worked 10 of the past 12 months in community employment (among those reported to have a job in the community; information may have been obtained through state records).....	58
Table 37 Length of employment in current job (among those reported to have a job in the community; information may have been obtained through state records) .....	60
Table 38 Receives paid vacation and/or sick time at their job (among those reported to have a job in the community; information may have been obtained through state records).....	62
Table 39 Four most common job industries (among those reported to have a job in the community; information may have been obtained through state records) .....	64
Table 40 Would like a job in the community (among those without a job).....	66
Table 41 Have community employment as a goal in their service plan (information may have been obtained through state records) .....	68
Table 42 Attend a day program or do some other regular scheduled activity during the day (not a paid community job).....	70
Table 43 Volunteers.....	72
<b>Self-Determination .....</b>	<b>73</b>
People have authority and are supported to direct and manage their own services.....	73
Table 44 Using a self-directed supports option (information may have been obtained through state records) .	75
Table 45 Reported that someone talked with them about their individual budget/services (among those self-directing; 'yes' responses only) .....	77
Table 46 Have help deciding how to use their individual budget/services (among those self-directing; 'yes' responses only) .....	79
Table 47 Can make changes to their individual budget/services if they need to (among those self-directing; 'yes' responses only) .....	81
Table 48 Needs more help deciding how to use their budget/services (among those self-directing; 'yes' and 'maybe' responses).....	83
Table 49 Receive enough information about how much money is left in their budget/services (among those self-directing; 'yes' responses only) .....	85
Table 50 Information they receive about how much money is left in their budget/services is easy to understand (among those self-directing; 'yes' responses only) .....	87
<b>Community Inclusion .....</b>	<b>88</b>
People have support to participate in everyday community activities.....	88
Table 51 Number of times people reported they went out shopping in the past month (Adjusted Variable; information may have been obtained through a proxy respondent).....	90
Table 52 Number of times people reported they went out on errands in the past month (Adjusted Variable; information may have been obtained through a proxy respondent).....	91

Table 53 Number of times people reported they went out for entertainment in the past month (Adjusted Variable; information may have been obtained through a proxy respondent).....	92
Table 54 Number of times people reported they went out to eat in the past month (Adjusted Variable; information may have been obtained through a proxy respondent) .....	93
Table 55 Number of times people reported they went out to religious services in the past month (Adjusted Variable; information may have been obtained through a proxy respondent).....	94
Table 56 Number of times people reported they went out for exercise in the past month (Adjusted Variable; information may have been obtained through a proxy respondent).....	95
Table 57 Number of times people reported they went on vacation in the past year (Adjusted Variable; information may have been obtained through a proxy respondent) .....	96
Table 58 Community Inclusion scale score (Adjusted Variable).....	97
<b>Relationships.....</b>	<b>98</b>
People have friends and relationships. ....	98
Table 59 Have friends who are not staff or family members ('yes' responses only).....	100
Table 60 Have a best friend (may be staff or family) .....	102
Table 61 Have friends (may be staff or family) and see their friends when they want ('yes' responses only) ...	104
Table 62 Sees family when they want to or chooses not to see family ('yes' responses only).....	106
Table 63 Talk with their neighbors ('yes, but not often' and 'yes, often' responses) .....	108
Table 64 Can go on a date if they want or can date with some restriction ('yes, can date' and 'yes, can date with some restriction or rules' responses) .....	110
Table 65 Feel lonely at least half the time ('yes' and 'sometimes' responses).....	112
Table 66 Can help other people if they want ('yes' responses only) .....	114
<b>Satisfaction .....</b>	<b>115</b>
People are satisfied with the services and supports they receive. ....	115
Table 67 Like their home ('yes' responses only) .....	117
Table 68 Want to live somewhere else.....	119
Table 69 Have a paid job in the community and like where they work ('yes' responses only)* .....	121
Table 70 Have a paid job in the community and want to work somewhere else* ('yes' responses only).....	123
Table 71 Attend a day program or activity and likes where they go or what they do ('yes' responses only) .....	125
Table 72 Attend a day program or activity and want to go someplace else or do something different during the day ('yes' responses only).....	127
<b>Service Coordination .....</b>	<b>128</b>

Service coordinators are accessible, responsive, and support the person's participation in service planning. .128	
Table 73 Met their case manager/service coordinator ('yes' responses only) .....	131
Table 74 Case manager/service coordinator asks person what s/he want ('yes' responses only).....	133
Table 75 Case manager/service coordinator helps get what person needs ('yes' responses only) .....	135
Table 76 Case manager/service coordinator calls person back right away ('calls back right away' responses only) .....	137
Table 77 Staff come when they are supposed to ('yes' responses only) .....	139
Table 78 Get the help they need to work out problems they have with their staff ('yes' responses only) .....	141
Table 79 Person helped make their service plan ('yes' responses only) .....	143
Access.....	144
Publicly funded services are readily available to individuals who need and qualify for them. ....	144
Table 80 Get the services they need ('yes' responses only; information may have been obtained through a proxy respondent) .....	146
Table 81 Always have a way to get places when they want to go somewhere ('yes' responses only) .....	148
Table 82 Use various types of transportation (not mutually exclusive).....	150
Table 83 Staff have adequate training to meet their needs ('yes' responses only; information may have been obtained through a proxy respondent) .....	152
Table 84 Need additional services.....	153
Table 85 Need additional services, continued .....	154
Health.....	155
People secure needed health services .....	155
Table 86 Have a primary care doctor (information may have been obtained through state records) .....	158
Table 87 In poor health ('poor health' response only; information may have been obtained through state records) .....	160
Table 88 Had a complete physical exam in the past year (within the last year or less responses; information may have been obtained through state records) .....	162
Table 89 Had a dental exam in the past year (within the last year or within past six months responses; information may have been obtained through state records) .....	164
Table 90 Had an eye exam in the past year (within the last year or less responses; information may have been obtained through state records).....	166
Table 91 Had a hearing test in the past five years (within five years or less responses; information may have been obtained through state records).....	168

Table 92 Had a Pap test in the past three years (among women; within the past three years, past two years or past year responses; information may have been obtained through state records) .....170

Table 93 Had a mammogram test in the past two years (among women age 40 and over; within the past two years or past year responses; information may have been obtained through state records).....172

Table 94 Had a colorectal cancer screening in the past year (among people age 50 and over; within the last year or less responses; information may have been obtained through state records).....174

Table 95 Had a flu vaccine in the past year (within the last year or less responses; information may have been obtained through state records).....176

Table 96 Has ever had a pneumonia vaccine (information may have been obtained through state records) ....178

## Medications .....179

Medications are managed effectively and appropriately.....179

Table 97 Take medication for at least one of the following: mood disorders, anxiety, or psychotic disorders (information may have been obtained through state records).....181

Table 98 Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders (information may have been obtained through state records).....183

Table 99 Take medication for behavior challenges (information may have been obtained through state records) .....185

Table 100 Number of medications taken for behavior challenges (information may have been obtained through state records).....187

## Wellness.....188

People are supported to maintain healthy habits .....188

Table 101 Engage in regular physical activity (at least 30 minutes three times a week; information may have been obtained through state records).....190

Table 102 BMI category.....192

Table 103 Chew or smoke tobacco (information may have been obtained through state records) .....194

## Respect and Rights .....195

People receive the same respect and protections as others in the community. ....195

Table 104 People let them know before entering home ('yes' responses only) .....197

Table 105 People always let person know before entering bedroom ('yes' responses only) .....199

Table 106 Can be alone at home with visitors ('yes' responses only; information may have been obtained through a proxy respondent).....201

Table 107 Have enough privacy at home ('yes' responses only) .....203

Table 108 Others never read the person's mail without permission ('no' responses only; information may have been obtained through a proxy respondent) .....205

Table 109 Can use phone and Internet without restriction ('yes, without restriction' response only; information may have been obtained through a proxy respondent) .....	207
Table 110 Staff (at home, work, and/or day activity or program) treat person with respect ('yes' responses only) .....	209
Table 111 Have attended a self-advocacy event or chose not to ('yes' and 'had the opportunity, but chose not to' responses; information may have been obtained through a proxy respondent) .....	211
Safety .....	212
People are safe from abuse, neglect, and injury. ....	212
Table 112 Rarely or never feel scared or afraid in their home ('no, rarely' response only) .....	214
Table 113 Rarely or never feel scared or afraid in their neighborhood (no-rarely responses) .....	216
Table 114 Rarely or never feel scared or afraid at their work or day program ('no-rarely' responses) .....	218
Table 115 Have someone to go to for help if they ever feel scared ('yes' responses only) .....	220
<b>II. NCI History and Activities .....</b>	<b>221</b>
<b>Overview of National Core Indicators .....</b>	<b>222</b>
State Participation .....	222
Figure 1. NCI State Participation 2014-15 .....	223
Domains and Sub-Domains .....	224
Table 116 Adult Consumer Survey Indicators: Domains and Sub-Domains .....	225
How NCI Data Are Used .....	225
Caution and Limitations .....	226
<b>III. Methodology .....</b>	<b>227</b>
<b>Administration .....</b>	<b>228</b>
Proxy Respondents .....	228
Surveyor Training .....	229
Criteria for Exclusion of Responses .....	229
Responses for Section I .....	230

Responses for Section II .....	230
Sampling .....	231
Table 117 Valid Surveys and Response Rates by State: 2014-15.....	232
<b>I. Data Analysis .....</b>	<b>233</b>
<b>Data Management and Analysis .....</b>	<b>234</b>
Outcome Adjustment.....	234
Weighting.....	235
Scale Development .....	235
Significance Testing.....	236
<b>II. Appendices.....</b>	<b>237</b>
<b>Appendix A.....</b>	<b>238</b>
Rules for Recoding and Combining Variables to Compute Core Indicators.....	238
<b>Appendix B .....</b>	<b>243</b>
Un-collapsed and unadjusted data by state.....	243
Table B1 Who chose (or picked) the place where you live? (unadjusted and un-collapsed) .....	244
Table B2 Did you choose (or pick) the people you live with (or did you choose to live by yourself)? (unadjusted and un-collapsed) .....	245
Table B3 Who chose (or picked) the place where you work? (unadjusted and un-collapsed).....	246
Table B4 Who chose (or picked) where you go during the day? (unadjusted) .....	247
Table B5 Did you choose (did this person choose) the staff who help you? (unadjusted) .....	248
Table B6 Who decides your daily schedule (like when to get up, when to eat, when to go to sleep)? (unadjusted) .....	249
Table B7 Who decides how you spend your free time (when you are not working, in school, or at the day program)? (unadjusted).....	250
Table B8 Do you choose what you buy with your spending money? (unadjusted) .....	251
Table B9 Did you choose or pick your case manager/service coordinator? .....	252



Table B10 Person has a paid job in the community .....	253
Table B11 Job industry .....	254
Table B12 Job industry .....	255
Table B13 Did this person work 10 out of the last 12 months in a community job?.....	256
Table B 14Does this person receive paid vacation and/or sick time at his/her job? .....	257
Table B 15 [If no paid community job] Would you like to have a job in the community? .....	258
Table B 16 Is community employment a goal in this person's service plan? .....	259
Table B 17 Do you go to a day program or do some other regularly scheduled activity during the day?.....	260
Table B 18 Do you do any volunteer work?.....	261
Table B 19 Is this person currently using a self-directed supports option? .....	262
Table B 20 Does someone talk with you about your budget and the services you can get? .....	263
Table B 21 Is there someone who helps you decide how to use your budget/services? .....	264
Table B 22 Can you make changes to your budget/services if you need to?.....	265
Table B 23 Do you want more help deciding how to use your budget/services, or do you have enough help? .266	
Table B 24 Do you get information about how much money is left in your budget/services? .....	267
Table B 25 If you get information about how much money is left in your budget/services, is the information easy to understand?.....	268
Table B 26 In the past month, did you go shopping?.....	269
Table B 27 In the past month, how many times did you go shopping? (unadjusted) (Only respondents who went shopping in the past month.).....	270
Table B 28 In the past month, did you go out on errands or appointments? .....	271
Table B 29 In the past month, how many times did you go out on errands? (Only includes respondents who went on errands in the past month) (unadjusted).....	272
Table B 30 In the past month, did you go out for entertainment? .....	273
Table B 31 In the past month, how many times did you go out for entertainment? (Only includes respondents who have gone out for entertainment in the past month) (unadjusted) .....	274
Table B 32 In the past month, did you go out to a restaurant or coffee shop?.....	275
Table B 33 In the past month, how many times did you go out to eat? (Only includes respondents who have gone out to eat in the past month) (unadjusted).....	276
Table B 34 In the past month, did you go out to a religious service or spiritual practice?.....	277
Table B 35 In the past month, how many times did you go out to religious services? (Only includes respondents who have gone to a religious service in the past month) (unadjusted) .....	278

Table B 36 In the past month, did you go out for exercise? .....	279
Table B 37 In the past month, how many times did you go out for exercise? (unadjusted) (Only includes respondents who have gone out for exercise in the past month) .....	280
Table B 38 In the past year, did you go away on a vacation? .....	281
Table B 39 In the past year, how many times did you go on vacation? (unadjusted) (Only includes respondents who have gone on vacation in the past year.) .....	282
Table B 40 Do you have friends you like to talk to or do things with? .....	283
Table B 41 Do you have a best friend, or someone you are really close to? .....	284
Table B 42 Can you see your friends when you want to see them? .....	285
Table B 43 Can you see your family when you want to see them? .....	286
Table B 44 Do you ever talk with your neighbors? .....	287
Table B 45 Can you go on a date if you want to? .....	288
Table B 46 Do you ever feel lonely? .....	289
Table B 47 Can you help other people if you want to? .....	290
Table B 48 Do you like your home or where you live? .....	291
Table B 49 Would you like to live somewhere else? .....	292
Table B 50 Do you like working where you work? (Of those with a paid community job) .....	293
Table B 51 Would you like to work somewhere else? (Of those with a paid community job) .....	294
Table B 52 If you attend a day program or activity, do you like your day activity? .....	295
Table B 53 Would you like to go somewhere else or do something else during the day? .....	296
Table B 54 Have you met your case manager/service coordinator? .....	297
Table B 55 Does your case manager/service coordinator ask you what you want? .....	298
Table B 56 If you ask for something, does your case manager/service coordinator help you get what you need? .....	299
Table B 57 If you call and leave a message, does your case manager/service coordinator take a long time to call you back, or does s/he call back right away? .....	300
Table B 58 Do your staff come when they are supposed to? .....	301
Table B 59 If you have problems with your staff, do you get the help you want to fix these problems? .....	302
Table B 60 Did you help make your service plan? .....	303
Table B 61 Do you get the services you need? .....	304
Table B 62 When you want to go somewhere, do you always have a way to get there? .....	305
Table B 63 How do you usually get to places you need to go? .....	306

Table B 64 Do you feel your support staff have the right training to meet your needs? .....	307
Table B 65 Does this person have a primary care doctor? .....	308
Table B 66 Overall, how would you describe this person's health? .....	309
Table B 67 When was his/her last complete annual physical exam? .....	310
Table B 68 When was his/her last dentist visit? .....	311
Table B 69 When was the last time this person had an eye examination/vision screening? .....	312
Table B 70 When was the last time this person had a hearing test? .....	313
Table B 71 If female, when was her last Pap test screening? .....	314
Table B 72 If female, when was her last mammogram? .....	315
Table B 73 When was this person's last colorectal cancer screening (individuals 50 and over)? .....	316
Table B 74 During the past 12 months, has this person had a flu vaccination? .....	317
Table B 75 Has this person ever been vaccinated for pneumonia? .....	318
Table B 76 Takes medication for mood disorders, anxiety, or psychotic disorders .....	319
Table B 77 Number of medications taken for mood disorders, anxiety, or psychotic disorders .....	320
Table B 78 Takes medication for behavior challenges .....	321
Table B 79 Number of medications taken for behavior challenges .....	322
Table B 80 Does this person routinely engage in any moderate physical activity? .....	323
Table B 81 Person's BMI category .....	324
Table B 82 Does this person smoke or chew tobacco? .....	325
Table B 83 Do people let you know before they come into your home? .....	326
Table B 84 Do people let you know before coming into your bedroom? .....	327
Table B 85 Can you be alone with friends or visitors at your home, or does someone have to be with you? .....	328
Table B 86 Do you have enough privacy at home? .....	329
Table B 87 Do people read your mail or email without asking you first? .....	330
Table B 88 Are you allowed to use the phone and Internet when you want to? .....	331
Table B 89 Do your staff treat you with respect? .....	332
Table B 90 Have you ever participated in a self-advocacy group meeting, conference, or event? .....	333
Table B 91 Are you ever afraid or scared when you are at home? .....	334
Table B 92 Are you ever afraid or scared when you are out in your neighborhood? .....	335
Table B 93 Are you ever afraid or scared at work or at your day program or other activity? .....	336

---

Table B 94 If you ever feel afraid, is there someone you can talk to? .....	337
---	-----

<b>Appendix C .....</b>	<b>338</b>
-------------------------	------------

Residence Type Crosswalk .....	338
--------------------------------	-----

<b>Appendix D .....</b>	<b>339</b>
-------------------------	------------

State Sampling .....	339
----------------------	-----

## Executive Summary

The National Core Indicators (NCI) are standard measures used across states to assess the outcomes of services provided to individuals with intellectual/developmental disabilities and their families. Indicators address key areas of concern such as employment, respect/rights, service planning, community inclusion, choice, and health and safety. The data that result from NCI surveys are often used to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Many states also share the data with stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction.

The NCI Adult Consumer Survey is administered in-person to a statistically valid sample of adults with an intellectual or other developmental disability who receive at least one service in addition to case management. Not all states that participate in NCI administer the Adult Consumer Survey on an annual basis. Of the 41 states, the District of Columbia and 22 sub-state entities that participated in NCI during the 2014-2015 data collection cycle, 31 states, one regional council and the District of Columbia completed a valid sample Adult Consumer Surveys. This Final Report provides detailed summary of 25,820 surveys completed between July 1, 2014 and June 30, 2015.

### Demographic Characteristics of Respondents

The average age of individuals surveyed across states is 43 years old. The majority of survey participants are male (57%). The racial breakdown of people who completed the survey is as follows: 72% White; 19% Black or African American; 3% Asian; 1% American Indian or Alaskan Native; 1% Pacific Islander; 3% other; 1% two or more races. Ninety-three percent (93%) are non-Hispanic and 5% are Hispanic.

The level of intellectual disability in the sample is as follows: 36% mild; 28% moderate; 12% severe; 10% profound. Eight percent (8%) had an unspecified or unknown level of ID reported. Five percent (5%) of the sample did not have a diagnosis of intellectual disability (ID). Just under one third of respondents are diagnosed with a mood disorder (32%); one quarter (25%) have an anxiety disorder; 29% have behavioral challenges; 13% have a diagnosis of a psychotic disorder and 12% have another diagnosed psychiatric disorder. Other reported co-occurring conditions are: Autism Spectrum Disorder (16%); Cerebral Palsy (15%); brain injury (5%); seizure disorder (29%); chemical dependency (2%); Down Syndrome (10%) and Prader-Willi Syndrome (1%).

Over three-quarters (77%) of those surveyed communicate verbally, 18% communicate primarily using gestures. Others primary modes of communication included sign language(2%), communication devices (1%) or another (1%) method of communication as their primary means of expression. Nearly all (97%) speak English as their primary language.

Most people are reported to be in excellent, very good or fairly good health (12%, 44% and 38%, respectively). Just over three quarters (76%) of people surveyed are independent in their mobility, while 14% of people use aides to assist their mobility. Nine percent (9%) always require assistance to move around. Most people do not require support with self-injurious behavior, though 24 % need at least some support. Similarly, 25% of people are reported to need at least some support to manage destructive behavior. Thirty nine percent (39%) of the sample are reported to need at least some support to manage disruptive behavior.

The people who were included in the survey lived in a wide range of residential settings, reflecting the range of residential support settings in the participating states. Seventeen percent (17%) of the sample lived independently in their own home or apartment (State range: 0%-41%); 34% lived with parents or relatives (State range: 0%-70%); 16% lived in 4-6 person group residential settings (State range: 1%-46%). Results are presented by residence type.

## Choice and Decision-Making

A majority (54%) of people choose where they live, but less than half (45%) choose who they live with. A large percentage of people with a paid job in the community choose where they work (84%) or where they go during the day (61%). Nearly two-thirds (66%) choose their staff. Most people choose their daily schedule (82%) and how to spend their free time (91%). Eighty-six percent (86%) choose how to spend their money. Two thirds (67%) choose their case manager or can change their case manager if desired.

## Work

Seventeen percent (17%) of people are reported to have a paid job in the community. Of those working, 37% work in individual supported employment settings, 35% work in competitive employment, and 28% work in group supported employment. People in group supported employment work more hours (34.3) than people in individual supported employment or competitive employment (26.6 and 28.6 hours, respectively). However, they make lower wages \$5.73 per hour in group supported employment, compared to \$8.58 or \$8.84 in individual supported employment or competitive employment, respectively. On average, people have worked at their current place of employment for 69 months. Fewer than one-quarter of people with jobs receive paid vacation (23%).

## Self-Determination

Across states, 10% report using a self-directed supports option. Of the people who report self-directing their services, over three-quarters (77%) report that someone talks to them about their

budget and the services in their plan. Most people have someone who helps them decide how to use their budget (88%), though 29% want more help.

Most people (86%) report that they are able to change their budget or services if they need to. More than three quarters (78%) have someone who tells them how much money is left in their budget and of those people, 77% find this information easy to understand.

## Community Inclusion

People go shopping an average of 4 times per month. People go on errands 3 times per month. Those surveyed report going out for entertainment 3 times per month. People go to restaurants 4 times per month. Individuals attend religious services 2 times per month. People go out for exercise 6 times per month. People went on vacation one time in the past year.

## Relationships

Seventy-six percent (76%) of people across states report that they have friends and 79% have a best friend. Most people can see their family (80%) and friends (79%) when they want to. Just under two thirds of people (64%) talk to their neighbors. Eighty-five percent can date with or without restrictions. Nearly two fifths of people (39%) of people feel lonely more than half the time. Nearly all (87%) can help people if they want to.

## Satisfaction

Nearly all (90%) people like where they live, though 26% would like to live somewhere else. Almost all (92%) people like where they work, but 30% would like to work somewhere else. Similarly, 90% of people who go to a day activity program, like where they go during the day, but 30% would like to go somewhere else or do something else during the day.

## Service Coordination

Nearly everyone (95% across states) has met their case manager or service coordinator. Eighty-seven percent of individuals report that their case manager asks what they want and 88% report that their case manager helps them get what they need. Just under three quarters (74%) report that their case manager gets back to them right away if they call and leave a message.

Nearly all respondents (94%) report that their staff come when they're supposed to and 91% report that they get the help they need if they have a problem with their staff.

Eighty-seven percent (87%) help make their service plan.

## Access

Over four-fifths (82%) report that they get the services that they need. Most people (84%) report that they always have a way to get to the places they need to go. Almost all (92%) reported that their staff had the right training to meet their needs.

## Health

Nearly all people surveyed (98%) have a primary care doctor. Roughly nine out of ten people (89%) have had an annual physical exam, eight out of ten (81%) have been to the dentist and six out of ten (59%) have had an eye exam in the past year. Fewer people have had a hearing test (60%) in the past five years. Just over two thirds of women (67%) have had a Pap test screening in the past year. Three quarters (77%) of women over 40 have had a mammogram in the past two years. However, only one in five people over 50 (21%) have had a colorectal cancer screening in the past year.

## Medications

Just under half of people (49%) report taking medications for mood disorders, anxiety or psychotic disorders, while one quarter (25%) take medications to address behavioral challenges.

## Wellness

Fewer than one-quarter of people (23%) engage in regular physical activity. Across states, BMI is reported to be 6% underweight, 32% normal weight; 28% overweight; and 34% obese. Seven percent (7%) report using tobacco.

## Respect and Rights

The majority of respondents across states reported that people let them know before entering their home (89%) or bedroom (83%). Seventy-eight (78%) percent of people reported that they could be alone with friends or visitors in their home. Nine out of ten people (91%) reported that they had enough privacy at home. Eighty-seven (87%) percent of people report that others do not read their mail or email without being asked and 90% are able to use the phone or internet when they would like to. Almost all respondents (93%) reported that their staff treat them with respect. Just under one third (32%) have participated in a self-advocacy meeting or have the option to participate and choose not to.

## Safety

Overall, most people rarely or never feel unsafe at home (83%), in their neighborhood (85%) and at work or their day program. (89%)



# I. Results

*This section briefly describes the structure of the survey instrument and presents the results of the most recent data collection cycle.*

# Survey Development

The Adult Consumer Survey was initially developed by a technical advisory subcommittee for the purpose of collecting information directly from individuals with developmental disabilities and their families or advocates. The survey is designed to measure more than half of the original 60 core indicators. Many questions were drawn from survey instruments already in use in the field; others were developed specifically for NCI. NCI staff refine the instrument based on feedback from surveyors and state partners.

Most participating states use the basic survey tool developed by the project. However, some states opt to incorporate additional survey questions to look more deeply at specific issues. The addition of supplementary questions is typically done after a state participates in NCI for at least a year and establishes baseline results.

## Organization of the Survey

The Adult Consumer Survey consists of a pre-survey form, three distinct survey sections, and a surveyor feedback form. Each is described below.

### Pre-Survey Information

This form has questions that help the surveyor prepare for the face-to-face meeting as well as assist the surveyor in administering the survey questions. Pre-Survey information is not included in the analysis by HSRI and thus not included in this report; it is for state use only.

### Background Information

This section collects information about demographics, residence, health, employment status, and services and supports. Data is generally collected from state records, case managers, or a combination of both. This information is typically collected prior to the face-to-face meeting

### Section I

This section may *only* be completed through a direct, face-to-face meeting with the individual receiving services. No proxy responses are permitted. This section asks questions that require subjective, opinion-based responses, such as questions on satisfaction with services, feelings of safety, friendships, etc.

## Section II

This section contains questions that are answered during a direct, face-to-face meeting with the individual receiving services, when possible. If the individual receiving services is unwilling or unable to respond, a proxy respondent may respond. Case managers or service coordinators are not allowed to respond to these questions on the individual's behalf.

### Surveyor Feedback Sheet

This form is used to record information from the surveyor such as the length of time spent completing the face-to-face NCI meeting, any problematic questions encountered, and any comments from the surveyor.

## Presentation of Data

The following two subsections of this report detail results from the 2014-15 data collection cycle. Demographic results are presented first. Tables display demographic results listed alphabetically by state. Outcomes are then displayed for all Adult Consumer Survey results. Items are grouped by domain and are presented in both chart and table form. Tables with uncollapsed data can be found in Appendix B

## Demographic Characteristics of Respondents

Thirty (31) states, one regional council, and the District of Columbia administered the Adult Consumer Survey in 2014-15 and submitted valid samples for analysis. Together, survey information was collected on a total of 25,820 individuals. The participants represented are: Arkansas (AR), California (CA), Colorado (CO), Connecticut (CT), District of Columbia (DC), Delaware (DE), Florida (FL), Georgia (GA), Hawaii (HI), Illinois (IL), Indiana (IN), Kansas (KS), Kentucky (KY), Louisiana (LA), Maine (ME), Mid East Ohio Regional Council (MEORC), Michigan (MI), Minnesota (MN), Missouri (MO), North Carolina (NC), New Hampshire (NH), New Jersey (NJ), New York (NY), Ohio (OH), Oklahoma (OK), Pennsylvania (PA), South Carolina (SC), South Dakota (SD); Tennessee (TN), Texas (TX), Utah (UT), Virginia (VA) and Vermont (VT)

### **Please note:**

This section presents descriptive information on the respondents surveyed, including an aggregate demographic profile. The tables on the following pages illustrate respondent characteristics by state and include the NCI Average (the average of all states' means). Demographic information used for outcome adjustment is noted with a dagger (†).

Throughout this section of the report, California's estimates are weighted, and are marked with an asterisk (\*).<sup>1</sup>

### **Please note:**

New Hampshire administered their Adult Consumer Survey in a two year cycle. Therefore, the NH data represented in this report were gathered between July, 2013 and June 2015. During this cycle, the 2013-14 Adult Consumer Survey Tool was utilized. As a result, NH was unable to be included in some analyses as the survey questions changed between 2013-14 and 2014-15.

---

<sup>1</sup> For more information about the weighting used for California's data, please see Weighting on page 239.

## Profile of Respondents for Overall Sample

Table 1. Age†

State	Mean	Min	Max	Standard Deviation	Median	N
AR	41	19	80	14	40	399
CA *	39	19	97	14	36	8,402
CO	44	19	94	15	46	414
CT	45	18	91	17	44	439
DC	45	19	83	15	45	337
DE	43	19	86	16	41	442
FL	38	18	79	14	36	1,426
GA	44	19	80	13	44	484
HI	42	18	89	16	39	401
IL	44	21	80	14	43	362
IN	40	18	80	14	40	741
KS	40	18	87	15	37	373
KY	42	18	76	14	43	413
LA	40	18	79	14	39	415
ME	45	20	89	16	45	399
MEORC	45	19	84	15	44	401
MI	45	19	95	16	46	410
MN	41	18	82	15	39	410
MO	43	19	83	15	42	405
NC	40	18	92	15	37	762
NH	41	22	85	15	38	411
NJ	46	22	84	13	47	425
NY	42	18	92	16	41	589
OH	43	18	90	15	43	457
OK	44	18	82	14	45	400
PA	43	19	94	16	43	693
SC	44	18	84	15	43	400
SD	42	20	84	14	40	337
TN	47	19	85	14	48	466
TX	43	20	95	14	40	1,944
UT	38	19	83	14	36	426
VA	47	19	97	15	49	1,062
VT	42	19	84	16	42	327
<b>NCI Average</b>	<b>43</b>					<b>25,772</b>

**Table 2. Gender**

State	Male	Female	N
AR	61%	39%	399
CA *	58%	42%	8,405
CO	52%	48%	414
CT	59%	41%	437
DC	65%	35%	335
DE	54%	46%	441
FL	56%	44%	1,424
GA	57%	43%	482
HI	58%	42%	401
IL	58%	42%	364
IN	57%	43%	738
KS	56%	44%	372
KY	54%	46%	408
LA	61%	39%	414
ME	57%	43%	397
MEORC	51%	49%	397
MI	58%	42%	410
MN	54%	46%	409
MO	60%	40%	405
NC	60%	40%	756
NH	56%	44%	411
NJ	55%	45%	425
NY	59%	41%	588
OH	56%	44%	457
OK	61%	39%	400
PA	57%	43%	686
SC	60%	41%	400
SD	55%	45%	337
TN	62%	38%	466
TX	57%	43%	1,937
UT	60%	40%	425
VA	54%	46%	1,062
VT	56%	44%	327
<b>NCI Average</b>	<b>57%</b>	<b>43%</b>	<b>25,729</b>

Table 3. Race

State	American Indian or Alaska Native	Asian	Black or African-American	Pacific Islander	White	Other Race Not Listed	Two or More Races	Don't Know	N
AR	0%	1%	21%	0%	77%	1%	0%	0%	398
CA *	0%	7%	10%	0%	49%	31%	1%	0%	8,396
CO	1%	0%	5%	0%	78%	11%	0%	5%	414
CT	0%	1%	11%	1%	80%	4%	0%	3%	437
DC	0%	0%	90%	0%	6%	3%	0%	0%	334
DE	0%	0%	34%	0%	62%	2%	1%	1%	442
FL	0%	1%	26%	0%	67%	4%	1%	1%	1,415
GA	0%	1%	48%	0%	50%	1%	0%	0%	481
HI	0%	57%	1%	20%	16%	3%	4%	0%	398
IL	0%	1%	25%	0%	68%	5%	0%	0%	366
IN	0%	1%	6%	0%	91%	1%	1%	0%	740
KS	0%	1%	10%	0%	85%	3%	1%	1%	373
KY	1%	0%	9%	0%	88%	1%	1%	0%	411
LA	0%	0%	37%	0%	60%	1%	0%	0%	415
ME	1%	1%	1%	0%	95%	1%	0%	2%	398
MEORC	0%	0%	3%	0%	96%	0%	1%	1%	399
MI	0%	1%	17%	0%	79%	1%	1%	1%	408
MN	2%	2%	3%	0%	90%	1%	0%	2%	410
MO	0%	1%	11%	0%	86%	0%	0%	0%	404
NC	1%	0%	36%	0%	60%	2%	0%	0%	762
NH	0%	0%	1%	0%	96%	0%	0%	1%	409
NJ	0%	1%	18%	0%	76%	4%	0%	0%	417
NY	1%	2%	22%	0%	61%	10%	2%	2%	586
OH	0%	0%	15%	0%	82%	1%	2%	0%	457
OK	7%	0%	13%	0%	77%	2%	1%	0%	400
PA	1%	1%	11%	0%	82%	2%	1%	2%	682
SC	0%	0%	52%	0%	46%	1%	0%	1%	400
SD	16%	1%	1%	0%	80%	1%	1%	1%	338
TN	0%	0%	26%	0%	73%	0%	1%	0%	465
TX	3%	1%	17%	0%	69%	6%	1%	3%	1,910
UT	1%	1%	2%	1%	91%	3%	1%	1%	426
VA	0%	1%	29%	0%	54%	1%	0%	15%	1,061
VT	1%	3%	1%	0%	92%	1%	0%	2%	327
<b>NCI Average</b>	<b>1%</b>	<b>3%</b>	<b>19%</b>	<b>1%</b>	<b>72%</b>	<b>3%</b>	<b>1%</b>	<b>1%</b>	<b>25,679</b>



**Table 4. Ethnicity**

State	Non-Hispanic	Hispanic	Don't Know	N
AR	99%	1%	0%	398
CA *	70%	30%	0%	8,404
CO	81%	15%	4%	414
CT	92%	7%	1%	436
DC	97%	2%	1%	335
DE	94%	2%	3%	441
FL	85%	14%	1%	1,413
GA	98%	1%	0%	478
HI	98%	2%	0%	400
IL	92%	8%	1%	357
IN	98%	1%	1%	737
KS	95%	3%	1%	372
KY	100%	0%	0%	407
LA	99%	0%	1%	411
ME	98%	1%	1%	399
MEORC	99%	0%	1%	397
MI	82%	1%	17%	409
MN	99%	1%	0%	409
MO	99%	0%	0%	404
NC	98%	1%	0%	752
NH	99%	0%	1%	409
NJ	93%	6%	1%	419
NY	87%	13%	1%	586
OH	98%	2%	0%	457
OK	97%	3%	0%	400
PA	95%	3%	1%	675
SC	98%	1%	1%	399
SD	99%	1%	0%	338
TN	99%	0%	0%	460
TX	71%	28%	1%	1,926
UT	94%	5%	0%	426
VA	85%	2%	13%	1,057
VT	98%	0%	2%	325
<b>NCI Average</b>	<b>93%</b>	<b>5%</b>	<b>2%</b>	<b>25,650</b>

Table 5. Type of Residence

State	ICF 1-3	ICF 4-6	ICF 7-15	ICF 16+	Other Specialized Institutional Facility	Group home 1-3	Group home 4-6	Group home 7-15	N
AR	5%	0%	3%	13%	1%	6%	17%	15%	395
CA *	9%		1%	1%	0%	1%	18%	2%	8,405
CO	0%	0%	0%	0%	0%	6%	6%	8%	413
CT	2%	1%	2%	4%	0%	10%	24%	2%	435
DC	7%	1%	0%	0%	0%	18%	1%	0%	336
DE	1%	3%	0%	0%	0%	27%	21%	0%	442
FL	0%	0%	0%	0%	0%	1%	20%	5%	1411
GA	0%	0%	0%	0%	0%	15%	10%	1%	482
HI	0%	0%	0%	0%	0%	1%	12%	1%	400
IL	0%	0%	0%	0%	0%	2%	23%	24%	364
IN	1%	0%	0%	0%	0%	2%	1%	0%	738
KS	0%	0%	0%	0%	1%	16%	21%	6%	366
KY	0%	0%	0%	2%	0%	35%	3%	2%	413
LA	1%	10%	6%	14%	0%	0%	2%	1%	415
ME	0%	0%	0%	0%	3%	29%	21%	2%	398
MEORC	0%	0%	1%	1%	0%	7%	10%	6%	400
MI	0%	0%	0%	0%	1%	5%	29%	8%	384
MN	0%	3%	3%	1%	0%	0%	43%	0%	409
MO	1%	3%	3%	10%	0%	18%	12%	5%	394
NC	0%	1%	2%	12%	1%	6%	12%	0%	761
NH	n/a	n/a	n/a	1%	n/a	7%	3%	1%	406
NJ	0%	0%	0%	0%	0%	19%	46%	2%	418
NY	0%	2%	4%	0%	0%	6%	18%	15%	589
OH	0%	1%	2%	0%	0%	8%	10%	2%	457
OK	0%	0%	0%	0%	0%	69%	18%	4%	400
PA	0%	2%	0%	4%	1%	18%	9%	3%	680
SC	0%	0%	0%	0%	2%	10%	22%	10%	388
SD	1%	1%	2%	3%	1%	4%	17%	25%	337
TN	0%	0%	0%	0%	0%	23%	4%	4%	456
TX	3%	9%	2%	15%	2%	10%	13%	1%	1935
UT	0%	0%	0%	5%	0%	22%	8%	1%	426
VA	0%	4%	2%	4%	0%	6%	37%	6%	1059
VT	0%	0%	0%	0%	0%	3%	4%	0%	327
<b>NCI Average</b>	<b>1%</b>	<b>1%</b>	<b>1%</b>	<b>3%</b>	<b>0%</b>	<b>12%</b>	<b>16%</b>	<b>5%</b>	<b>25,639</b>

Table 6. Type of Residence, Continued

State	Indep. Home or Apt	Parent/relative's home	Foster care/ host home	Nursing facility	Homeless	Other	Don't know	N
AR	17%	16%	4%	0%	0%	4%	0%	395
CA *	11%	52%	2%	1%	0%	1%	0%	8,405
CO	15%	29%	35%	0%	0%	0%	0%	413
CT	18%	31%	6%	1%	0%	0%	0%	435
DC	34%	35%	1%	0%	0%	0%	3%	336
DE	3%	38%	6%	0%	0%	1%	1%	442
FL	17%	55%	1%	0%	0%	1%	0%	1,411
GA	18%	44%	12%	0%	0%	1%	0%	482
HI	4%	53%	30%	0%	0%	0%	0%	400
IL	7%	39%	1%	0%	0%	4%	0%	364
IN	24%	70%	2%	0%	0%	0%	0%	738
KS	27%	25%	3%	0%	0%	1%	1%	366
KY	9%	38%	10%	1%	0%	0%	0%	413
LA	24%	42%	0%	0%	0%	0%	0%	415
ME	18%	16%	11%	1%	0%	0%	0%	398
MEORC	27%	45%	2%	2%	0%	1%	0%	400
MI	25%	26%	4%	0%	0%	3%	0%	384
MN	11%	34%	0%	1%	0%	0%	3%	409
MO	41%	6%	2%	0%	0%	0%	0%	394
NC	7%	49%	9%	1%	0%	1%	0%	761
NH	16%	38%	31%	0%	0%	2%	0%	406
NJ	1%	25%	6%	0%	0%	0%	0%	418
NY	8%	40%	2%	0%	0%	4%	0%	589
OH	32%	41%	2%	2%	0%	1%	0%	457
OK	0%	0%	9%	0%	0%	0%	0%	400
PA	11%	41%	5%	1%	0%	4%	0%	680
SC	8%	44%	2%	0%	0%	1%	1%	388
SD	34%	9%	0%	0%	0%	2%	0%	337
TN	35%	29%	3%	0%	0%	2%	1%	456
TX	6%	36%	2%	0%	0%	1%	1%	1,935
UT	15%	41%	7%	0%	0%	0%	0%	426
VA	4%	21%	7%	5%	0%	1%	3%	1,059
VT	19%	25%	47%	0%	0%	1%	0%	327
<b>NCI Average</b>	<b>17%</b>	<b>34%</b>	<b>8%</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>0%</b>	<b>25,639</b>

Table 7. Level of ID†

State	No ID	Mild	Moderate	Severe	Profound	Unspecified	Unknown	N
AR	3%	29%	25%	16%	19%	4%	5%	394
CA *	13%	38%	23%	14%	9%	3%	0%	8,381
CO	0%	39%	27%	10%	6%	10%	7%	414
CT	2%	41%	30%	14%	13%	0%	1%	439
DC	1%	28%	36%	19%	13%	0%	3%	336
DE	4%	45%	25%	11%	7%	2%	7%	433
FL	15%	24%	32%	13%	8%	2%	6%	1,416
GA	1%	35%	37%	12%	9%	6%	0%	480
HI	3%	18%	42%	19%	16%	1%	2%	400
IL	1%	39%	32%	15%	11%	1%	1%	367
IN	7%	44%	24%	6%	3%	9%	8%	729
KS	4%	42%	27%	12%	8%	5%	2%	366
KY	4%	43%	30%	12%	6%	5%	1%	411
LA	9%	32%	24%	15%	17%	2%	1%	414
ME	1%	41%	32%	10%	6%	3%	7%	395
MEORC	9%	43%	28%	9%	3%	4%	3%	397
MI	3%	37%	31%	13%	11%	4%	2%	397
MN	0%	42%	28%	15%	7%	9%	0%	410
MO	11%	37%	19%	14%	14%	5%	0%	405
NC	4%	26%	32%	17%	15%	3%	3%	760
NH	5%	42%	23%	7%	4%	7%	11%	410
NJ	17%	21%	16%	10%	5%	26%	5%	412
NY	4%	40%	33%	12%	7%	2%	1%	585
OH	9%	43%	30%	8%	5%	2%	3%	457
OK	0%	44%	28%	11%	16%	1%	0%	400
PA	1%	43%	31%	11%	9%	2%	4%	678
SC	5%	29%	30%	13%	8%	1%	14%	393
SD	12%	51%	18%	7%	9%	3%	1%	334
TN	0%	33%	30%	14%	11%	3%	8%	465
TX	8%	26%	26%	16%	20%	1%	3%	1,886
UT	13%	40%	19%	13%	14%	1%	0%	425
VA	5%	17%	27%	19%	21%	1%	9%	987
VT	7%	51%	24%	7%	3%	6%	2%	323
<b>NCI Average</b>	<b>5%</b>	<b>36%</b>	<b>28%</b>	<b>12%</b>	<b>10%</b>	<b>4%</b>	<b>4%</b>	<b>25,499</b>

**Table 8. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness<sup>2</sup>**

State	Mood Disorder	Anxiety Disorder	Behavior Challenges	Psychotic Disorder	Other Mental Illness or Psychiatric Diagnosis
AR	36%	31%	36%	12%	14%
CA *	24%	25%	29%	9%	5%
CO	41%	27%	32%	11%	16%
CT	29%	28%	43%	14%	12%
DC	15%	10%	16%	15%	6%
DE	28%	21%	24%	17%	13%
FL	26%	24%	27%	11%	5%
GA	25%	16%	22%	19%	8%
HI <sup>3</sup>	8%	5%	9%	8%	5%
IL	36%	25%	34%	14%	9%
IN	18%	16%	18%	4%	2%
KS	40%	30%	46%	19%	15%
KY <sup>4</sup>	50%	35%	41%	22%	31%
LA	31%	24%	40%	18%	9%
ME	38%	42%	43%	11%	14%
MEORC	33%	22%	15%	11%	13%
MI	38%	20%	31%	18%	15%
MN <sup>5</sup>	5%	5%	22%	3%	18%
MO	46%	26%	33%	18%	13%
NC	26%	17%	29%	13%	11%
NH	33%	34%	36%	8%	10%
NJ	26%	30%	14%	10%	1%
NY	22%	22%	25%	10%	8%
OH	35%	21%	16%	10%	10%
OK	44%	25%	32%	22%	13%
PA	38%	30%	26%	10%	12%
SC <sup>6</sup>	21%	16%	23%	10%	8%
SD	43%	35%	25%	12%	22%
TN	43%	34%	43%	24%	19%
TX	30%	23%	30%	13%	10%
UT	44%	38%	48%	12%	13%
VA	29%	22%	36%	15%	9%
VT	44%	45%	30%	7%	16%
<b>NCI Average</b>	<b>32%</b>	<b>25%</b>	<b>29%</b>	<b>13%</b>	<b>12%</b>

<sup>2</sup> Individuals may have been diagnosed with more than one other disability. Don't know responses were included in the denominator for this question.

<sup>3</sup> In Hawaii, data availability was limited in administrative records

<sup>4</sup> Kentucky had a large number of 'don't know' and missing responses.

<sup>5</sup> In Minnesota, data availability was limited in administrative records.

<sup>6</sup> In South Carolina, there were a large number of 'don't know' and missing responses.

Table 9. Other Disabilities<sup>7</sup>

State	Autism Spectrum Disorder	Cerebral Palsy	Brain Injury	Seizure Disorder or Neurological Problem	Chemical Dependency	Down Syndrome	Prader-Willi Syndrome
AR	17%	26%	7%	39%	3%	11%	1%
CA *	18%	21%	7%	27%	2%	11%	1%
CO	12%	16%	4%	28%	0%	12%	1%
CT	21%	14%	3%	32%	1%	11%	0%
DC	10%	8%	1%	18%	2%	7%	0%
DE	16%	12%	2%	23%	1%	8%	1%
FL	18%	23%	3%	28%	1%	8%	1%
GA	13%	9%	2%	28%	0%	7%	0%
HI	15%	16%	2%	35%	0%	12%	1%
IL	19%	17%	3%	30%	1%	15%	1%
IN	22%	14%	4%	26%	1%	14%	2%
KS	19%	15%	3%	27%	1%	13%	1%
KY <sup>8</sup>	18%	25%	5%	40%	3%	13%	2%
LA	18%	19%	5%	33%	1%	7%	2%
ME	19%	12%	6%	27%	3%	10%	2%
MEORC	7%	17%	7%	30%	1%	12%	1%
MI	20%	18%	5%	31%	2%	7%	0%
MN	14%	17%	1%	16%	1%	6%	0%
MO	18%	11%	7%	31%	2%	6%	2%
NC	23%	16%	7%	32%	2%	8%	1%
NH	17%	13%	14%	30%	3%	14%	1%
NJ	22%	13%	2%	34%	0%	17%	1%
NY	18%	11%	3%	23%	1%	9%	1%
OH	10%	16%	5%	26%	1%	9%	1%
OK	9%	18%	1%	35%	1%	11%	1%
PA	14%	11%	3%	28%	1%	11%	1%
SC **	11%	9%	3%	18%	1%	5%	1%
SD	14%	19%	7%	29%	3%	6%	0%
TN	12%	19%	6%	41%	2%	8%	1%
TX	17%	20%	14%	32%	2%	10%	1%
UT	17%	12%	6%	31%	3%	10%	1%
VA	17%	13%	5%	32%	2%	7%	1%
VT	22%	12%	4%	22%	3%	10%	1%
<b>NCI Average</b>	<b>16%</b>	<b>15%</b>	<b>5%</b>	<b>29%</b>	<b>2%</b>	<b>10%</b>	<b>1%</b>

<sup>7</sup> Individuals may have been diagnosed with more than one other disability. 'Don't know' responses were included in the denominator for this indicator.

<sup>8</sup> In Kentucky, there were a large number of 'don't know' and missing responses for this indicator.

**Table 10. Primary Means of Expression**

State	Spoken	Gestures	Sign Language	Communication Device	Other	Don't Know	N
AR	75%	20%	2%	1%	3%	1%	397
CA *	69%	30%	1%	0%	1%	0%	8,405
CO	77%	18%	2%	1%	1%	0%	414
CT	73%	23%	2%	1%	2%	0%	436
DC	87%	8%	2%	0%	0%	3%	334
DE	84%	12%	2%	1%	1%	0%	441
FL	72%	25%	1%	1%	1%	0%	1,401
GA	83%	15%	3%	0%	0%	0%	480
HI	68%	27%	3%	1%	2%	0%	399
IL	82%	14%	1%	1%	2%	1%	367
IN	90%	7%	1%	1%	0%	1%	738
KS	79%	18%	2%	0%	1%	0%	370
KY	77%	20%	1%	0%	1%	0%	409
LA	74%	23%	0%	1%	1%	0%	411
ME	84%	11%	2%	2%	1%	0%	394
MEORC	85%	11%	1%	2%	1%	0%	400
MI	76%	21%	1%	1%	1%	0%	406
MN	76%	14%	7%	3%	0%	0%	407
MO	73%	24%	1%	1%	1%	0%	405
NC	70%	25%	2%	1%	1%	0%	758
NH	80%	14%	2%	2%	1%	0%	408
NJ	80%	16%	2%	1%	0%	0%	420
NY	80%	18%	1%	1%	1%	0%	586
OH	87%	10%	1%	1%	2%	0%	457
OK	75%	18%	3%	1%	4%	0%	400
PA	78%	18%	1%	1%	1%	0%	683
SC	81%	14%	2%	1%	2%	2%	400
SD	85%	12%	1%	1%	2%	0%	331
TN	74%	23%	1%	2%	1%	0%	465
TX	66%	28%	2%	1%	2%	1%	1,936
UT	74%	19%	3%	0%	4%	0%	426
VA	50%	33%	1%	1%	2%	12%	1,060
VT	87%	11%	1%	1%	1%	0%	326
<b>NCI Average</b>	<b>77%</b>	<b>18%</b>	<b>2%</b>	<b>1%</b>	<b>1%</b>	<b>1%</b>	<b>25,670</b>

**Table 11. Primary Language**

State	English	Other	N
AR	99%	1%	389
CA *	81%	19%	8,404
CO	97%	3%	413
CT	97%	3%	434
DC	98%	2%	326
DE	99%	1%	435
FL	92%	8%	1,383
GA	100%	0%	474
HI	99%	1%	399
IL	98%	2%	355
IN	100%	0%	724
KS	98%	2%	369
KY	100%	0%	403
LA	100%	0%	410
ME	97%	3%	392
MEORC	96%	4%	395
MI	95%	5%	409
MN	100%	0%	408
MO	100%	0%	401
NC	98%	2%	753
NH	99%	1%	405
NJ	99%	1%	422
NY	93%	7%	582
OH	99%	1%	457
OK	100%	0%	400
PA	97%	3%	672
SC	99%	1%	400
SD	100%	0%	335
TN	99%	1%	461
TX	90%	10%	1,911
UT	98%	2%	425
VA	99%	1%	935
VT	97%	3%	323
<b>NCI Average</b>	<b>97%</b>	<b>3%</b>	<b>25,404</b>



**Table 12. Overall Health**

State	Excellent	Very Good	Fairly Good	Poor	Don't Know	N
AR	7%	37%	51%	5%	0%	392
CA *	20%	49%	29%	2%	0%	8,391
CO	10%	52%	36%	2%	0%	410
CT	14%	43%	37%	5%	0%	436
DC	0%	48%	16%	1%	34%	332
DE	10%	41%	41%	6%	3%	436
FL	16%	46%	32%	5%	0%	1,411
GA	22%	52%	24%	2%	0%	479
HI	9%	40%	50%	1%	0%	401
IL	13%	50%	35%	2%	0%	365
IN	11%	56%	31%	2%	0%	736
KS	8%	39%	46%	6%	1%	370
KY	9%	48%	37%	5%	1%	411
LA	7%	44%	44%	5%	0%	411
ME	9%	39%	49%	3%	0%	397
MEORC	15%	43%	35%	3%	3%	393
MI	11%	32%	41%	4%	13%	405
MN	24%	43%	29%	3%	1%	405
MO	14%	44%	40%	2%	0%	404
NC	14%	40%	41%	4%	1%	755
NH	14%	47%	35%	3%	0%	409
NJ	10%	43%	45%	2%	0%	419
NY	13%	51%	33%	2%	0%	589
OH	11%	50%	35%	4%	0%	457
OK	14%	39%	45%	3%	0%	400
PA	15%	44%	36%	4%	1%	675
SC	11%	44%	39%	3%	3%	400
SD	15%	43%	40%	3%	0%	336
TN <sup>9</sup>	4%	33%	50%	9%	4%	228
TX	15%	45%	35%	4%	1%	1,930
UT	8%	40%	44%	8%	0%	425
VA	8%	37%	36%	4%	15%	1,058
VT	11%	40%	45%	4%	0%	327
<b>NCI Average</b>	<b>12%</b>	<b>44%</b>	<b>38%</b>	<b>4%</b>	<b>3%</b>	<b>25,393</b>

<sup>9</sup> In Tennessee, there were a large number of missing responses for this question.

Table 13. Mobility†

State	Moves Without Aids	Moves With Aids or Uses Wheelchair Independently	Always Needs Aids to Move Around Environment	Don't Know	N
AR	75%	16%	9%	0%	399
CA *	76%	11%	13%	0%	8,395
CO	76%	17%	6%	1%	413
CT	78%	14%	8%	0%	436
DC	55%	11%	1%	33%	335
DE	81%	15%	4%	0%	438
FL	72%	15%	12%	0%	1,401
GA	85%	10%	5%	0%	483
HI	67%	17%	16%	1%	400
IL	82%	12%	5%	1%	365
IN	87%	10%	2%	0%	738
KS	74%	15%	11%	0%	371
KY	81%	12%	7%	0%	412
LA	72%	15%	13%	0%	413
ME	81%	14%	5%	0%	398
MEORC	81%	14%	5%	0%	399
MI	72%	17%	11%	0%	406
MN	75%	14%	11%	0%	406
MO	74%	17%	9%	0%	402
NC	71%	14%	15%	0%	759
NH	77%	14%	9%	0%	407
NJ	85%	7%	8%	0%	425
NY	81%	13%	6%	0%	583
OH	81%	13%	6%	0%	457
OK	74%	16%	10%	0%	400
PA	78%	13%	9%	0%	680
SC	82%	10%	6%	2%	400
SD	76%	18%	6%	0%	335
TN	71%	16%	13%	0%	463
TX	67%	18%	16%	0%	1,933
UT	75%	13%	12%	0%	424
VA	53%	16%	16%	14%	1,056
VT	82%	13%	5%	0%	327
<b>NCI Average</b>	<b>76%</b>	<b>14%</b>	<b>9%</b>	<b>2%</b>	<b>25,659</b>

**Table 14. Support to Manage Self-Injurious Behavior†**

State	None	Some	Extensive	Don't Know	N
AR	66%	22%	12%	0%	389
CA *	80%	17%	3%	0%	8,404
CO	71%	22%	7%	0%	411
CT	68%	22%	10%	0%	432
DC	56%	5%	0%	39%	333
DE <sup>10</sup>	77%	13%	2%	8%	254
FL	85%	11%	3%	0%	1,401
GA	87%	12%	1%	0%	480
HI	82%	15%	4%	0%	400
IL	78%	18%	4%	0%	357
IN	92%	6%	2%	0%	732
KS	48%	34%	16%	2%	368
KY	78%	19%	3%	0%	403
LA	70%	21%	8%	1%	412
ME	61%	29%	8%	2%	399
MEORC	91%	8%	1%	0%	393
MI	72%	17%	6%	5%	397
MN	57%	34%	9%	0%	409
MO	66%	23%	11%	0%	404
NC	67%	26%	6%	1%	750
NH	73%	18%	8%	1%	384
NJ	90%	9%	1%	0%	424
NY	77%	16%	5%	2%	590
OH	88%	10%	2%	1%	457
OK	68%	24%	8%	0%	400
PA	74%	17%	6%	3%	670
SC	82%	10%	2%	6%	399
SD	78%	19%	3%	0%	297
TN	61%	25%	12%	2%	452
TX	80%	14%	5%	1%	1,933
UT	68%	25%	7%	0%	421
VA	55%	21%	7%	16%	1,038
VT	78%	19%	3%	0%	327
<b>NCI Average</b>	<b>73%</b>	<b>18%</b>	<b>6%</b>	<b>3%</b>	<b>25,320</b>

<sup>10</sup> In Delaware, there were a large number of missing responses.

**Table 15. Support to Manage Disruptive Behavior†**

State	None	Some	Extensive	Don't Know	N
AR	50%	35%	15%	0%	393
CA *	57%	29%	14%	0%	8,404
CO	53%	38%	8%	0%	413
CT	45%	41%	14%	0%	434
DC	42%	19%	0%	39%	331
DE <sup>11</sup>	59%	28%	6%	7%	254
FL	71%	20%	8%	1%	1,397
GA	77%	20%	2%	0%	483
HI	74%	22%	4%	0%	401
IL	54%	37%	9%	1%	355
IN	83%	15%	2%	0%	729
KS	27%	37%	33%	3%	369
KY	66%	26%	6%	1%	404
LA	53%	36%	9%	1%	410
ME	42%	45%	11%	2%	397
MEORC	77%	21%	2%	0%	392
MI	53%	31%	10%	6%	396
MN	39%	51%	10%	0%	410
MO	55%	33%	12%	0%	397
NC	52%	39%	9%	0%	749
NH	58%	32%	10%	0%	386
NJ	85%	13%	1%	0%	424
NY	62%	27%	10%	1%	588
OH	71%	26%	3%	0%	457
OK	59%	34%	8%	0%	400
PA	63%	26%	7%	3%	673
SC	75%	15%	5%	5%	399
SD	61%	30%	9%	0%	281
TN	51%	30%	17%	2%	452
TX	72%	21%	6%	1%	1,931
UT	42%	43%	15%	0%	422
VA	44%	30%	9%	17%	1,043
VT	66%	24%	9%	1%	327
<b>NCI Average</b>	<b>59%</b>	<b>30%</b>	<b>9%</b>	<b>3%</b>	<b>25,301</b>

<sup>11</sup> Delaware had a large number of missing responses for this question.

**Table 16. Support to Manage Destructive Behavior†**

State	None	Some	Extensive	Don't Know	N
AR	63%	27%	9%	0%	391
CA *	72%	22%	6%	0%	8,404
CO	69%	23%	7%	0%	413
CT	64%	28%	8%	0%	434
DC	57%	4%	0%	39%	327
DE <sup>12</sup> **	70%	16%	4%	10%	255
FL	81%	13%	5%	0%	1,393
GA	87%	12%	1%	0%	481
HI	82%	16%	2%	0%	401
IL	71%	23%	6%	1%	355
IN	90%	8%	2%	0%	726
KS	47%	33%	17%	2%	365
KY	75%	20%	4%	1%	404
LA	67%	21%	10%	2%	413
ME	63%	27%	8%	3%	393
MEORC	88%	11%	1%	0%	392
MI	67%	21%	6%	7%	397
MN	46%	44%	11%	0%	408
MO	67%	23%	10%	0%	398
NC	70%	25%	5%	1%	744
NH	76%	18%	6%	1%	384
NJ	87%	11%	1%	0%	423
NY	77%	17%	5%	1%	585
OH	85%	12%	2%	0%	457
OK	75%	19%	6%	0%	400
PA	75%	17%	5%	3%	668
SC	81%	10%	4%	6%	395
SD	79%	19%	2%	0%	283
TN	62%	24%	12%	3%	452
TX	81%	14%	4%	1%	1,922
UT	60%	31%	9%	0%	421
VA	57%	18%	8%	17%	1,042
VT	77%	17%	6%	0%	327
<b>NCI Average</b>	<b>72%</b>	<b>19%</b>	<b>6%</b>	<b>3%</b>	<b>25,253</b>

<sup>12</sup> Delaware had a large number of missing responses for this question.

Table 17. Guardianship

State	None	Limited Guardianship	Full Guardianship	Don't Know	N
AR	40%	17%	43%	1%	394
CA *	64%	18%	11%	7%	8,228
CO	54%	0%	46%	0%	413
CT	20%	7%	72%	0%	436
DC	31%	19%	14%	36%	337
DE	84%	5%	9%	3%	438
FL	70%	10%	19%	1%	1,401
GA	88%	1%	11%	1%	484
HI	30%	3%	67%	1%	399
IL	36%	2%	62%	0%	364
IN	51%	7%	41%	1%	738
KS	32%	3%	63%	2%	373
KY	41%	2%	57%	0%	410
LA	90%	0%	8%	1%	412
ME	22%	4%	74%	0%	399
MEORC	50%	26%	24%	0%	399
MI	27%	17%	56%	0%	406
MN	19%	10%	42%	28%	410
MO	15%	1%	84%	0%	402
NC	31%	7%	61%	1%	758
NH	27%	3%	70%	0%	410
NJ	26%	6%	67%	1%	406
NY	60%	5%	25%	10%	585
OH	67%	10%	24%	0%	457
OK	42%	5%	53%	0%	400
PA	77%	2%	12%	8%	679
SC	81%	2%	7%	10%	398
SD	49%	3%	49%	0%	338
TN	41%	11%	47%	1%	464
TX	49%	6%	43%	3%	1,930
UT	55%	13%	31%	2%	424
VA	57%	7%	31%	6%	1,039
VT	25%	4%	71%	0%	327
<b>NCI Average</b>	<b>47%</b>	<b>7%</b>	<b>42%</b>	<b>4%</b>	<b>25,458</b>

Table 18 Who Owns or Leases the Home in which the Person Lives

State	Family, Guardian or Friend	Foster Care or Host Family	Private Agency	State or County Agency	Person Rents	Person Owns	Other	Don't Know	N
AR	30%	5%	19%	18%	20%	3%	4%	1%	390
CA *	51%	1%	34%	1%	9%	1%	1%	1%	8,390
CO	31%	34%	20%	2%	9%	1%	0%	1%	413
CT	34%	5%	30%	13%	14%	0%	0%	3%	435
DC	15%	1%	29%	2%	0%	0%	0%	53%	334
DE	34%	6%	46%	5%	4%	0%	0%	4%	438
FL	56%	0%	27%	1%	13%	2%	0%	0%	1,405
GA	46%	14%	22%	2%	12%	2%	1%	0%	483
HI	54%	37%	5%	0%	2%	1%	1%	0%	399
IL	37%	0%	44%	3%	10%	2%	2%	2%	363
IN	69%	1%	2%	0%	23%	2%	0%	1%	736
KS	27%	2%	39%	1%	24%	3%	2%	2%	371
KY	40%	11%	42%	1%	4%	1%	0%	1%	410
LA	42%	0%	31%	5%	16%	2%	2%	1%	414
ME	20%	13%	48%	3%	9%	2%	4%	2%	398
MEORC	48%	1%	23%	3%	21%	2%	1%	1%	400
MI	26%	8%	21%	8%	13%	2%	3%	19%	399
MN	35%	5%	44%	3%	7%	1%	1%	3%	405
MO	13%	2%	34%	22%	24%	1%	1%	2%	405
NC	50%	5%	17%	16%	4%	3%	3%	2%	756
NH	39%	29%	13%	1%	11%	4%	4%	1%	410
NJ	24%	6%	52%	16%	1%	0%	0%	0%	426
NY	40%	3%	33%	13%	6%	1%	2%	2%	590
OH	42%	2%	19%	4%	29%	2%	2%	0%	457
OK	5%	7%	24%	2%	59%	3%	1%	0%	400
PA	41%	3%	31%	7%	8%	1%	5%	4%	675
SC	41%	3%	15%	24%	5%	2%	2%	9%	399
SD	9%	0%	35%	8%	41%	3%	3%	1%	335
TN	30%	3%	14%	7%	33%	2%	2%	10%	459
TX	34%	3%	33%	20%	5%	3%	1%	3%	1,933
UT	43%	7%	25%	6%	15%	1%	0%	3%	424
VA	21%	5%	44%	15%	3%	1%	3%	8%	1,057
VT	28%	46%	8%	0%	15%	1%	1%	1%	327
<b>NCI Average</b>	<b>35%</b>	<b>8%</b>	<b>28%</b>	<b>7%</b>	<b>14%</b>	<b>2%</b>	<b>2%</b>	<b>4%</b>	<b>25,636</b>

## Core Indicator Outcomes and Comparisons Across States

Outcome results are presented in subsections that correspond with the Adult Consumer Survey sub-domains. Charts illustrate un-collapsed averages for all unadjusted indicators. Corresponding tables show collapsed data broken out by state and include the NCI Average as well as the number of respondents by state and in total<sup>13</sup>. The NCI Average is calculated as an average of all state averages.

Tables are formatted so that all states are listed in descending order of percentage and are categorized as statistically significantly above the NCI Average, within the range of the NCI Average, and statistically significantly below the NCI Average. Risk-adjusted indicators are noted in text with the table.<sup>14</sup> Please note that, significance testing was not performed for risk-adjusted indicators and state results are simply presented in descending order.

**Note:** Statistical significance is influenced by the size of the state's sample. Therefore, it is possible that a state with a lower percentage but a larger sample will be classified as significantly above average while a state with a somewhat higher percentage but a smaller sample will not. California's sample size is much larger than other states. In the tables presented in this section that show the results of statistical testing, California's data are marked with a double asterisk (\*\*) if the data were significant only due to the size of the sample in the state.

The tables also break out average results for each state by the type of residence: ICF, group home, independent home/apartment, and parent/relative's home.<sup>15</sup> These breakouts were not performed for indicators that were risk-adjusted. Significance testing was not performed on indicators by residence and the number of people in each residential setting is often too small to allow for valid state-to-state comparisons. For the same reason, in many cases statistically valid conclusions cannot be drawn about differences between residence types. This information is provided for states' internal purposes and should not be used to compare one state with another. For each state, if fewer than 20 people in a specific residence type responded to a given indicator, the rate for that residence type for that indicator is not reported. Table 15 below presents, by state, the number of people surveyed in each residence type.

<sup>13</sup> See Appendix A for how questions are collapsed and Appendix B for un-collapsed data by state

<sup>14</sup> Outcome adjustment or "risk adjustment" is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. For a more robust description of risk adjustment see 'Outcome Adjustment' on page 235.

<sup>15</sup> For more information on the residence type breakouts, see Appendix C.



**Note:**

New Hampshire administered their Adult Consumer Survey in a two year cycle. Therefore, the NH data represented in this report were gathered between July, 2013 and June 2015. During this cycle, the 2013-14 Adult Consumer Survey Tool was utilized. As a result, NH was unable to be included in some analyses as the survey questions changed between 2013-14 and 2014-15.

**Table 19 Number of people in each type of residence**

State	ICF	Group Home	Independent Home or Apartment	Parent or Relative's Home
AR	87	149	66	62
CA	867	2,160	976	4,031
CO	0	85	62	121
CT	37	156	78	133
DC	26	65	113	117
DE	19	211	14	166
FL	0	370	234	779
GA	0	121	87	210
HI	0	55	15	211
IL	0	180	24	143
IN	8	19	178	517
KS	3	159	97	91
KY	8	163	39	157
LA	126	15	100	173
ME	12	204	71	65
MEORC	7	90	108	179
MI	2	161	95	100
MN	28	176	46	140
MO	64	135	160	25
NC	113	133	56	371
NH	3	48	65	156
NJ	0	281	5	106
NY	41	231	48	233
OH	13	88	146	188
OK	0	364	0	1
PA	47	200	78	281
SC	6	164	32	170
SD	27	156	116	29
TN	0	141	159	130
TX	591	460	122	689
UT	23	129	66	174
VA	106	526	38	218
VT	0	23	63	83
<b>NCI Total</b>	<b>2,264</b>	<b>7,618</b>	<b>3,557</b>	<b>10,249</b>

## Choice and Decision-Making

### People make choices about their lives and are actively engaged in planning their services and supports.

The Choice and Decision-Making indicator is:

1. The proportion of people who make choices about their everyday lives, including: housing, roommates, daily routines, jobs, support staff or providers, social activities, and what to spend money on.

The Adult Consumer Survey includes nine choice items that correspond to the Choice indicator; all but one item, “Chose Case Manager” (Table 30), were risk-adjusted.<sup>16</sup>

Table 20 through Table 30 present the results for these items.

Two Choice composite scale scores were produced by adding and averaging Choice items. The Life Decisions scale (Table 25) refers to choice of: residence, work, day activity, staff, and roommates. The Everyday Choices scale (Table 26) refers to choice of: daily schedule, how to spend money, and free time activities. Both scales were risk-adjusted.

All un-collapsed and unadjusted data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility

Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities

Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)

Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

<sup>16</sup> Outcome adjustment or “risk adjustment” is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. For a more robust description of risk adjustment see ‘Outcome Adjustment’ on page 220.

**Table 20 Chose or had some input in choosing where they live *if not in the family home***  
**(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (Observed)	ICF	Group Home	Individual Home	Parent's Home
GA	76%	226	n/a	71%	88%	n/a
KS	74%	254	n/a	73%	83%	n/a
IN	72%	238	n/a	n/a	78%	n/a
SD	66%	255	44%	65%	75%	n/a
TN	65%	308	n/a	64%	62%	n/a
MEORC	65%	187	n/a	57%	69%	n/a
HI	64%	181	n/a	59%	n/a	n/a
CO	63%	278	n/a	44%	77%	n/a
OH	62%	224	n/a	52%	67%	n/a
ME	60%	273	n/a	57%	66%	n/a
FL	59%	573	n/a	45%	88%	n/a
IL	58%	194	n/a	57%	n/a	n/a
VT	58%	232	n/a	41%	73%	n/a
NH	57%	253	n/a	46%	74%	n/a
MI	56%	292	n/a	51%	69%	n/a
DC	55%	195	61%	43%	58%	n/a
UT	55%	235	33%	55%	65%	n/a
VA	55%	768	43%	54%	77%	n/a
DE	54%	207	n/a	56%	n/a	n/a
OK	52%	382	n/a	52%	n/a	n/a
LA	52%	213	43%	n/a	60%	n/a
PA	52%	324	60%	45%	72%	n/a
KY	51%	242	n/a	50%	77%	n/a
NY	49%	326	25%	47%	86%	n/a
NC	49%	340	33%	49%	74%	n/a
AR	49%	257	25%	55%	54%	n/a
CA	47%	4,842	37%	45%	74%	n/a
CT	47%	254	12%	43%	61%	n/a
MN	46%	252	45%	44%	60%	n/a
TX	40%	1,135	34%	39%	75%	n/a
MO	37%	367	18%	35%	44%	n/a
SC	28%	180	n/a	21%	43%	n/a
NJ	14%	309	n/a	14%	n/a	n/a
<b>NCI Average</b>	<b>54%</b>	<b>14,796</b>	<b>37%</b>	<b>49%</b>	<b>70%</b>	<b>n/a</b>

**Table 21 Chose or had some input in choosing their roommates *if not in the family home***  
**(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
KS	70%	256	n/a	63%	89%	n/a
IN	66%	233	n/a	n/a	73%	n/a
CO	62%	278	n/a	36%	100%	n/a
AR	59%	261	51%	57%	78%	n/a
DC	59%	184	n/a	61%	56%	n/a
TN	59%	307	n/a	50%	61%	n/a
LA	58%	223	43%	n/a	86%	n/a
GA	57%	228	n/a	45%	84%	n/a
NH	56%	250	n/a	27%	93%	n/a
OH	56%	223	n/a	45%	67%	n/a
HI	55%	181	n/a	48%	n/a	n/a
VT	55%	232	n/a	16%	85%	n/a
MEORC	53%	193	n/a	38%	70%	n/a
OK	52%	376	n/a	51%	n/a	n/a
FL	52%	588	n/a	34%	90%	n/a
UT	52%	234	59%	43%	80%	n/a
ME	48%	281	n/a	36%	85%	n/a
PA	45%	338	22%	36%	88%	n/a
SD	42%	246	29%	27%	71%	n/a
IL	40%	196	n/a	36%	n/a	n/a
CT	39%	258	34%	21%	70%	n/a
DE	38%	211	n/a	38%	n/a	n/a
MI	35%	290	n/a	18%	69%	n/a
CA	34%	4,608	16%	21%	76%	n/a
MO	32%	358	21%	21%	45%	n/a
NC	32%	347	30%	14%	75%	n/a
NY	31%	330	15%	23%	91%	n/a
TX	30%	1,139	27%	22%	86%	n/a
MN	29%	249	21%	19%	71%	n/a
VA	28%	772	12%	22%	59%	n/a
KY	22%	238	n/a	15%	67%	n/a
SC	21%	177	n/a	11%	59%	n/a
NJ	7%	309	n/a	7%	n/a	n/a
<b>NCI Average</b>	<b>45%</b>	<b>14,594</b>	<b>29%</b>	<b>32%</b>	<b>76%</b>	<b>n/a</b>

**Table 22 Chose or had some input in choosing where they work (among those with a job in the community)\*  
(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
GA	98%	54	n/a	n/a	n/a	96%
KY	96%	26	n/a	n/a	n/a	n/a
KS	96%	41	n/a	n/a	100%	n/a
FL	95%	114	n/a	n/a	96%	95%
MEORC	94%	35	n/a	n/a	n/a	n/a
MO	94%	33	n/a	n/a	96%	n/a
IN	93%	143	n/a	n/a	98%	89%
UT	91%	59	n/a	n/a	n/a	100%
MI	90%	37	n/a	n/a	n/a	n/a
AR	89%	30	n/a	n/a	n/a	n/a
NH	89%	136	n/a	n/a	89%	87%
VT	88%	127	n/a	n/a	87%	82%
CO	87%	119	n/a	n/a	92%	87%
LA	87%	42	n/a	n/a	n/a	n/a
NC	86%	66	n/a	87%	n/a	85%
VA	86%	76	n/a	79%	n/a	87%
DE	85%	36	n/a	n/a	n/a	80%
TN	85%	65	n/a	n/a	n/a	80%
TX	83%	156	n/a	86%	100%	81%
ME	83%	68	n/a	83%	n/a	n/a
CA	83%	983	n/a	77%	89%	82%
PA	83%	76	n/a	n/a	n/a	81%
NY	82%	67	n/a	79%	n/a	78%
OH	82%	49	n/a	n/a	87%	n/a
SD	80%	81	n/a	n/a	79%	n/a
MN	76%	100	n/a	76%	89%	74%
IL	76%	29	n/a	n/a	n/a	n/a
OK	75%	87	n/a	73%	n/a	n/a
CT	71%	145	n/a	68%	86%	63%
SC	48%	70	n/a	51%	n/a	51%
NJ	43%	23	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>84%</b>	<b>84%</b>	<b>n/a</b>	<b>76%</b>	<b>91%</b>	<b>82%</b>

\* Reported for those who were determined to have a paid community job from Background section

**Table 23 Chose or had some input in choosing where they go during the day  
(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
KS	82%	303	n/a	80%	92%	74%
MEORC	81%	319	n/a	83%	90%	75%
GA	79%	364	n/a	74%	92%	82%
VT	79%	261	n/a	83%	100%	77%
FL	75%	868	n/a	70%	86%	76%
HI	72%	372	n/a	76%	n/a	73%
NH	72%	351	n/a	71%	82%	70%
TN	72%	272	n/a	66%	80%	67%
IN	69%	501	n/a	n/a	80%	66%
PA	67%	450	66%	66%	95%	65%
UT	67%	282	n/a	67%	80%	63%
DC	67%	290	43%	66%	70%	65%
MO	66%	238	56%	70%	72%	n/a
NC	66%	566	88%	51%	71%	58%
MI	65%	275	n/a	62%	72%	63%
SD	64%	253	71%	62%	69%	69%
CO	64%	332	n/a	45%	82%	70%
OH	62%	310	n/a	61%	66%	56%
LA	61%	232	62%	n/a	65%	56%
NY	59%	492	54%	58%	72%	60%
AR	59%	276	55%	61%	70%	41%
ME	59%	263	n/a	56%	66%	60%
KY	58%	367	n/a	49%	71%	71%
OK	57%	224	n/a	57%	n/a	n/a
IL	57%	289	n/a	54%	n/a	61%
VA	57%	730	62%	54%	81%	52%
CA	55%	6,151	47%	52%	71%	56%
CT	54%	305	55%	52%	68%	51%
TX	53%	1,467	59%	45%	79%	51%
DE	46%	317	n/a	52%	n/a	41%
MN	44%	235	37%	46%	36%	42%
SC	19%	312	n/a	21%	17%	19%
NJ	17%	407	n/a	16%	n/a	18%
<b>NCI Average</b>	<b>61%</b>	<b>18,674</b>	<b>58%</b>	<b>59%</b>	<b>74%</b>	<b>60%</b>

**Table 24 Chose or could request to change the staff who help them at their home, job, or day program or activity  
(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
HI	94%	380	n/a	100%	n/a	92%
TN	93%	433	n/a	95%	93%	88%
SC	92%	381	n/a	91%	96%	94%
MEORC	89%	352	n/a	91%	89%	88%
KS	87%	339	n/a	89%	90%	85%
IN	86%	612	n/a	n/a	89%	85%
LA	85%	366	79%	n/a	94%	85%
UT	81%	406	88%	82%	75%	83%
ME	78%	367	n/a	73%	89%	83%
NH	78%	382	n/a	61%	81%	84%
FL	77%	1,277	n/a	73%	89%	77%
AR	76%	371	63%	81%	87%	66%
DC	72%	280	81%	67%	76%	68%
GA	72%	434	n/a	69%	77%	71%
OK	70%	393	n/a	70%	n/a	n/a
OH	68%	378	n/a	66%	74%	64%
NC	68%	691	55%	62%	77%	74%
IL	66%	291	n/a	59%	n/a	76%
CO	65%	373	n/a	45%	80%	73%
VT	63%	260	n/a	27%	82%	64%
CA	62%	6,781	64%	59%	80%	60%
MO	58%	401	32%	43%	81%	64%
NY	58%	520	46%	54%	81%	59%
DE	54%	354	n/a	59%	n/a	51%
VA	52%	981	52%	46%	76%	57%
PA	50%	555	42%	40%	68%	52%
MI	49%	354	n/a	49%	61%	48%
SD	48%	252	27%	45%	60%	57%
TX	47%	1,664	40%	40%	70%	55%
CT	41%	357	28%	31%	58%	43%
MN	40%	372	42%	26%	62%	49%
KY	31%	394	n/a	22%	46%	36%
NJ	23%	391	n/a	22%	n/a	24%
<b>NCI Average</b>	<b>66%</b>	<b>22,142</b>	<b>53%</b>	<b>59%</b>	<b>78%</b>	<b>67%</b>



**Table 25 Choose or help decide their daily schedule**  
**(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
KY	95%	402	n/a	97%	100%	94%
GA	94%	434	n/a	94%	96%	92%
FL	91%	1,400	n/a	88%	96%	91%
MEORC	90%	381	n/a	89%	89%	92%
CO	89%	407	n/a	84%	96%	93%
KS	89%	345	n/a	88%	92%	87%
DC	87%	332	87%	85%	90%	85%
MO	87%	399	76%	93%	88%	84%
ME	86%	389	n/a	84%	96%	86%
SD	85%	294	75%	84%	92%	81%
LA	85%	406	74%	n/a	96%	89%
NC	84%	750	92%	79%	93%	83%
PA	84%	682	82%	86%	91%	83%
UT	84%	413	92%	86%	88%	81%
MI	83%	402	n/a	83%	93%	82%
VT	83%	320	n/a	86%	96%	81%
NH	83%	405	n/a	79%	100%	82%
IN	82%	725	n/a	n/a	92%	80%
CA	82%	8,332	81%	83%	96%	81%
TN	82%	442	n/a	79%	88%	76%
VA	81%	1,029	83%	81%	93%	77%
SC	81%	400	n/a	77%	94%	83%
NY	81%	578	77%	80%	91%	82%
AR	79%	383	66%	84%	82%	82%
HI	79%	399	n/a	78%	n/a	79%
OH	78%	444	n/a	69%	88%	75%
IL	78%	342	n/a	73%	100%	84%
MN	78%	404	74%	76%	96%	76%
DE	76%	383	n/a	83%	n/a	65%
CT	75%	414	77%	73%	90%	73%
OK	72%	393	n/a	71%	n/a	n/a
NJ	71%	426	n/a	72%	n/a	69%
TX	67%	1,860	63%	57%	89%	73%
<b>NCI Average</b>	<b>82%</b>	<b>25,115</b>	<b>79%</b>	<b>81%</b>	<b>93%</b>	<b>82%</b>

**Table 26 Choose or help decide how to spend free time**  
**(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
GA	98%	444	n/a	97%	100%	97%
SC	97%	396	n/a	98%	100%	96%
LA	97%	408	95%	n/a	99%	98%
ME	96%	389	n/a	97%	98%	94%
MEORC	96%	381	n/a	95%	98%	96%
KY	96%	408	n/a	98%	100%	96%
PA	95%	685	96%	96%	100%	94%
TN	95%	448	n/a	97%	98%	91%
KS	94%	348	n/a	96%	96%	91%
MI	94%	401	n/a	94%	95%	94%
FL	94%	1,401	n/a	92%	98%	94%
SD	93%	288	92%	94%	95%	86%
AR	93%	381	94%	95%	94%	85%
UT	92%	412	98%	94%	96%	90%
NC	92%	751	96%	93%	92%	90%
IL	90%	342	n/a	90%	100%	90%
MN	90%	403	85%	92%	100%	89%
VA	90%	1,048	91%	92%	96%	89%
MO	90%	395	86%	92%	90%	92%
OK	90%	396	n/a	90%	n/a	n/a
NH	90%	408	n/a	88%	92%	93%
CO	89%	409	n/a	84%	100%	92%
VT	89%	322	n/a	84%	100%	87%
OH	89%	443	n/a	88%	89%	89%
CA	89%	8,341	89%	90%	96%	87%
IN	89%	727	n/a	n/a	94%	87%
HI	88%	399	n/a	87%	n/a	89%
TX	87%	1,879	89%	86%	97%	85%
CT	86%	410	84%	88%	96%	83%
DC	86%	330	92%	85%	89%	81%
NY	86%	581	80%	85%	89%	87%
DE	85%	379	n/a	91%	n/a	79%
NJ	78%	424	n/a	80%	n/a	75%
<b>NCI Average</b>	<b>91%</b>	<b>25,177</b>	<b>90%</b>	<b>91%</b>	<b>96%</b>	<b>90%</b>

**Table 27 Choose or help decide what to buy with their money**  
**(Adjusted Variable, proxy respondents were allowed for this question)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
GA	99%	439	n/a	100%	100%	98%
SC	94%	383	n/a	94%	100%	92%
KY	93%	401	n/a	94%	94%	93%
LA	92%	400	92%	n/a	94%	90%
ME	92%	388	n/a	90%	97%	91%
AR	90%	380	91%	93%	92%	86%
MEORC	90%	371	n/a	95%	92%	86%
PA	89%	677	98%	90%	95%	85%
MI	89%	398	n/a	90%	90%	90%
SD	89%	296	100%	88%	85%	100%
NH	89%	405	n/a	85%	90%	91%
NC	88%	750	97%	89%	91%	83%
OH	88%	450	n/a	90%	90%	85%
IL	88%	337	n/a	89%	100%	87%
MN	87%	403	93%	88%	100%	83%
VA	87%	1,033	88%	88%	96%	84%
MO	87%	395	71%	92%	92%	83%
FL	86%	1,374	n/a	87%	94%	85%
UT	86%	409	98%	84%	91%	84%
IN	86%	725	n/a	n/a	95%	84%
DE	86%	391	n/a	91%	n/a	79%
OK	86%	395	n/a	85%	n/a	n/a
CO	84%	406	n/a	82%	89%	83%
TN	83%	446	n/a	88%	89%	68%
KS	83%	349	n/a	81%	90%	80%
VT	83%	325	n/a	89%	95%	78%
CA	82%	8,300	84%	86%	92%	78%
TX	82%	1,847	85%	82%	92%	78%
CT	82%	406	74%	84%	89%	82%
DC	82%	330	86%	76%	84%	82%
HI	82%	391	n/a	87%	n/a	85%
NY	78%	573	84%	84%	88%	70%
NJ	62%	420	n/a	64%	n/a	57%
<b>NCI Average</b>	<b>86%</b>	<b>24,993</b>	<b>89%</b>	<b>87%</b>	<b>93%</b>	<b>84%</b>


**Table 28 Life Decisions Scale  
(Adjusted Variable)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
KS	80%	351	n/a	78%	87%	80%
HI	78%	397	n/a	73%	n/a	81%
TN	76%	447	n/a	73%	74%	78%
MEORC	76%	387	n/a	71%	78%	77%
IN	74%	712	n/a	n/a	78%	73%
GA	73%	446	n/a	66%	81%	73%
LA	72%	396	59%	n/a	79%	79%
FL	71%	1,351	n/a	56%	84%	75%
UT	70%	417	73%	63%	74%	76%
NH	69%	408	n/a	53%	77%	72%
DC	67%	334	63%	62%	68%	68%
CO	66%	410	n/a	46%	79%	70%
ME	65%	392	n/a	60%	74%	70%
VT	64%	324	n/a	43%	78%	66%
AR	64%	382	51%	67%	72%	60%
OH	63%	428	n/a	60%	70%	57%
NC	62%	741	57%	46%	72%	69%
IL	60%	342	n/a	53%	75%	68%
OK	59%	400	n/a	59%	n/a	n/a
PA	57%	651	50%	48%	76%	58%
SD	57%	298	44%	51%	67%	65%
NY	55%	578	38%	47%	78%	59%
CA	54%	7,927	46%	47%	75%	56%
MI	54%	395	n/a	46%	69%	59%
SC	52%	394	n/a	45%	54%	58%
VA	51%	1,038	46%	46%	74%	57%
MO	50%	405	37%	39%	61%	65%
DE	49%	400	n/a	55%	n/a	43%
CT	47%	411	43%	39%	67%	45%
TX	47%	1,856	42%	37%	72%	53%
KY	45%	405	n/a	36%	69%	52%
MN	44%	397	41%	36%	64%	50%
NJ	15%	425	n/a	14%	n/a	18%
<b>NCI Average</b>	<b>60%</b>	<b>24,645</b>	<b>49%</b>	<b>52%</b>	<b>73%</b>	<b>63%</b>

**Table 29 Everyday Choices Scale  
(Adjusted Variable)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
GA	95%	447	n/a	99%	92%	93%
KY	93%	411	n/a	95%	91%	93%
LA	92%	411	88%	n/a	94%	93%
FL	90%	1,416	n/a	89%	92%	90%
MEORC	90%	390	n/a	91%	88%	90%
SC	90%	400	n/a	89%	91%	90%
ME	90%	395	n/a	89%	92%	89%
MI	89%	403	n/a	91%	91%	89%
NC	89%	760	100%	87%	89%	85%
PA	89%	692	99%	91%	88%	87%
KS	88%	354	n/a	88%	90%	86%
MO	88%	404	76%	91%	90%	86%
AR	88%	385	85%	91%	88%	85%
SD	87%	299	87%	88%	87%	88%
UT	87%	418	100%	88%	88%	85%
TN	87%	450	n/a	88%	91%	78%
CO	87%	412	n/a	84%	89%	89%
NH	87%	410	n/a	85%	89%	88%
VA	86%	1,056	88%	88%	92%	83%
IL	86%	354	n/a	84%	90%	87%
DC	85%	335	90%	82%	88%	83%
IN	85%	736	n/a	n/a	88%	84%
OH	85%	455	n/a	83%	87%	83%
MN	85%	406	84%	85%	91%	82%
VT	85%	326	n/a	86%	89%	82%
CA	84%	8,389	84%	87%	90%	82%
OK	82%	400	n/a	82%	n/a	n/a
DE	82%	409	n/a	88%	n/a	76%
HI	82%	401	n/a	84%	n/a	84%
NY	82%	584	80%	82%	87%	81%
CT	81%	424	76%	83%	88%	79%
TX	78%	1,908	78%	74%	90%	78%
NJ	73%	426	n/a	75%	n/a	70%
<b>NCI Average</b>	<b>86%</b>	<b>25,466</b>	<b>87%</b>	<b>87%</b>	<b>90%</b>	<b>85%</b>

## Person Chose Case Manager/Service Coordinator



**Table 30 Chose or could request to change their case manager/service coordinator (proxy respondents were allowed for this question)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MEORC	98%	367	n/a	96%	100%	98%
HI	96%	393	n/a	96%	n/a	97%
TN	94%	427	n/a	97%	93%	92%
IN	92%	702	n/a	n/a	96%	92%
SC	92%	368	n/a	91%	97%	93%
KS	90%	348	n/a	88%	96%	87%
LA	83%	358	82%	n/a	88%	81%
NH	81%	393	n/a	75%	86%	86%
VT	80%	304	n/a	67%	87%	78%
AR	79%	376	43%	93%	88%	83%
FL	78%	1,316	n/a	69%	95%	76%
ME	77%	374	n/a	76%	78%	78%
UT	74%	371	18%	83%	82%	73%
CO	74%	376	n/a	53%	88%	75%
CA	74%	8,099	66%	68%	82%	74%
<b>Within Average Range</b>						
DC	72%	321	72%	73%	67%	74%
NY	68%	554	43%	62%	88%	70%
IL	66%	331	n/a	60%	74%	74%
OH	63%	388	n/a	62%	68%	60%
GA	61%	435	n/a	52%	72%	56%
SD	60%	271	43%	56%	72%	54%
<b>Significantly Below Average</b>						
NC	61%	654	25%	64%	67%	67%
OK	58%	383	n/a	59%	n/a	n/a
MI	55%	394	n/a	53%	62%	49%
DE	52%	312	n/a	59%	n/a	50%
VA	51%	982	43%	45%	78%	55%
TX	49%	1,822	35%	45%	67%	62%
MO	49%	400	27%	31%	67%	76%
PA	44%	624	33%	37%	57%	46%
MN	43%	380	36%	45%	49%	39%
KY	35%	399	n/a	24%	44%	44%
CT	34%	383	7%	25%	41%	46%
NJ	28%	417	n/a	26%	n/a	31%
<b>NCI Average</b>	<b>67%</b>	<b>24,022</b>	<b>41%</b>	<b>62%</b>	<b>77%</b>	<b>69%</b>

## Work

### People have support to find and maintain community integrated employment.

There are 11 Work indicators measured by the Adult Consumer Survey:

1. The percentage of people with a paid job in the community.
2. The average number of hours worked biweekly by people with jobs in the community.
3. The average biweekly earnings of people with paid jobs in the community.
4. The average biweekly hourly earnings of people with a paid job in the community.
5. Of those with a paid job in the community, the percentage of people who were continuously employed throughout the previous year.
6. Of those with a paid job in the community, the average length of time they have been working at their current job.
7. Of those with a paid job in the community, the percentage of people who receive vacation and/or sick time benefits.
8. The percentage of people who have a goal of integrated employment in their service plan.
9. The percentage of people who do not have a paid job in the community but would like to have one.
10. The percentage of people who go to a day program or have some other daily activity.
11. The percentage of people who do volunteer work.

Additionally, NCI reports on the type of paid community jobs individuals have (individually supported, competitive, or group-supported), as well as the most common jobs individuals hold.

Table 31 through Table 43 present items from the Work domain. All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

Some of the tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility

Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities

Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)


Parent's Home: Parent/relative's home (may include paid services to family for residential supports)



For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on page 31.

## Has Paid Job in the Community




**Table 31 Have a paid job in the community (information may have been obtained through state records)<sup>17</sup>**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
CT	41%	395	22%	33%	58%	46%
VT	41%	323	n/a	45%	40%	52%
NH	34%	410	n/a	31%	35%	38%
SD	33%	290	17%	16%	63%	15%
CO	30%	413	n/a	22%	47%	26%
SC	27%	312	n/a	21%	57%	27%
MN	26%	404	4%	25%	50%	26%
<b>Within Average Range</b>						
ME	24%	378	n/a	24%	23%	27%
OK	23%	400	n/a	23%	n/a	n/a
TN	21%	421	n/a	18%	16%	27%
IN	20%	736	n/a	n/a	30%	16%
DE	19%	232	n/a	10%	n/a	25%
UT	17%	419	15%	17%	34%	15%
PA	15%	608	0%	9%	33%	19%
LA	15%	383	9%	n/a	20%	14%
OH	14%	457	n/a	5%	21%	15%
MI	14%	356	n/a	13%	23%	9%
CA **	13%	8,372	1%	7%	26%	14%
DC	11%	212	4%	6%	26%	6%
<b>Significantly Below Average</b>						
MEORC	12%	396	n/a	7%	16%	13%
NY	12%	587	5%	10%	40%	10%
GA	12%	483	n/a	7%	19%	14%
KS	12%	368	n/a	9%	22%	9%
IL	12%	335	n/a	11%	33%	11%
NC	11%	716	4%	18%	27%	9%
VA	10%	946	5%	11%	14%	13%
AR	10%	353	3%	16%	17%	4%
KY	9%	410	n/a	8%	21%	7%
TX	9%	1,888	3%	9%	23%	11%
FL	9%	1,406	n/a	3%	25%	7%
MO	8%	401	0%	4%	15%	8%
NJ	6%	422	n/a	6%	n/a	5%
HI	5%	400	n/a	2%	n/a	5%
<b>NCI Average</b>	<b>17%</b>	<b>24,632</b>	<b>7%</b>	<b>14%</b>	<b>30%</b>	<b>17%</b>

<sup>17</sup> Reported for those who were determined to have a paid community job from Background section.

## Type of Paid Employment in the Community




**Table 32 Type of employment among those reported to have a paid job in the community (information may have been obtained through state records)<sup>1819</sup>**

State	Individually-Supported	Competitive	Group-Supported	N
AR	35%	65%	0%	20
CA	26%	33%	42%	781
CO	41%	12%	47%	116
CT	22%	14%	64%	119
DE	39%	14%	46%	28
FL	32%	62%	6%	111
GA	61%	24%	16%	51
IL	12%	54%	35%	26
IN	44%	53%	4%	135
KS	15%	73%	12%	33
KY	50%	47%	3%	34
LA	17%	50%	33%	30
ME	61%	19%	19%	72
MEORC	49%	39%	12%	41
MI	23%	26%	51%	35
MN	22%	36%	42%	77
MO	19%	38%	42%	26
NC	60%	27%	13%	62
NH	56%	30%	14%	131
NY	52%	38%	10%	52
OH	39%	25%	37%	57
OK	27%	6%	67%	84
PA	48%	37%	16%	63
SC	26%	20%	54%	54
SD	29%	58%	13%	78
TN	23%	42%	36%	53
TX	21%	64%	15%	121
UT	61%	17%	23%	66
VA	21%	18%	61%	67
VT	85%	12%	2%	122
DC	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>37%</b>	<b>35%</b>	<b>28%</b>	<b>2,745</b>

<sup>18</sup> Reported for those who were determined to have a paid community job from Background section.<sup>19</sup> A paid community job refers to an integrated job that consists of one of three types of employment: (1) Competitive – an individual job in which the person *does not* receive state or other funded supports. (2) Individually-supported- an individual job in which the person *does* receive state or other funded supports; or (3) Group-supported- a job that takes part in an integrated setting, but is done with a group of individuals with disabilities (e.g., work crew)


## Average Number of Biweekly Hours by Type of Employment



**Table 33 Average number of biweekly hours by type of community employment (information may have been obtained through state records.)**

State	Individually-Supported	Competitive	Group-Supported
CA	39.1	38.2	32.3
CO	28.4	n/a	21.3
CT	n/a	n/a	27.4
FL	25.6	28.7	n/a
GA	26.5	n/a	n/a
IN	26.6	31.3	n/a
KS	n/a	21.6	n/a
ME	15.2	n/a	n/a
MN	n/a	34.4	33.7
NC	20.2	n/a	n/a
NH	18.9	16.0	n/a
NY	34.7	n/a	n/a
OH	29.6	n/a	31.0
OK	42.7	n/a	53.1
PA	26.5	n/a	n/a
SC	n/a	n/a	39.5
SD	25.8	27.9	n/a
TX	29.5	31.1	n/a
UT	18.8	n/a	n/a
VA	n/a	n/a	35.7
VT	16.9	n/a	n/a
AR	n/a	n/a	n/a
DC	n/a	n/a	n/a
DE	n/a	n/a	n/a
HI	n/a	n/a	n/a
IL	n/a	n/a	n/a
KY	n/a	n/a	n/a
LA	n/a	n/a	n/a
MEORC	n/a	n/a	n/a
MI	n/a	n/a	n/a
MO	n/a	n/a	n/a
NJ	n/a	n/a	n/a
TN	n/a	n/a	n/a
<b>NCI Average</b>	<b>26.6</b>	<b>28.6</b>	<b>34.3</b>

## Average Biweekly Gross Wages By Type of Community Employment Support






**Table 34 Average biweekly gross wages by type of community employment (information may have been obtained through state records)**

State	Individually-Supported	Competitive	Group-Supported
CA	\$321.87	\$344.20	\$189.31
CO	\$258.57	n/a	\$138.56
CT	n/a	n/a	\$175.19
FL	\$216.00	\$260.33	n/a
GA	\$208.01	n/a	n/a
IN	\$220.55	\$236.72	n/a
ME	\$147.59	n/a	n/a
MN	n/a	\$288.20	\$135.29
NC	\$152.65	n/a	n/a
NH	\$174.52	\$145.23	n/a
NY	\$321.62	n/a	n/a
OK	\$224.90	n/a	\$256.94
SD	\$209.53	\$310.94	n/a
TX	\$249.44	\$219.94	n/a
UT	\$164.05	n/a	n/a
VA	n/a	n/a	\$179.68
VT	\$162.66	n/a	n/a
AR	n/a	n/a	n/a
DC	n/a	n/a	n/a
DE	n/a	n/a	n/a
HI	n/a	n/a	n/a
IL	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	n/a	n/a	n/a
LA	n/a	n/a	n/a
MEORC	n/a	n/a	n/a
MN	n/a	n/a	n/a
MO	n/a	n/a	n/a
NJ	n/a	n/a	n/a
OH	n/a	n/a	n/a
PA	n/a	n/a	n/a
SC	n/a	n/a	n/a
TN	n/a	n/a	n/a
<b>NCI Average</b>	<b>\$216.57</b>	<b>\$257.94</b>	<b>\$179.16</b>


## Average Biweekly Hourly Wage By Type of Community Employment Support



**Table 35 Average hourly wage earned in the past two weeks by type of community employment (information may have been obtained through state records)**

State	Individually-Supported	Competitive	Group-Supported
CA	\$8.48	\$9.38	\$6.08
CO	\$9.30	n/a	\$6.04
CT	n/a	n/a	\$6.90
FL	\$8.40	\$9.20	n/a
GA	\$7.96	n/a	n/a
IN	\$8.38	\$8.00	n/a
ME	\$10.30	n/a	n/a
MN	n/a	\$8.99	\$4.59
NC	\$8.16	n/a	n/a
NH	\$9.14	\$8.74	n/a
NY	\$9.66	n/a	n/a
OK	\$6.32	n/a	\$4.86
SD	\$8.51	\$10.01	n/a
TX	\$8.19	\$7.53	n/a
UT	\$7.84	n/a	n/a
VA	n/a	n/a	\$5.90
VT	\$9.47	n/a	n/a
AR	n/a	n/a	n/a
DC	n/a	n/a	n/a
DE	n/a	n/a	n/a
HI	n/a	n/a	n/a
IL	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	n/a	n/a	n/a
LA	n/a	n/a	n/a
MEORC	n/a	n/a	n/a
MI	n/a	n/a	n/a
MO	n/a	n/a	n/a
NJ	n/a	n/a	n/a
OH	n/a	n/a	n/a
PA	n/a	n/a	n/a
SC	n/a	n/a	n/a
TN	n/a	n/a	n/a
<b>NCI Average</b>	<b>\$8.58</b>	<b>\$8.84</b>	<b>\$5.73</b>


## Worked 10 of the Past 12 Months in Paid Community Employment



**Table 36 Worked 10 of the past 12 months in community employment (among those reported to have a job in the community; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DE	94%	50	n/a	n/a	n/a	93%
IN	88%	146	n/a	n/a	89%	90%
<b>Within Average Range</b>						
KY	89%	35	n/a	n/a	n/a	n/a
OK	87%	95	n/a	86%	n/a	n/a
ME	87%	84	n/a	86%	n/a	n/a
VT	87%	129	n/a	n/a	88%	90%
NH	87%	136	n/a	n/a	83%	93%
NY	87%	68	n/a	81%	n/a	83%
GA	86%	59	n/a	n/a	n/a	90%
UT	86%	73	n/a	76%	95%	85%
VA	86%	87	n/a	87%	n/a	84%
CT	86%	129	n/a	84%	85%	85%
CO	85%	112	n/a	n/a	89%	96%
IL	84%	37	n/a	n/a	n/a	n/a
CA **	84%	1,007	n/a	85%	86%	84%
KS	84%	43	n/a	n/a	86%	n/a
SD	82%	88	n/a	n/a	85%	n/a
AR	82%	33	n/a	n/a	n/a	n/a
TX	81%	164	n/a	76%	93%	82%
FL	81%	126	n/a	n/a	80%	85%
SC	80%	74	n/a	76%	n/a	86%
NC	79%	73	n/a	77%	n/a	79%
PA	79%	82	n/a	n/a	91%	83%
TN	78%	83	n/a	67%	71%	85%
MN	77%	101	n/a	78%	80%	75%
MO	76%	34	n/a	n/a	78%	n/a
OH	73%	67	n/a	n/a	84%	62%
LA	71%	48	n/a	n/a	n/a	n/a
MI	67%	42	n/a	n/a	n/a	n/a
MEORC	67%	54	n/a	n/a	n/a	62%
<b>Significantly Below Average</b>						
NJ	40%	20	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>81%</b>	<b>3,379</b>	<b>n/a</b>	<b>80%</b>	<b>85%</b>	<b>83%</b>


## Average Months of Employment at Current Paid Community Job



**Table 37 Length of employment in current job (among those reported to have a job in the community; information may have been obtained through state records)**

State	Average Months Employed	N
AR	62	27
CA	72	998
CO	70	101
CT	87	115
DE	51	32
FL	79	121
GA	69	54
IL	119	27
IN	106	147
KS	53	39
KY	35	37
LA	77	36
ME	69	68
MEORC	66	41
MI	61	39
MN	78	98
MO	88	32
NC	56	71
NH	60	120
NY	69	68
OH	71	67
OK	64	95
PA	73	68
SC	50	45
SD	66	80
TN	52	61
TX	78	155
UT	67	73
VA	74	66
VT	61	126
DC	n/a	n/a
HI	n/a	n/a
NJ	n/a	n/a
<b>NCI Average</b>	<b>69</b>	<b>3,107</b>

## Receives Paid Vacation and/or Sick Time at Community Job






**Table 38 Receives paid vacation and/or sick time at their job (among those reported to have a job in the community; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
CT	57%	95	n/a	45%	75%	52%
NY	44%	57	n/a	45%	n/a	n/a
MN	39%	98	n/a	41%	n/a	26%
<b>Within Average Range</b>						
IL	40%	35	n/a	n/a	n/a	n/a
DE	38%	32	n/a	n/a	n/a	n/a
OH	37%	67	n/a	n/a	42%	41%
KS	37%	41	n/a	n/a	40%	n/a
IN	34%	140	n/a	n/a	48%	27%
MEORC	33%	43	n/a	n/a	n/a	18%
CA **	33%	957	n/a	26%	42%	28%
CO	31%	109	n/a	n/a	50%	19%
AR	27%	30	n/a	n/a	n/a	n/a
GA	26%	54	n/a	n/a	n/a	24%
ME	26%	66	n/a	29%	n/a	n/a
SD	25%	81	n/a	n/a	26%	n/a
TX	24%	155	n/a	32%	23%	13%
FL	23%	118	n/a	n/a	31%	16%
OK	20%	91	n/a	21%	n/a	n/a
PA	19%	57	n/a	n/a	n/a	30%
LA	18%	39	n/a	n/a	n/a	n/a
MO	17%	30	n/a	n/a	n/a	n/a
MI	16%	37	n/a	n/a	n/a	n/a
NC	13%	64	n/a	n/a	n/a	22%
VA	12%	65	n/a	12%	n/a	n/a
<b>Significantly Below Average</b>						
VT	9%	111	n/a	n/a	9%	9%
NH	8%	125	n/a	n/a	5%	8%
NJ	5%	21	n/a	n/a	n/a	n/a
UT	4%	71	n/a	0%	10%	4%
SC	3%	60	n/a	5%	n/a	0%
KY	3%	32	n/a	n/a	n/a	n/a
TN	2%	58	n/a	n/a	n/a	4%
DC	n/a	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>23%</b>	<b>3,039</b>	<b>n/a</b>	<b>26%</b>	<b>33%</b>	<b>20%</b>


## Job Industry



**Table 39 Four most common job industries (among those reported to have a job in the community; information may have been obtained through state records)**

State	Food Preparation and Food Service	Building and Grounds Cleaning or Maintenance	Retail	Assembly, Manufacturing, or Packaging	N
AR	15%	48%	3%	6%	33
CA	15%	33%	22%	7%	1,025
CO	14%	32%	23%	17%	111
CT	17%	40%	14%	6%	138
DE	24%	26%	8%	16%	50
FL	25%	19%	22%	2%	128
GA	21%	41%	15%	2%	61
IL	22%	27%	16%	14%	37
IN	33%	15%	25%	10%	150
KS	33%	22%	15%	7%	46
KY	32%	16%	16%	11%	37
LA	16%	40%	7%	2%	43
ME	17%	29%	24%	8%	83
MEORC	20%	30%	11%	15%	54
MI	9%	31%	20%	11%	45
MN	15%	37%	8%	22%	106
MO	26%	40%	6%	3%	35
NC	32%	21%	17%	1%	76
NH	17%	29%	26%	5%	137
NY	25%	32%	21%	6%	72
OH	10%	31%	10%	19%	68
OK	4%	33%	17%	3%	95
PA	25%	25%	20%	5%	84
SC	23%	20%	10%	14%	70
SD	34%	31%	13%	7%	83
TN	13%	34%	10%	11%	80
TX	20%	21%	23%	14%	164
UT	26%	39%	8%	5%	77
VA	6%	36%	8%	8%	85
VT	15%	25%	22%	5%	129
DC	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>20%</b>	<b>30%</b>	<b>15%</b>	<b>9%</b>	<b>3,402</b>

## Would Like a Paid Job in the Community




**Table 40 Would like a job in the community<sup>20</sup> (among those without a job)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DC	74%	113	n/a	79%	80%	75%
OK	74%	155	n/a	75%	n/a	n/a
DE	71%	107	n/a	55%	n/a	77%
ME	65%	164	n/a	64%	68%	64%
NC	60%	278	n/a	61%	48%	59%
<b>Within Average Range</b>						
SD	63%	92	n/a	55%	52%	n/a
AR	60%	136	n/a	59%	67%	40%
MN	59%	140	n/a	66%	n/a	60%
OH	58%	228	n/a	44%	68%	55%
NH	56%	129	n/a	n/a	47%	57%
NJ	56%	158	n/a	59%	n/a	47%
UT	55%	146	n/a	57%	50%	55%
MO	51%	173	n/a	56%	45%	n/a
IL	50%	137	n/a	44%	n/a	53%
GA	50%	207	n/a	33%	40%	64%
VT	49%	134	n/a	n/a	43%	69%
CT	48%	89	n/a	44%	n/a	55%
TX	47%	717	44%	57%	44%	44%
VA	47%	253	n/a	55%	n/a	41%
MI	45%	183	n/a	40%	42%	57%
CA **	45%	3,431	31%	43%	40%	48%
MEORC	44%	225	n/a	49%	53%	39%
CO	43%	174	n/a	46%	27%	46%
LA	41%	150	49%	n/a	48%	30%
SC	35%	69	n/a	46%	n/a	25%
<b>Significantly Below Average</b>						
FL	41%	696	n/a	44%	37%	40%
NY	41%	285	n/a	38%	31%	47%
IN	39%	417	n/a	n/a	37%	38%
TN	36%	217	n/a	37%	46%	26%
PA	31%	275	n/a	29%	29%	34%
KS	31%	196	n/a	25%	34%	38%
KY	28%	217	n/a	23%	32%	30%
HI	24%	253	n/a	26%	n/a	31%
<b>NCI Average</b>	<b>49%</b>	<b>10,344</b>	<b>41%</b>	<b>49%</b>	<b>46%</b>	<b>48%</b>

<sup>20</sup> Reported for those who were determined to not have a paid community job from Background section.


## Has Community Employment as a Goal in Service Plan



**Table 41 Have community employment as a goal in their service plan (information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DC	78%	193	61%	97%	48%	89%
OK	60%	398	n/a	61%	n/a	n/a
VT	48%	324	n/a	43%	43%	61%
MN	46%	367	4%	43%	61%	54%
NH	41%	407	n/a	54%	28%	44%
DE	39%	227	n/a	18%	n/a	48%
<b>Within Average Range</b>						
CT	33%	415	5%	24%	46%	47%
OH	32%	457	n/a	23%	38%	36%
ME	31%	385	n/a	27%	35%	36%
CO	31%	407	n/a	27%	39%	25%
TN	30%	443	n/a	25%	36%	29%
SD	30%	330	15%	22%	47%	21%
IN	29%	710	n/a	n/a	41%	25%
NY	29%	564	8%	22%	49%	37%
UT	29%	421	35%	30%	48%	21%
CA	27%	7,723	7%	18%	43%	32%
KS	26%	357	n/a	19%	43%	24%
LA	25%	397	33%	n/a	29%	16%
PA	24%	633	7%	14%	49%	31%
MEORC	24%	364	n/a	16%	43%	18%
MO	23%	394	17%	19%	30%	13%
<b>Significantly Below Average</b>						
MI	22%	388	n/a	18%	31%	24%
SC	21%	369	n/a	13%	42%	22%
AR	20%	369	19%	21%	33%	9%
FL	19%	1,371	n/a	13%	36%	16%
VA	18%	896	13%	16%	33%	23%
TX	18%	1,841	11%	17%	31%	21%
NC	17%	731	6%	24%	36%	15%
IL	17%	348	n/a	15%	35%	16%
GA	16%	475	n/a	9%	20%	20%
HI	16%	399	n/a	22%	n/a	18%
KY	15%	389	n/a	14%	21%	16%
NJ	2%	418	n/a	1%	n/a	3%
<b>NCI Average</b>	<b>28%</b>	<b>23,910</b>	<b>17%</b>	<b>25%</b>	<b>38%</b>	<b>28%</b>

## Attends a Day Program or Regular Activity





**Table 42 Attend a day program or do some other regular scheduled activity during the day (not a paid community job)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
NJ	95%	196	n/a	94%	n/a	95%
HI	94%	282	n/a	100%	n/a	90%
KY	87%	266	n/a	96%	65%	84%
SC	87%	302	n/a	89%	75%	90%
VT	85%	260	n/a	n/a	80%	86%
DC	85%	264	n/a	81%	87%	85%
MEORC	84%	325	n/a	86%	79%	87%
IL	83%	270	n/a	92%	57%	78%
DE	83%	346	n/a	82%	n/a	86%
ME	81%	304	n/a	76%	75%	94%
NH	80%	285	n/a	90%	68%	84%
GA	78%	276	n/a	84%	59%	83%
<b>Within Average Range</b>						
CO	77%	325	n/a	75%	56%	90%
KS	75%	262	n/a	86%	68%	63%
NY	74%	372	95%	83%	27%	79%
SD	71%	280	88%	87%	49%	80%
OH	71%	392	n/a	84%	66%	68%
NC	70%	460	93%	89%	47%	63%
TX	70%	1,031	87%	93%	32%	55%
MI	68%	313	n/a	79%	53%	74%
AR	66%	238	92%	65%	59%	58%
VA	65%	478	n/a	79%	62%	56%
<b>Significantly Below Average</b>						
CA	63%	4,860	93%	85%	36%	63%
PA	62%	483	n/a	78%	36%	63%
UT	61%	282	n/a	76%	35%	56%
LA	60%	282	89%	n/a	46%	51%
CT	57%	293	n/a	65%	34%	60%
IN	54%	605	n/a	n/a	46%	57%
MN	54%	267	n/a	66%	31%	51%
TN	53%	343	n/a	63%	40%	60%
FL	52%	887	n/a	78%	27%	51%
OK	49%	267	n/a	49%	n/a	n/a
MO	44%	247	n/a	44%	36%	n/a
<b>NCI Average</b>	<b>71%</b>	<b>16,343</b>	<b>91%</b>	<b>80%</b>	<b>53%</b>	<b>72%</b>

## Volunteers




Table 43 Volunteers

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
NH	52%	283	n/a	40%	41%	55%
DC	49%	253	n/a	53%	57%	41%
ME	42%	296	n/a	37%	36%	56%
<b>Within Average Range</b>						
NJ	44%	194	n/a	43%	n/a	49%
AR	41%	238	38%	41%	42%	48%
SC	41%	297	n/a	38%	28%	47%
OH	40%	386	n/a	37%	37%	46%
NY	40%	368	n/a	37%	34%	46%
NC	40%	440	25%	35%	39%	41%
HI	39%	277	n/a	49%	n/a	44%
VA	39%	457	n/a	38%	32%	43%
UT	38%	260	n/a	34%	22%	47%
SD	36%	285	26%	40%	38%	37%
MI	36%	307	n/a	36%	28%	45%
DE	35%	333	n/a	29%	n/a	41%
CO	34%	321	n/a	18%	36%	49%
OK	34%	260	n/a	32%	n/a	n/a
CT	34%	280	n/a	24%	28%	51%
VT	33%	257	n/a	n/a	19%	44%
IN	32%	603	n/a	44%	24%	36%
IL	31%	251	n/a	22%	26%	44%
GA	31%	279	n/a	25%	31%	30%
CA **	28%	4,669	19%	29%	25%	32%
PA	28%	462	n/a	25%	30%	31%
<b>Significantly Below Average</b>						
TN	27%	342	n/a	29%	22%	30%
MN	26%	260	n/a	25%	17%	31%
LA	25%	268	15%	n/a	26%	30%
KS	25%	263	n/a	20%	21%	40%
MO	24%	239	n/a	21%	28%	n/a
TX	24%	990	19%	22%	27%	26%
FL	23%	871	n/a	21%	18%	26%
MEORC	23%	311	n/a	21%	19%	27%
KY	18%	264	n/a	14%	12%	22%
<b>NCI Average</b>	<b>34%</b>	<b>15,864</b>	<b>24%</b>	<b>32%</b>	<b>29%</b>	<b>40%</b>

## Self-Determination

### People have authority and are supported to direct and manage their own services.

There are six indicators measured by the Adult Consumer Survey:

1. The proportion of people who are currently using a self-directed supports option.
2. The proportion of people self-directing who report that someone talked with them about their individual budget/services.
3. The proportion of people self-directing who have help in deciding how to use their individual budget/services.
4. The proportion of people self-directing who report they want more help in deciding how to use their budget/services.
5. The proportion of people self-directing who receive information about their budget/services that is easy to understand.
6. The proportion of people self-directing who report they can make changes to their individual budget/services if they need to.

Table 44 through Table 50 present the results for these six core indicators.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility


Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities

Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)

Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.


## Uses Self-Directed Supports



**Table 44 Using a self-directed supports option (information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
IL	28%	327	n/a	7%	27%	57%
UT	26%	418	0%	1%	22%	54%
FL	23%	1,396	n/a	1%	13%	37%
VT	21%	326	n/a	0%	14%	49%
NH	20%	408	n/a	0%	15%	40%
HI	18%	400	n/a	0%	n/a	33%
TX	18%	1,792	6%	15%	40%	26%
KS	15%	359	n/a	1%	13%	48%
MI	15%	383	n/a	2%	27%	28%
KY	15%	409	n/a	1%	15%	33%
<b>Within Average Range</b>						
CT	14%	432	0%	0%	24%	33%
SD	13%	297	19%	14%	14%	4%
VA	12%	854	5%	2%	21%	43%
AR	11%	378	10%	15%	3%	9%
PA	10%	641	n/a	3%	11%	19%
MN	9%	398	0%	3%	2%	20%
ME	7%	342	n/a	6%	9%	9%
MO	6%	402	0%	1%	6%	60%
<b>Significantly Below Average</b>						
TN	6%	429	n/a	1%	3%	15%
OH	4%	457	n/a	3%	3%	5%
NY	3%	576	2%	2%	9%	4%
NJ	3%	422	n/a	0%	n/a	13%
SC	3%	370	n/a	3%	3%	1%
LA	3%	409	2%	n/a	0%	6%
GA	2%	478	n/a	0%	6%	3%
NC	1%	742	0%	0%	5%	2%
MEORC	1%	385	n/a	0%	2%	1%
CO	0%	413	n/a	0%	0%	0%
DC	0%	325	0%	0%	0%	0%
IN	0%	726	n/a	n/a	0%	0%
OK	0%	400	n/a	0%	n/a	n/a
CA	n/a	n/a	n/a	n/a	n/a	n/a
DE	0%	445	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>10%</b>	<b>16539</b>	<b>4%</b>	<b>3%</b>	<b>11%</b>	<b>22%</b>

## Someone Talks to Them About Budget/Services Available




**Table 45 Reported that someone talked with them about their individual budget/services (among those self-directing; 'yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
FL	90%	122	n/a	n/a	91%	90%
<b>Within Average Range</b>						
SD	89%	28	n/a	n/a	n/a	n/a
HI	87%	54	n/a	n/a	n/a	88%
UT	87%	46	n/a	n/a	n/a	87%
MI	86%	35	n/a	n/a	n/a	n/a
TX	84%	164	n/a	92%	89%	80%
KS	72%	25	n/a	n/a	n/a	n/a
CT	68%	31	n/a	n/a	n/a	70%
IL	66%	47	n/a	n/a	n/a	66%
NH	64%	36	n/a	n/a	n/a	54%
VT	55%	33	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>77%</b>	<b>621</b>	<b>n/a</b>	<b>92%</b>	<b>90%</b>	<b>76%</b>




## Has Help Deciding How to Use Budget/Services



**Table 46 Have help deciding how to use their individual budget/services (among those self-directing; 'yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
IL	100%	35	n/a	n/a	n/a	100%
HI	98%	49	n/a	n/a	n/a	98%
FL	96%	119	n/a	n/a	96%	96%
<b>Within Average Range</b>						
UT	93%	41	n/a	n/a	n/a	91%
MI	91%	32	n/a	n/a	n/a	n/a
KS	86%	22	n/a	n/a	n/a	n/a
TX	86%	145	n/a	100%	75%	86%
SD	85%	27	n/a	n/a	n/a	n/a
NH	85%	26	n/a	n/a	n/a	n/a
CT	84%	25	n/a	n/a	n/a	n/a
VT	70%	23	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>88%</b>	<b>544</b>	<b>n/a</b>	<b>100%</b>	<b>85%</b>	<b>94%</b>


## Can Make Changes to Budget/Services If Needed



**Table 47 Can make changes to their individual budget/services if they need to (among those self-directing; 'yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	96%	48	n/a	n/a	n/a	96%
<b>Within Average Range</b>						
SD	92%	25	n/a	n/a	n/a	n/a
FL	91%	112	n/a	n/a	100%	89%
TX	88%	142	n/a	92%	89%	88%
UT	88%	41	n/a	n/a	n/a	88%
IL	87%	31	n/a	n/a	n/a	86%
CT	83%	23	n/a	n/a	n/a	n/a
MI	74%	31	n/a	n/a	n/a	n/a
NH	74%	27	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>86%</b>	<b>480</b>	<b>n/a</b>	<b>92%</b>	<b>94%</b>	<b>89%</b>


## Wants More Help Deciding How to Use Budget/Services



**Table 48 Needs more help deciding how to use their budget/services (among those self-directing; ‘yes’ and ‘maybe’ responses)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent’s Home
Within Average Range						
SD	46%	26	n/a	n/a	n/a	n/a
IL	34%	32	n/a	n/a	n/a	36%
UT	34%	41	n/a	n/a	n/a	33%
CT	33%	24	n/a	n/a	n/a	n/a
FL	33%	117	n/a	n/a	26%	35%
TX	30%	140	n/a	42%	18%	33%
NH	27%	26	n/a	n/a	n/a	n/a
MI	25%	32	n/a	n/a	n/a	n/a
HI	20%	49	n/a	n/a	n/a	21%
KS	10%	20	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>29%</b>	<b>507</b>	<b>n/a</b>	<b>42%</b>	<b>22%</b>	<b>32%</b>

## Receives Information About How Much Money is Left in Budget/Services




**Table 49 Receive enough information about how much money is left in their budget/services (among those self-directing; 'yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	96%	46	n/a	n/a	n/a	96%
<b>Within Average Range</b>						
FL	84%	114	n/a	n/a	95%	81%
IL	83%	30	n/a	n/a	n/a	81%
NH	83%	24	n/a	n/a	n/a	n/a
TX	77%	140	n/a	87%	82%	76%
UT	75%	40	n/a	n/a	n/a	72%
MI	74%	31	n/a	n/a	n/a	n/a
SD	73%	26	n/a	n/a	n/a	n/a
CT	71%	24	n/a	n/a	n/a	n/a
VT	65%	20	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>78%</b>	<b>495</b>	<b>n/a</b>	<b>87%</b>	<b>89%</b>	<b>81%</b>



### Information About How Much Money is Left in Budget/Services is Easy to Understand



**Table 50 Information they receive about how much money is left in their budget/services is easy to understand (among those self-directing; 'yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	96%	45	n/a	n/a	n/a	95%
<b>Within Average Range</b>						
SD	90%	21	n/a	n/a	n/a	n/a
IL	78%	27	n/a	n/a	n/a	74%
NH	76%	21	n/a	n/a	n/a	n/a
TX	74%	111	n/a	90%	75%	71%
FL	74%	103	n/a	n/a	n/a	71%
UT	74%	34	n/a	n/a	n/a	68%
MI	69%	26	n/a	n/a	n/a	n/a
CT	64%	22	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>77%</b>	<b>410</b>	<b>n/a</b>	<b>90%</b>	<b>75%</b>	<b>76%</b>

## Community Inclusion

### People have support to participate in everyday community activities.

There is one Community Inclusion indicator:

- The proportion of people who regularly participate in integrated activities in their communities.

Seven items from the Adult Consumer Survey were used to measure this indicator. These items assess how often consumers participate in the following activities in their communities:

1. Go shopping (in the past month)
2. Go out on errands or appointments (in the past month)
3. Go out for entertainment (in the past month)
4. Go out to eat (in the past month)
5. Go to religious services (in the past month)
6. Go out for exercise (in the past month)
7. Go on vacation (in the past year)

The seven items were risk-adjusted and are presented in Table 51 through. Table 58

Results from the Community Inclusion composite scale score, shown in

Table 58, were produced by adding four of the items: the number of times the person went shopping, on errands, for entertainment, and out to eat. The Community Inclusion scale was risk-adjusted.<sup>21</sup>

All un-collapsed and unadjusted data frequencies for these survey questions are displayed in Appendix B.

---

<sup>21</sup> Outcome adjustment or “risk adjustment” is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. For a more robust description of risk adjustment see ‘Outcome Adjustment’ on page 220.

**Table 51 Number of times people reported they went out shopping in the past month**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
ME	7	391	n/a	6	8	7
NH	6	401	n/a	8	5	7
NC	6	727	2	5	6	7
VT	6	323	n/a	7	5	5
TN	5	445	n/a	5	5	4
AR	5	384	2	6	5	5
FL	5	1,400	n/a	4	5	5
MO	5	392	3	5	5	6
IN	5	730	n/a	n/a	5	5
OK	5	400	n/a	4	n/a	n/a
VA	5	1,021	4	4	5	5
HI	4	397	n/a	5	n/a	4
PA	4	653	3	4	5	4
MN	4	402	4	4	4	5
CA	4	8,345	3	4	5	5
MI	4	401	n/a	3	5	5
UT	4	416	3	4	5	4
CO	4	394	n/a	2	4	5
KS	4	343	n/a	3	4	5
GA	4	424	n/a	4	4	3
CT	4	393	4	3	4	4
LA	4	408	2	n/a	4	5
NY	4	581	4	4	5	3
DE	4	327	n/a	4	n/a	4
DC	4	326	3	3	4	4
TX	4	1,855	3	3	4	5
SD	3	293	3	4	3	3
IL	3	344	n/a	3	5	4
MEORC	3	358	n/a	3	4	3
OH	3	408	n/a	3	3	3
KY	3	403	n/a	3	4	3
NJ	2	348	n/a	2	n/a	3
SC	2	368	n/a	2	3	2
<b>NCI Average</b>	<b>4</b>	<b>24,801</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>4</b>

**Table 52 Number of times people reported they went out on errands in the past month**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
NH	7	398	n/a	8	9	7
VT	5	322	n/a	7	5	4
ME	5	386	n/a	5	5	4
OK	4	398	n/a	4	n/a	n/a
DE	4	293	n/a	4	n/a	4
CT	4	397	4	3	5	3
MN	3	398	3	3	3	4
MI	3	399	n/a	3	4	4
NC	3	735	2	3	3	4
MO	3	389	2	4	3	4
IN	3	728	n/a	n/a	3	3
PA	3	644	2	4	3	3
AR	3	382	2	4	3	3
TN	3	444	n/a	3	3	2
FL	3	1,386	n/a	3	3	3
KS	3	333	n/a	2	3	4
VA	3	1,016	3	3	3	3
NY	3	579	3	3	3	2
TX	3	1,844	2	2	3	4
LA	3	407	2	n/a	3	3
UT	3	408	1	2	2	3
CA	2	8,302	2	2	3	3
IL	2	332	n/a	2	n/a	3
CO	2	393	n/a	2	3	2
SD	2	281	2	2	2	3
KY	2	401	n/a	2	3	2
NJ	2	336	n/a	2	n/a	3
OH	2	379	n/a	2	2	2
MEORC	2	355	n/a	2	2	2
GA	2	404	n/a	2	2	2
DC	2	320	2	2	2	1
HI	2	392	n/a	2	n/a	1
SC	1	356	n/a	1	1	93%
<b>NCI Average</b>	<b>3</b>	<b>24,537</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>

**Table 53 Number of times people reported they went out for entertainment in the past month**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
CO	6	377	n/a	5	5	6
DC	4	324	5	3	5	4
UT	4	414	2	4	3	4
TN	4	447	n/a	4	4	4
FL	3	1,394	n/a	4	3	3
OK	3	397	n/a	3	n/a	n/a
KS	3	337	n/a	3	3	4
NH	3	402	n/a	3	2	3
CT	3	403	4	3	3	3
KY	3	404	n/a	3	3	3
AR	3	378	1	3	3	3
NC	3	737	2	3	3	3
NJ	3	343	n/a	3	n/a	3
VA	3	1,019	3	2	3	2
TX	3	1,865	2	3	2	3
MI	2	400	n/a	2	3	3
LA	2	405	2	n/a	3	3
MN	2	401	2	2	2	3
IN	2	731	n/a	n/a	2	2
CA	2	8,313	2	3	2	2
GA	2	410	n/a	3	2	2
NY	2	575	3	3	1	2
PA	2	654	1	2	2	2
HI	2	394	n/a	2	n/a	2
SD	2	279	0	3	2	2
ME	2	381	n/a	2	2	2
MO	2	397	2	2	2	3
IL	2	340	n/a	2	2	2
SC	2	378	n/a	2	1	2
VT	2	325	n/a	1	1	2
MEORC	2	349	n/a	2	2	2
OH	2	389	n/a	2	2	2
DE	2	339	n/a	2	n/a	2
<b>NCI Average</b>	<b>3</b>	<b>24,701</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>3</b>

**Table 54 Number of times people reported they went out to eat in the past month**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
NH	8	402	n/a	7	7	7
NC	5	738	3	4	6	6
ME	5	387	n/a	5	6	5
VT	5	322	n/a	7	4	4
CO	5	397	n/a	3	5	5
IN	5	730	n/a	n/a	4	5
TN	5	444	n/a	5	4	5
HI	4	395	n/a	4	n/a	4
AR	4	382	2	5	3	5
OK	4	397	n/a	4	n/a	n/a
VA	4	1,023	3	3	6	5
KS	4	340	n/a	3	4	5
LA	4	406	2	n/a	5	4
CA	4	8,310	3	4	4	4
CT	4	398	4	4	4	4
GA	4	418	n/a	4	4	3
FL	4	1,395	n/a	4	4	4
DC	4	324	4	3	4	4
TX	4	1,863	2	3	4	5
UT	3	412	5	3	3	4
MI	3	401	n/a	3	4	4
MO	3	399	3	3	4	5
PA	3	655	2	3	4	3
SD	3	290	1	3	3	7
MN	3	395	3	3	3	4
MEORC	3	362	n/a	3	3	3
OH	3	388	n/a	3	3	3
KY	3	399	n/a	3	3	3
IL	3	343	n/a	2	4	3
NY	3	574	3	3	3	2
DE	2	313	n/a	3	n/a	2
NJ	2	335	n/a	2	n/a	2
SC	2	373	n/a	2	1	2
<b>NCI Average</b>	<b>4</b>	<b>24,710</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>4</b>



**Table 55 Number of times people reported they went out to religious services in the past month**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
DC	3	303	2	2	3	2
AR	2	379	2	3	3	3
NC	2	731	2	3	3	2
TN	2	442	n/a	2	2	3
LA	2	405	2	n/a	2	2
UT	2	408	2	1	1	3
GA	2	401	n/a	2	2	2
TX	2	1,820	2	2	2	2
IN	2	731	n/a	n/a	2	2
VA	2	1,026	1	2	2	2
MO	2	397	1	2	2	2
IL	2	340	n/a	2	1	2
MN	2	398	2	1	2	2
FL	2	1,400	n/a	2	2	2
MI	2	395	n/a	1	2	2
PA	2	665	2	1	2	2
KS	2	344	n/a	1	2	2
OK	2	399	n/a	2	n/a	n/a
CO	2	403	n/a	1	2	2
HI	2	393	n/a	2	n/a	2
DE	2	350	n/a	1	n/a	2
SC	2	350	n/a	1	2	2
OH	1	425	n/a	1	2	2
SD	1	290	1	2	1	2
MEORC	1	374	n/a	1	1	1
CA	1	8,298	1	1	1	2
NH	1	396	n/a	1	2	1
ME	1	382	n/a	1	1	1
CT	1	404	1	1	1	1
NJ	1	358	n/a	1	n/a	1
NY	1	574	1	1	1	1
KY	1	400	n/a	0	1	1
VT	1	323	n/a	1	1	1
<b>NCI Average</b>	<b>2</b>	<b>24,704</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>

**Table 56 Number of times people reported they went out for exercise in the past month**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
HI	11	396	n/a	13	n/a	11
NH	11	403	n/a	12	9	12
DC	10	318	11	8	11	10
UT	10	411	11	11	10	9
SC	9	392	n/a	8	10	11
CO	9	405	n/a	6	11	10
AR	8	382	9	9	9	7
PA	8	662	9	7	8	8
KS	7	346	n/a	5	8	8
NC	7	737	3	6	7	8
VT	7	323	n/a	6	7	7
IL	6	340	n/a	5	7	8
ME	6	383	n/a	6	8	6
OH	6	391	n/a	4	7	7
CT	6	385	7	5	8	6
LA	6	402	5	n/a	7	6
TN	6	443	n/a	7	5	5
MO	6	391	6	5	6	6
FL	6	1,377	n/a	5	6	5
NY	5	578	3	6	7	4
TX	5	1,864	5	6	4	5
SD	5	271	3	5	5	6
OK	5	397	n/a	5	n/a	n/a
VA	4	1,013	4	4	5	4
MI	4	398	n/a	3	5	5
CA	4	8,314	4	4	6	4
MN	4	399	2	4	5	4
GA	3	428	n/a	3	3	3
IN	3	725	n/a	n/a	3	3
DE	3	336	n/a	3	n/a	2
MEORC	2	360	n/a	2	2	3
NJ	2	389	n/a	2	n/a	2
KY	1	403	n/a	1	1	1
<b>NCI Average</b>	<b>6</b>	<b>24,762</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>

**Table 57 Number of times people reported they went on vacation in the past year**  
**(Adjusted Variable; information may have been obtained through a proxy respondent)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
NH	3	402	n/a	2	1	4
ME	1	382	n/a	1	2	1
NC	1	735	1	1	1	1
CO	1	408	n/a	1	1	1
VT	1	324	n/a	1	1	1
UT	1	409	0	1	1	1
AR	1	365	1	1	1	1
MN	1	399	1	1	1	1
DC	1	308	1	1	1	1
VA	1	1,009	1	1	1	1
IN	1	731	n/a	n/a	1	1
PA	1	650	1	1	0	1
CT	1	406	1	1	1	1
MI	1	393	n/a	1	1	1
KS	1	336	n/a	1	1	1
CA	1	8,292	1	1	1	1
SD	1	284	0	1	1	1
FL	1	1,387	n/a	1	1	1
TX	1	1,837	1	1	0	1
IL	1	331	n/a	1	0	1
DE	1	340	n/a	1	n/a	1
OK	1	393	n/a	1	n/a	n/a
MEORC	1	370	n/a	1	1	1
SC	1	369	n/a	1	0	1
OH	1	431	n/a	1	0	1
NY	1	560	1	1	0	0
TN	1	436	n/a	1	0	1
NJ	1	379	n/a	0	n/a	1
MO	1	398	0	0	1	1
GA	0	404	n/a	0	0	0
LA	0	403	0	n/a	0	1
KY	0	396	n/a	0	0	0
HI	0	393	n/a	0	n/a	0
<b>NCI Average</b>	<b>1</b>	<b>24,660</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>

**Table 58 Community Inclusion scale score  
(Adjusted Variable)**

State	Adjusted Average	N (observed)	ICF	Group Home	Individual Home	Parent's Home
NH	24	388	n/a	28	23	23
ME	19	363	n/a	18	21	17
VT	17	317	n/a	22	16	15
NC	17	690	9	15	18	19
CO	17	366	n/a	12	16	18
TN	16	435	n/a	18	17	15
OK	16	394	n/a	15	n/a	n/a
AR	15	374	7	18	15	17
IN	15	719	n/a	n/a	14	15
FL	15	1,344	n/a	14	14	15
UT	14	393	11	13	14	15
CT	14	364	16	13	16	14
KS	14	318	n/a	12	13	19
VA	14	964	12	12	16	14
MO	14	374	10	14	14	18
MI	14	390	n/a	12	17	14
MN	13	382	12	13	11	15
PA	13	594	9	13	14	14
DC	13	303	15	12	14	13
CA	13	8,165	11	12	15	13
LA	13	397	8	n/a	15	15
HI	12	385	n/a	13	n/a	12
DE	12	254	n/a	14	n/a	12
TX	12	1,761	9	11	14	16
GA	12	381	n/a	13	11	10
SD	11	258	7	11	11	16
NY	11	565	13	12	12	10
KY	11	386	n/a	11	13	11
IL	11	310	n/a	9	n/a	12
MEORC	10	314	n/a	11	11	10
OH	10	323	n/a	10	11	10
NJ	9	267	n/a	9	n/a	11
SC	7	316	n/a	8	6	7
<b>NCI Average</b>	<b>14</b>	<b>23,554</b>	<b>11</b>	<b>13</b>	<b>14</b>	<b>14</b>

## Relationships

### People have friends and relationships.

There are seven Relationship indicators:

1. The proportion of people who have friends and caring relationships with people other than support staff and family members.
2. The proportion of people who have a close friend, someone they can talk to about personal things.
3. The proportion of people who are able to see their (a) families and (b) friends whenever they want.
4. The proportion of people who feel lonely.
5. The proportion of people who can go on a date if they want to.
6. The proportion of people who report they get to help others.

Table 59 through Table 66 present the results for these seven core indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility

Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities

Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)

Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on p.31.

## Has Friends




Table 59 Have friends who are not staff or family members ('yes' responses only)

aw	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
SC	87%	298	n/a	85%	97%	86%
TN	86%	344	n/a	89%	88%	83%
ME	86%	302	n/a	79%	93%	96%
GA	85%	273	n/a	81%	91%	84%
MN	85%	267	n/a	84%	88%	88%
IN	81%	604	n/a	n/a	85%	80%
Within Average Range						
LA	81%	280	87%	n/a	77%	79%
HI	81%	279	n/a	86%	n/a	79%
VA	80%	476	69%	78%	82%	82%
NH	80%	283	n/a	73%	93%	74%
MEORC	79%	319	n/a	75%	78%	82%
NJ	78%	189	n/a	80%	n/a	77%
AR	78%	238	68%	76%	80%	84%
OH	78%	390	n/a	69%	80%	81%
KS	77%	261	n/a	78%	76%	78%
PA	77%	474	n/a	72%	85%	78%
VT	76%	263	n/a	n/a	77%	70%
FL	76%	864	n/a	76%	82%	72%
IL	76%	269	n/a	73%	83%	79%
MO	76%	240	n/a	76%	79%	n/a
NC	75%	456	90%	77%	75%	74%
OK	75%	268	n/a	74%	n/a	n/a
SD	74%	288	58%	66%	84%	78%
CA **	73%	4,824	63%	69%	75%	71%
DC	72%	265	n/a	77%	81%	67%
DE	72%	341	n/a	75%	n/a	70%
UT	71%	285	n/a	73%	67%	70%
CT	70%	291	n/a	63%	74%	75%
CO	69%	322	n/a	65%	79%	67%
Significantly Below Average						
TX	69%	1,035	67%	65%	75%	71%
MI	66%	313	n/a	57%	80%	74%
NY	65%	383	55%	69%	70%	61%
KY	58%	265	n/a	36%	70%	78%
<b>NCI Average</b>	<b>76%</b>	<b>16,249</b>	<b>70%</b>	<b>73%</b>	<b>81%</b>	<b>77%</b>

## Has a Best Friend






Table 60 Have a best friend (may be staff or family)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
AR	92%	233	87%	93%	89%	93%
HI	90%	278	n/a	95%	n/a	89%
Within Average Range						
SD	85%	282	92%	87%	85%	70%
SC	84%	294	n/a	82%	91%	85%
MN	83%	251	n/a	84%	85%	86%
MEORC	83%	310	n/a	84%	84%	83%
OH	83%	377	n/a	83%	83%	82%
TN	83%	340	n/a	81%	86%	83%
LA	83%	269	86%	n/a	82%	79%
NH	83%	280	n/a	86%	83%	86%
ME	82%	288	n/a	80%	90%	86%
NC	82%	437	100%	84%	81%	82%
UT	82%	279	n/a	75%	80%	88%
OK	81%	260	n/a	80%	n/a	n/a
NJ	81%	179	n/a	79%	n/a	87%
CT	81%	289	n/a	72%	85%	85%
FL	80%	848	n/a	79%	79%	81%
MO	80%	232	n/a	86%	75%	n/a
KS	80%	253	n/a	75%	85%	86%
VA	79%	458	n/a	79%	71%	78%
IL	79%	260	n/a	82%	73%	78%
DE	79%	336	n/a	77%	n/a	81%
GA	79%	271	n/a	69%	87%	77%
IN	79%	597	n/a	n/a	77%	79%
TX	76%	1,010	78%	76%	82%	73%
PA	76%	468	n/a	76%	76%	76%
CA **	75%	4,666	73%	75%	77%	72%
MI	75%	288	n/a	72%	82%	75%
Significantly Below Average						
DC	70%	263	n/a	76%	77%	63%
VT	69%	247	n/a	n/a	72%	74%
CO	67%	321	n/a	62%	72%	64%
NY	65%	366	n/a	63%	67%	62%
KY	55%	264	n/a	40%	50%	72%
<b>NCI Average</b>	<b>79%</b>	<b>15,794</b>	<b>86%</b>	<b>78%</b>	<b>80%</b>	<b>79%</b>

## Can See Friends




Table 61 Have friends (may be staff or family) and see their friends when they want ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	91%	257	n/a	97%	n/a	88%
TN	88%	332	n/a	93%	91%	80%
PA	86%	416	n/a	83%	84%	87%
OH	86%	353	n/a	89%	88%	84%
VA	84%	443	n/a	85%	96%	81%
<b>Within Average Range</b>						
DC	86%	221	n/a	87%	83%	89%
KS	85%	249	n/a	80%	93%	81%
IL	85%	236	n/a	85%	80%	85%
LA	83%	248	77%	n/a	86%	85%
AR	83%	229	88%	83%	85%	87%
MEORC	82%	305	n/a	87%	84%	78%
MN	82%	248	n/a	82%	85%	80%
SD	82%	264	55%	79%	90%	82%
CA **	81%	4,226	82%	79%	88%	78%
NH	81%	267	n/a	79%	84%	78%
NY	80%	320	65%	82%	90%	79%
SC	80%	288	n/a	77%	84%	84%
OK	80%	248	n/a	81%	n/a	n/a
MO	79%	221	n/a	79%	77%	n/a
IN	79%	535	n/a	n/a	82%	77%
MI	79%	277	n/a	82%	76%	75%
DE	78%	307	n/a	76%	n/a	78%
UT	77%	262	n/a	72%	77%	83%
CO	77%	264	n/a	71%	85%	80%
CT	76%	266	n/a	71%	82%	77%
NJ	76%	173	n/a	75%	n/a	86%
FL	75%	781	n/a	75%	78%	73%
GA	73%	259	n/a	63%	84%	71%
ME	72%	274	n/a	70%	75%	77%
<b>Significantly Below Average</b>						
TX	74%	897	78%	75%	80%	69%
NC	72%	405	79%	73%	71%	70%
KY	60%	265	n/a	39%	62%	78%
VT	52%	223	n/a	n/a	68%	47%
<b>NCI Average</b>	<b>79%</b>	<b>14,559</b>	<b>75%</b>	<b>78%</b>	<b>82%</b>	<b>79%</b>

## Can See Family




Table 62 Sees family when they want to or chooses not to see family ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SC	92%	291	n/a	88%	94%	97%
HI	91%	265	n/a	92%	n/a	96%
PA	87%	404	n/a	81%	80%	93%
TN	86%	317	n/a	84%	85%	93%
OH	85%	350	n/a	86%	83%	88%
<b>Within Average Range</b>						
VA	84%	419	n/a	80%	80%	92%
KS	84%	238	n/a	76%	90%	90%
IN	84%	573	n/a	n/a	78%	85%
CA **	83%	4,495	70%	70%	83%	88%
MN	83%	242	n/a	81%	82%	86%
DC	83%	233	n/a	77%	74%	94%
NH	83%	252	n/a	62%	80%	94%
MEORC	81%	295	n/a	66%	75%	93%
DE	81%	304	n/a	74%	n/a	85%
NY	81%	340	n/a	66%	83%	97%
AR	80%	227	42%	81%	79%	97%
CO	80%	279	n/a	64%	82%	92%
LA	80%	271	63%	n/a	78%	89%
TX	79%	959	66%	76%	82%	89%
IL	79%	249	n/a	73%	76%	90%
SD	79%	270	57%	73%	85%	92%
GA	78%	248	n/a	62%	81%	86%
MI	78%	275	n/a	76%	67%	91%
FL	77%	797	n/a	64%	70%	87%
NC	77%	428	71%	72%	77%	83%
UT	77%	264	n/a	69%	67%	89%
ME	76%	274	n/a	68%	82%	94%
CT	76%	273	n/a	59%	77%	92%
MO	74%	215	n/a	79%	67%	n/a
OK	74%	224	n/a	74%	n/a	n/a
KY	73%	235	n/a	46%	71%	96%
<b>Significantly Below Average</b>						
NJ	69%	159	n/a	64%	n/a	89%
VT	60%	218	n/a	n/a	63%	67%
<b>NCI Average</b>	<b>80%</b>	<b>14,883</b>	<b>61%</b>	<b>73%</b>	<b>78%</b>	<b>90%</b>

## Talks With Neighbors





Table 63 Talk with their neighbors ('yes, but not often' and 'yes, often' responses)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
KY	91%	265	n/a	87%	100%	96%
SC	80%	301	n/a	76%	84%	83%
AR	76%	242	80%	77%	75%	77%
LA	74%	282	70%	n/a	79%	75%
<b>Within Average Range</b>						
GA	71%	271	n/a	51%	83%	78%
IN	68%	607	n/a	n/a	75%	66%
PA	68%	463	n/a	44%	89%	75%
OH	68%	390	n/a	69%	69%	69%
FL	68%	868	n/a	41%	77%	78%
KS	68%	265	n/a	59%	78%	75%
MEORC	67%	320	n/a	56%	68%	71%
UT	66%	282	n/a	37%	76%	82%
NC	66%	446	77%	55%	89%	65%
IL	66%	265	n/a	51%	86%	77%
SD	64%	285	30%	56%	77%	71%
DC	64%	262	n/a	70%	64%	67%
NH	64%	284	n/a	39%	76%	71%
CO	64%	314	n/a	53%	84%	73%
MI	64%	308	n/a	58%	72%	75%
ME	63%	299	n/a	58%	75%	68%
NY	62%	381	55%	48%	76%	73%
TN	61%	346	n/a	49%	68%	60%
MO	60%	241	n/a	67%	55%	n/a
MN	60%	264	n/a	51%	69%	68%
CA **	60%	4,769	34%	43%	74%	63%
VT	58%	262	n/a	n/a	65%	57%
DE	57%	337	n/a	54%	n/a	64%
HI	56%	278	n/a	63%	n/a	63%
<b>Significantly Below Average</b>						
TX	58%	1,017	59%	43%	77%	63%
VA	58%	464	n/a	44%	69%	72%
CT	56%	292	n/a	35%	73%	60%
OK	53%	266	n/a	51%	n/a	n/a
NJ	45%	194	n/a	41%	n/a	61%
<b>NCI Average</b>	<b>64%</b>	<b>16,130</b>	<b>58%</b>	<b>54%</b>	<b>76%</b>	<b>71%</b>

## Can Go on a Date





**Table 64 Can go on a date if they want or can date with some restriction ('yes, can date' and 'yes, can date with some restriction or rules' responses)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
VT	95%	184	n/a	n/a	100%	92%
KY	95%	183	n/a	94%	91%	96%
NJ	95%	128	n/a	93%	n/a	100%
CO	94%	269	n/a	91%	100%	93%
MEORC	94%	232	n/a	96%	97%	89%
NH	93%	238	n/a	81%	96%	93%
KS	93%	217	n/a	90%	96%	93%
GA	92%	231	n/a	91%	96%	90%
SD	92%	243	70%	93%	98%	77%
<b>Within Average Range</b>						
OK	89%	238	n/a	90%	n/a	n/a
ME	88%	230	n/a	87%	96%	79%
UT	88%	238	n/a	92%	93%	83%
FL	87%	652	n/a	84%	93%	85%
TN	87%	217	n/a	91%	93%	78%
PA	86%	353	n/a	84%	94%	87%
SC	86%	256	n/a	87%	97%	82%
MI	86%	236	n/a	86%	91%	85%
MO	86%	178	n/a	91%	85%	n/a
CA	85%	3,488	72%	82%	93%	83%
VA	84%	367	n/a	86%	83%	78%
OH	84%	358	n/a	79%	91%	82%
IN	84%	461	n/a	n/a	92%	81%
AR	84%	213	90%	79%	92%	78%
LA	83%	225	88%	n/a	84%	79%
DE	83%	285	n/a	82%	n/a	80%
NY	81%	277	n/a	84%	95%	78%
MN	80%	211	n/a	80%	82%	75%
NC	79%	374	75%	81%	82%	77%
DC	78%	220	n/a	77%	81%	74%
<b>Significantly Below Average</b>						
TX	78%	801	78%	76%	97%	74%
CT	76%	220	n/a	79%	81%	74%
IL	76%	219	n/a	78%	n/a	73%
HI	56%	87	n/a	n/a	n/a	62%
<b>NCI Average</b>	<b>85%</b>	<b>12,329</b>	<b>79%</b>	<b>86%</b>	<b>92%</b>	<b>82%</b>

## Feels Lonely




Table 65 Feel lonely at least half the time ('yes' and 'sometimes' responses)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
ME	50%	298	n/a	55%	51%	46%
UT	49%	280	n/a	49%	56%	46%
VT	49%	255	n/a	n/a	47%	50%
Within Average Range						
OK	47%	264	n/a	48%	n/a	n/a
MO	46%	239	n/a	48%	49%	n/a
GA	46%	271	n/a	41%	39%	50%
NC	44%	434	56%	38%	60%	40%
AR	44%	233	48%	45%	43%	35%
CO	43%	312	n/a	46%	48%	38%
OH	42%	378	n/a	42%	40%	42%
NY	42%	375	n/a	45%	47%	35%
MI	42%	285	n/a	40%	53%	31%
KS	42%	260	n/a	52%	35%	29%
NJ	41%	191	n/a	42%	n/a	36%
LA	41%	274	48%	n/a	45%	35%
SC	40%	292	n/a	44%	56%	35%
NH	40%	280	n/a	53%	42%	37%
DE	39%	326	n/a	41%	n/a	38%
TX	38%	1,003	36%	43%	40%	34%
MN	37%	260	n/a	31%	35%	45%
MEORC	37%	312	n/a	43%	39%	31%
IL	37%	261	n/a	44%	39%	30%
FL	37%	842	n/a	46%	40%	31%
SD	35%	282	33%	44%	31%	25%
IN	35%	586	n/a	n/a	43%	32%
CA **	35%	4,636	40%	37%	39%	32%
VA	33%	455	n/a	35%	31%	27%
Significantly Below Average						
PA	32%	460	n/a	33%	41%	26%
KY	30%	265	n/a	37%	50%	18%
DC	30%	256	n/a	39%	28%	26%
HI	29%	278	n/a	31%	n/a	32%
CT	28%	283	n/a	31%	29%	25%
TN	27%	339	n/a	27%	33%	19%
<b>NCI Average</b>	<b>39%</b>	<b>15,765</b>	<b>44%</b>	<b>42%</b>	<b>42%</b>	<b>34%</b>

## Can Help Other People




Table 66 Can help other people if they want ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
NH	96%	281	n/a	97%	98%	96%
OH	95%	390	n/a	96%	95%	94%
OK	94%	266	n/a	94%	n/a	n/a
AR	93%	238	83%	96%	95%	86%
UT	93%	283	n/a	93%	87%	94%
DE	92%	328	n/a	92%	n/a	92%
SC	92%	293	n/a	91%	94%	91%
IN	92%	603	n/a	n/a	90%	92%
VA	91%	467	n/a	92%	89%	95%
PA	90%	468	n/a	89%	94%	94%
Within Average Range						
NJ	92%	186	n/a	92%	n/a	90%
GA	91%	274	n/a	89%	95%	90%
KS	91%	252	n/a	87%	96%	91%
CO	90%	314	n/a	80%	95%	93%
MN	90%	258	n/a	92%	88%	90%
FL	89%	857	n/a	89%	90%	89%
SD	89%	283	83%	86%	93%	85%
MEORC	88%	326	n/a	91%	84%	88%
MO	88%	239	n/a	93%	85%	n/a
ME	88%	300	n/a	84%	95%	85%
MI	87%	299	n/a	79%	97%	89%
CT	87%	283	n/a	82%	94%	87%
CA	87%	4,665	69%	85%	90%	88%
NC	85%	445	82%	84%	91%	85%
LA	85%	276	79%	n/a	94%	84%
DC	85%	264	n/a	87%	89%	86%
TN	84%	345	n/a	87%	85%	80%
IL	81%	261	n/a	76%	83%	86%
Significantly Below Average						
TX	82%	998	70%	85%	91%	83%
NY	78%	366	n/a	76%	80%	77%
VT	78%	250	n/a	n/a	71%	77%
HI	75%	273	n/a	85%	n/a	80%
KY	36%	266	n/a	29%	32%	43%
<b>NCI Average</b>	<b>87%</b>	<b>15,897</b>	<b>78%</b>	<b>86%</b>	<b>88%</b>	<b>86%</b>

## Satisfaction

### People are satisfied with the services and supports they receive.

There are six Satisfaction indicators:

1. The proportion of people satisfied with where they live.
2. The proportion of people who would like to live somewhere else.
3. The proportion of people who talk to their neighbors.
4. The proportion of people who are satisfied with their paid community job.
5. The proportion of people who have a paid community job who would like to work somewhere else.
6. The proportion of people who are satisfied with their day program or other daily activity.
7. The proportion of people who go to a day program or have another daily activity who would like to go somewhere else or do something else during the day.

Table 67 through Table 72 present items that correspond to the Satisfaction domain. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility  
 Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities  
 Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)  
 Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on p.31.

## Likes Home




Table 67 Like their home ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	96%	283	n/a	95%	n/a	99%
TN	94%	345	n/a	91%	94%	98%
CO	94%	322	n/a	91%	92%	99%
IN	94%	615	n/a	n/a	92%	96%
<b>Within Average Range</b>						
GA	94%	278	n/a	87%	94%	97%
KY	94%	265	n/a	87%	97%	100%
MEORC	93%	327	n/a	90%	92%	96%
SC	92%	301	n/a	88%	94%	98%
CT	92%	296	n/a	86%	86%	99%
PA	91%	480	n/a	89%	91%	93%
OK	91%	269	n/a	91%	n/a	n/a
NY	91%	394	75%	90%	80%	99%
CA	91%	4,875	91%	88%	85%	94%
NC	91%	459	67%	89%	91%	96%
AR	90%	244	84%	89%	89%	100%
VA	90%	485	n/a	90%	93%	97%
NH	89%	285	n/a	77%	88%	93%
OH	89%	395	n/a	91%	87%	91%
IL	89%	272	n/a	80%	96%	98%
LA	89%	286	83%	n/a	90%	95%
FL	89%	892	n/a	83%	83%	95%
KS	89%	265	n/a	86%	90%	96%
MN	89%	266	n/a	88%	84%	91%
MI	89%	310	n/a	87%	85%	91%
MO	89%	246	n/a	85%	91%	n/a
UT	88%	278	n/a	89%	85%	93%
DE	88%	344	n/a	85%	n/a	93%
TX	88%	1,047	86%	81%	85%	94%
ME	88%	305	n/a	82%	97%	91%
NJ	87%	194	n/a	85%	n/a	95%
DC	87%	265	n/a	73%	84%	95%
VT	85%	268	n/a	n/a	71%	90%
SD	84%	290	54%	85%	92%	79%
<b>NCI Average</b>	<b>90%</b>	<b>16,446</b>	<b>77%</b>	<b>87%</b>	<b>89%</b>	<b>95%</b>



## Wants to Live Somewhere Else




Table 68 Want to live somewhere else

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
AR	39%	240	56%	39%	30%	40%
OK	36%	264	n/a	38%	n/a	n/a
DE	34%	329	n/a	32%	n/a	37%
OH	33%	389	n/a	21%	37%	34%
Within Average Range						
NJ	31%	191	n/a	31%	n/a	32%
SD	31%	281	58%	34%	25%	22%
UT	31%	283	n/a	36%	31%	27%
DC	30%	260	n/a	40%	37%	22%
CT	30%	286	n/a	29%	37%	30%
MN	29%	262	n/a	33%	28%	28%
LA	29%	281	59%	n/a	26%	12%
VT	28%	253	n/a	n/a	35%	30%
MI	28%	301	n/a	31%	29%	28%
NC	28%	443	57%	39%	23%	23%
ME	27%	300	n/a	35%	20%	29%
IL	27%	256	n/a	31%	14%	26%
MO	27%	243	n/a	29%	22%	n/a
KS	26%	262	n/a	28%	24%	22%
IN	26%	596	n/a	n/a	28%	24%
TX	25%	1,021	34%	33%	24%	16%
VA	25%	469	n/a	29%	21%	19%
CO	25%	319	n/a	35%	31%	21%
NH	22%	281	n/a	39%	18%	22%
FL	22%	871	n/a	28%	24%	17%
HI	22%	278	n/a	19%	n/a	23%
MEORC	22%	316	n/a	32%	23%	17%
CA **	21%	4,776	22%	24%	27%	20%
Significantly Below Average						
NY	20%	391	35%	21%	32%	13%
PA	18%	466	n/a	22%	21%	18%
TN	17%	344	n/a	23%	20%	10%
GA	16%	276	n/a	22%	13%	15%
SC	14%	301	n/a	20%	9%	7%
KY	12%	263	n/a	18%	9%	6%
NCI Average	26%	16,092	46%	30%	25%	22%

## Likes Paid Community Job





Table 69 Have a paid job in the community and like where they work ('yes' responses only)\*

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Within Average Range						
KY	100%	28	n/a	n/a	n/a	n/a
NC	100%	60	n/a	n/a	n/a	100%
NJ	100%	21	n/a	n/a	n/a	n/a
VA	97%	69	n/a	100%	n/a	n/a
TN	96%	55	n/a	n/a	n/a	96%
OK	96%	80	n/a	97%	n/a	n/a
KS	95%	38	n/a	n/a	n/a	n/a
SC	95%	75	n/a	100%	n/a	97%
MEORC	94%	35	n/a	n/a	n/a	n/a
SD	94%	79	n/a	n/a	91%	n/a
PA	94%	62	n/a	n/a	n/a	94%
NH	93%	120	n/a	n/a	91%	96%
CO	93%	117	n/a	n/a	96%	94%
ME	93%	69	n/a	94%	n/a	n/a
GA	93%	55	n/a	n/a	n/a	96%
TX	93%	148	n/a	82%	84%	99%
CT	92%	137	n/a	86%	89%	98%
IN	92%	143	n/a	n/a	87%	95%
UT	92%	59	n/a	n/a	n/a	92%
MN	91%	88	n/a	94%	90%	89%
LA	90%	42	n/a	n/a	n/a	n/a
CA	90%	942	n/a	94%	90%	90%
VT	90%	124	n/a	n/a	92%	95%
FL	89%	118	n/a	n/a	84%	94%
MI	89%	36	n/a	n/a	n/a	n/a
AR	88%	26	n/a	n/a	n/a	n/a
MO	88%	32	n/a	n/a	88%	n/a
DE	87%	31	n/a	n/a	n/a	n/a
OH	86%	44	n/a	n/a	92%	n/a
NY	86%	64	n/a	n/a	n/a	83%
IL	85%	26	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>92%</b>	<b>3,023</b>	<b>n/a</b>	<b>94%</b>	<b>90%</b>	<b>94%</b>

\* Reported for those who were determined to have a paid community job from Background section

## Wants to Work Somewhere Else



**Table 70 Have a paid job in the community and want to work somewhere else\* ('yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Within Average Range</b>						
DE	45%	31	n/a	n/a	n/a	n/a
IL	42%	26	n/a	n/a	n/a	n/a
MI	42%	36	n/a	n/a	n/a	n/a
MO	39%	31	n/a	n/a	39%	n/a
OK	38%	79	n/a	39%	n/a	n/a
SD	38%	74	n/a	n/a	38%	n/a
VT	38%	122	n/a	n/a	25%	42%
NH	35%	119	n/a	n/a	39%	34%
NJ	35%	20	n/a	n/a	n/a	n/a
NC	34%	58	n/a	n/a	n/a	30%
TX	34%	146	n/a	53%	32%	23%
ME	33%	73	n/a	26%	n/a	n/a
AR	32%	25	n/a	n/a	n/a	n/a
CA	31%	931	n/a	41%	28%	31%
UT	31%	59	n/a	n/a	n/a	38%
CT	30%	133	n/a	42%	35%	20%
GA	29%	52	n/a	n/a	n/a	29%
IN	29%	139	n/a	n/a	40%	23%
KS	28%	36	n/a	n/a	n/a	n/a
OH	26%	46	n/a	n/a	15%	n/a
CO	26%	117	n/a	n/a	21%	16%
MN	26%	82	n/a	33%	n/a	23%
NY	25%	64	n/a	n/a	n/a	30%
VA	25%	68	n/a	29%	n/a	n/a
FL	21%	116	n/a	n/a	21%	21%
MEORC	21%	34	n/a	n/a	n/a	n/a
PA	20%	61	n/a	n/a	n/a	18%
TN	19%	54	n/a	n/a	n/a	17%
LA	17%	42	n/a	n/a	n/a	n/a
KY	15%	27	n/a	n/a	n/a	n/a
<b>Significantly Below Average</b>						
SC	16%	75	n/a	16%	n/a	10%
DC	n/a	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>30%</b>	<b>2,976</b>	<b>n/a</b>	<b>35%</b>	<b>31%</b>	<b>25%</b>

\* Reported for those who were determined to have a paid community job from Background section

## Likes Day Program or Regular Activity





Table 71 Attend a day program or activity and likes where they go or what they do ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MEORC	96%	272	n/a	98%	91%	98%
HI	96%	264	n/a	98%	n/a	96%
TN	95%	181	n/a	95%	96%	93%
VT	95%	222	n/a	n/a	94%	95%
PA	94%	290	n/a	93%	96%	95%
<b>Within Average Range</b>						
IN	93%	325	n/a	n/a	94%	93%
GA	93%	213	n/a	94%	92%	94%
CT	93%	163	n/a	90%	91%	96%
NC	92%	316	81%	91%	92%	95%
IL	92%	220	n/a	93%	n/a	94%
VA	92%	305	n/a	93%	n/a	88%
SC	92%	262	n/a	91%	100%	92%
CO	92%	248	n/a	90%	94%	96%
LA	92%	153	90%	n/a	91%	92%
MO	91%	105	n/a	92%	90%	n/a
CA **	91%	3,079	93%	90%	85%	91%
AR	91%	155	86%	89%	94%	n/a
NH	90%	228	n/a	89%	93%	93%
MI	90%	210	n/a	90%	86%	89%
OH	89%	262	n/a	95%	88%	85%
FL	89%	457	n/a	82%	90%	93%
DC	88%	218	n/a	90%	83%	92%
NJ	88%	183	n/a	87%	n/a	92%
NY	88%	274	n/a	88%	n/a	87%
ME	87%	244	n/a	88%	93%	84%
TX	87%	709	87%	84%	89%	89%
KY	87%	230	n/a	81%	91%	92%
UT	86%	168	n/a	82%	90%	88%
MN	86%	142	n/a	88%	n/a	82%
KS	85%	194	n/a	84%	84%	91%
<b>Significantly Below Average</b>						
DE	82%	280	n/a	79%	n/a	85%
SD	81%	200	86%	78%	81%	85%
OK	79%	130	n/a	78%	n/a	n/a
<b>NCI Average</b>	<b>90%</b>	<b>10,902</b>	<b>87%</b>	<b>89%</b>	<b>91%</b>	<b>91%</b>



## Wants to Go Somewhere Else During the Day



**Table 72 Attend a day program or activity and want to go someplace else or do something different during the day ('yes' responses only)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
OK	60%	122	n/a	60%	n/a	n/a
DE	48%	264	n/a	50%	n/a	47%
<b>Within Average Range</b>						
AR	40%	149	48%	36%	42%	n/a
UT	40%	161	n/a	37%	50%	40%
MI	39%	202	n/a	44%	40%	27%
DC	39%	218	n/a	43%	44%	34%
VT	38%	215	n/a	n/a	27%	38%
NC	37%	292	73%	36%	39%	32%
CT	37%	154	n/a	34%	35%	38%
SD	37%	192	62%	35%	38%	n/a
LA	36%	146	46%	n/a	28%	25%
OH	36%	262	n/a	28%	35%	40%
MN	35%	134	n/a	39%	n/a	32%
VA	34%	288	n/a	36%	n/a	31%
IL	33%	210	n/a	37%	n/a	31%
NH	33%	221	n/a	57%	13%	29%
TX	32%	658	33%	37%	23%	29%
MEORC	32%	261	n/a	39%	29%	32%
MO	32%	103	n/a	37%	30%	n/a
NJ	32%	184	n/a	36%	n/a	26%
TN	30%	182	n/a	28%	42%	28%
PA	27%	281	n/a	27%	31%	32%
CO	27%	244	n/a	25%	26%	23%
IN	26%	310	n/a	n/a	34%	23%
FL	26%	442	n/a	31%	29%	22%
<b>Significantly Below Average</b>						
CA	24%	2,962	24%	30%	27%	25%
ME	24%	227	n/a	25%	28%	30%
GA	24%	211	n/a	13%	30%	25%
NY	24%	268	n/a	22%	n/a	24%
KS	22%	191	n/a	24%	24%	10%
KY	17%	228	n/a	22%	9%	11%
HI	11%	260	n/a	19%	n/a	9%
SC	7%	261	n/a	9%	4%	5%
<b>NCI Average</b>	<b>31%</b>	<b>10,503</b>	<b>47%</b>	<b>33%</b>	<b>30%</b>	<b>27%</b>

## Service Coordination

### Service coordinators are accessible, responsive, and support the person's participation in service planning.

There are seven Service Coordination indicators:

1. The proportion of people who have met their service coordinators.
2. The proportion of people reporting that their service coordinators ask them what they want.
3. The proportion of people reporting that service coordinators help them get what they need.
4. The proportion of people who report that their service coordinator calls them back right away.
5. The proportion of people whose support workers come when they are supposed to.
6. The proportion of people who get the help they need to work out problems with their support workers.
7. The proportion of people who report that they helped make their service plan.

Table 73 through Table 79 present the results for these seven core indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility

Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities

Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)

Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on p.31.

## Met Case Manager/Service Coordinator




Table 73 Met their case manager/service coordinator ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
TN	99%	344	n/a	99%	99%	99%
VT	99%	267	n/a	n/a	100%	99%
KS	99%	266	n/a	98%	99%	100%
HI	99%	274	n/a	93%	n/a	99%
UT	98%	285	n/a	98%	100%	98%
FL	98%	877	n/a	99%	100%	97%
KY	98%	267	n/a	99%	97%	97%
MI	97%	308	n/a	95%	99%	99%
IN	97%	596	n/a	n/a	97%	97%
<b>Within Average Range</b>						
SD	97%	283	100%	98%	96%	92%
MEORC	97%	318	n/a	96%	99%	97%
NY	97%	389	n/a	97%	96%	96%
ME	97%	305	n/a	96%	95%	100%
VA	96%	457	n/a	98%	100%	96%
GA	96%	273	n/a	95%	95%	96%
DC	95%	243	n/a	90%	99%	95%
PA	95%	462	n/a	94%	100%	95%
NH	95%	281	n/a	89%	95%	97%
OK	95%	266	n/a	95%	n/a	n/a
MO	95%	244	n/a	98%	94%	n/a
AR	95%	235	92%	93%	98%	97%
CT	95%	297	n/a	94%	96%	96%
IL	95%	255	n/a	93%	91%	97%
SC	94%	296	n/a	91%	97%	97%
NC	93%	414	90%	93%	96%	92%
OH	93%	388	n/a	91%	96%	91%
LA	92%	248	90%	n/a	96%	89%
MN	92%	267	n/a	94%	93%	93%
CA **	91%	4,699	88%	94%	95%	90%
CO	90%	309	n/a	90%	95%	89%
<b>Significantly Below Average</b>						
TX	92%	1,017	93%	90%	94%	92%
NJ	86%	190	n/a	92%	n/a	67%
DE	75%	318	n/a	82%	n/a	62%
<b>NCI Average</b>	<b>95%</b>	<b>15,938</b>	<b>92%</b>	<b>94%</b>	<b>97%</b>	<b>94%</b>

## Case Manager/Service Coordinator Asks What Person Wants




Table 74 Case manager/service coordinator asks person what s/he want ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MEORC	97%	302	n/a	97%	99%	95%
HI	96%	268	n/a	93%	n/a	95%
TN	95%	339	n/a	96%	96%	94%
IN	94%	577	n/a	n/a	93%	95%
MI	93%	296	n/a	93%	92%	95%
AR	93%	223	100%	90%	93%	93%
FL	93%	839	n/a	91%	95%	93%
PA	91%	432	n/a	92%	91%	91%
<b>Within Average Range</b>						
KS	91%	257	n/a	85%	97%	94%
LA	91%	237	82%	n/a	91%	95%
CO	90%	295	n/a	90%	90%	89%
VA	90%	435	n/a	90%	83%	88%
CT	88%	283	n/a	87%	86%	96%
SC	88%	283	n/a	84%	94%	91%
KY	88%	263	n/a	85%	88%	93%
GA	88%	258	n/a	91%	93%	82%
MO	88%	232	n/a	93%	86%	n/a
DC	88%	238	n/a	85%	88%	89%
NY	87%	373	n/a	90%	84%	85%
SD	87%	264	79%	87%	85%	96%
IL	86%	245	n/a	83%	82%	89%
NH	85%	261	n/a	89%	79%	92%
CA **	85%	4,308	85%	85%	89%	83%
TX	84%	959	85%	82%	90%	83%
UT	84%	268	n/a	79%	87%	88%
NJ	82%	162	n/a	83%	n/a	79%
MN	82%	229	n/a	87%	69%	84%
NC	82%	382	80%	80%	87%	85%
OK	80%	248	n/a	80%	n/a	n/a
<b>Significantly Below Average</b>						
OH	81%	359	n/a	81%	76%	85%
ME	79%	291	n/a	73%	86%	88%
VT	75%	243	n/a	n/a	75%	71%
DE	68%	249	n/a	74%	n/a	58%
<b>NCI Average</b>	<b>87%</b>	<b>14,898</b>	<b>85%</b>	<b>87%</b>	<b>88%</b>	<b>88%</b>



## Case Manager/Service Coordinator Helps Get What Person Needs




Table 75 Case manager/service coordinator helps get what person needs ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MEORC	97%	300	n/a	95%	100%	96%
TN	95%	273	n/a	95%	97%	93%
SC	95%	285	n/a	94%	97%	97%
HI	95%	248	n/a	95%	n/a	95%
IN	95%	530	n/a	n/a	93%	96%
AR	94%	224	95%	92%	95%	96%
FL	92%	817	n/a	91%	95%	92%
<b>Within Average Range</b>						
MO	91%	218	n/a	87%	93%	n/a
SD	91%	271	83%	92%	90%	92%
KS	90%	248	n/a	86%	96%	89%
IL	90%	244	n/a	86%	100%	90%
PA	89%	419	n/a	90%	88%	90%
NH	89%	254	n/a	80%	88%	92%
VA	89%	432	n/a	89%	86%	92%
CT	89%	277	n/a	90%	81%	95%
CO	89%	292	n/a	89%	86%	88%
OK	89%	254	n/a	89%	n/a	n/a
MI	88%	290	n/a	91%	86%	88%
LA	88%	232	89%	n/a	82%	91%
DC	87%	238	n/a	90%	89%	83%
TX	87%	964	91%	88%	87%	83%
NY	86%	366	n/a	87%	89%	84%
GA	86%	203	n/a	93%	90%	83%
KY	86%	261	n/a	85%	76%	91%
UT	86%	258	n/a	83%	88%	88%
NC	86%	334	n/a	86%	88%	87%
ME	85%	286	n/a	82%	93%	85%
MN	84%	219	n/a	89%	81%	80%
OH	84%	358	n/a	86%	85%	81%
NJ	83%	136	n/a	81%	n/a	90%
<b>Significantly Below Average</b>						
CA	79%	4,082	83%	84%	80%	76%
DE	77%	237	n/a	77%	n/a	74%
VT	74%	235	n/a	n/a	71%	76%
<b>NCI Average</b>	<b>88%</b>	<b>14,285</b>	<b>88%</b>	<b>88%</b>	<b>89%</b>	<b>88%</b>




Table 76 Case manager/service coordinator calls person back right away ('calls back right away' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	92%	209	n/a	97%	n/a	93%
GA	92%	122	n/a	100%	95%	91%
SC	90%	259	n/a	91%	97%	89%
FL	87%	603	n/a	82%	88%	88%
KY	85%	255	n/a	81%	82%	92%
IN	84%	445	n/a	n/a	73%	88%
PA	84%	249	n/a	92%	73%	83%
NY	83%	317	n/a	84%	86%	84%
LA	82%	195	76%	n/a	85%	84%
TN	80%	230	n/a	85%	79%	75%
TX	77%	758	81%	71%	76%	78%
<b>Within Average Range</b>						
AR	80%	176	n/a	79%	84%	n/a
MEORC	80%	210	n/a	83%	73%	84%
CT	79%	216	n/a	66%	82%	84%
NC	77%	219	n/a	68%	71%	82%
MO	76%	123	n/a	77%	71%	n/a
IL	75%	198	n/a	68%	80%	80%
NH	74%	187	n/a	62%	79%	69%
CO	73%	177	n/a	67%	64%	78%
DC	72%	187	n/a	70%	73%	71%
VA	70%	337	n/a	67%	83%	71%
KS	70%	201	n/a	66%	76%	74%
UT	68%	183	n/a	58%	67%	79%
MI	68%	223	n/a	73%	59%	65%
SD	67%	210	48%	71%	67%	65%
OK	64%	146	n/a	64%	n/a	n/a
ME	63%	148	n/a	54%	67%	87%
<b>Significantly Below Average</b>						
CA	61%	3,449	67%	65%	58%	59%
MN	61%	183	n/a	68%	51%	56%
DE	53%	133	n/a	50%	n/a	58%
OH	47%	264	n/a	39%	52%	48%
VT	42%	161	n/a	n/a	41%	52%
NJ	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>74%</b>	<b>10,973</b>	<b>68%</b>	<b>72%</b>	<b>73%</b>	<b>76%</b>

## Staff Come When They Are Supposed To




Table 77 Staff come when they are supposed to ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
TN	99%	334	n/a	99%	99%	99%
SC	98%	291	n/a	98%	100%	100%
<b>Within Average Range</b>						
MN	97%	249	n/a	99%	95%	96%
HI	97%	272	n/a	100%	n/a	96%
AR	96%	225	100%	96%	94%	100%
PA	96%	353	n/a	97%	98%	96%
CT	96%	254	n/a	98%	95%	97%
MEORC	96%	291	n/a	97%	95%	96%
OK	96%	256	n/a	95%	n/a	n/a
VA	96%	435	n/a	97%	96%	96%
IL	95%	217	n/a	94%	n/a	98%
GA	95%	257	n/a	95%	98%	93%
TX	95%	828	96%	94%	94%	95%
NC	95%	409	89%	97%	100%	93%
NH	95%	251	n/a	96%	94%	96%
CA	95%	3,647	95%	96%	94%	94%
LA	95%	249	93%	n/a	94%	96%
ME	95%	282	n/a	94%	98%	91%
MO	95%	241	n/a	91%	99%	n/a
IN	94%	507	n/a	n/a	93%	96%
NY	94%	333	n/a	94%	97%	92%
FL	94%	766	n/a	93%	94%	95%
NJ	93%	181	n/a	93%	n/a	97%
UT	93%	272	n/a	90%	98%	96%
CO	92%	304	n/a	90%	90%	89%
OH	92%	353	n/a	97%	91%	92%
SD	92%	256	81%	93%	92%	n/a
DC	92%	213	n/a	90%	89%	94%
VT	91%	213	n/a	n/a	92%	85%
DE	90%	290	n/a	87%	n/a	92%
KY	89%	254	n/a	87%	96%	92%
MI	89%	265	n/a	87%	92%	91%
<b>Significantly Below Average</b>						
KS	85%	248	n/a	77%	89%	98%
<b>NCI Average</b>	<b>94%</b>	<b>13,796</b>	<b>92%</b>	<b>94%</b>	<b>95%</b>	<b>95%</b>

## Person Gets Help to Fix Problems With Staff




Table 78 Get the help they need to work out problems they have with their staff ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
TN	99%	314	n/a	99%	100%	100%
HI	96%	246	n/a	94%	n/a	97%
KY	96%	250	n/a	92%	96%	99%
<b>Within Average Range</b>						
LA	94%	238	96%	n/a	99%	88%
PA	93%	288	n/a	95%	96%	91%
SC	93%	287	n/a	92%	94%	95%
AR	93%	211	95%	94%	94%	92%
NY	93%	296	n/a	96%	86%	92%
MN	93%	205	n/a	93%	94%	98%
IN	93%	437	n/a	n/a	93%	92%
UT	93%	247	n/a	91%	96%	92%
OK	93%	236	n/a	92%	n/a	n/a
VA	92%	389	n/a	94%	83%	93%
MO	92%	218	n/a	90%	92%	n/a
OH	91%	305	n/a	95%	91%	91%
GA	91%	211	n/a	93%	96%	88%
ME	91%	280	n/a	86%	96%	93%
NH	91%	198	n/a	78%	94%	95%
FL	91%	615	n/a	92%	91%	91%
CA	91%	3,245	90%	90%	92%	90%
NC	90%	329	85%	94%	97%	89%
CO	90%	273	n/a	85%	93%	90%
NJ	89%	172	n/a	88%	n/a	97%
CT	89%	235	n/a	91%	93%	82%
KS	89%	213	n/a	85%	93%	89%
MEORC	89%	244	n/a	86%	85%	91%
TX	88%	773	88%	85%	88%	88%
MI	87%	223	n/a	85%	91%	88%
SD	87%	221	77%	89%	84%	n/a
VT	86%	201	n/a	n/a	94%	76%
DC	85%	80	n/a	80%	89%	n/a
DE	85%	271	n/a	81%	n/a	85%
IL	83%	184	n/a	84%	n/a	84%
<b>NCI Average</b>	<b>91%</b>	<b>12,135</b>	<b>89%</b>	<b>90%</b>	<b>92%</b>	<b>91%</b>



## Person Helped Make Service Plan




Table 79 Person helped make their service plan ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
SC	96%	275	n/a	94%	100%	97%
MEORC	95%	290	n/a	95%	92%	97%
KS	94%	250	n/a	92%	100%	92%
MO	94%	228	n/a	96%	95%	n/a
IN	94%	531	n/a	n/a	93%	94%
VA	94%	405	n/a	96%	92%	92%
HI	94%	269	n/a	93%	n/a	94%
FL	92%	790	n/a	86%	96%	93%
CO	92%	299	n/a	81%	93%	96%
Within Average Range						
GA	91%	264	n/a	92%	95%	89%
MI	90%	277	n/a	93%	91%	89%
TN	89%	334	n/a	93%	93%	78%
NH	89%	253	n/a	81%	93%	91%
DC	87%	247	n/a	85%	88%	86%
UT	87%	244	n/a	89%	84%	89%
LA	87%	236	80%	n/a	93%	86%
OK	87%	250	n/a	87%	n/a	n/a
AR	87%	201	85%	81%	94%	96%
MN	86%	194	n/a	85%	93%	88%
KY	86%	256	n/a	80%	91%	90%
ME	85%	278	n/a	82%	95%	84%
PA	85%	379	n/a	80%	87%	86%
SD	85%	249	67%	89%	84%	91%
NY	84%	357	n/a	88%	91%	79%
NC	84%	366	n/a	78%	91%	86%
CA **	84%	4,023	80%	83%	89%	81%
IL	83%	234	n/a	80%	100%	83%
CT	82%	249	n/a	76%	85%	84%
NJ	81%	188	n/a	85%	n/a	76%
VT	79%	188	n/a	n/a	82%	76%
Significantly Below Average						
OH	79%	326	n/a	86%	80%	75%
TX	78%	812	78%	73%	92%	76%
DE	68%	154	n/a	75%	n/a	65%
<b>NCI Average</b>	<b>87%</b>	<b>13,896</b>	<b>78%</b>	<b>86%</b>	<b>91%</b>	<b>86%</b>

## Access

### Publicly funded services are readily available to individuals who need and qualify for them.

There are three Access indicators:

1. The rate at which people report that they get the services they need.
2. The proportion of people who report having adequate transportation when they want to go somewhere.
3. The proportion of people who feel their support staff have been appropriately trained to meet their needs.

Table 80 through Table 84 present the results from the Access sub-domain. Table 82 presents modes of transportation used. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions by state are displayed in Appendix B.


The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility  
 Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities  
 Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)  
 Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on p.31.

## Gets Services Needed



**Table 80 Get the services they need ('yes' responses only; information may have been obtained through a proxy respondent)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MEORC	94%	382	n/a	94%	96%	91%
TN	94%	443	n/a	94%	94%	91%
KS	94%	339	n/a	97%	94%	87%
KY	93%	402	n/a	92%	95%	94%
IL	93%	339	n/a	90%	95%	95%
HI	92%	398	n/a	96%	n/a	89%
OK	92%	394	n/a	93%	n/a	n/a
AR	91%	380	96%	89%	97%	80%
MO	90%	396	97%	95%	87%	70%
TX	89%	1,834	95%	95%	88%	81%
UT	89%	414	100%	91%	89%	85%
GA	89%	436	n/a	94%	92%	87%
SD	88%	292	76%	86%	92%	93%
NJ	87%	420	n/a	88%	n/a	85%
<b>Within Average Range</b>						
PA	85%	659	91%	93%	90%	77%
SC	85%	392	n/a	83%	77%	89%
NY	85%	582	98%	89%	79%	77%
MN	84%	400	96%	92%	93%	69%
CT	84%	399	94%	92%	81%	72%
OH	80%	451	n/a	86%	79%	77%
IN	79%	730	n/a	n/a	82%	78%
LA	78%	400	94%	n/a	80%	63%
NH	78%	402	n/a	86%	78%	73%
<b>Significantly Below Average</b>						
VA	78%	1,020	89%	83%	82%	61%
DE	75%	379	n/a	79%	n/a	68%
MI	74%	394	n/a	75%	78%	63%
VT	71%	319	n/a	83%	71%	70%
FL	71%	1,371	n/a	76%	83%	65%
NC	70%	742	91%	78%	75%	61%
CA	70%	8,275	92%	87%	72%	58%
CO	69%	411	n/a	79%	76%	52%
DC	61%	327	62%	61%	68%	54%
ME	57%	369	n/a	58%	56%	52%
<b>NCI Average</b>	<b>82%</b>	<b>24,891</b>	<b>91%</b>	<b>86%</b>	<b>83%</b>	<b>75%</b>

## Always Has a Way to Get Places




Table 81 Always have a way to get places when they want to go somewhere ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
TN	97%	344	n/a	99%	97%	97%
KY	95%	263	n/a	96%	97%	98%
HI	94%	274	n/a	98%	n/a	94%
SC	94%	297	n/a	92%	94%	97%
AR	92%	238	83%	93%	93%	97%
PA	92%	468	n/a	95%	84%	92%
OK	91%	266	n/a	91%	n/a	n/a
MO	91%	244	n/a	85%	98%	n/a
IN	91%	595	n/a	n/a	88%	91%
Within Average Range						
SD	88%	284	87%	83%	94%	93%
LA	88%	279	82%	n/a	87%	91%
DC	88%	263	n/a	79%	89%	88%
DE	87%	326	n/a	89%	n/a	85%
CT	87%	293	n/a	86%	83%	90%
CA **	87%	4,725	85%	85%	88%	86%
MEORC	86%	319	n/a	86%	86%	86%
VA	85%	459	n/a	85%	97%	90%
FL	84%	854	n/a	83%	84%	86%
OH	84%	378	n/a	87%	86%	86%
NC	84%	445	93%	81%	83%	83%
MN	82%	259	n/a	87%	88%	74%
NH	82%	284	n/a	77%	68%	85%
IL	82%	265	n/a	81%	87%	86%
NJ	82%	185	n/a	80%	n/a	85%
ME	81%	296	n/a	78%	84%	85%
UT	80%	280	n/a	80%	77%	79%
MI	80%	301	n/a	82%	87%	68%
KS	80%	259	n/a	75%	83%	84%
Significantly Below Average						
NY	78%	383	n/a	76%	89%	78%
TX	77%	1,014	72%	68%	80%	83%
GA	71%	270	n/a	75%	80%	64%
VT	65%	252	n/a	n/a	75%	53%
CO	52%	314	n/a	39%	72%	53%
<b>NCI Average</b>	<b>84%</b>	<b>15,976</b>	<b>84%</b>	<b>83%</b>	<b>86%</b>	<b>84%</b>

## Typical Modes of Transportation







Table 82 Use various types of transportation (not mutually exclusive)

State	Ride From Staff In Provider Vehicle	Specialized Transportation	Ride from Staff in Staff's Car	Family and Friends	Public Transportation	Transports Self	Taxi
AR	50%	4%	78%	51%	6%	34%	3%
CA	30%	21%	28%	63%	30%	36%	3%
CO	53%	21%	64%	52%	24%	25%	4%
CT	63%	6%	36%	49%	16%	19%	4%
DC	61%	8%	35%	26%	37%	19%	1%
DE	50%	57%	25%	52%	21%	15%	2%
FL	28%	15%	37%	54%	13%	19%	1%
GA	67%	4%	45%	58%	7%	15%	1%
HI	45%	23%	24%	34%	11%	5%	0%
IL	63%	16%	14%	40%	19%	17%	7%
IN	24%	7%	54%	75%	13%	19%	1%
KS	63%	3%	30%	44%	9%	22%	2%
KY	69%	9%	77%	67%	6%	1%	1%
LA	45%	3%	45%	59%	8%	14%	1%
ME	76%	24%	63%	69%	17%	55%	11%
MEORC	36%	8%	46%	61%	10%	18%	2%
MI	59%	19%	41%	59%	24%	26%	3%
MN	46%	30%	42%	46%	21%	21%	3%
MO	44%	4%	60%	18%	7%	9%	0%
NC	38%	8%	56%	67%	10%	16%	2%
NH	16%	1%	82%	63%	17%	33%	5%
NJ	88%	5%	5%	20%	6%	9%	1%
NY	54%	20%	23%	39%	21%	25%	4%
OH	66%	10%	50%	55%	19%	28%	5%
OK	45%	1%	55%	7%	1%	5%	1%
PA	32%	16%	32%	50%	17%	18%	3%
SC	79%	1%	2%	49%	2%	5%	0%
SD	62%	15%	21%	40%	30%	40%	4%
TN	75%	2%	20%	39%	4%	1%	2%
TX	50%	11%	23%	51%	13%	18%	2%
UT	51%	15%	59%	62%	29%	36%	1%
VA	65%	27%	26%	50%	7%	8%	8%
VT	6%	4%	90%	51%	25%	43%	5%
<b>NCI Average</b>	<b>51%</b>	<b>13%</b>	<b>42%</b>	<b>49%</b>	<b>15%</b>	<b>20%</b>	<b>3%</b>

## Staff Have the Right Training to Meet Person's Needs



**Table 83 Staff have adequate training to meet their needs ('yes' responses only; information may have been obtained through a proxy respondent)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
TN	99%	345	n/a	98%	98%	99%
MEORC	97%	365	n/a	95%	97%	98%
PA	96%	404	n/a	99%	96%	96%
SC	96%	294	n/a	95%	97%	98%
<b>Within Average Range</b>						
HI	94%	271	n/a	97%	n/a	94%
MN	94%	321	n/a	95%	93%	93%
MO	94%	239	n/a	91%	94%	92%
IL	94%	237	n/a	92%	n/a	94%
KY	93%	282	n/a	93%	97%	94%
OK	93%	236	n/a	93%	n/a	n/a
IN	93%	611	n/a	n/a	93%	93%
OH	93%	399	n/a	94%	94%	93%
DC	93%	234	n/a	94%	92%	91%
CT	93%	299	n/a	95%	88%	94%
AR	92%	257	n/a	93%	93%	91%
LA	92%	293	91%	n/a	91%	93%
VA	92%	556	92%	93%	100%	91%
NJ	92%	240	n/a	90%	n/a	96%
GA	92%	258	n/a	90%	100%	90%
FL	92%	1116	n/a	87%	90%	93%
UT	91%	312	n/a	85%	92%	94%
TX	91%	1053	86%	93%	88%	92%
NH	90%	379	n/a	83%	93%	90%
ME	90%	286	n/a	87%	95%	91%
SD	89%	262	83%	86%	93%	91%
VT	89%	279	n/a	n/a	92%	89%
DE	89%	344	n/a	87%	n/a	90%
KS	89%	296	n/a	83%	91%	95%
NC	89%	521	88%	90%	96%	87%
<b>Significantly Below Average</b>						
CA **	88%	4576	91%	91%	90%	87%
MI	88%	287	n/a	88%	89%	92%
NY	85%	388	n/a	88%	90%	78%
CO	82%	337	n/a	78%	85%	82%
<b>NCI Average</b>	<b>92%</b>	<b>16577</b>	<b>89%</b>	<b>91%</b>	<b>93%</b>	<b>92%</b>

Table 84 Need additional services

State	Case Management	Respite/ family support	Transportation	Job assistance	Education	Health Care	Dental Care
AR	6%	10%	6%	6%	6%	6%	13%
CA	12%	25%	23%	24%	29%	18%	27%
CO	2%	8%	8%	13%	11%	2%	6%
CT	6%	29%	34%	13%	19%	10%	10%
DC	4%	5%	23%	39%	38%	8%	5%
DE	48%	18%	30%	47%	38%	26%	26%
FL	1%	21%	17%	18%	10%	9%	27%
GA	4%	12%	24%	31%	12%	6%	16%
HI	23%	10%	0%	0%	20%	17%	10%
IL	9%	14%	18%	18%	14%	5%	5%
IN	2%	35%	19%	11%	18%	4%	1%
KS	9%	30%	35%	9%	17%	13%	17%
KY	7%	10%	7%	10%	13%	3%	0%
LA	3%	14%	17%	11%	9%	6%	31%
ME	4%	11%	18%	35%	14%	6%	15%
MEORC	0%	5%	33%	19%	0%	10%	5%
MI	10%	14%	24%	31%	33%	11%	23%
MN	25%	25%	31%	31%	24%	13%	13%
MO	3%	19%	16%	13%	19%	6%	31%
NC	19%	28%	27%	24%	25%	16%	10%
NH	7%	19%	26%	26%	24%	7%	17%
NJ	8%	23%	11%	25%	13%	15%	6%
NY	7%	22%	16%	20%	9%	5%	4%
OH	14%	8%	24%	19%	8%	5%	4%
OK	0%	3%	19%	3%	3%	3%	0%
PA	13%	25%	21%	20%	16%	6%	8%
SC	3%	2%	3%	56%	2%	2%	0%
SD	0%	9%	15%	26%	21%	9%	9%
TN	20%	27%	10%	33%	33%	7%	7%
TX	11%	19%	27%	21%	25%	17%	26%
UT	0%	29%	9%	15%	6%	3%	9%
VA	7%	14%	16%	17%	18%	7%	34%
VT	9%	16%	21%	37%	10%	5%	5%
NCI Average	9%	17%	19%	22%	17%	9%	13%

Table 85 Need additional services, continued

State	Housing assistance	Social/relationship	Communication technology	Home mods	Benefits info	Other
AR	6%	10%	10%	3%	3%	65%
CA	14%	26%	14%	8%	9%	33%
CO	8%	15%	5%	4%	4%	65%
CT	13%	29%	15%	12%	7%	35%
DC	20%	15%	24%	4%	3%	23%
DE	33%	47%	15%	8%	23%	7%
FL	11%	21%	4%	6%	3%	32%
GA	6%	14%	12%	0%	2%	20%
HI	3%	17%	10%	0%	10%	47%
IL	18%	23%	5%	5%	0%	45%
IN	9%	21%	5%	5%	1%	42%
KS	4%	30%	13%	4%	4%	48%
KY	27%	40%	13%	3%	7%	20%
LA	13%	13%	9%	22%	6%	52%
ME	10%	25%	27%	4%	2%	35%
MEORC	10%	10%	10%	0%	0%	19%
MI	19%	25%	18%	6%	10%	24%
MN	37%	24%	19%	19%	6%	33%
MO	3%	19%	9%	0%	0%	16%
NC	12%	27%	21%	15%	6%	50%
NH	9%	25%	16%	12%	8%	43%
NJ	15%	13%	9%	8%	6%	30%
NY	20%	41%	1%	3%	5%	22%
OH	9%	7%	1%	4%	7%	38%
OK	3%	3%	6%	3%	0%	61%
PA	14%	31%	10%	10%	5%	31%
SC	51%	3%	0%	0%	0%	22%
SD	18%	44%	12%	9%	6%	32%
TN	13%	27%	10%	23%	7%	63%
TX	9%	15%	19%	21%	15%	41%
UT	15%	6%	12%	9%	3%	41%
VA	8%	19%	23%	10%	7%	27%
VT	11%	24%	5%	2%	3%	38%
<b>NCI Average</b>	<b>14%</b>	<b>21%</b>	<b>12%</b>	<b>7%</b>	<b>5%</b>	<b>36%</b>

## Health

### People secure needed health services.

The Health indicators are collected with the Background Information section of the Adult Consumer Survey. The 12 core Health indicators are:

1. The proportion of people who have a primary care doctor.
2. The proportion of people who had a complete annual physical exam in the past year.
3. The proportion of people described as having poor health.
4. The proportion of people who had a routine dental exam in the past year.
5. The proportion of people who had a vision screening in the past year.
6. The proportion of people who had a hearing test in the past 5 years.
7. The proportion of women 18 and over who had a Pap test in the past 3 years.
8. The proportion of women 40 and over who had a mammogram in the past 2 years.
9. The proportion of men 50 and over who had a PSA test in the past year.
10. The proportion of people age 50 and older who had a screening for colorectal cancer in the past year.
11. The proportion of people who had a flu vaccination in the past year.
12. The proportion of people who have ever had a vaccination for pneumonia.

Table 86 through Table 96 present the results for these 12 core indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility  
 Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities  
 Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)  
 Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

**PLEASE NOTE:** Unlike reports prior to 2009-2010, “DON’T KNOW” responses were not included in the denominator.







Table 86 Have a primary care doctor (information may have been obtained through state records)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
DC	100%	329	100%	100%	100%	100%
NH	100%	408	n/a	100%	100%	99%
MO	100%	405	98%	100%	99%	100%
HI	100%	401	n/a	100%	n/a	100%
MEORC	99%	396	n/a	100%	99%	100%
ME	99%	392	n/a	100%	100%	98%
Within Average Range						
CT	99%	434	100%	98%	100%	99%
NJ	99%	412	n/a	99%	n/a	98%
OK	99%	400	n/a	99%	n/a	n/a
NC	99%	757	100%	98%	96%	99%
VA	99%	906	100%	99%	100%	97%
AR	99%	399	100%	99%	97%	98%
CO	99%	413	n/a	99%	98%	98%
PA	99%	671	100%	98%	99%	99%
VT	98%	326	n/a	100%	97%	98%
TN	98%	455	n/a	97%	99%	98%
KS	98%	368	n/a	97%	100%	98%
IL	98%	360	n/a	99%	100%	97%
GA	98%	479	n/a	98%	98%	99%
MI	98%	406	n/a	99%	99%	96%
SC	98%	390	n/a	98%	100%	98%
SD	98%	333	96%	100%	97%	100%
UT	98%	415	100%	99%	98%	97%
LA	98%	410	100%	n/a	98%	96%
TX	98%	1,918	99%	97%	97%	97%
FL	98%	1,408	n/a	98%	97%	98%
OH	98%	457	n/a	100%	97%	97%
DE	98%	429	n/a	99%	n/a	97%
MN	97%	402	92%	99%	100%	96%
NY	97%	586	100%	97%	96%	97%
CA **	96%	8,351	99%	99%	95%	95%
KY	96%	406	n/a	94%	92%	99%
Significantly Below Average						
IN	96%	737	n/a	n/a	94%	96%
NCI Average	98%	25,359	99%	99%	98%	98%


## Health Status



**Table 87 In poor health ('poor health' response only; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
TN	10%	219	n/a	8%	9%	8%
UT	8%	424	4%	8%	9%	8%
<b>Within Average Range</b>						
DE	6%	421	n/a	8%	n/a	4%
KS	6%	367	n/a	4%	7%	6%
KY	5%	408	n/a	3%	8%	8%
CT	5%	434	11%	6%	4%	3%
FL	5%	1,409	n/a	3%	7%	6%
VA	5%	901	9%	4%	3%	3%
AR	5%	392	4%	2%	12%	5%
MI	5%	354	n/a	7%	2%	1%
LA	5%	409	2%	n/a	4%	7%
TX	4%	1,918	6%	4%	3%	4%
VT	4%	327	n/a	9%	10%	1%
NC	4%	750	7%	2%	9%	3%
PA	4%	670	7%	7%	4%	1%
OH	4%	457	n/a	2%	5%	2%
MN	4%	400	4%	3%	2%	4%
SC	3%	389	n/a	5%	0%	3%
NH	3%	409	n/a	13%	0%	2%
MEORC	3%	380	n/a	6%	4%	1%
ME	3%	396	n/a	1%	6%	3%
OK	3%	400	n/a	3%	n/a	n/a
SD	3%	335	8%	3%	3%	0%
MO	2%	402	3%	2%	1%	8%
IL	2%	364	n/a	2%	4%	1%
IN	2%	734	n/a	n/a	5%	2%
CA **	2%	8,364	2%	1%	4%	3%
NJ	2%	419	n/a	3%	n/a	1%
<b>Significantly Below Average</b>						
CO	2%	410	n/a	1%	5%	0%
NY	2%	587	3%	2%	6%	0%
GA	2%	478	n/a	1%	3%	2%
HI	1%	401	n/a	4%	n/a	0%
DC	1%	218	4%	0%	2%	0%
<b>NCI Average</b>	<b>4%</b>	<b>24,946</b>	<b>5%</b>	<b>4%</b>	<b>5%</b>	<b>3%</b>

## Had a Physical Exam in the Past Year




**Table 88 Had a complete physical exam in the past year (within the last year or less responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
AR	98%	388	99%	97%	100%	98%
OK	98%	400	n/a	97%	n/a	n/a
SD	96%	330	100%	98%	96%	77%
ME	95%	392	n/a	99%	93%	84%
MO	95%	398	97%	91%	96%	100%
LA	95%	408	92%	n/a	97%	95%
FL	94%	1,401	n/a	96%	91%	94%
NJ	94%	418	n/a	94%	n/a	93%
GA	93%	472	n/a	96%	90%	92%
PA	93%	644	98%	99%	92%	89%
TX	93%	1,870	98%	96%	78%	89%
<b>Within Average Range</b>						
UT	93%	382	100%	96%	93%	89%
CT	92%	402	100%	97%	89%	83%
NC	92%	717	96%	95%	94%	88%
NH	92%	386	n/a	92%	90%	92%
CO	91%	412	n/a	98%	84%	88%
NY	90%	576	97%	93%	84%	87%
TN	90%	451	n/a	95%	91%	85%
IN	90%	726	n/a	n/a	95%	88%
HI	90%	395	n/a	93%	n/a	90%
DE	89%	351	n/a	95%	n/a	73%
IL	89%	349	n/a	98%	95%	74%
CA **	86%	8,224	96%	94%	78%	82%
MI	86%	329	n/a	86%	83%	85%
KY	86%	367	n/a	93%	78%	79%
SC	86%	311	n/a	93%	76%	79%
VT	85%	317	n/a	83%	83%	78%
<b>Significantly Below Average</b>						
VA	85%	861	97%	85%	88%	74%
MEORC	80%	344	n/a	95%	84%	68%
OH	80%	450	n/a	95%	80%	70%
KS	73%	350	n/a	80%	70%	59%
DC	71%	321	100%	84%	67%	60%
MN <sup>22</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>89%</b>	<b>24,142</b>	<b>98%</b>	<b>93%</b>	<b>87%</b>	<b>83%</b>

<sup>22</sup> Minnesota's data are not shown due to limited availability.

## Had a Dental Exam in the Past Year




**Table 89 Had a dental exam in the past year (within the last year or within past six months responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SD	95%	330	100%	95%	96%	80%
CT	93%	392	100%	97%	94%	80%
TX	89%	1,864	98%	95%	73%	80%
TN	88%	430	n/a	92%	92%	77%
OK	87%	393	n/a	86%	n/a	n/a
CO	87%	414	n/a	93%	85%	82%
NY	86%	530	92%	95%	63%	79%
IN	86%	713	n/a	n/a	87%	84%
<b>Within Average Range</b>						
KY	86%	330	n/a	92%	87%	76%
NJ	86%	388	n/a	86%	n/a	82%
DE	86%	292	n/a	96%	n/a	60%
DC	85%	289	96%	93%	88%	74%
PA	85%	573	92%	97%	75%	74%
AR	85%	326	100%	80%	88%	75%
VT	84%	286	n/a	76%	75%	85%
SC	84%	274	n/a	94%	84%	65%
ME	83%	367	n/a	84%	84%	84%
IL	82%	315	n/a	89%	n/a	72%
MO	82%	377	70%	81%	90%	50%
UT	81%	339	96%	84%	83%	75%
NC	80%	687	98%	86%	67%	73%
GA	77%	404	n/a	77%	75%	75%
CA **	76%	8,121	91%	86%	71%	70%
MI	74%	261	n/a	73%	77%	74%
LA	74%	331	95%	n/a	67%	56%
<b>Significantly Below Average</b>						
FL	77%	1,380	n/a	86%	74%	72%
VA	74%	743	98%	71%	74%	63%
KS	70%	310	n/a	69%	77%	62%
MEORC	69%	290	n/a	86%	74%	52%
OH	67%	450	n/a	86%	69%	55%
HI	67%	378	n/a	74%	n/a	64%
NH	66%	352	n/a	73%	50%	64%
MN <sup>23</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>81%</b>	<b>22,929</b>	<b>94%</b>	<b>86%</b>	<b>78%</b>	<b>71%</b>

<sup>23</sup> Minnesota's data are not shown due to limited availability.

## Had an Eye Exam or Vision Screening in the Past Year






**Table 90 Had an eye exam in the past year (within the last year or less responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SD	76%	326	78%	75%	79%	63%
KY	76%	280	n/a	82%	84%	58%
IL	74%	293	n/a	88%	50%	50%
AR	70%	311	64%	72%	85%	61%
SC	70%	255	n/a	83%	71%	44%
NY	70%	499	81%	73%	61%	65%
OK	70%	386	n/a	71%	n/a	n/a
DE	69%	276	n/a	81%	n/a	36%
TN	69%	370	n/a	71%	73%	63%
MO	69%	391	81%	66%	72%	30%
TX	69%	1,804	77%	82%	59%	55%
NJ	68%	290	n/a	73%	n/a	53%
PA	68%	540	76%	83%	65%	53%
<b>Within Average Range</b>						
LA	67%	311	88%	n/a	53%	49%
GA	66%	326	n/a	72%	63%	59%
CT	65%	314	67%	68%	60%	47%
CO	64%	409	n/a	70%	61%	56%
DC	60%	259	88%	88%	45%	44%
KS	59%	277	n/a	60%	65%	48%
HI	58%	349	n/a	59%	n/a	62%
IN	55%	698	n/a	n/a	67%	50%
<b>Significantly Below Average</b>						
VA	52%	503	71%	46%	52%	42%
FL	51%	1,337	n/a	66%	56%	43%
CA	48%	7,803	69%	57%	44%	42%
VT	48%	260	n/a	50%	55%	47%
NC	47%	609	52%	58%	48%	40%
UT	42%	219	n/a	42%	40%	35%
ME	42%	363	n/a	40%	43%	41%
NH	42%	323	n/a	41%	50%	36%
OH	42%	447	n/a	43%	54%	29%
MI	39%	235	n/a	40%	41%	35%
MEORC	36%	249	n/a	38%	40%	28%
MN <sup>24</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>59%</b>	<b>21,312</b>	<b>74%</b>	<b>65%</b>	<b>58%</b>	<b>47%</b>

<sup>24</sup> Minnesota's data are not shown due to limited availability.

## Had a Hearing Test in the Past Five Years




**Table 91 Had a hearing test in the past five years (within five years or less responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DC	95%	210	100%	98%	96%	85%
TN	93%	279	n/a	96%	93%	88%
PA	87%	352	97%	92%	87%	77%
CT	78%	201	97%	81%	78%	42%
NY	75%	463	94%	87%	42%	64%
IL	74%	217	n/a	79%	n/a	68%
<b>Within Average Range</b>						
KY	66%	163	n/a	66%	n/a	63%
VA	65%	353	93%	62%	n/a	41%
LA	65%	256	91%	n/a	42%	40%
MO	64%	315	93%	71%	49%	15%
HI	63%	323	n/a	68%	n/a	67%
AR	63%	218	83%	48%	58%	50%
TX	62%	1,664	90%	69%	37%	37%
SC	62%	119	n/a	71%	n/a	47%
NJ	62%	149	n/a	69%	n/a	43%
UT	58%	156	100%	48%	50%	49%
DE	58%	120	n/a	83%	n/a	29%
VT	56%	176	n/a	n/a	57%	44%
GA	54%	250	n/a	53%	55%	51%
SD	53%	248	88%	52%	46%	n/a
ME	50%	225	n/a	56%	43%	45%
MEORC	49%	150	n/a	45%	54%	43%
MI	49%	161	n/a	64%	35%	40%
<b>Significantly Below Average</b>						
CO	52%	403	n/a	49%	42%	47%
FL	51%	1,194	n/a	54%	52%	50%
NC	49%	445	86%	58%	31%	35%
CA	49%	7,060	85%	56%	36%	44%
KS	47%	194	n/a	48%	47%	38%
OK	46%	340	n/a	47%	n/a	n/a
NH	38%	239	n/a	33%	38%	29%
IN	37%	607	n/a	n/a	48%	32%
OH	36%	443	n/a	45%	36%	29%
MN <sup>25</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>60%</b>	<b>17,693</b>	<b>92%</b>	<b>64%</b>	<b>52%</b>	<b>48%</b>

<sup>25</sup> Minnesota's data are not shown due to limited availability.

### Had a Pap Test in the Past Three Years (Female Respondents)




**Table 92 Had a Pap test in the past three years (among women; within the past three years, past two years or past year responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DC	98%	45	n/a	n/a	n/a	n/a
SC	93%	61	n/a	94%	n/a	n/a
DE	85%	111	n/a	94%	n/a	48%
MEORC	83%	99	n/a	92%	86%	61%
PA	81%	160	n/a	85%	93%	65%
NY	80%	186	n/a	87%	n/a	69%
<b>Within Average Range</b>						
GA	77%	135	n/a	69%	81%	78%
TN	77%	95	n/a	72%	86%	70%
SD	76%	114	n/a	69%	79%	n/a
CT	74%	117	n/a	87%	82%	54%
AR	73%	102	95%	81%	n/a	n/a
LA	70%	104	89%	n/a	86%	44%
IL	67%	92	n/a	75%	n/a	52%
TX	67%	673	82%	79%	75%	46%
MO	67%	147	82%	61%	71%	n/a
OK	66%	143	n/a	66%	n/a	n/a
VA	66%	199	80%	68%	n/a	48%
NJ	66%	93	n/a	69%	n/a	n/a
VT	65%	108	n/a	n/a	81%	70%
UT	63%	79	n/a	78%	n/a	50%
MI	63%	89	n/a	64%	83%	43%
KY	59%	76	n/a	63%	n/a	n/a
KS	58%	111	n/a	54%	64%	n/a
<b>Significantly Below Average</b>						
FL	57%	574	n/a	66%	78%	44%
OH	56%	195	n/a	63%	73%	38%
NC	55%	217	74%	75%	n/a	37%
ME	51%	114	n/a	60%	48%	35%
NH	50%	135	n/a	n/a	63%	38%
IN	50%	286	n/a	n/a	61%	45%
HI	49%	136	n/a	65%	n/a	29%
CA	47%	3,036	74%	61%	75%	31%
CO	47%	180	n/a	53%	59%	36%
MN <sup>26</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>67%</b>	<b>8,012</b>	<b>82%</b>	<b>72%</b>	<b>75%</b>	<b>49%</b>

<sup>26</sup> Minnesota's data are excluded due to a limited availability.

## Had a Mammogram in the Past Two Years Women Age 40 and Over




**Table 93 Had a mammogram test in the past two years (among women age 40 and over; within the past two years or past year responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DC	93%	27	n/a	n/a	n/a	n/a
LA	90%	60	97%	n/a	n/a	n/a
PA	90%	97	n/a	95%	91%	n/a
CT	89%	75	n/a	90%	n/a	n/a
TX	82%	371	89%	89%	67%	67%
<b>Within Average Range</b>						
AR	87%	63	85%	93%	n/a	n/a
DE	87%	75	n/a	91%	n/a	n/a
SD	86%	74	n/a	80%	93%	n/a
IL	85%	61	n/a	87%	n/a	n/a
TN	85%	71	n/a	77%	91%	n/a
SC	84%	38	n/a	84%	n/a	n/a
NY	84%	99	n/a	87%	n/a	n/a
ME	83%	72	n/a	95%	n/a	n/a
GA	81%	84	n/a	71%	92%	n/a
MO	80%	87	88%	88%	75%	n/a
MI	79%	52	n/a	n/a	n/a	n/a
MEORC	77%	64	n/a	85%	82%	n/a
VA	76%	145	89%	74%	n/a	n/a
KY	76%	45	n/a	78%	n/a	n/a
OK	74%	96	n/a	75%	n/a	n/a
FL	74%	259	n/a	79%	84%	61%
IN	72%	130	n/a	n/a	86%	62%
NC	70%	110	77%	88%	n/a	48%
CA **	69%	1,475	80%	68%	77%	53%
UT	69%	35	n/a	n/a	n/a	n/a
KS	67%	52	n/a	56%	n/a	n/a
VT	66%	62	n/a	n/a	n/a	n/a
OH	66%	117	n/a	74%	76%	38%
NJ	63%	65	n/a	67%	n/a	n/a
<b>Significantly Below Average</b>						
CO	61%	112	n/a	61%	n/a	n/a
NH	57%	84	n/a	n/a	75%	n/a
HI	54%	72	n/a	n/a	n/a	n/a
MN <sup>27</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>77%</b>	<b>4,329</b>	<b>86%</b>	<b>80%</b>	<b>82%</b>	<b>55%</b>

<sup>27</sup> Minnesota's data are excluded due to limited availability.

## Had a Colorectal Cancer Screening in the Past Year People Age 50 and Over






**Table 94 Had a colorectal cancer screening in the past year (among people age 50 and over; within the last year or less responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Within Average Range</b>						
GA	31%	99	n/a	33%	27%	30%
NY	31%	126	n/a	32%	n/a	n/a
PA	31%	78	n/a	29%	n/a	n/a
DE	29%	42	n/a	40%	n/a	n/a
SC	28%	32	n/a	38%	n/a	n/a
TN	27%	93	n/a	24%	34%	n/a
KY	27%	41	n/a	42%	n/a	n/a
TX	26%	364	27%	28%	22%	27%
MO	25%	112	38%	17%	26%	n/a
AR	25%	60	22%	20%	n/a	n/a
NC	25%	133	19%	32%	n/a	n/a
OK	24%	143	n/a	25%	n/a	n/a
SD	23%	88	n/a	11%	32%	n/a
FL	22%	273	n/a	26%	25%	15%
LA	22%	60	20%	n/a	n/a	n/a
IN	20%	126	n/a	n/a	17%	22%
NH	20%	97	n/a	n/a	14%	n/a
VA	19%	175	17%	26%	n/a	n/a
IL	19%	58	n/a	18%	n/a	n/a
ME	18%	100	n/a	20%	n/a	n/a
UT	18%	34	n/a	n/a	n/a	n/a
MI	17%	63	n/a	17%	n/a	n/a
VT	17%	75	n/a	n/a	n/a	n/a
CA **	17%	1,737	18%	16%	20%	16%
MEORC	17%	54	n/a	n/a	n/a	n/a
NJ	16%	62	n/a	19%	n/a	n/a
CT	15%	109	15%	8%	n/a	n/a
KS	13%	60	n/a	14%	10%	n/a
<b>Significantly Below Average</b>						
CO	12%	145	n/a	14%	14%	n/a
OH	11%	159	n/a	11%	12%	10%
HI	2%	57	n/a	n/a	n/a	n/a
DC <sup>28</sup>	n/a	n/a	n/a	n/a	n/a	n/a
MN <sup>29</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>21%</b>	<b>4,855</b>	<b>22%</b>	<b>23%</b>	<b>21%</b>	<b>20%</b>

<sup>28</sup> Washington DC's data are not shown due to limited availability.<sup>29</sup> Minnesota's data are not shown due to limited availability.

## Had a Flu Vaccine in the Past Year



**Table 95 Had a flu vaccine in the past year (within the last year or less responses; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SC	92%	166	n/a	97%	90%	83%
SD	91%	321	93%	91%	93%	n/a
VA	91%	609	98%	92%	84%	80%
CT	90%	284	100%	96%	84%	71%
MO	90%	386	92%	93%	90%	64%
NJ	90%	203	n/a	91%	n/a	88%
DE	90%	258	n/a	96%	n/a	72%
TN	87%	234	n/a	86%	88%	84%
MEORC	87%	187	n/a	97%	89%	73%
UT	86%	245	91%	92%	95%	75%
AR	86%	317	99%	78%	90%	76%
<b>Within Average Range</b>						
ME	84%	299	n/a	86%	82%	72%
KS	83%	305	n/a	88%	80%	78%
DC	82%	92	n/a	85%	n/a	63%
LA	81%	283	97%	n/a	75%	60%
IL	81%	240	n/a	87%	n/a	67%
TX	81%	1,797	95%	87%	63%	68%
PA	80%	363	95%	87%	66%	69%
CO	80%	391	n/a	88%	88%	75%
MI	79%	240	n/a	88%	78%	52%
HI	79%	380	n/a	92%	n/a	77%
NH	76%	323	n/a	78%	77%	65%
OK	74%	393	n/a	74%	n/a	n/a
VT	73%	248	n/a	90%	69%	62%
KY	73%	230	n/a	83%	57%	64%
<b>Significantly Below Average</b>						
NY	74%	502	92%	85%	63%	57%
NC	72%	564	98%	86%	80%	57%
GA	71%	397	n/a	75%	74%	65%
CA	70%	8,154	95%	84%	64%	59%
IN	66%	714	n/a	n/a	69%	64%
OH	66%	438	n/a	87%	63%	54%
FL	50%	1,317	n/a	65%	46%	44%
MN <sup>30</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>80%</b>	<b>20,880</b>	<b>95%</b>	<b>87%</b>	<b>77%</b>	<b>68%</b>

<sup>30</sup> Minnesota's data are not shown due to limited availability.

## Has Ever Been Vaccinated for Pneumonia




Table 96 Has ever had a pneumonia vaccine (information may have been obtained through state records)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
DC	94%	95	100%	94%	n/a	n/a
NJ	66%	110	n/a	66%	n/a	n/a
TN	56%	141	n/a	60%	48%	50%
PA	56%	216	61%	62%	43%	45%
MO	54%	333	79%	52%	45%	52%
AR	52%	237	84%	33%	48%	45%
VA	48%	390	64%	40%	n/a	32%
<b>Within Average Range</b>						
CT	51%	156	67%	58%	36%	23%
DE	51%	142	n/a	83%	n/a	8%
KY	47%	141	n/a	51%	n/a	40%
VT	42%	173	n/a	n/a	51%	10%
UT	42%	161	n/a	58%	36%	29%
MI	41%	155	n/a	50%	37%	23%
NY	41%	355	41%	54%	35%	23%
OK	40%	346	n/a	42%	n/a	n/a
NH	40%	263	n/a	47%	50%	31%
ME	39%	191	n/a	44%	29%	29%
MEORC	38%	144	n/a	24%	65%	22%
LA	38%	221	42%	n/a	34%	32%
IL	36%	143	n/a	46%	n/a	11%
SD	33%	258	n/a	43%	22%	n/a
SC	30%	64	n/a	35%	n/a	5%
<b>Significantly Below Average</b>						
TX	37%	1,597	62%	24%	33%	27%
NC	35%	443	59%	33%	37%	24%
KS	29%	221	n/a	32%	27%	23%
IN	29%	673	n/a	n/a	31%	28%
GA	29%	347	n/a	36%	30%	23%
CA	28%	7,456	49%	38%	23%	21%
OH	26%	435	n/a	31%	23%	22%
CO	25%	383	n/a	30%	26%	23%
HI	20%	181	n/a	26%	n/a	16%
FL	16%	1,268	n/a	18%	19%	14%
MN <sup>31</sup>	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>41%</b>	<b>17,439</b>	<b>64%</b>	<b>45%</b>	<b>36%</b>	<b>26%</b>

<sup>31</sup> Minnesota's data are not shown due to limited availability.

## Medications

### Medications are managed effectively and appropriately.

There is one Medications indicator collected using the Background Information section of the Adult Consumer Survey:


1. The proportion of people taking medications for mood disorders, anxiety, or psychotic disorders.
2. The proportion of people taking medications for behavior challenges.
3. The number of medications taken for mood disorders, anxiety or psychotic disorders by people who take medications for these conditions.
4. The number of medications taken for behavioral challenges by people who take medication for this.

Table 97 and Table 99 presents the results for this core indicator. The corresponding chart shows un-collapsed averages. Table 98 and Table 100 show the number of medications taken for each of these reasons.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample.

### Number of Medications Taken for Mood, Anxiety and/or Psychotic Disorders




**Table 97 Take medication for at least one of the following: mood disorders, anxiety, or psychotic disorders (information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MO	69%	400	58%	75%	73%	40%
OK	68%	400	n/a	68%	n/a	n/a
TN	62%	425	n/a	75%	74%	34%
MI	59%	389	n/a	62%	68%	38%
VA	59%	921	52%	64%	72%	47%
KS	58%	338	n/a	66%	66%	33%
VT	57%	325	n/a	70%	62%	35%
ME	57%	368	n/a	66%	46%	31%
<b>Within Average Range</b>						
UT	57%	242	n/a	83%	69%	26%
KY	56%	321	n/a	75%	46%	32%
AR	56%	387	60%	54%	67%	36%
SD	54%	335	63%	58%	55%	24%
CO	54%	413	n/a	68%	42%	30%
MN	50%	399	68%	53%	44%	45%
LA	50%	408	61%	n/a	46%	40%
CT	49%	428	47%	61%	55%	33%
IL	49%	358	n/a	64%	50%	27%
PA	49%	655	52%	71%	49%	30%
NJ	47%	416	n/a	54%	n/a	28%
GA	47%	451	n/a	71%	46%	28%
NC	45%	754	43%	69%	44%	33%
OH	44%	457	n/a	69%	51%	24%
DE	44%	392	n/a	63%	n/a	23%
MEORC	43%	379	n/a	52%	53%	29%
<b>Significantly Below Average</b>						
TX	43%	1,883	45%	57%	38%	30%
NY	41%	571	54%	57%	36%	22%
SC	41%	370	n/a	55%	38%	26%
FL	40%	1,261	n/a	59%	38%	31%
CA	35%	8,380	41%	57%	39%	22%
DC	33%	213	27%	54%	38%	10%
IN	31%	727	n/a	n/a	39%	27%
HI	21%	393	n/a	39%	n/a	12%
NH	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>49%</b>	<b>24,159</b>	<b>52%</b>	<b>63%</b>	<b>52%</b>	<b>30%</b>




### Number of Medications Taken for Mood, Anxiety and/or Psychotic Disorders



**Table 98 Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders (information may have been obtained through state records)**


State	N	1 - 2 Medications	3 - 4 Medications	5 - 10 Medications	11 or More Medications
AR	202	73%	24%	3%	0%
CA	2,847	71%	22%	6%	1%
CO	222	76%	20%	4%	0%
CT	205	80%	18%	2%	0%
DC	50	100%	0%	0%	0%
DE	168	67%	30%	4%	0%
FL	537	77%	21%	2%	0%
GA	228	56%	32%	11%	1%
HI	80	78%	19%	4%	0%
IL	171	71%	26%	2%	0%
IN	213	76%	20%	4%	0%
KS	196	69%	26%	5%	0%
KY	199	67%	29%	4%	1%
LA	194	67%	27%	6%	0%
MEORC	151	70%	28%	3%	0%
MI	226	63%	31%	6%	0%
MN	196	68%	22%	8%	2%
MO	269	54%	36%	10%	0%
NC	330	72%	22%	6%	0%
NJ	194	72%	23%	5%	0%
NY	223	80%	17%	3%	0%
OH	201	66%	27%	6%	0%
OK	271	58%	35%	6%	0%
PA	278	64%	30%	6%	0%
SC	142	76%	18%	6%	0%
SD	174	71%	28%	1%	0%
TN	170	69%	28%	4%	0%
TX	776	61%	29%	10%	1%
UT	221	70%	25%	5%	0%
VA	523	66%	27%	7%	0%
VT	185	75%	21%	4%	0%
ME	n/a	n/a	n/a	n/a	n/a
NH	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>10,042</b>	<b>70%</b>	<b>25%</b>	<b>5%</b>	<b>0%</b>



**Table 99 Take medication for behavior challenges (information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
MO	42%	397	59%	44%	40%	8%
AR	38%	381	54%	34%	35%	21%
ME	35%	350	n/a	48%	16%	22%
VA	35%	899	38%	39%	35%	25%
TN	34%	404	n/a	34%	45%	23%
CT	32%	424	44%	46%	24%	19%
NC	30%	746	41%	42%	15%	23%
<b>Within Average Range</b>						
KS	31%	351	n/a	42%	26%	14%
UT	31%	414	41%	43%	26%	19%
DE	30%	380	n/a	47%	n/a	15%
LA	30%	407	46%	n/a	22%	20%
MI	29%	372	n/a	33%	26%	19%
IL	29%	349	n/a	40%	9%	18%
MN	28%	398	29%	30%	20%	29%
NY	27%	557	43%	39%	13%	17%
TX	25%	1,860	28%	39%	10%	15%
KY	25%	400	n/a	32%	18%	17%
CA **	24%	8,215	32%	47%	16%	15%
CO	24%	414	n/a	36%	10%	12%
OK	24%	400	n/a	24%	n/a	n/a
SC	24%	360	n/a	36%	3%	17%
DC	24%	195	25%	26%	29%	17%
<b>Significantly Below Average</b>						
PA	21%	618	26%	38%	12%	12%
FL	21%	1,363	n/a	38%	11%	15%
NJ	19%	414	n/a	22%	n/a	16%
SD	19%	330	33%	20%	13%	7%
VT	19%	320	n/a	22%	11%	15%
GA	16%	472	n/a	23%	11%	8%
HI	15%	398	n/a	24%	n/a	10%
IN	13%	719	n/a	n/a	9%	14%
OH	13%	457	n/a	18%	14%	9%
MEORC	6%	383	n/a	6%	4%	6%
NH	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>25%</b>	<b>24,147</b>	<b>39%</b>	<b>34%</b>	<b>19%</b>	<b>16%</b>

## Number of Medications Taken for Behavior Challenges



**Table 100 Number of medications taken for behavior challenges (information may have been obtained through state records)**

State	N	1 - 2 Medications	3 - 4 Medications	5 - 10 Medications	11 or More Medications
AR	143	80%	17%	3%	0%
CA	2,060	76%	19%	4%	0%
CO	98	87%	10%	2%	1%
CT	135	84%	16%	1%	0%
DC	30	97%	3%	0%	0%
DE	109	74%	24%	2%	0%
FL	251	86%	13%	2%	0%
GA	70	64%	31%	4%	0%
HI	60	73%	22%	5%	0%
IL	98	73%	23%	3%	0%
IN	91	76%	20%	4%	0%
KS	101	79%	15%	6%	0%
KY	90	68%	31%	1%	0%
LA	118	79%	19%	2%	0%
MEORC	21	76%	19%	5%	0%
MI	101	74%	24%	2%	0%
MN	111	69%	23%	6%	2%
MO	164	82%	15%	3%	0%
NC	223	76%	19%	5%	0%
NJ	79	86%	14%	0%	0%
NY	143	87%	11%	2%	0%
OH	61	70%	26%	3%	0%
OK	96	88%	13%	0%	0%
PA	112	81%	17%	2%	0%
SC	79	75%	24%	1%	0%
SD	59	81%	15%	3%	0%
TN	86	80%	19%	1%	0%
TX	449	65%	26%	8%	1%
UT	70	79%	20%	1%	0%
VA	301	77%	19%	4%	0%
VT	60	85%	13%	2%	0%
ME	n/a	n/a	n/a	n/a	n/a
NH	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>5,669</b>	<b>78%</b>	<b>19%</b>	<b>3%</b>	<b>0%</b>

## Wellness

### People are supported to maintain healthy habits.

There is one Wellness indicator collected with the Background Information section of the Adult Consumer Survey:

1. The proportion of people who maintain healthy habits in such areas as:
  - a. Exercise
  - b. Weight
  - c. Smoking

Table 101 through Table 103 present the results for these three core indicators. Table 102 presents simple proportions for the four BMI categories.

The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility

Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities


Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)

Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample.

## Engages in Regular, Moderate Physical Activity (30 Minutes a Day, 3 Days a Week)





**Table 101 Engage in regular physical activity (at least 30 minutes three times a week; information may have been obtained through state records)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	37%	394	n/a	42%	n/a	43%
MN	36%	399	19%	36%	40%	39%
CA	34%	8,345	19%	34%	42%	36%
TX	34%	1,907	30%	36%	31%	35%
VT	33%	325	n/a	39%	39%	33%
CO	32%	414	n/a	18%	35%	40%
MO	32%	400	17%	29%	39%	28%
NH	31%	403	n/a	20%	25%	37%
OK	30%	400	n/a	29%	n/a	n/a
GA	30%	478	n/a	22%	36%	36%
FL	28%	1,371	n/a	28%	31%	26%
<b>Within Average Range</b>						
NY	26%	577	15%	21%	37%	31%
NC	26%	749	14%	27%	28%	30%
IN	23%	724	n/a	n/a	19%	25%
LA	23%	403	28%	n/a	21%	18%
AR	23%	393	23%	21%	21%	26%
KS	22%	370	n/a	18%	26%	26%
ME	22%	386	n/a	19%	27%	31%
UT	22%	421	4%	22%	20%	23%
TN	18%	442	n/a	16%	21%	19%
IL	17%	344	n/a	13%	13%	25%
<b>Significantly Below Average</b>						
VA	18%	1,051	12%	17%	32%	23%
DE	17%	431	n/a	14%	n/a	14%
PA	16%	652	17%	10%	24%	19%
OH	16%	457	n/a	14%	18%	17%
SD	16%	332	15%	7%	27%	17%
KY	16%	397	n/a	14%	16%	18%
CT	15%	424	8%	19%	26%	10%
MI	14%	392	n/a	9%	18%	22%
SC	13%	387	n/a	9%	31%	14%
NJ	9%	415	n/a	8%	n/a	11%
DC	8%	318	4%	3%	18%	5%
MEORC	7%	392	n/a	6%	9%	6%
<b>NCI Average</b>	<b>23%</b>	<b>25,293</b>	<b>16%</b>	<b>20%</b>	<b>26%</b>	<b>24%</b>

## Body Mass Index




Table 102 BMI category

State	Underweight	Normal Weight	Overweight	Obese	N
AR	4%	33%	27%	36%	360
CA	7%	36%	29%	29%	8,165
CO	6%	34%	29%	31%	379
CT	3%	39%	32%	26%	271
DC	5%	27%	30%	38%	299
DE	5%	33%	30%	32%	345
FL	22%	30%	26%	22%	1,423
GA	5%	31%	29%	36%	408
HI	9%	36%	27%	29%	399
IL	6%	32%	23%	39%	322
IN	7%	26%	25%	42%	670
KS	4%	30%	27%	39%	334
KY	5%	24%	27%	43%	413
LA	8%	32%	24%	36%	384
ME	3%	34%	32%	32%	328
MEORC	3%	32%	26%	39%	287
MI	5%	35%	27%	33%	347
MN	5%	35%	28%	33%	363
MO	7%	32%	27%	33%	402
NC	16%	34%	24%	26%	752
NH	4%	29%	27%	40%	366
NJ	4%	30%	32%	34%	379
NY	4%	36%	31%	29%	573
OH	4%	27%	28%	42%	418
OK	5%	30%	29%	37%	400
PA	5%	29%	27%	39%	415
SC	4%	35%	24%	37%	196
SD	3%	23%	29%	45%	332
TN	3%	31%	32%	34%	351
TX	7%	37%	28%	28%	1,852
UT	8%	33%	27%	32%	373
VA	7%	36%	30%	27%	749
VT	3%	24%	33%	40%	323
<b>NCI Average</b>	<b>6%</b>	<b>32%</b>	<b>28%</b>	<b>34%</b>	<b>23,378</b>

## Chews or Smokes Tobacco




Table 103 Chew or smoke tobacco (information may have been obtained through state records)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
OK	14%	400	n/a	15%	n/a	n/a
SD	14%	335	19%	8%	22%	7%
KY	11%	386	n/a	16%	16%	6%
Within Average Range						
MEORC	10%	356	n/a	13%	18%	3%
AR	10%	393	5%	10%	15%	7%
VT	9%	320	n/a	9%	23%	6%
LA	9%	354	18%	n/a	8%	3%
TN	9%	444	n/a	10%	14%	2%
OH	9%	456	n/a	7%	17%	5%
MO	9%	403	3%	11%	10%	0%
MN	8%	406	4%	10%	9%	4%
KS	8%	367	n/a	9%	10%	2%
DE	7%	398	n/a	12%	n/a	1%
SC	7%	375	n/a	8%	13%	3%
MI	6%	358	n/a	7%	10%	3%
PA	6%	624	2%	8%	17%	3%
NC	6%	749	5%	8%	19%	2%
CO	6%	409	n/a	6%	11%	3%
TX	6%	1,914	7%	7%	14%	2%
NH	6%	408	n/a	11%	14%	3%
DC	6%	217	0%	7%	10%	3%
GA	6%	472	n/a	7%	8%	4%
ME	5%	388	n/a	6%	7%	3%
NY	5%	569	8%	5%	13%	3%
UT	5%	423	0%	8%	14%	1%
IN	5%	700	n/a	n/a	10%	2%
IL	4%	358	n/a	6%	13%	1%
Significantly Below Average						
FL	5%	1,376	n/a	6%	13%	2%
CA	4%	8,326	1%	6%	13%	2%
CT	4%	424	3%	5%	9%	1%
NJ	3%	416	n/a	3%	n/a	2%
VA	2%	923	1%	2%	8%	2%
HI	0%	399	n/a	0%	n/a	0%
NCI Average	7%	24,846	5%	8%	13%	3%

## Respect and Rights

### People receive the same respect and protections as others in the community.

There are four Respect and Rights indicators:

1. The proportion of people whose basic rights are not respected by others, including:
  - a. People enter the home without permission
  - b. People enter bedroom without permission
  - c. Restrictions on being alone with others
  - d. Mail gets opened without permission
  - e. Restrictions on using the phone or Internet
2. The proportion of people who report satisfaction with the amount of privacy they have.
3. The proportion of people indicating that most support staff treat them with respect.
4. The proportion of people who have participated in a self-advocacy group meeting, conference, or event.

Tables 98 through Table 111 present items from the Respect and Rights sub-domain. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility

Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities

Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)

Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on p.31.

## People Let Them Know Before Entering Home




Table 104 People let them know before entering home ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
SC	98%	302	n/a	98%	94%	99%
TN	96%	341	n/a	96%	98%	96%
IN	95%	584	n/a	n/a	96%	94%
MO	94%	241	n/a	91%	97%	n/a
Within Average Range						
MN	93%	253	n/a	95%	95%	92%
CA **	92%	4,681	88%	90%	94%	93%
PA	92%	460	n/a	89%	97%	93%
MI	92%	299	n/a	90%	94%	93%
MEORC	92%	322	n/a	90%	91%	93%
LA	91%	278	82%	n/a	92%	98%
OK	91%	264	n/a	91%	n/a	n/a
KY	91%	263	n/a	83%	97%	97%
CO	91%	318	n/a	78%	92%	93%
NJ	91%	190	n/a	89%	n/a	95%
FL	91%	856	n/a	85%	91%	93%
NH	90%	280	n/a	79%	95%	92%
GA	89%	275	n/a	89%	89%	89%
DC	89%	262	n/a	90%	84%	92%
AR	89%	240	71%	92%	93%	87%
VA	89%	471	n/a	91%	93%	95%
SD	89%	279	91%	86%	93%	80%
UT	88%	279	n/a	86%	92%	89%
OH	88%	387	n/a	84%	90%	89%
HI	87%	259	n/a	85%	n/a	91%
IL	87%	263	n/a	83%	91%	89%
TX	87%	1,000	79%	87%	88%	89%
KS	86%	250	n/a	79%	90%	96%
VT	86%	259	n/a	n/a	87%	88%
CT	85%	287	n/a	83%	94%	83%
Significantly Below Average						
NC	84%	425	69%	80%	94%	87%
DE	81%	335	n/a	74%	n/a	88%
NY	81%	380	75%	81%	96%	76%
ME	75%	295	n/a	69%	88%	80%
<b>NCI Average</b>	<b>89%</b>	<b>15,878</b>	<b>79%</b>	<b>86%</b>	<b>93%</b>	<b>91%</b>



## People Let Them Know Before Entering Bedroom





Table 105 People always let person know before entering bedroom ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
TN	93%	345	n/a	90%	97%	77%
KY	92%	264	n/a	87%	97%	97%
DC	92%	259	n/a	90%	92%	91%
CO	90%	310	n/a	78%	96%	88%
FL	87%	818	n/a	81%	93%	87%
Within Average Range						
NH	88%	270	n/a	83%	94%	82%
MO	88%	235	n/a	82%	92%	n/a
GA	88%	274	n/a	84%	90%	88%
HI	87%	262	n/a	93%	n/a	88%
SD	87%	243	92%	83%	93%	90%
SC	87%	296	n/a	83%	100%	73%
LA	86%	277	76%	n/a	96%	83%
OK	84%	253	n/a	83%	n/a	80%
CA	84%	4,597	78%	83%	92%	82%
PA	84%	418	n/a	84%	91%	87%
MI	84%	270	n/a	87%	90%	75%
IN	83%	531	n/a	n/a	88%	81%
VA	83%	458	n/a	85%	96%	60%
AR	81%	234	64%	85%	80%	76%
NY	81%	351	n/a	83%	88%	80%
MN	81%	247	n/a	84%	90%	69%
UT	81%	267	n/a	82%	95%	79%
TX	81%	1,006	78%	82%	90%	71%
KS	80%	241	n/a	77%	85%	81%
IL	80%	254	n/a	79%	n/a	81%
OH	80%	362	n/a	76%	84%	79%
ME	78%	286	n/a	74%	82%	82%
NC	78%	422	70%	89%	87%	73%
CT	78%	277	n/a	79%	80%	77%
MEORC	77%	305	n/a	77%	77%	75%
NJ	75%	190	n/a	74%	n/a	78%
VT	75%	217	n/a	n/a	80%	n/a
Significantly Below Average						
DE	69%	323	n/a	76%	n/a	59%
<b>NCI Average</b>	<b>83%</b>	<b>15,362</b>	<b>76%</b>	<b>82%</b>	<b>90%</b>	<b>80%</b>

## Can Be Alone at Home With Visitors or Friends



**Table 106 Can be alone at home with visitors ('yes' responses only; information may have been obtained through a proxy respondent)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
GA	93%	377	n/a	90%	99%	91%
MEORC	90%	340	n/a	87%	94%	88%
NH	88%	387	n/a	77%	98%	87%
KY	88%	393	n/a	87%	94%	90%
SC	87%	364	n/a	89%	94%	88%
SD	86%	278	71%	81%	94%	91%
VA	86%	947	93%	85%	81%	82%
CO	85%	326	n/a	63%	98%	86%
FL	82%	1,156	n/a	74%	94%	82%
<b>Within Average Range</b>						
KS	83%	322	n/a	81%	91%	76%
CA **	82%	6,990	85%	82%	93%	79%
DC	81%	267	n/a	76%	82%	86%
TN	80%	439	n/a	73%	83%	82%
CT	80%	360	100%	75%	88%	73%
PA	80%	598	83%	74%	95%	75%
ME	80%	364	n/a	74%	90%	81%
OH	79%	421	n/a	71%	86%	78%
MI	79%	383	n/a	82%	81%	76%
HI	78%	269	n/a	73%	n/a	77%
UT	77%	389	91%	69%	82%	79%
IN	77%	618	n/a	n/a	84%	74%
TX	76%	1,649	85%	72%	96%	67%
LA	75%	361	85%	n/a	76%	65%
MO	74%	358	96%	64%	74%	86%
IL	73%	294	n/a	70%	100%	71%
AR	72%	359	69%	66%	85%	77%
<b>Significantly Below Average</b>						
NC	72%	652	93%	64%	94%	66%
NY	71%	505	78%	72%	98%	62%
MN	70%	376	75%	64%	89%	70%
DE	68%	355	n/a	64%	n/a	70%
VT	66%	264	n/a	41%	95%	64%
NJ	63%	377	n/a	61%	n/a	75%
OK	63%	386	n/a	63%	n/a	n/a
<b>NCI Average</b>	<b>78%</b>	<b>21,924</b>	<b>85%</b>	<b>73%</b>	<b>90%</b>	<b>78%</b>

## Has Enough Privacy at Home





Table 107 Have enough privacy at home ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
TN	98%	333	n/a	97%	96%	100%
GA	96%	265	n/a	92%	98%	97%
PA	96%	434	n/a	95%	100%	96%
KY	95%	244	n/a	92%	n/a	100%
IN	95%	582	n/a	n/a	96%	94%
VA	94%	453	n/a	94%	96%	95%
Within Average Range						
HI	95%	273	n/a	100%	n/a	93%
KS	94%	238	n/a	92%	97%	96%
SD	93%	273	87%	91%	96%	96%
AR	93%	222	87%	93%	92%	100%
NY	93%	357	n/a	91%	93%	95%
CA **	93%	4,457	89%	91%	93%	94%
DC	92%	257	n/a	90%	91%	94%
CO	92%	275	n/a	82%	91%	95%
NC	92%	427	75%	92%	100%	93%
MEORC	92%	295	n/a	89%	95%	89%
MN	91%	242	n/a	91%	92%	94%
MO	91%	241	n/a	88%	94%	n/a
FL	91%	793	n/a	82%	94%	95%
SC	91%	293	n/a	90%	93%	93%
VT	91%	235	n/a	n/a	94%	83%
TX	91%	962	89%	88%	90%	92%
NH	90%	259	n/a	90%	97%	90%
CT	89%	276	n/a	87%	88%	91%
MI	88%	284	n/a	84%	88%	92%
LA	88%	247	84%	n/a	86%	92%
UT	87%	265	n/a	90%	88%	86%
IL	87%	249	n/a	81%	100%	91%
OK	85%	262	n/a	84%	n/a	n/a
ME	85%	289	n/a	78%	93%	88%
Significantly Below Average						
OH	85%	367	n/a	89%	90%	81%
DE	85%	331	n/a	84%	n/a	85%
NJ	81%	190	n/a	80%	n/a	80%
NCI Average	91%	15,170	85%	89%	94%	92%

## Mail or Email is Never Read by Others Without Permission




**Table 108 Others never read the person's mail without permission ('no' responses only; information may have been obtained through a proxy respondent)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
TN	99%	391	n/a	99%	100%	97%
ME	98%	375	n/a	97%	100%	100%
KY	95%	374	n/a	95%	100%	95%
NH	94%	377	n/a	95%	94%	92%
GA	94%	352	n/a	99%	92%	93%
CO	94%	356	n/a	87%	88%	97%
NJ	93%	362	n/a	94%	n/a	92%
MEORC	93%	349	n/a	93%	97%	90%
FL	90%	1,144	n/a	93%	90%	88%
<b>Within Average Range</b>						
VT	91%	297	n/a	95%	100%	81%
SD	91%	261	100%	85%	94%	96%
CA **	90%	6,992	87%	91%	95%	88%
MO	90%	336	81%	93%	91%	75%
SC	90%	326	n/a	89%	97%	90%
KS	89%	281	n/a	93%	92%	81%
MN	89%	355	95%	91%	91%	84%
MI	89%	361	n/a	90%	92%	86%
NC	88%	630	93%	95%	98%	82%
LA	87%	372	94%	n/a	86%	85%
PA	86%	639	86%	86%	93%	82%
IN	85%	642	n/a	n/a	89%	83%
OK	85%	352	n/a	85%	n/a	n/a
DC	84%	266	95%	81%	83%	84%
NY	84%	424	76%	84%	83%	85%
AR	83%	357	83%	84%	86%	77%
OH	82%	388	n/a	72%	90%	79%
DE	82%	336	n/a	83%	n/a	80%
<b>Significantly Below Average</b>						
VA	83%	901	88%	85%	89%	74%
TX	82%	1,329	86%	84%	92%	76%
UT	80%	331	n/a	78%	94%	73%
CT	78%	312	n/a	79%	81%	77%
IL	74%	294	n/a	77%	83%	70%
HI	59%	273	n/a	64%	n/a	60%
<b>NCI Average</b>	<b>87%</b>	<b>21,135</b>	<b>89%</b>	<b>88%</b>	<b>92%</b>	<b>84%</b>



## Can Use Phone and Internet Without Restriction



**Table 109 Can use phone and Internet without restriction ('yes, without restriction' response only; information may have been obtained through a proxy respondent)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
KY	97%	284	n/a	94%	100%	98%
GA	97%	383	n/a	94%	100%	96%
DC	96%	258	n/a	96%	98%	92%
MEORC	95%	327	n/a	96%	99%	92%
NH	94%	339	n/a	88%	98%	97%
CA	94%	6,067	93%	93%	99%	92%
FL	93%	984	n/a	92%	98%	90%
<b>Within Average Range</b>						
SD	93%	261	80%	90%	97%	100%
MI	93%	306	n/a	94%	95%	88%
OK	92%	324	n/a	92%	n/a	n/a
VA	91%	746	89%	90%	100%	91%
HI	91%	217	n/a	84%	n/a	92%
LA	91%	353	84%	n/a	97%	92%
CO	91%	326	n/a	76%	97%	95%
IL	91%	292	n/a	90%	96%	90%
MO	90%	298	79%	91%	91%	n/a
IN	90%	644	n/a	n/a	98%	87%
PA	89%	540	96%	88%	99%	88%
AR	89%	323	91%	88%	95%	84%
TX	89%	1,437	91%	89%	97%	85%
OH	89%	395	n/a	92%	93%	84%
TN	88%	364	n/a	87%	90%	88%
SC	88%	370	n/a	94%	100%	82%
MN	88%	324	n/a	88%	98%	84%
CT	88%	325	n/a	87%	96%	84%
UT	88%	333	n/a	85%	98%	89%
NC	88%	602	91%	86%	98%	87%
ME	86%	312	n/a	84%	95%	80%
KS	84%	272	n/a	79%	92%	77%
<b>Significantly Below Average</b>						
NY	84%	449	81%	87%	98%	78%
DE	82%	311	n/a	81%	n/a	83%
NJ	81%	316	n/a	82%	n/a	82%
VT	79%	261	n/a	n/a	98%	77%
<b>NCI Average</b>	<b>90%</b>	<b>19,343</b>	<b>87%</b>	<b>89%</b>	<b>97%</b>	<b>88%</b>

## Staff Treat Person With Respect





Table 110 Staff (at home, work, and/or day activity or program) treat person with respect ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
HI	98%	278	n/a	100%	n/a	98%
TN	98%	339	n/a	97%	96%	100%
IN	96%	516	n/a	n/a	95%	97%
PA	96%	372	n/a	91%	97%	98%
<b>Within Average Range</b>						
GA	96%	261	n/a	94%	98%	95%
NH	95%	266	n/a	80%	96%	99%
IL	95%	219	n/a	93%	n/a	99%
NY	95%	340	100%	93%	97%	96%
MN	95%	248	n/a	96%	95%	97%
MEORC	95%	291	n/a	92%	94%	96%
NC	95%	420	82%	92%	100%	97%
CA **	94%	3,814	92%	94%	95%	95%
AR	94%	235	87%	94%	96%	97%
OK	94%	262	n/a	93%	n/a	n/a
MI	94%	273	n/a	94%	93%	95%
LA	94%	249	89%	n/a	97%	95%
SC	93%	292	n/a	92%	97%	95%
FL	93%	769	n/a	89%	93%	96%
VA	93%	438	n/a	95%	85%	95%
CT	93%	268	n/a	92%	89%	97%
NJ	92%	185	n/a	91%	n/a	95%
OH	92%	364	n/a	95%	94%	91%
MO	92%	239	n/a	91%	94%	n/a
KS	92%	249	n/a	87%	93%	100%
UT	92%	272	n/a	89%	91%	95%
KY	92%	251	n/a	86%	89%	98%
TX	92%	871	93%	90%	93%	93%
CO	90%	306	n/a	85%	90%	90%
DC	89%	234	n/a	87%	86%	93%
DE	88%	295	n/a	82%	n/a	91%
VT	88%	224	n/a	n/a	91%	86%
<b>Significantly Below Average</b>						
SD	86%	261	68%	84%	89%	n/a
ME	86%	292	n/a	81%	95%	94%
<b>NCI Average</b>	<b>93%</b>	<b>14,193</b>	<b>87%</b>	<b>91%</b>	<b>93%</b>	<b>95%</b>

## Participated in a Self-Advocacy Meeting, Conference, or Event



**Table 111 Have attended a self-advocacy event or chose not to ('yes' and 'had the opportunity, but chose not to' responses; information may have been obtained through a proxy respondent)**

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
OH	54%	411	n/a	52%	58%	54%
NJ	52%	356	n/a	53%	n/a	53%
KY	51%	111	n/a	41%	n/a	57%
HI	49%	314	n/a	53%	n/a	50%
VT	47%	313	n/a	41%	54%	44%
SD	43%	261	64%	42%	43%	26%
CT	41%	356	31%	45%	53%	35%
UT	40%	354	95%	33%	51%	35%
<b>Within Average Range</b>						
KS	38%	204	n/a	40%	42%	31%
IL	38%	250	n/a	31%	n/a	43%
MEORC	37%	353	n/a	45%	38%	34%
SC	35%	356	n/a	34%	52%	31%
MO	34%	344	18%	30%	43%	43%
NH	33%	381	n/a	29%	42%	32%
NC	33%	559	61%	31%	37%	19%
OK	33%	366	n/a	34%	n/a	n/a
TN	30%	351	n/a	28%	37%	25%
DE	30%	359	n/a	26%	n/a	29%
NY	29%	434	44%	33%	30%	21%
ME	26%	375	n/a	28%	31%	17%
DC	26%	247	13%	32%	35%	16%
<b>Significantly Below Average</b>						
LA	25%	306	40%	n/a	17%	14%
AR	24%	295	55%	19%	17%	8%
CO	23%	377	n/a	24%	35%	16%
PA	23%	464	34%	23%	28%	20%
TX	23%	1,447	34%	15%	26%	20%
IN	22%	516	n/a	n/a	22%	21%
MN	22%	378	21%	24%	33%	19%
FL	21%	1,209	n/a	19%	26%	20%
GA	20%	375	n/a	15%	23%	16%
VA	20%	801	28%	17%	26%	22%
CA	19%	7,435	15%	19%	30%	17%
MI	17%	356	n/a	18%	26%	12%
<b>NCI Average</b>	<b>32%</b>	<b>21,014</b>	<b>40%</b>	<b>31%</b>	<b>35%</b>	<b>28%</b>

## Safety

### People are safe from abuse, neglect, and injury.

There are two Safety indicators:

1. The proportion of people who report that they never feel scared or afraid in their home, neighborhood, workplace, and day program/daily activity.
2. The proportion of people who report having someone to go to for help when they feel afraid.

Table 112 through Table 115 present the results for the four survey items measuring these indicators. The corresponding charts show un-collapsed averages.

All un-collapsed state data frequencies for these survey questions are displayed in Appendix B.

The tables in this section include a breakout by residence type. The residence types in Table 5 and Table 6 are collapsed as follows:

ICF: ICF/ID, 4-6 residents with disabilities; ICF/ID, 7-15 residents with disabilities; ICF/ID, 7-15 residents with disabilities; Other specialized institutional facility  
 Group Home: Group living setting, 2-3 people with disabilities; Group living setting, 4-6 people with disabilities; Group living setting, 7-15 people with disabilities  
 Individual Home: Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)  
 Parent's Home: Parent/relative's home (may include paid services to family for residential supports)

For further explanation, see Appendix C on page 338.

California is marked with a double asterisk (\*\*) if the state's data are only significant due to the size of their sample. See further explanation on p.31.

## Scared or Afraid at Home






Table 112 Rarely or never feel scared or afraid in their home ('no, rarely' response only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SC	96%	294	n/a	95%	94%	98%
KY	96%	263	n/a	93%	100%	99%
GA	91%	272	n/a	90%	94%	89%
HI	90%	281	n/a	95%	n/a	88%
TN	88%	344	n/a	89%	85%	90%
FL	87%	873	n/a	82%	90%	89%
<b>Within Average Range</b>						
CA **	88%	4,800	84%	86%	85%	89%
DC	87%	259	n/a	92%	82%	91%
NH	86%	286	n/a	68%	78%	90%
OK	85%	266	n/a	84%	n/a	n/a
IN	85%	601	n/a	n/a	83%	85%
MEORC	84%	323	n/a	76%	88%	84%
DE	84%	332	n/a	85%	n/a	84%
NY	84%	384	70%	83%	64%	93%
SD	84%	286	79%	86%	80%	85%
VA	83%	470	n/a	81%	90%	88%
PA	83%	474	n/a	84%	87%	83%
NC	83%	453	83%	82%	80%	81%
MN	82%	264	n/a	83%	81%	85%
MO	81%	243	75%	80%	81%	n/a
CT	80%	296	n/a	77%	83%	80%
NJ	80%	193	n/a	80%	n/a	80%
CO	78%	320	n/a	74%	77%	82%
OH	77%	390	n/a	78%	82%	75%
VT	77%	260	n/a	n/a	81%	65%
IL	76%	263	n/a	66%	91%	85%
AR	76%	237	60%	74%	87%	80%
UT	76%	286	n/a	70%	79%	78%
LA	76%	277	74%	n/a	71%	80%
KS	76%	259	n/a	71%	76%	84%
<b>Significantly Below Average</b>						
TX	78%	1,019	77%	74%	78%	81%
MI	74%	300	n/a	71%	67%	80%
ME	71%	293	n/a	69%	78%	67%
<b>NCI Average</b>	<b>83%</b>	<b>16,161</b>	<b>75%</b>	<b>81%</b>	<b>83%</b>	<b>84%</b>

## Scared or Afraid in Neighborhood




Table 113 Rarely or never feel scared or afraid in their neighborhood (no-rarely responses)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SC	97%	290	n/a	96%	97%	98%
KY	95%	260	n/a	96%	91%	99%
GA	90%	270	n/a	94%	87%	90%
HI	90%	276	n/a	95%	n/a	89%
<b>Within Average Range</b>						
CT	89%	289	n/a	85%	89%	91%
VA	89%	447	n/a	88%	86%	93%
NH	88%	282	n/a	84%	81%	89%
TN	88%	348	n/a	90%	85%	90%
NY	88%	388	85%	88%	80%	93%
FL	88%	848	n/a	87%	88%	90%
CO	87%	317	n/a	88%	88%	92%
PA	86%	463	n/a	85%	85%	85%
DE	85%	324	n/a	90%	n/a	82%
NJ	85%	190	n/a	85%	n/a	87%
MEORC	84%	316	n/a	80%	86%	83%
DC	84%	261	n/a	88%	78%	88%
SD	84%	285	83%	86%	80%	89%
AR	84%	234	65%	83%	91%	90%
NC	84%	449	85%	84%	83%	82%
CA	83%	4,733	84%	83%	79%	85%
TX	83%	991	85%	79%	83%	84%
IN	83%	591	n/a	n/a	79%	84%
MO	83%	243	n/a	83%	83%	n/a
MN	81%	261	n/a	83%	76%	81%
IL	81%	261	n/a	76%	87%	85%
KS	81%	260	n/a	76%	79%	92%
MI	80%	301	n/a	85%	73%	82%
OH	80%	391	n/a	78%	83%	79%
OK	80%	261	n/a	79%	n/a	n/a
LA	80%	273	76%	n/a	76%	84%
UT	78%	282	n/a	76%	72%	81%
<b>Significantly Below Average</b>						
ME	77%	299	n/a	75%	77%	77%
VT	75%	252	n/a	n/a	69%	67%
<b>NCI Average</b>	<b>85%</b>	<b>15,936</b>	<b>81%</b>	<b>85%</b>	<b>83%</b>	<b>87%</b>

### Scared or Afraid at Work, Day Program or Regular Activity




Table 114 Rarely or never feel scared or afraid at their work or day program ('no-rarely' responses)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
Significantly Above Average						
SC	98%	276	n/a	97%	100%	97%
KY	96%	235	n/a	94%	100%	98%
TN	94%	218	n/a	92%	92%	97%
NY	93%	315	90%	90%	96%	97%
PA	93%	353	n/a	92%	91%	92%
Within Average Range						
HI	93%	258	n/a	95%	n/a	92%
MEORC	92%	293	n/a	90%	98%	90%
GA	92%	237	n/a	88%	92%	93%
NH	92%	260	n/a	79%	96%	88%
CA **	91%	3,683	92%	89%	91%	92%
MO	91%	127	n/a	97%	89%	n/a
NC	90%	346	80%	90%	94%	90%
FL	90%	545	n/a	86%	92%	92%
CT	90%	259	n/a	88%	90%	89%
DC	88%	224	n/a	88%	89%	88%
TX	88%	761	91%	83%	96%	89%
IL	88%	233	n/a	83%	n/a	93%
OK	88%	205	n/a	87%	n/a	n/a
NJ	88%	186	n/a	89%	n/a	78%
MN	88%	113	n/a	83%	83%	97%
IN	88%	442	n/a	n/a	88%	88%
OH	88%	344	n/a	85%	88%	88%
SD	88%	248	83%	88%	89%	79%
VA	87%	350	n/a	87%	95%	87%
LA	85%	182	91%	n/a	88%	77%
DE	85%	302	n/a	88%	n/a	83%
MI	85%	232	n/a	84%	83%	87%
AR	84%	167	67%	86%	91%	n/a
VT	84%	234	n/a	n/a	89%	80%
UT	83%	229	n/a	87%	88%	78%
CO	83%	287	n/a	83%	91%	87%
KS	82%	216	n/a	79%	85%	89%
Significantly Below Average						
ME	80%	256	n/a	76%	90%	80%
NCI Average	89%	12,616	85%	87%	91%	89%

## Person Has Someone to Go to for Help If Afraid




Table 115 Have someone to go to for help if they ever feel scared ('yes' responses only)

State	Overall In State	N	ICF	Group Home	Individual Home	Parent's Home
<b>Significantly Above Average</b>						
SC	97%	295	n/a	97%	100%	97%
TN	96%	346	n/a	92%	98%	99%
KY	96%	266	n/a	97%	100%	95%
<b>Within Average Range</b>						
GA	96%	268	n/a	93%	98%	95%
MEORC	95%	321	n/a	97%	93%	97%
MO	95%	234	n/a	94%	96%	n/a
LA	95%	281	93%	n/a	95%	97%
HI	95%	279	n/a	93%	n/a	94%
ME	95%	293	n/a	95%	92%	96%
MN	95%	261	n/a	92%	95%	100%
IN	95%	595	n/a	n/a	95%	94%
NH	95%	273	n/a	93%	95%	94%
NC	94%	439	92%	93%	96%	95%
AR	93%	236	96%	91%	93%	97%
SD	93%	280	92%	88%	98%	96%
FL	93%	857	n/a	92%	97%	91%
OK	93%	262	n/a	93%	n/a	n/a
CT	93%	288	n/a	93%	92%	92%
VA	93%	457	n/a	95%	96%	94%
MI	93%	294	n/a	92%	91%	94%
UT	92%	278	n/a	93%	92%	90%
VT	92%	259	n/a	n/a	92%	88%
PA	92%	454	n/a	87%	96%	93%
CA **	91%	4,676	87%	90%	93%	91%
OH	91%	384	n/a	93%	89%	92%
CO	91%	318	n/a	83%	90%	92%
DC	90%	260	n/a	92%	90%	95%
IL	88%	258	n/a	85%	95%	89%
NJ	88%	186	n/a	88%	n/a	88%
KS	88%	256	n/a	84%	90%	90%
<b>Significantly Below Average</b>						
TX	89%	1,015	82%	90%	93%	91%
DE	87%	327	n/a	86%	n/a	89%
NY	86%	382	90%	86%	82%	85%
<b>NCI Average</b>	<b>93%</b>	<b>15,878</b>	<b>90%</b>	<b>91%</b>	<b>94%</b>	<b>93%</b>

## II. NCI History and Activities

*This section briefly describes the history of the National Core Indicators and NCI Surveys*



# Overview of National Core Indicators

In December 1996, the National Association of State Directors of Developmental Disabilities Services (NASDDDS), in collaboration with Human Services Research Institute (HSRI), launched the Core Indicators Project (CIP). The aim of the project was to support state developmental disabilities operating agencies in the development and implementation of performance and outcome indicators—and related data collection strategies—so that they could measure service delivery system performance. This effort, now called National Core Indicators (NCI), strives to provide states with valid and reliable tools to help improve system performance and better serve people with intellectual and developmental disabilities and their families. Moreover, NASDDDS' active sponsorship of NCI facilitates pooled knowledge, expertise, and resources among the states.

In 1997, 15 states convened to discuss the scope and content of a potential performance measurement framework. Directors and staff from these 15 states worked to identify the major domains and sub-domains of performance, indicators, measures, and data sources. The original 61 indicators, developed through a consensus process, were intended to provide a system-level “snapshot” of how well each state was performing. The states were guided by a set of criteria that was designed to select indicators that were:

1. Measurable
2. Related to issues the states had some ability to influence
3. Important to all individuals they served, regardless of level of disability or residential setting.


During this initial phase, data collection protocols were developed and field-tested, including a face-to-face Adult Consumer Survey (for individuals age 18 and older who were receiving services) and a mail-out Adult Family Survey (for families who have an adult family member living at home). Seven states volunteered to pilot test the indicators. Eight additional states served on the Steering Committee.

Since the initial field test, NCI has expanded its scope to include outcomes of services for children with intellectual and developmental disabilities and their families. In addition, NCI continues to develop and refine the indicators and expand state participation. For more information about NCI states, technical reports, and other resources, please visit <http://www.nationalcoreindicators.org>.

## State Participation

During the 2014-15 data collection cycle, 41 states, the District of Columbia and 22 sub-state entities participated in NCI. State participation is entirely voluntary, and the participating states are shown in Figure 1, on page 223.

Figure 1. NCI State Participation 2014-15



## The Core Indicators

The Core Indicators are the standard measures used across states to assess the outcomes of services provided to individuals and families. Indicators address key areas of concern, including employment, respect/rights, service planning, community inclusion, choice, and health and safety. An example of a Core Indicator would be, “The proportion of people who have a paid job in the community.” To see the entire list of Core Indicators, please visit <http://www.nationalcoreindicators.org/indicators>.

Each survey instrument is designed to measure certain Core Indicators. While most indicators correspond to a single survey question, a few refer to clusters of related questions. For example, the indicator that measures Community Inclusion (the proportion of people who regularly participate in everyday integrated activities in their communities) is measured by several survey questions that ask about separate community activities.

The current set of performance indicators includes approximately 100 consumer, family, system, and health and safety outcomes—outcomes that are important for understanding the overall health of public developmental disabilities agencies. Indicators are organized across five broad domains: Individual Outcomes; Health, Welfare and Rights; Staff Stability and Competency; Family Outcomes;

and System Performance. Each domain is broken down into sub-domains (see Table 115). Three data sources are used to assess outcomes: the Adult Consumer Survey, three Family Surveys, and a Provider Survey (e.g., staff turnover).

The indicators have remained generally consistent over the years and thus can be used to analyze system-level trends over time. However, the NCI program is a dynamic effort that allows for measures to be added, dropped, or changed to reflect the current and future priorities of participating states.

The data collection tools used to gather indicator data are regularly refined and tested to ensure they remain valid, reliable, and applicable to current issues within the field. Details on the design and testing of this tool are provided in the next section of this report.

## **Domains and Sub-Domains**

The following table lists the domains and sub-domains covered by the NCI Adult Consumer Survey indicators.

**Table 116 Adult Consumer Survey Indicators: Domains and Sub-Domains**

Domain	Sub-Domain	Concern Statement
<b>Individual Outcomes</b>	Work	People have support to find and maintain community integrated employment.
	Community Inclusion	People have support to participate in everyday community activities.
	Choice and Decision-Making	People make choices about their lives and are actively engaged in planning their services and supports.
	Self Determination	People have authority and are supported to direct and manage their own services.
	Relationships	People have friends and relationships.
	Satisfaction	People are satisfied with the services and supports they receive.
<b>Health, Welfare, and Rights</b>	Safety	People are safe from abuse, neglect, and injury.
	Health	People secure needed health services.
	Medications	Medications are managed effectively and appropriately.
	Wellness	People are supported to maintain healthy habits.
	Respect/Rights	People receive the same respect and protections as others in the community.
<b>Staff Stability and Competence</b>	Staff Competence	Direct contact staff are competent to provide services and support.
<b>System Performance</b>	Service Coordination	Service coordinators are accessible, responsive, and support the person's participation in service planning.
	Access	Publicly funded services are readily available to individuals who need and qualify for them.

## How NCI Data Are Used

The Core Indicators provide information for quality management and are intended to be used in conjunction with other state data sources, such as risk management information, regional level performance data, results of provider monitoring processes, and administrative information gathered at the individual service coordination level. States typically use the indicator data to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Some states use NCI as a data source for supplemental performance measures in their home and community-based services (HCBS) waiver quality management systems and include the information in support of evidentiary reports to the Centers for Medicare & Medicaid Services (CMS). Many states share the indicator data with stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction. It is also important to note that states do

not use the information in a punitive way to sanction service providers, nor do they use the results to remediate individual issues (unless specifically requested by the participant or required by law as in the case of suspected abuse, neglect, or mistreatment).

## Caution and Limitations

This report does not provide benchmarks for acceptable or unacceptable levels of performance. Rather, it is up to each state to decide whether its score or percentage is an acceptable performance level. States that fall into the “below average” tier on any scale or indicator are not necessarily underperforming; instead, this placement indicates only that the state’s scale score or indicator percentage is significantly lower than the average of all states—where “significantly” means “not due to chance.” The results tables throughout this report display states’ scores relative to one another and show which states tend to have similar results. Please note that, the difference between a “below average” state and the average across the other states may be very small, and it is up to public managers, policy-makers, and other stakeholders to decide whether a state’s result relative to the NCI Average suggests that changes or further investigation are necessary.

Moreover, the NCI Average should not be interpreted as defining “acceptable” levels of performance or satisfaction. Instead, it represents a multi-state “norm” that describes average levels of performance or satisfaction across the participating states. In some instances there are few significant differences among the states; this denotes that the majority of states are performing similarly. Instances in which several states’ results are especially high (considerably above the average level) indicate the levels of performance or satisfaction achieved in those states might define a level of performance that may serve as a guidepost for other states.

Data from previous years are not presented in this report. Comparisons of results from year to year should be made with caution: even slight changes in wording or response options of certain questions may affect comparability of results from one year to the next; the mix of participating states differs slightly each year and may affect the NCI Averages; and states draw new samples each year rather than following the same group of individuals.

### III. Methodology

*This section describes the protocol for administering the Adult Consumer Survey, including sampling criteria, administration guidelines, and surveying procedures.*

# Administration

A key principle of NCI is the importance of gathering information directly from service recipients. The indicators are meant to apply to all individuals receiving services, regardless of disability type, and NCI administration protocols dictate that every person selected into the sample is given an opportunity to respond (no one is prescreened or predetermined to be unable to respond). Moreover, survey questions should not be marked “not applicable” on the basis of a person’s level of ability.

Information for the Adult Consumer Survey is collected via a direct conversation with the person receiving services. Additionally, background information is primarily collected from the individual’s record. Section I questions, which pertain to personal experiences and require subjective responses, may only be answered by the individual receiving services. Section II of the survey—which consists of objective questions on the individual’s involvement in the community, their choices, respect and rights, and their access to services—allows for the use of “proxy” or other respondents who know the individual well (such as a family member or friend).

## Proxy Respondents

Studies have found that the greatest discrepancies between individual and proxy responses occur when the information being collected is subjective (i.e., related to how a person feels; proxies would be aware of the correct answers only if the individual had previously expressed his or her feelings)<sup>32</sup>. Questions relating to observable behaviors tend to have higher levels of agreement. By excluding proxies, a large percentage of individuals (most of whom are unable to respond) would be unrepresented in the data. Thus, the NCI project determined at the outset that proxy respondents would be used, though only for specific questions and only in situations where the individual surveyed either could not effectively communicate with the surveyor or chose to have a proxy respondent.

As mentioned, the use of proxy respondents for the NCI tool is limited to questions in Section II, which relates to observable and/or measurable items: Community Inclusion, Choices, Respect/Rights, and Access to Needed Services. These questions deal with everyday occurrences on which others may reliably report. State records are also used to report objective data on an individual’s health status and exam history as well as employment status; this information is collected in the Background Section of the survey.

<sup>32</sup> Magaziner, Jay, Sheryl Zimmerman, Ann L. Gruber-Baldini, J. Richard Hebel, and Kathleen M. Fox. "Proxy Reporting in Five Areas of Functional Status Comparison with Self-Reports and Observations of Performance." *American Journal of Epidemiology* 146.5 (1997): 418-28.

There are also ways to reduce discrepancies that may arise between proxy respondents and the intended responses of the individuals receiving services. First, it is important to make the questions as accessible as possible to increase participation by all individuals. NCI attempts to make the language in the Adult Consumer Survey as easy to understand as possible and includes suggested rephrasing for questions that may be nuanced or more difficult to understand. The NCI surveys are also routinely revised based on feedback from states, self-advocates, families, and surveyors who are administering the tool. Secondly, it is important to establish a set of standards for proxy respondents. NCI aims to increase the reliability of proxy responses by allowing only those people who know the individual well (family, friends, staff, etc.) to serve as proxy respondents. To avoid conflict, service coordinators are not allowed to respond as proxies. Further, if both the individual and a proxy respondent answer a question, the individual's answer is recorded so long as his/her answer is deemed reliable by the surveyor. Surveyors also keep track of who responds to each question—the individual or the proxy—and the proxy's relationship to the individual.

## Surveyor Training

States employ a variety of individuals to conduct the face-to-face meetings for the NCI Adult Consumer Survey. To avoid conflict, surveyors cannot be administered by the individual's service provider, relative, personal case manager, staff member, or other close contact. Given this constraint, states often use university students, state staff, private contractors, advocacy organizations, and individuals with disabilities and their families to conduct the surveys.

HSRI and NASDDDS staff provide both on-site surveyor training to new states and refresher trainings (via webinar) for states that have previously participated. Each state coordinates direct training and refresher training on an annual basis to provide a standardized training and ensure uniform application of the survey.

Trainings consist of a detailed review of the survey tool and an overview of general surveying techniques. Trainers are given a packet of standardized materials to be used at the on-site training sessions. An additional session reviews the process for entering survey data in the Online Data Entry Survey Application (ODESA).

## Criteria for Exclusion of Responses

All individuals selected in the survey sample are given an opportunity to participate in a face-to-face meeting. There are no prescreening procedures. Exclusion of responses occurs at the time of data analysis by HSRI, based on the criteria described below. There is no threshold of number of answers to be given in order to consider a survey complete. The total number of surveys administered in 2014-15 was 25,820.



Surveys are excluded if the following criteria are met:

1. There are no valid answers to Section I or II; or
2. Section II is not completed, or has been completed only by the individual; and
  - a. The surveyor determines that the individual receiving services did not understand the questions being asked in Section I.
  - b. The surveyor records that the individual receiving services gave inconsistent responses in Section I.

## Responses for Section I

Only individuals receiving services may answer questions in Section I. As shown in Table 117, 70% of individuals in the total 2014-15 sample were able to respond to Section I of the direct meeting. Table 117 also shows the percentage of valid responses by state, which ranged from 46% to 88%.

## Responses for Section II

Section II allows for multiple respondents who know the individual well (e.g., family, friend, support worker) to provide answers. If an individual's responses were excluded from Section I in the final analysis, responses from Section II were also excluded if the individual was the only respondent to Section II. For 2014-15, the valid response rate (proxies included) to Section II was 99%.

## Sampling

Each state is instructed to attempt to complete a minimum of 400 surveys with a random sample of individuals over the age of 18 who are receiving at least one publicly funded service besides case management. A sample size of 400 guarantees valid comparisons to be made across states with a 95% confidence level and a margin of error of  $\pm 5\%$ , no matter how large the service population size. A 95% confidence level and a margin of error of  $\pm 5\%$  is mandatory for each state's sample to be included in this report. Most states sample more than 400 individuals to account for refusals and surveys that may be deemed invalid. Table 117 presents the number of surveys completed by state. A more detailed description of each state's sampling strategy can be found in Appendix C.

**Table 117 Valid Surveys and Response Rates by State: 2014-15**

State	% Valid Answers to Section I	% Valid Answers to Section II	Number of Valid Surveys Completed	% of Total Sample Size (N)
AR	61%	97%	399	2%
CA *	60%	100%	8405	33%
CO	79%	100%	414	2%
CT	69%	97%	439	2%
DC	79%	100%	338	1%
DE	79%	94%	445	2%
FL	63%	100%	1436	6%
GA	58%	97%	484	2%
HI	71%	100%	401	2%
IL	75%	99%	367	1%
IN	83%	99%	741	3%
KS	72%	97%	373	1%
KY	65%	100%	413	2%
LA	69%	100%	415	2%
ME	78%	99%	399	2%
MEORC	83%	98%	401	2%
MI	78%	99%	410	2%
MN	66%	99%	410	2%
MO	61%	100%	405	2%
NC	62%	100%	762	3%
NH	70%	100%	411	2%
NJ	46%	100%	426	2%
NY	67%	99%	592	2%
OH	88%	100%	457	2%
OK	67%	100%	400	2%
PA	70%	99%	708	3%
SC	76%	100%	400	2%
SD	87%	90%	338	1%
TN	75%	98%	466	2%
TX	54%	99%	1949	8%
UT	68%	100%	426	2%
VA	46%	100%	1063	4%
VT	82%	100%	327	1%
<b>NCI Average</b>	70%	99%	25820	100%

# I. Data Analysis

*This section explains the statistical methods used to analyze the Adult Consumer Survey data. It includes an explanation of how certain outcomes are “adjusted” for the purposes of making comparisons across states. This section also discusses scale construction and significance testing of results.*

## Data Management and Analysis

HSRI coordinates the NCI data management and analysis. States enter data into the Online Data Entry Survey Application (ODESA) system<sup>33</sup>; HSRI staff subsequently download the data into an SPSS data file. This data file is then “cleaned” (reviewed for completeness and compliance with standard NCI formats) and invalid responses are eliminated. Files from individual states are then merged into a single SPSS file. The merged file from 2014-15 was used for all analyses in this report.

Below is a summary of the statistical procedures used to analyze the Adult Consumer Survey data.

### Outcome Adjustment

Outcome adjustment or “risk adjustment” is a statistical process used to control for differences in the individual characteristics of people who completed the NCI Survey across states. This procedure allows for more legitimate state comparisons by effectively “leveling the playing field.” This analysis helps account for the fact that states have different eligibility definitions for services and may have samples with different characteristics. Only those indicators that are likely to be affected by individual characteristics were adjusted (e.g., indicators in the Choice and Community Inclusion sub-domains). For example, a person who has limited mobility and is older may be less likely to participate in shopping or other community activities. On the other hand, such characteristics should not affect whether a person has friends or staff who are respectful.

The indicators are risk-adjusted using the following seven characteristics: age, level of intellectual disability, level of mobility, and whether any behavioral supports are needed to prevent self-injury, disruptive, or destructive behavior. Primary means of expression, health, and mental illness/psychiatric diagnosis were not used as risk-adjustors this year, as they were not significant predictors of the outcomes in questions. In this report, results for indicators that were adjusted are labeled as such, and unadjusted results for these indicators are presented in Appendix B.

Outcome adjustment was performed using logistic regression for the choice indicators and linear regression for the community inclusion indicators. This statistical analysis produces a predicted value that one would expect to observe given the individual’s characteristics. The state’s average observed rate (i.e., the state average prior to risk-adjustment) was adjusted by the average predicted rate to produce the risk-adjusted rate. As a result of this procedure, state differences in adjusted values reflect true state differences rather than differences due to the demographic or characteristic makeup of state service populations.

---

<sup>33</sup> Beginning in 2013-14, all states are required to enter NCI data into ODESA.

## Weighting

Weighting was performed for one state's estimates – California. Weights were developed to account for the purposeful disproportionate sampling of Regional Centers within the state, as well as “movers” (individuals who have moved out of Developmental Centers) within the Regional Centers. Applying statistical weights allowed to adjust for the fact that some Regional Centers were disproportionately over-represented in the sample, whereas some were under-represented (same logic applied to applying weights for “movers”). Weights were developed using the sample proportions and the true population proportions of each Regional Center and each mover/non-mover group within each Regional Center. California's estimates throughout the report are thus weighted estimates (with the exception of the data presented in the Appendix, where all data are raw and unweighted).

## Scale Development

Scales are used to combine responses from multiple similar questions into one variable. In this way we can measure an overarching concept rather than specific elements of the concept. For the Adult Consumer Survey, scales are used for two sub-domains: 1) Community Inclusion and 2) Choice and Decision-Making. To create a scale, statistical tests are required to ensure that the multiple items share common properties. Scales were created using factor analysis.

The Choice and Decision-Making sub-domain was further divided into two scales: Life Decisions and Everyday Choices. These scales were created by averaging the items within those categories<sup>34</sup> for each individual. The Community Inclusion sub-domain consists of a single scale that was created by totaling the individual's scores for four of the questions relating to the number of times people went out in the community for particular activities. Higher scale scores represent higher levels of community inclusion and choice. The scales were also risk-adjusted.

Each scale's reliability was assessed using Cronbach's alpha. The scales had an adequate level of internal consistency and reliability.

## Collapsing Data

For many of the indicators in this report, only “yes” responses are analyzed and reported for state to state comparisons and significance testing. However, there are several indicators for which the “yes” response was collapsed with the middle response (for example, a “sometimes” response, or a “some input” response) to form the “yes” indicator category which was then analyzed and subsequently reported. For example, for choice indicators, responses “person chose” and “person had some input”

---

<sup>34</sup> Indicators used for scales are listed in the corresponding sections.

were collapsed into one “yes, person chose” category. For those indicators, the two responses were considered to be equally indicative of a positive outcome. Appendix A contains the collapsing and recoding rules for all indicators and risk-adjustment variables.

## Significance Testing

In this report, for all non-adjusted items, each state’s indicator score was compared to the NCI Average (the average across all NCI states estimates) for that indicator. These comparisons were conducted using T-tests.

The t-test analyses determined whether each state’s percentage was:

1. Significantly higher than the other states’ average (NCI Average, average of averages),
2. Within the average range (i.e., not statistically different from the NCI Average); or
3. Significantly lower than the other states’ average.

A conservative cut-off point of  $p < 0.005$  was used to determine significant differences. The placement of each state into one of these three groups is indicated in tables for each outcome.

## II. Appendices



# Appendix A

## Rules for Recoding and Combining Variables to Compute Core Indicators

Table A1. Background Information Variables Used to Adjust Outcomes

Item #	Variable Name	Recode or Collapse?
3	<b>DOB</b>	Create AGE variable
9a	<b>LEVELMR08</b>	5 categories: a) <b>No ID</b> ; b) <b>Mild</b> ; c) <b>Moderate</b> ; d) <b>Severe</b> ; and e) <b>Profound</b>
13	<b>MOBILITY08</b>	As is
52, BI-53, BI-54	<b>SELFJN08, DISBEH08, UNCPBEH08</b>	Create a new binary variable Supp_beh_problems which equals 1 if any support is needed for any of the three variables (if Selfinj08 or Disbeh08 or Uncpbeh08= 2 or 3), and equal 0 if no support is needed (if Selfinj08 and Disbeh08 and Uncpbeh08 = 1).

Table A2. Outcome Variables -- Rules for Analysis

Survey Item #	Variable Name	Recode or Collapse?	Risk Adjust?
BI-15	<b>PRIMDOC</b>	Treat <i>Don't know</i> (3) as missing	
BI-16	<b>PHYSEXAM</b>	Treat <i>Don't know</i> (3) as missing	
BI-17	<b>DENTVIS08</b>	Collapse <i>Within the last six months</i> (1) and <i>Within the past year</i> (2), treat <i>Don't know</i> (4) as missing	
BI-18	<b>EYEXAM</b>	Collapse all categories that say <i>more than one year ago</i> ((2),(3),(4),(5),(6)), treat <i>Don't know</i> (7) as missing	
BI-19	<b>HEARTEST</b>	Collapse <i>5 years ago or more</i> (2), <i>Never had a hearing test</i> (3), treat <i>Don't know</i> (4) as missing	
BI-20	<b>FLUVACC</b>	Treat <i>Don't know</i> (3) as missing	
BI-21	<b>PNEUVACC</b>	Treat <i>Don't know</i> (3) as missing	
BI-24	<b>PHYSACT08</b>	Create a new binary variable PhysAct_Mod which equals 1 when BI-24=2 and BI-24a=1 and BI-24b=1 or 2	
BI-26	<b>PAPTEST</b>	Collapse all categories that say 1) <i>more than three years ago</i> ((4),(5),(6)), and 2) <i>within the past three years</i> ((1),(2),(3)), treat <i>Don't know</i> (7) as missing	
BI-27	<b>MAMMO</b>	Collapse all categories that say 1) <i>more than two years ago</i> ((3),(4),(5),(6)), and 2) <i>within the past two years</i> ((1),(2)), treat <i>Don't know</i> (7) as missing	
BI-28	<b>CCSCREEN</b>	Collapse all categories that say <i>more than one year ago</i> ((2),(3),(4),(5),(6)), treat <i>Don't know</i> (7) as missing	
Q2	<b>LIKEAJOB</b>	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q3	<b>LIKEJOB</b>	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q4	<b>JOBELSE</b>	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q5	<b>HAVEDAYACT</b>	As is treat <i>Don't know</i> as missing	
Q6	<b>LIKEDAYACT</b>	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q7	<b>DAYACTELSE</b>	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q8	<b>VOLUNT</b>	As is treat <i>Don't know</i> as missing	

Survey Item #	Variable Name	Recode or Collapse?	Risk Adjust?
Q9	LIKEHOME	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q10	HOMEELSE	Collapse <i>No</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	
Q11	TALKNEIGH	Collapse <i>Yes, not often</i> (1) and <i>Yes, often</i> (2) treat <i>Don't know</i> as missing	
Q12	ENTERHM	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q13	ENTERBRM	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q14	BEALONE	As is	
Q15	AFRAIDHM	Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q16	AFRAIDNH	Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q17	AFRAIDDAY	Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q18	AFRAIDHELP	Collapse <i>No</i> (0) and <i>Maybe</i> (1) treat <i>Don't know</i> as missing	
Q19	HASFRNDS	Collapse <i>No</i> (0) and <i>Only staff or family</i> (1) treat <i>Don't know</i> as missing	
Q20	BESTFRND	As is treat <i>Don't know</i> as missing	
Q21	SEEFRNDS	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q22	CANDATE	Collapse <i>Yes</i> (2) and <i>Yes, with restrictions</i> (1) treat <i>Don't know</i> as missing	
Q23	LONELY	Collapse <i>Yes</i> (2) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q25	SEEFAMILY	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q26	HELPOTH	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q27	KNOWSCM08	Collapse <i>No</i> (0) and <i>Maybe</i> (1) treat <i>Don't know</i> as missing	
Q28	SPLAN	Collapse <i>No</i> (0) and <i>Maybe</i> (1) treat <i>Don't know</i> as missing	
Q29	MSPLAN	Collapse <i>No</i> (0) and <i>Maybe</i> (1) treat <i>Don't know</i> as missing	
Q30	ASKIMPOR	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q31	HELPSGET08	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) treat <i>Don't know</i> as missing	
Q32	GETSBACK	Collapse <i>Takes a long time</i> (0) and <i>In-between</i> (1) treat <i>Don't know</i> as missing	

Survey Item #	Variable Name	Recode or Collapse?	Risk Adjust?
Q34	<b>STAF</b>	Collapse <i>Sometimes (1)</i> and <i>No (0)</i> ; <i>Don't know</i> as missing	
Q35	<b>SWORKCOME112</b>	Collapse <i>Maybe,not sure (1)</i> and <i>No (0)</i> ; <i>Don't know</i> as missing	
Q36	<b>SWORKHELP12</b>	Collapse <i>Maybe,not sure (1)</i> and <i>No (0)</i> ; <i>Don't know</i> as missing	
Q38	<b>TRANSPOR</b>	Collapse <i>No (0)</i> and <i>Sometimes (1)</i>	
Q39	<b>BUDGTALK</b>	Collapse <i>No (0)</i> and <i>Maybe (1)</i> <i>Don't know</i> as missing	
Q40	<b>BUDGHELP</b>	Collapse <i>No (0)</i> and <i>Maybe (1)</i> <i>Don't know</i> as missing	
Q41	<b>BUDGCHANG</b>	Collapse <i>No (0)</i> and <i>Maybe (1)</i> <i>Don't know</i> as missing	
Q42	<b>BUDGMORE</b>	Collapse <i>Yes (2)</i> and <i>Maybe (1)</i> <i>Don't know</i> as missing	
Q43	<b>FININFO</b>	Collapse <i>No (0)</i> and <i>Maybe (1)</i> <i>Don't know</i> as missing	
Q44	<b>FINEASY</b>	Collapse <i>No (0)</i> and <i>Maybe (1)</i> <i>Don't know</i> as missing	
Q48a, 49a, 50a, 51a, 52a, 53a, 54a	<b>SHOPTIMES, ERRTIMES, ENTTIMES, EATTIMES, RELTIMES, SPORTIMES, VACATIMES</b>	Recode so that if lead question is no (for example, SHOPPING08=no) Then the number of times participated in the activity is 0 (for example, SHOPTIMES=0)	YES,  YES,  YES,  YES,  YES,  YES

Survey Item #	Variable Name	Recode or Collapse?	Risk Adjust?
Q55-Q63	<b>CHOSH0ME08, ROOMATES08, SCHEDULE, FREETIME, CHOSJOB, CHOOSDAY, CHOOSBUY, CHOOSCM, CHSSTAFF</b>	Collapse <i>Person chose/chooses</i> (2) and <i>Person had/has some input</i> (1) <i>Don't know</i> as missing	YES,  YES,  YES,  YES,  YES,  YES,  YES,  YES,  NO
Q64	<b>MAIOPEN</b>	As is <i>Don't know</i> as missing	
Q65	<b>ALONEGST08</b>	As is <i>Don't know</i> as missing	
Q66	<b>USEPHONE08</b>	As is <i>Don't know</i> as missing	
Q67	<b>SELFADVO</b>	Collapse <i>Yes</i> (2) and <i>Had opportunity</i> (1) <i>Don't know</i> as missing	
Q68	<b>SERVED</b>	Collapse <i>No</i> (0) and <i>Sometimes</i> (1) <i>Don't know</i> as missing	
Q69	<b>STFTRN</b>	Collapse <i>No</i> (0) and <i>Maybe</i> (1) <i>Don't know</i> as missing	

## Appendix B

### Un-collapsed and unadjusted data by state

#### Choice and Decision-Making Un-Collapsed and Unadjusted

**Table B1 Who chose (or picked) the place where you live? (unadjusted and un-collapsed)**

State	Someone else chose	Person had some input	Person made the choice	N
AR	58%	21%	21%	257
CA	54%	25%	21%	4,842
CO	35%	27%	38%	278
CT	54%	28%	19%	254
DC	46%	24%	31%	195
DE	44%	23%	33%	207
FL	37%	24%	39%	573
GA	22%	35%	42%	226
HI	45%	46%	9%	181
IL	42%	41%	18%	194
IN	18%	24%	59%	238
KS	25%	49%	26%	254
KY	45%	31%	23%	242
LA	51%	24%	24%	213
ME	37%	41%	22%	273
MEORC	27%	26%	47%	187
MI	44%	32%	24%	292
MN	54%	29%	17%	252
MO	62%	24%	14%	367
NC	57%	25%	18%	340
NH	38%	30%	32%	253
NJ	82%	13%	5%	309
NY	47%	33%	20%	326
OH	30%	25%	45%	224
OK	48%	15%	37%	382
PA	46%	25%	29%	324
SC	71%	11%	19%	180
SD	26%	38%	36%	255
TN	37%	37%	27%	308
TX	65%	20%	16%	1,135
UT	44%	26%	31%	235
VA	58%	30%	13%	768
VT	32%	39%	28%	232
<b>NCI Average</b>	<b>45%</b>	<b>28%</b>	<b>27%</b>	<b>14,796</b>

**Table B2 Did you choose (or pick) the people you live with (or did you choose to live by yourself)? (unadjusted and un-collapsed)**

State	Yes, Person chose people s/he lives with, or chose to live alone	Person chose some people or had some input	No, Someone else chose	N
AR	41%	12%	47%	261
CA	22%	11%	67%	4,608
CO	45%	19%	37%	278
CT	26%	12%	62%	258
DC	35%	24%	41%	184
DE	31%	9%	60%	211
FL	40%	17%	43%	588
GA	39%	22%	39%	228
HI	7%	41%	52%	181
IL	16%	22%	61%	196
IN	67%	12%	22%	233
KS	34%	36%	30%	256
KY	14%	11%	75%	238
LA	36%	19%	45%	223
ME	29%	20%	51%	281
MEORC	47%	15%	38%	193
MI	20%	13%	67%	290
MN	22%	6%	72%	249
MO	19%	15%	66%	358
NC	16%	12%	72%	347
NH	42%	19%	39%	250
NJ	3%	7%	90%	309
NY	19%	15%	66%	330
OH	51%	13%	37%	223
OK	40%	12%	48%	376
PA	33%	14%	53%	338
SC	16%	6%	77%	177
SD	42%	8%	50%	246
TN	30%	26%	44%	307
TX	15%	12%	73%	1,139
UT	35%	18%	47%	234
VA	9%	10%	80%	772
VT	38%	26%	36%	232
<b>NCI Average</b>	<b>30%</b>	<b>16%</b>	<b>54%</b>	<b>14,594</b>



**Table B3 Who chose (or picked) the place where you work? (unadjusted and un-collapsed)**

State	Person made the choice	Person had some input	Someone else chose	N
AR	57%	30%	13%	30
CA	50%	35%	16%	983
CO	56%	30%	13%	119
CT	34%	34%	32%	145
DE	42%	44%	14%	36
FL	78%	18%	4%	114
GA	72%	26%	2%	54
IL	48%	28%	24%	29
IN	67%	27%	6%	143
KS	76%	20%	5%	41
KY	77%	19%	4%	26
LA	45%	40%	14%	42
ME	41%	40%	19%	68
MEORC	66%	29%	6%	35
MI	51%	38%	11%	37
MN	33%	40%	27%	100
MO	73%	21%	6%	33
NC	42%	42%	15%	66
NH	56%	32%	12%	136
NJ	22%	22%	57%	23
NY	43%	42%	15%	67
OH	49%	35%	16%	49
OK	59%	13%	29%	87
PA	41%	42%	17%	76
SC	27%	20%	53%	70
SD	54%	27%	19%	81
TN	55%	26%	18%	65
TX	53%	32%	15%	156
UT	64%	27%	8%	59
VA	37%	47%	16%	76
VT	37%	50%	13%	127
DC	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>52%</b>	<b>31%</b>	<b>17%</b>	<b>3,173</b>

**Table B4 Who chose (or picked) where you go during the day? (unadjusted)**

State	Person made the choice	Person had some input	Someone else chose	N
AR	26%	29%	46%	276
CA	21%	32%	46%	6,151
CO	36%	30%	33%	332
CT	28%	25%	47%	305
DC	34%	31%	34%	290
DE	33%	17%	50%	317
FL	46%	31%	23%	868
GA	51%	31%	18%	364
HI	37%	33%	31%	372
IL	21%	38%	41%	289
IN	48%	29%	23%	501
KS	37%	46%	18%	303
KY	25%	38%	37%	367
LA	27%	31%	42%	232
ME	30%	33%	37%	263
MEORC	61%	25%	14%	319
MI	26%	40%	34%	275
MN	14%	28%	58%	235
MO	31%	33%	36%	238
NC	23%	39%	38%	566
NH	36%	41%	23%	351
NJ	5%	16%	79%	407
NY	23%	39%	38%	492
OH	50%	18%	32%	310
OK	42%	17%	41%	224
PA	36%	34%	30%	450
SC	14%	7%	79%	312
SD	45%	26%	29%	253
TN	43%	30%	27%	272
TX	23%	27%	50%	1,467
UT	35%	30%	35%	282
VA	17%	32%	51%	730
VT	38%	47%	15%	261
<b>NCI Average</b>	<b>32%</b>	<b>30%</b>	<b>37%</b>	<b>18,674</b>

**Table B5 Did you choose (did this person choose) the staff who help you? (unadjusted)**

State	Yes, Person chose Staff	Staff are assigned but can be changed if requested by Person	Someone else chooses	N
AR	27%	48%	26%	371
CA	9%	53%	38%	6,781
CO	20%	46%	34%	373
CT	17%	22%	60%	357
DC	16%	55%	28%	280
DE	14%	41%	45%	354
FL	44%	35%	21%	1,277
GA	11%	62%	27%	434
HI	14%	79%	7%	380
IL	9%	57%	34%	291
IN	29%	59%	12%	612
KS	12%	75%	13%	339
KY	6%	26%	68%	394
LA	23%	61%	16%	366
ME	9%	70%	21%	367
MEORC	18%	72%	10%	352
MI	14%	34%	51%	354
MN	12%	27%	61%	372
MO	14%	44%	42%	401
NC	22%	45%	33%	691
NH	22%	57%	20%	382
NJ	3%	22%	75%	391
NY	8%	52%	41%	520
OH	30%	41%	29%	378
OK	23%	46%	31%	393
PA	15%	35%	49%	555
SC	36%	57%	7%	381
SD	12%	40%	48%	252
TN	21%	72%	8%	433
TX	17%	29%	54%	1,664
UT	28%	54%	19%	406
VA	11%	37%	52%	981
VT	15%	51%	33%	260
<b>NCI Average</b>	<b>18%</b>	<b>49%</b>	<b>34%</b>	<b>22,142</b>

**Table B6 Who decides your daily schedule (like when to get up, when to eat, when to go to sleep)? (unadjusted)**

State	Person decides	Person has help deciding	Someone else decides	N
AR	43%	33%	24%	383
CA	48%	34%	18%	8,332
CO	72%	18%	10%	407
CT	50%	26%	25%	414
DC	59%	28%	13%	332
DE	60%	20%	21%	383
FL	53%	38%	9%	1,400
GA	70%	25%	5%	434
HI	44%	30%	26%	399
IL	44%	35%	20%	342
IN	68%	21%	12%	725
KS	46%	43%	11%	345
KY	70%	25%	4%	402
LA	46%	37%	17%	406
ME	56%	32%	12%	389
MEORC	72%	21%	7%	381
MI	47%	36%	17%	402
MN	42%	35%	23%	404
MO	51%	35%	14%	399
NC	36%	46%	18%	750
NH	60%	26%	14%	405
NJ	31%	45%	24%	426
NY	45%	39%	17%	578
OH	68%	16%	16%	444
OK	45%	26%	29%	393
PA	55%	31%	14%	682
SC	36%	47%	17%	400
SD	65%	24%	11%	294
TN	49%	32%	19%	442
TX	32%	30%	38%	1,860
UT	54%	30%	16%	413
VA	32%	42%	26%	1,029
VT	61%	27%	12%	320
<b>NCI Average</b>	<b>52%</b>	<b>31%</b>	<b>17%</b>	<b>25,115</b>

**Table B7 Who decides how you spend your free time (when you are not working, in school, or at the day program)?  
(unadjusted)**

State	Person decides	Person has help deciding	Someone else decides	N
AR	69%	22%	9%	381
CA	62%	26%	12%	8,341
CO	61%	31%	9%	409
CT	61%	26%	13%	410
DC	60%	28%	12%	330
DE	74%	14%	12%	379
FL	66%	28%	6%	1,401
GA	80%	18%	2%	444
HI	52%	33%	16%	399
IL	66%	26%	8%	342
IN	80%	13%	7%	727
KS	64%	32%	5%	348
KY	75%	21%	3%	408
LA	73%	24%	3%	408
ME	70%	27%	3%	389
MEORC	86%	11%	2%	381
MI	67%	27%	5%	401
MN	65%	25%	9%	403
MO	68%	22%	10%	395
NC	58%	32%	9%	751
NH	75%	17%	8%	408
NJ	37%	47%	17%	424
NY	57%	32%	12%	581
OH	79%	13%	8%	443
OK	77%	13%	10%	396
PA	73%	23%	4%	685
SC	90%	8%	2%	396
SD	81%	15%	5%	288
TN	77%	18%	5%	448
TX	64%	20%	16%	1,879
UT	70%	22%	8%	412
VA	57%	29%	14%	1,048
VT	70%	23%	7%	322
<b>NCI Average</b>	<b>69%</b>	<b>23%</b>	<b>8%</b>	<b>25,177</b>

**Table B8 Do you choose what you buy with your spending money? (unadjusted)**

State	Person chooses	Person has help, or has set limits	Someone else chooses	N
AR	49%	38%	12%	380
CA	41%	41%	19%	8,300
CO	41%	46%	13%	406
CT	53%	30%	17%	406
DC	60%	23%	17%	330
DE	55%	33%	12%	391
FL	39%	48%	14%	1,374
GA	69%	30%	1%	439
HI	47%	29%	24%	391
IL	54%	35%	11%	337
IN	64%	28%	9%	725
KS	45%	40%	15%	349
KY	67%	27%	5%	401
LA	57%	34%	10%	400
ME	63%	30%	6%	388
MEORC	67%	27%	6%	371
MI	48%	42%	10%	398
MN	52%	36%	12%	403
MO	51%	36%	13%	395
NC	40%	45%	15%	750
NH	64%	28%	8%	405
NJ	25%	45%	30%	420
NY	49%	33%	18%	573
OH	75%	17%	8%	450
OK	63%	23%	15%	395
PA	60%	31%	9%	677
SC	83%	13%	5%	383
SD	74%	19%	7%	296
TN	50%	33%	17%	446
TX	50%	28%	23%	1,847
UT	52%	33%	15%	409
VA	43%	38%	19%	1,033
VT	47%	42%	11%	325
<b>NCI Average</b>	<b>54%</b>	<b>33%</b>	<b>13%</b>	<b>24,993</b>

Table B9 Did you choose or pick your case manager/service coordinator?

State	Yes, chose case manager/service coordinator	Case manager/service coordinator was assigned but can be changed if requested by person	Someone else chooses	N
AR	5%	73%	21%	376
CA	2%	70%	28%	8,099
CO	8%	66%	26%	376
CT	7%	27%	66%	383
DC	4%	68%	28%	321
DE	10%	42%	48%	312
FL	48%	30%	22%	1,316
GA	8%	53%	39%	435
HI	11%	85%	4%	393
IL	5%	61%	34%	331
IN	40%	53%	8%	702
KS	19%	71%	10%	348
KY	4%	31%	65%	399
LA	5%	77%	17%	358
ME	11%	66%	23%	374
MEORC	11%	87%	2%	367
MI	10%	45%	45%	394
MN	5%	38%	57%	380
MO	2%	47%	51%	400
NC	7%	54%	39%	654
NH	8%	73%	19%	393
NJ	1%	27%	72%	417
NY	11%	56%	32%	554
OH	19%	44%	37%	388
OK	16%	42%	42%	383
PA	6%	38%	56%	624
SC	45%	47%	8%	368
SD	19%	41%	40%	271
TN	11%	83%	6%	427
TX	8%	42%	51%	1,822
UT	42%	33%	26%	371
VA	5%	46%	49%	982
VT	7%	74%	20%	304
<b>NCI Average</b>	<b>13%</b>	<b>54%</b>	<b>33%</b>	<b>24,022</b>

## Work Un-Collapsed

Table B10 Person has a paid job in the community

State	Yes	No	N
AR	10%	90%	353
CA	12%	88%	8,372
CO	30%	70%	413
CT	41%	59%	395
DC	11%	89%	212
DE	19%	81%	232
FL	9%	91%	1,406
GA	12%	88%	483
HI	5%	96%	400
IL	12%	88%	335
IN	20%	80%	736
KS	12%	88%	368
KY	9%	91%	410
LA	15%	85%	383
ME	24%	76%	378
MEORC	12%	88%	396
MI	14%	86%	356
MN	26%	74%	404
MO	8%	92%	401
NC	11%	89%	716
NH	34%	66%	410
NJ	6%	94%	422
NY	12%	88%	587
OH	14%	86%	457
OK	23%	77%	400
PA	15%	85%	608
SC	27%	73%	312
SD	33%	67%	290
TN	21%	79%	421
TX	9%	91%	1,888
UT	17%	83%	419
VA	10%	90%	946
VT	41%	59%	323
<b>NCI Average</b>	<b>17%</b>	<b>83%</b>	<b>24,632</b>



Table B11 Job industry

State	Food preparation and food service	Building and grounds cleaning or maintenance	Personal care provider	Retail job such as sales clerk or stock person	General office and administrative support	Farming, fishing, forestry worker	Construction or repair occupation	N
AR	15%	48%	0%	3%	15%	0%	3%	33
CA	15%	35%	1%	21%	4%	0%	0%	1025
CO	14%	32%	0%	23%	4%	1%	0%	111
CT	17%	40%	0%	14%	4%	0%	0%	138
DE	24%	26%	0%	8%	6%	0%	0%	50
FL	25%	19%	1%	22%	7%	0%	0%	128
GA	21%	41%	0%	15%	0%	2%	0%	61
IL	22%	27%	0%	16%	3%	3%	0%	37
IN	33%	15%	1%	25%	6%	0%	0%	150
KS	33%	22%	0%	15%	2%	0%	0%	46
KY	32%	16%	5%	16%	11%	0%	0%	37
LA	16%	40%	2%	7%	2%	0%	0%	43
ME	17%	29%	1%	24%	4%	0%	0%	83
MEORC	20%	30%	0%	11%	6%	2%	0%	54
MI	9%	31%	2%	20%	0%	0%	0%	45
MN	15%	37%	0%	8%	6%	0%	0%	106
MO	26%	40%	0%	6%	3%	0%	0%	35
NC	32%	21%	0%	17%	4%	0%	0%	76
NH	17%	29%	1%	26%	4%	0%	1%	137
NY	25%	32%	1%	21%	3%	0%	0%	72
OH	10%	31%	4%	10%	6%	0%	0%	68
OK	4%	33%	0%	17%	9%	1%	1%	95
PA	25%	25%	1%	20%	2%	0%	1%	84
SC	23%	20%	0%	10%	3%	0%	0%	70
SD	34%	31%	0%	13%	1%	0%	0%	83
TN	13%	34%	0%	10%	9%	3%	0%	80
TX	20%	21%	4%	23%	7%	0%	1%	164
UT	26%	39%	4%	8%	3%	0%	0%	77
VA	6%	36%	0%	8%	4%	1%	0%	85
VT	15%	25%	1%	22%	9%	2%	1%	129
DC	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>20%</b>	<b>30%</b>	<b>1%</b>	<b>15%</b>	<b>5%</b>	<b>0%</b>	<b>0%</b>	<b>3402</b>

Table B12 Job industry

State	Assembly, manufacturing, or packaging	Materials handling, mail distribution	Management, business, or financial operations	Professional or technical occupation	Self- employed	Other	N
AR	6%	3%	0%	0%	0%	6%	33
CA	6%	3%	0%	1%	1%	12%	1025
CO	17%	1%	0%	0%	0%	8%	111
CT	6%	4%	0%	0%	1%	14%	138
DE	16%	10%	0%	0%	0%	10%	50
FL	2%	2%	1%	1%	3%	18%	128
GA	2%	3%	0%	0%	0%	16%	61
IL	14%	0%	0%	0%	0%	16%	37
IN	10%	3%	0%	1%	1%	6%	150
KS	7%	2%	0%	0%	7%	13%	46
KY	11%	0%	0%	0%	3%	5%	37
LA	2%	2%	0%	0%	0%	28%	43
ME	8%	4%	0%	0%	1%	12%	83
MEORC	15%	0%	0%	0%	2%	15%	54
MI	11%	0%	0%	0%	2%	24%	45
MN	22%	2%	0%	0%	0%	11%	106
MO	3%	20%	0%	0%	0%	3%	35
NC	1%	3%	0%	0%	1%	21%	76
NH	5%	2%	0%	1%	1%	13%	137
NY	6%	1%	0%	0%	0%	11%	72
OH	19%	3%	0%	1%	3%	12%	68
OK	3%	3%	0%	0%	0%	28%	95
PA	5%	2%	0%	0%	0%	18%	84
SC	14%	0%	0%	0%	0%	30%	70
SD	7%	1%	0%	0%	1%	11%	83
TN	11%	1%	3%	1%	1%	15%	80
TX	14%	2%	1%	2%	0%	8%	164
UT	5%	1%	0%	1%	0%	13%	77
VA	8%	8%	0%	0%	1%	27%	85
VT	5%	6%	0%	1%	4%	11%	129
DC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>9%</b>	<b>3%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>15%</b>	<b>3402</b>

**Table B13 Did this person work 10 out of the last 12 months in a community job?**

State	Yes	No	N
AR	82%	18%	33
CA	84%	16%	1,007
CO	85%	15%	112
CT	86%	14%	129
DE	94%	6%	50
FL	81%	19%	126
GA	86%	14%	59
IL	84%	16%	37
IN	88%	12%	146
KS	84%	16%	43
KY	89%	11%	35
LA	71%	29%	48
ME	87%	13%	84
MEORC	67%	33%	54
MI	67%	33%	42
MN	77%	23%	101
MO	76%	24%	34
NC	79%	21%	73
NH	87%	13%	136
NJ	40%	60%	20
NY	87%	13%	68
OH	73%	27%	67
OK	87%	13%	95
PA	79%	21%	82
SC	80%	20%	74
SD	82%	18%	88
TN	78%	22%	83
TX	81%	19%	164
UT	86%	14%	73
VA	86%	14%	87
VT	87%	13%	129
DC	n/a	n/a	n/a
HI	n/a	n/a	n/a
<b>NCI Average</b>	<b>81%</b>	<b>19%</b>	<b>3,379</b>

**Table B 14** Does this person receive paid vacation and/or sick time at his/her job?

State	Yes	No	N
AR	27%	73%	30
CA	32%	68%	957
CO	31%	69%	109
CT	57%	43%	95
DE	38%	63%	32
FL	23%	77%	118
GA	26%	74%	54
HI	29%	71%	17
IL	40%	60%	35
IN	34%	66%	140
KS	37%	63%	41
KY	3%	97%	32
LA	18%	82%	39
ME	26%	74%	66
MEORC	33%	67%	43
MI	16%	84%	37
MN	39%	61%	98
MO	17%	83%	30
NC	13%	88%	64
NH	8%	92%	125
NJ	5%	95%	21
NY	44%	56%	57
OH	37%	63%	67
OK	20%	80%	91
PA	19%	81%	57
SC	3%	97%	60
SD	25%	75%	81
TN	2%	98%	58
TX	24%	76%	155
UT	4%	96%	71
VA	12%	88%	65
VT	9%	91%	111
DC	n/a	n/a	n/a
<b>NCI Average</b>	<b>23%</b>	<b>77%</b>	<b>3,056</b>

**Table B 15 [If no paid community job] Would you like to have a job in the community?**

State	Yes	In-between	No	N
AR	60%	4%	35%	136
CA	44%	11%	45%	3,431
CO	43%	7%	50%	174
CT	48%	8%	44%	89
DC	74%	4%	22%	113
DE	71%	5%	24%	107
FL	41%	13%	46%	696
GA	50%	9%	42%	207
HI	24%	5%	71%	253
IL	50%	7%	42%	137
IN	39%	4%	57%	417
KS	31%	12%	58%	196
KY	28%	1%	71%	217
LA	41%	7%	53%	150
ME	65%	5%	29%	164
MEORC	44%	8%	48%	225
MI	45%	6%	49%	183
MN	59%	9%	33%	140
MO	51%	5%	43%	173
NC	60%	5%	35%	278
NH	56%	3%	41%	129
NJ	56%	15%	30%	158
NY	41%	9%	50%	285
OH	58%	7%	36%	228
OK	74%	3%	23%	155
PA	31%	4%	65%	275
SC	35%	4%	61%	69
SD	63%	7%	30%	92
TN	36%	4%	59%	217
TX	47%	6%	47%	717
UT	55%	8%	37%	146
VA	47%	6%	47%	253
VT	49%	11%	40%	134
<b>NCI Average</b>	<b>49%</b>	<b>7%</b>	<b>44%</b>	<b>10,344</b>

**Table B 16 Is community employment a goal in this person's service plan?**

State	Yes	No	N
AR	20%	80%	369
CA	27%	73%	7,723
CO	31%	69%	407
CT	33%	67%	415
DC	78%	22%	193
DE	39%	61%	227
FL	19%	81%	1,371
GA	16%	84%	475
HI	16%	84%	399
IL	17%	83%	348
IN	29%	71%	710
KS	26%	74%	357
KY	15%	85%	389
LA	25%	75%	397
ME	31%	69%	385
MEORC	24%	76%	364
MI	22%	78%	388
MN	46%	54%	367
MO	23%	77%	394
NC	17%	83%	731
NH	41%	59%	407
NJ	2%	98%	418
NY	29%	71%	564
OH	32%	68%	457
OK	60%	40%	398
PA	24%	76%	633
SC	21%	79%	369
SD	30%	70%	330
TN	30%	70%	443
TX	18%	82%	1,841
UT	29%	71%	421
VA	18%	82%	896
VT	48%	52%	324
<b>NCI Average</b>	<b>28%</b>	<b>72%</b>	<b>23,910</b>

**Table B 17 Do you go to a day program or do some other regularly scheduled activity during the day?**

State	Yes	No	N
AR	66%	34%	238
CA	64%	36%	4,860
CO	77%	23%	325
CT	57%	43%	293
DC	85%	15%	264
DE	83%	17%	346
FL	52%	48%	887
GA	78%	22%	276
HI	94%	6%	282
IL	83%	17%	270
IN	54%	46%	605
KS	75%	25%	262
KY	87%	13%	266
LA	60%	40%	282
ME	81%	19%	304
MEORC	84%	16%	325
MI	68%	32%	313
MN	54%	46%	267
MO	44%	56%	247
NC	70%	30%	460
NH	80%	20%	285
NJ	95%	5%	196
NY	74%	26%	372
OH	71%	29%	392
OK	49%	51%	267
PA	62%	38%	483
SC	87%	13%	302
SD	71%	29%	280
TN	53%	47%	343
TX	70%	30%	1,031
UT	61%	39%	282
VA	65%	35%	478
VT	85%	15%	260
<b>NCI Average</b>	<b>71%</b>	<b>29%</b>	<b>16,343</b>

**Table B 18 Do you do any volunteer work?**

State	Yes	No	N
AR	41%	59%	238
CA	29%	71%	4,669
CO	34%	66%	321
CT	34%	66%	280
DC	49%	51%	253
DE	35%	65%	333
FL	23%	77%	871
GA	31%	69%	279
HI	39%	61%	277
IL	31%	69%	251
IN	32%	68%	603
KS	25%	75%	263
KY	18%	82%	264
LA	25%	75%	268
ME	42%	58%	296
MEORC	23%	77%	311
MI	36%	64%	307
MN	26%	74%	260
MO	24%	76%	239
NC	40%	60%	440
NH	52%	48%	283
NJ	44%	56%	194
NY	40%	60%	368
OH	40%	60%	386
OK	34%	66%	260
PA	28%	72%	462
SC	41%	59%	297
SD	36%	64%	285
TN	27%	73%	342
TX	24%	76%	990
UT	38%	62%	260
VA	39%	61%	457
VT	33%	67%	257
<b>NCI Average</b>	<b>34%</b>	<b>66%</b>	<b>15,864</b>



## Self-Determination Un-Collapsed

**Table B 19 Is this person currently using a self-directed supports option?**

State	Yes	No	Don't Know	N
AR	11%	87%	2%	386
CO	0%	100%	0%	413
CT	14%	86%	0%	432
DC	0%	100%	0%	325
DE	0%	100%	0%	254
FL	23%	77%	0%	1,399
GA	2%	98%	0%	478
HI	18%	82%	0%	400
IL	26%	68%	5%	346
IN	0%	99%	1%	733
KS	15%	82%	3%	370
KY	15%	85%	1%	412
LA	3%	96%	1%	414
ME	6%	81%	13%	393
MEORC	1%	97%	2%	391
MI	15%	83%	3%	393
MN	8%	89%	2%	408
MO	6%	93%	0%	404
NC	1%	97%	1%	753
NH	20%	80%	0%	408
NJ	3%	96%	0%	423
NY	3%	95%	2%	585
OH	4%	96%	0%	457
OK	0%	100%	0%	400
PA	10%	86%	4%	670
SC	3%	90%	7%	398
SD	13%	86%	1%	299
TN	5%	90%	4%	449
TX	17%	77%	7%	1,917
UT	26%	73%	1%	422
VA	10%	71%	19%	1,049
VT	21%	79%	0%	327
CA	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>9%</b>	<b>88%</b>	<b>2%</b>	<b>16,908</b>

**Table B 20 Does someone talk with you about your budget and the services you can get?**

State	Yes	Maybe, not sure	No	N
CT	68%	16%	16%	31
FL	90%	7%	3%	122
HI	87%	2%	11%	54
IL	66%	6%	28%	47
KS	72%	12%	16%	25
MI	86%	3%	11%	35
NH	64%	6%	31%	36
SD	89%	4%	7%	28
TX	84%	3%	13%	164
UT	87%	7%	7%	46
VT	55%	15%	30%	33
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
DE	n/a	n/a	n/a	n/a
FL	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a
ME	n/a	n/a	n/a	n/a
MEORC	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SC	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VA	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>77%</b>	<b>7%</b>	<b>16%</b>	<b>621</b>

**Table B 21 Is there someone who helps you decide how to use your budget/services?**

State	Yes	Maybe, not sure	No	N
CT	84%	8%	8%	25
FL	96%	3%	2%	119
HI	98%	2%	0%	49
IL	100%	0%	0%	35
KS	86%	5%	9%	22
MI	91%	3%	6%	32
NH	85%	8%	8%	26
SD	85%	11%	4%	27
TX	86%	3%	10%	145
UT	93%	5%	2%	41
VT	70%	26%	4%	23
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
DE	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a
ME	n/a	n/a	n/a	n/a
MEORC	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SC	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VA	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>88%</b>	<b>7%</b>	<b>5%</b>	<b>544</b>

**Table B 22 Can you make changes to your budget/services if you need to?**

State	Yes	Maybe, not sure	No	N
CT	83%	13%	4%	23
FL	91%	7%	2%	112
HI	96%	2%	2%	48
IL	87%	10%	3%	31
MI	74%	26%	0%	31
NH	74%	19%	7%	27
SD	92%	8%	0%	25
TX	88%	8%	4%	142
UT	88%	5%	7%	41
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
DE	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KS	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a
ME	n/a	n/a	n/a	n/a
MEORC	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SC	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VA	n/a	n/a	n/a	n/a
VT	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>86%</b>	<b>11%</b>	<b>3%</b>	<b>480</b>

**Table B 23 Do you want more help deciding how to use your budget/services, or do you have enough help?**

State	Want more help	Maybe, not sure	Have enough help	N
CT	17%	17%	67%	24
FL	26%	8%	67%	117
HI	18%	2%	80%	49
IL	25%	9%	66%	32
KS	5%	5%	90%	20
MI	16%	9%	75%	32
NH	15%	12%	73%	26
SD	38%	8%	54%	26
TX	24%	6%	70%	140
UT	24%	10%	66%	41
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
DE	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a
ME	n/a	n/a	n/a	n/a
MEORC	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SC	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VA	n/a	n/a	n/a	n/a
VT	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>21%</b>	<b>8%</b>	<b>71%</b>	<b>507</b>

**Table B 24 Do you get information about how much money is left in your budget/services?**

State	Yes	Maybe, not sure	No	N
CT	71%	21%	8%	24
FL	84%	14%	2%	114
HI	96%	2%	2%	46
IL	83%	10%	7%	30
MI	74%	16%	10%	31
NH	83%	8%	8%	24
SD	73%	19%	8%	26
TX	77%	6%	16%	140
UT	75%	15%	10%	40
VA	65%	20%	15%	20
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
DE	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KS	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a
ME	n/a	n/a	n/a	n/a
MEORC	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SC	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VT	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>78%</b>	<b>13%</b>	<b>9%</b>	<b>495</b>

**Table B 25 If you get information about how much money is left in your budget/services, is the information easy to understand?**

State	Yes	Maybe, not sure	No	N
CT	64%	23%	14%	22
FL	74%	20%	6%	103
HI	96%	4%	0%	45
IL	78%	15%	7%	27
MI	69%	23%	8%	26
NH	76%	19%	5%	21
SD	90%	0%	10%	21
TX	74%	17%	9%	111
UT	74%	21%	6%	34
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
DE	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KS	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a
ME	n/a	n/a	n/a	n/a
MEORC	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SC	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VA	n/a	n/a	n/a	n/a
VT	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>77%</b>	<b>16%</b>	<b>7%</b>	<b>410</b>

## Community Inclusion Un-Collapsed and Unadjusted

**Table B 26 In the past month, did you go shopping?**

State	Yes	No	N
AR	85%	15%	385
CA	87%	13%	8,363
CO	82%	18%	411
CT	90%	10%	420
DC	89%	11%	332
DE	83%	17%	404
FL	89%	11%	1,407
GA	95%	5%	443
HI	91%	9%	399
IL	90%	10%	349
IN	90%	10%	734
KS	90%	10%	348
KY	87%	13%	406
LA	84%	16%	409
ME	96%	4%	395
MEORC	87%	13%	368
MI	87%	13%	403
MN	91%	9%	404
MO	89%	11%	403
NC	88%	12%	749
NH	93%	7%	408
NJ	80%	20%	408
NY	89%	11%	581
OH	88%	12%	452
OK	90%	10%	400
PA	88%	12%	684
SC	77%	23%	368
SD	94%	6%	299
TN	90%	10%	447
TX	78%	22%	1,879
UT	87%	13%	419
VA	83%	17%	1,051
VT	94%	6%	326
<b>NCI Average</b>	<b>88%</b>	<b>12%</b>	<b>25,254</b>



**Table B 27 In the past month, how many times did you go shopping? (unadjusted) (Only respondents who went shopping in the past month.)<sup>35</sup>**

State	Average times	N
AR	6	328
CA	5	7,290
CO	5	319
CT	4	352
DC	4	289
DE	5	258
FL	5	1,243
GA	4	402
HI	5	362
IL	4	310
IN	5	656
KS	5	308
KY	3	352
LA	4	344
ME	7	377
MEORC	4	311
MI	5	349
MN	5	365
MO	5	348
NC	6	636
NH	7	373
NJ	3	265
NY	4	518
OH	4	352
OK	5	359
PA	5	570
SC	3	285
SD	4	275
TN	5	402
TX	4	1,449
UT	5	363
VA	5	843
VT	6	303
<b>NCI Average</b>	<b>5</b>	<b>21,556</b>

<sup>35</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone shopping in the past month.

**Table B 28 In the past month, did you go out on errands or appointments?**

State	Yes	No	N
AR	88%	12%	382
CA	76%	24%	8,323
CO	77%	23%	411
CT	88%	12%	420
DC	89%	11%	331
DE	88%	12%	392
FL	84%	16%	1,395
GA	76%	24%	418
HI	77%	23%	393
IL	88%	12%	344
IN	78%	22%	732
KS	81%	19%	336
KY	89%	11%	405
LA	81%	19%	408
ME	91%	9%	392
MEORC	78%	22%	362
MI	90%	10%	404
MN	89%	11%	403
MO	80%	20%	401
NC	86%	14%	747
NH	92%	8%	404
NJ	86%	14%	411
NY	88%	12%	580
OH	78%	22%	445
OK	89%	11%	398
PA	89%	11%	674
SC	60%	40%	356
SD	83%	17%	289
TN	88%	12%	445
TX	74%	26%	1,872
UT	80%	20%	416
VA	80%	20%	1,045
VT	91%	9%	324
<b>NCI Average</b>	<b>83%</b>	<b>17%</b>	<b>25,058</b>

**Table B 29 In the past month, how many times did you go out on errands? (Only includes respondents who went on errands in the past month) (unadjusted)<sup>36</sup>**

State	Average times	N
AR	4	338
CA	3	6,304
CO	3	299
CT	4	346
DC	2	282
DE	5	245
FL	4	1,165
GA	3	304
HI	2	300
IL	3	292
IN	4	565
KS	4	268
KY	2	357
LA	3	330
ME	5	349
MEORC	3	274
MI	4	357
MN	4	353
MO	4	309
NC	4	630
NH	8	367
NJ	2	280
NY	3	511
OH	3	280
OK	5	356
PA	4	573
SC	2	213
SD	3	233
TN	3	390
TX	3	1,353
UT	3	323
VA	3	803
VT	6	294
<b>NCI Average</b>	<b>4</b>	<b>19,643</b>

<sup>36</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone on errands in the past month

**Table B 30 In the past month, did you go out for entertainment?**

State	Yes	No	N
AR	74%	26%	380
CA	68%	32%	8,324
CO	81%	19%	408
CT	77%	23%	419
DC	88%	12%	330
DE	55%	45%	395
FL	71%	29%	1,401
GA	70%	30%	429
HI	66%	34%	395
IL	76%	24%	348
IN	60%	40%	734
KS	73%	27%	343
KY	79%	21%	409
LA	72%	28%	408
ME	63%	37%	391
MEORC	56%	44%	356
MI	69%	31%	403
MN	68%	32%	401
MO	65%	35%	404
NC	71%	29%	749
NH	72%	28%	404
NJ	77%	23%	402
NY	62%	38%	575
OH	64%	36%	447
OK	72%	28%	397
PA	68%	32%	678
SC	60%	40%	378
SD	67%	33%	294
TN	74%	26%	448
TX	73%	27%	1,877
UT	75%	25%	416
VA	70%	30%	1,049
VT	50%	50%	325
<b>NCI Average</b>	<b>69%</b>	<b>31%</b>	<b>25,117</b>

**Table B 31 In the past month, how many times did you go out for entertainment? (Only includes respondents who have gone out for entertainment in the past month) (unadjusted)<sup>37</sup>**

State	Average times	N
AR	4	279
CA	3	5,673
CO	7	300
CT	4	307
DC	5	284
DE	3	162
FL	4	992
GA	3	282
HI	3	258
IL	3	256
IN	4	441
KS	4	245
KY	4	320
LA	3	289
ME	3	237
MEORC	3	192
MI	3	274
MN	4	271
MO	3	256
NC	4	520
NH	4	289
NJ	4	250
NY	4	357
OH	3	227
OK	4	284
PA	3	435
SC	3	227
SD	3	182
TN	5	332
TX	3	1,352
UT	5	308
VA	3	707
VT	3	164
<b>NCI Average</b>	<b>4</b>	<b>16,952</b>

<sup>37</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone out for entertainment in the past month

**Table B 32 In the past month, did you go out to a restaurant or coffee shop?**

State	Yes	No	N
AR	83%	17%	383
CA	82%	18%	8,332
CO	89%	11%	410
CT	86%	14%	419
DC	87%	13%	327
DE	75%	25%	394
FL	82%	18%	1,402
GA	93%	7%	436
HI	88%	12%	398
IL	89%	11%	349
IN	86%	14%	735
KS	83%	17%	344
KY	92%	8%	405
LA	81%	19%	409
ME	87%	13%	392
MEORC	85%	15%	373
MI	85%	15%	403
MN	82%	18%	399
MO	84%	16%	402
NC	89%	11%	754
NH	91%	9%	407
NJ	80%	20%	409
NY	72%	28%	575
OH	85%	15%	445
OK	83%	17%	397
PA	82%	18%	679
SC	75%	25%	373
SD	84%	16%	299
TN	93%	7%	448
TX	75%	25%	1,876
UT	82%	18%	415
VA	78%	22%	1,047
VT	84%	16%	324
<b>NCI Average</b>	<b>84%</b>	<b>16%</b>	<b>25,160</b>

**Table B 33 In the past month, how many times did you go out to eat? (Only includes respondents who have gone out to eat in the past month) (unadjusted)<sup>38</sup>**

State	Average times	N
AR	5	318
CA	5	6,795
CO	5	350
CT	5	339
DC	4	280
DE	4	215
FL	5	1,145
GA	4	386
HI	5	346
IL	3	306
IN	6	630
KS	5	283
KY	3	368
LA	5	330
ME	6	337
MEORC	4	306
MI	4	339
MN	4	324
MO	4	336
NC	6	652
NH	8	366
NJ	3	254
NY	4	414
OH	4	322
OK	5	331
PA	4	533
SC	3	278
SD	4	242
TN	5	411
TX	4	1,385
UT	4	337
VA	5	795
VT	6	270
<b>NCI Average</b>	<b>5</b>	<b>20,323</b>

<sup>38</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone out to eat in the past month

**Table B 34 In the past month, did you go out to a religious service or spiritual practice?**

State	Yes	No	N
AR	57%	43%	380
CA	36%	64%	8,310
CO	44%	56%	405
CT	33%	67%	412
DC	70%	30%	310
DE	49%	51%	385
FL	47%	53%	1,404
GA	60%	40%	412
HI	45%	55%	393
IL	50%	50%	348
IN	49%	51%	731
KS	42%	58%	344
KY	27%	73%	401
LA	58%	42%	406
ME	31%	69%	388
MEORC	45%	55%	375
MI	42%	58%	395
MN	42%	58%	400
MO	43%	57%	402
NC	62%	38%	739
NH	34%	66%	399
NJ	40%	60%	383
NY	30%	70%	574
OH	45%	55%	443
OK	42%	58%	399
PA	45%	55%	675
SC	52%	48%	350
SD	44%	56%	296
TN	59%	41%	444
TX	51%	49%	1,831
UT	48%	52%	409
VA	48%	52%	1,040
VT	24%	76%	325
<b>NCI Average</b>	<b>45%</b>	<b>55%</b>	<b>24,908</b>



**Table B 35 In the past month, how many times did you go out to religious services? (Only includes respondents who have gone to a religious service in the past month) (unadjusted)<sup>39</sup>**

State	Average times	N
AR	4	215
CA	4	2,957
CO	4	176
CT	3	128
DC	4	210
DE	4	154
FL	4	653
GA	4	236
HI	4	175
IL	4	167
IN	4	359
KS	4	143
KY	3	106
LA	4	233
ME	4	113
MEORC	3	169
MI	4	166
MN	4	167
MO	4	168
NC	4	447
NH	4	132
NJ	3	130
NY	4	173
OH	4	181
OK	4	167
PA	4	294
SC	3	181
SD	4	123
TN	4	258
TX	4	919
UT	4	196
VA	3	483
VT	4	76
<b>NCI Average</b>	<b>4</b>	<b>10,455</b>

<sup>39</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone to a religious service in the past month

**Table B 36 In the past month, did you go out for exercise?**

State	Yes	No	N
AR	69%	31%	383
CA	34%	66%	8,325
CO	63%	37%	410
CT	64%	36%	406
DC	83%	17%	329
DE	51%	49%	400
FL	48%	52%	1,383
GA	45%	55%	439
HI	82%	18%	396
IL	72%	28%	349
IN	41%	59%	726
KS	54%	46%	348
KY	22%	78%	406
LA	55%	45%	406
ME	67%	33%	391
MEORC	25%	75%	363
MI	50%	50%	401
MN	50%	50%	400
MO	57%	43%	395
NC	62%	38%	751
NH	81%	19%	406
NJ	29%	71%	406
NY	45%	55%	579
OH	66%	34%	447
OK	47%	53%	397
PA	61%	39%	672
SC	67%	33%	392
SD	55%	45%	293
TN	47%	53%	443
TX	44%	56%	1,884
UT	69%	31%	414
VA	48%	52%	1,049
VT	59%	41%	323
<b>NCI Average</b>	<b>55%</b>	<b>45%</b>	<b>25,112</b>

**Table B 37 In the past month, how many times did you go out for exercise? (unadjusted) (Only includes respondents who have gone out for exercise in the past month)<sup>40</sup>**

State	Average times	N
AR	12	262
CA	12	2,847
CO	14	255
CT	10	240
DC	12	261
DE	7	139
FL	12	654
GA	7	188
HI	13	324
IL	9	244
IN	8	296
KS	13	186
KY	5	86
LA	11	220
ME	10	254
MEORC	10	89
MI	8	197
MN	8	198
MO	10	221
NC	11	451
NH	14	327
NJ	7	99
NY	12	262
OH	10	239
OK	9	188
PA	13	401
SC	14	263
SD	10	140
TN	12	208
TX	11	801
UT	15	283
VA	8	464
VT	11	192
<b>NCI Average</b>	<b>11</b>	<b>11,479</b>

<sup>40</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone out for exercise in the past month

**Table B 38 In the past year, did you go away on a vacation?**

State	Yes	No	N
AR	50%	50%	366
CA	40%	60%	8,302
CO	51%	49%	408
CT	50%	50%	417
DC	74%	26%	316
DE	48%	52%	382
FL	47%	53%	1,393
GA	39%	61%	412
HI	22%	78%	393
IL	45%	55%	336
IN	44%	56%	732
KS	44%	56%	336
KY	30%	70%	400
LA	33%	67%	406
ME	59%	41%	384
MEORC	50%	50%	371
MI	40%	60%	399
MN	50%	50%	401
MO	31%	69%	401
NC	52%	48%	744
NH	63%	37%	406
NJ	47%	53%	397
NY	43%	57%	561
OH	44%	56%	445
OK	38%	62%	394
PA	46%	54%	670
SC	43%	57%	369
SD	48%	52%	290
TN	30%	70%	439
TX	37%	63%	1,847
UT	56%	44%	408
VA	45%	55%	1,031
VT	57%	43%	324
<b>NCI Average</b>	<b>45%</b>	<b>55%</b>	<b>24,880</b>

**Table B 39 In the past year, how many times did you go on vacation? (unadjusted) (Only includes respondents who have gone on vacation in the past year.)<sup>41</sup>**

State	Average times	N
AR	2	181
CA	2	3,300
CO	2	209
CT	2	196
DC	1	225
DE	2	139
FL	2	648
GA	1	152
HI	2	86
IL	2	147
IN	2	318
KS	2	147
KY	1	117
LA	1	132
ME	2	223
MEORC	1	184
MI	2	153
MN	2	197
MO	2	123
NC	2	378
NH	5	251
NJ	1	170
NY	1	238
OH	1	182
OK	2	149
PA	2	291
SC	2	158
SD	2	134
TN	2	128
TX	2	674
UT	2	228
VA	2	439
VT	2	185
<b>NCI Average</b>	<b>2</b>	<b>10,482</b>

<sup>41</sup> This analysis differs from the table in the body of the report, which includes people who did not indicate that they had gone on vacation in the past year.

## Relationships Un-Collapsed

Table B 40 Do you have friends you like to talk to or do things with?

State	Yes, has friends who are not staff or family	Yes, all friends are staff or family, or cannot determine	No, does not have friends	N
AR	78%	14%	8%	238
CA	71%	19%	11%	4,824
CO	69%	13%	17%	322
CT	70%	22%	8%	291
DC	72%	17%	11%	265
DE	72%	17%	11%	341
FL	76%	15%	9%	864
GA	85%	10%	5%	273
HI	81%	15%	5%	279
IL	76%	13%	11%	269
IN	81%	7%	11%	604
KS	77%	17%	6%	261
KY	58%	41%	0%	265
LA	81%	10%	9%	280
ME	86%	8%	6%	302
MEORC	79%	15%	5%	319
MI	66%	28%	6%	313
MN	85%	8%	7%	267
MO	76%	16%	8%	240
NC	75%	16%	9%	456
NH	80%	15%	6%	283
NJ	78%	15%	7%	189
NY	65%	21%	14%	383
OH	78%	13%	10%	390
OK	75%	17%	8%	268
PA	77%	12%	12%	474
SC	87%	6%	7%	298
SD	74%	19%	7%	288
TN	86%	8%	5%	344
TX	69%	18%	13%	1,035
UT	71%	18%	11%	285
VA	80%	15%	5%	476
VT	76%	11%	13%	263
<b>NCI Average</b>	<b>76%</b>	<b>15%</b>	<b>8%</b>	<b>16,249</b>

**Table B 41 Do you have a best friend, or someone you are really close to?**

State	Yes	No	N
AR	92%	8%	233
CA	74%	26%	4,666
CO	67%	33%	321
CT	81%	19%	289
DC	70%	30%	263
DE	79%	21%	336
FL	80%	20%	848
GA	79%	21%	271
HI	90%	10%	278
IL	79%	21%	260
IN	79%	21%	597
KS	80%	20%	253
KY	55%	45%	264
LA	83%	17%	269
ME	82%	18%	288
MEORC	83%	17%	310
MI	75%	25%	288
MN	83%	17%	251
MO	80%	20%	232
NC	82%	18%	437
NH	83%	18%	280
NJ	81%	19%	179
NY	65%	35%	366
OH	83%	17%	377
OK	81%	19%	260
PA	76%	24%	468
SC	84%	16%	294
SD	85%	15%	282
TN	83%	17%	340
TX	76%	24%	1,010
UT	82%	18%	279
VA	79%	21%	458
VT	69%	31%	247
<b>NCI Average</b>	<b>79%</b>	<b>21%</b>	<b>15,794</b>

**Table B 42 Can you see your friends when you want to see them?**

State	Yes, can see friends whenever s/he wants to	Sometimes can't see friends (e.g., not enough staff or transportation)	No, often unable to see friends	N
AR	83%	12%	5%	229
CA	81%	15%	5%	4,226
CO	77%	21%	2%	264
CT	76%	18%	6%	266
DC	86%	11%	4%	221
DE	78%	14%	8%	307
FL	75%	20%	5%	781
GA	73%	21%	7%	259
HI	91%	5%	4%	257
IL	85%	10%	5%	236
IN	79%	16%	5%	535
KS	85%	12%	3%	249
KY	60%	40%	1%	265
LA	83%	14%	2%	248
ME	72%	23%	5%	274
MEORC	82%	12%	6%	305
MI	79%	19%	3%	277
MN	82%	15%	4%	248
MO	79%	17%	4%	221
NC	72%	21%	6%	405
NH	81%	17%	2%	267
NJ	76%	17%	7%	173
NY	80%	15%	5%	320
OH	86%	10%	4%	353
OK	80%	13%	8%	248
PA	86%	11%	3%	416
SC	80%	16%	4%	288
SD	82%	14%	4%	264
TN	88%	11%	2%	332
TX	74%	20%	6%	897
UT	77%	18%	5%	262
VA	84%	12%	5%	443
VT	52%	38%	10%	223
<b>NCI Average</b>	<b>79%</b>	<b>17%</b>	<b>5%</b>	<b>14,559</b>



**Table B 43 Can you see your family when you want to see them?**

State	Yes, sees family whenever s/he wants to, or chooses not to see family	Sometimes	No	N
AR	80%	13%	7%	227
CA	82%	13%	5%	4,495
CO	80%	17%	3%	279
CT	76%	17%	7%	273
DC	83%	9%	8%	233
DE	81%	11%	8%	304
FL	77%	18%	5%	797
GA	78%	15%	6%	248
HI	91%	5%	4%	265
IL	79%	13%	8%	249
IN	84%	12%	4%	573
KS	84%	13%	2%	238
KY	73%	25%	2%	235
LA	80%	15%	5%	271
ME	76%	20%	4%	274
MEORC	81%	15%	4%	295
MI	78%	19%	3%	275
MN	83%	13%	4%	242
MO	74%	22%	4%	215
NC	77%	18%	5%	428
NH	83%	13%	4%	252
NJ	69%	26%	4%	159
NY	81%	17%	2%	340
OH	85%	10%	5%	350
OK	74%	16%	10%	224
PA	87%	11%	2%	404
SC	92%	4%	3%	291
SD	79%	17%	5%	270
TN	86%	10%	3%	317
TX	79%	13%	7%	959
UT	77%	18%	5%	264
VA	84%	12%	4%	419
VT	60%	28%	12%	218
<b>NCI Average</b>	<b>80%</b>	<b>15%</b>	<b>5%</b>	<b>14,883</b>

**Table B 44 Do you ever talk with your neighbors?**

State	Yes, often (weekly or more)	Yes, but not often	No, or very rarely	N
AR	45%	31%	24%	242
CA	24%	35%	41%	4,769
CO	36%	28%	36%	314
CT	35%	21%	44%	292
DC	35%	28%	36%	262
DE	28%	30%	43%	337
FL	35%	34%	32%	868
GA	37%	34%	29%	271
HI	25%	32%	44%	278
IL	35%	31%	34%	265
IN	39%	29%	32%	607
KS	38%	30%	32%	265
KY	38%	53%	9%	265
LA	38%	36%	26%	282
ME	36%	27%	37%	299
MEORC	41%	25%	33%	320
MI	32%	31%	36%	308
MN	29%	31%	40%	264
MO	31%	29%	40%	241
NC	39%	27%	34%	446
NH	42%	22%	36%	284
NJ	11%	35%	55%	194
NY	25%	37%	38%	381
OH	39%	29%	32%	390
OK	23%	29%	47%	266
PA	41%	27%	32%	463
SC	62%	18%	20%	301
SD	39%	25%	36%	285
TN	28%	33%	39%	346
TX	30%	28%	42%	1,017
UT	37%	29%	34%	282
VA	34%	24%	42%	464
VT	27%	31%	42%	262
<b>NCI Average</b>	<b>34%</b>	<b>30%</b>	<b>36%</b>	<b>16,130</b>

**Table B 45 Can you go on a date if you want to?**

State	Yes, can date, or is married or living with partner	Yes, but there are some restrictions or rules about dating	No	N
AR	60%	24%	16%	213
CA	72%	12%	16%	3,488
CO	85%	10%	6%	269
CT	50%	25%	24%	220
DC	64%	14%	22%	220
DE	64%	19%	17%	285
FL	76%	11%	13%	652
GA	82%	10%	8%	231
HI	40%	16%	44%	87
IL	59%	16%	24%	219
IN	75%	9%	16%	461
KS	71%	21%	7%	217
KY	53%	42%	5%	183
LA	67%	16%	17%	225
ME	69%	19%	12%	230
MEORC	89%	4%	6%	232
MI	69%	17%	14%	236
MN	62%	18%	20%	211
MO	67%	19%	14%	178
NC	56%	24%	21%	374
NH	84%	9%	7%	238
NJ	77%	17%	5%	128
NY	62%	19%	19%	277
OH	76%	8%	16%	358
OK	81%	9%	11%	238
PA	71%	16%	14%	353
SC	79%	7%	14%	256
SD	79%	13%	8%	243
TN	69%	18%	13%	217
TX	55%	23%	22%	801
UT	81%	7%	12%	238
VA	67%	17%	16%	367
VT	82%	14%	5%	184
<b>NCI Average</b>	<b>69%</b>	<b>16%</b>	<b>15%</b>	<b>12,329</b>

**Table B 46 Do you ever feel lonely?**

State	Yes – often feels lonely (more than half the time)	Sometimes (about half the time)	No – not often (less than half the time)	N
AR	12%	32%	56%	233
CA	9%	26%	65%	4,636
CO	11%	32%	57%	312
CT	10%	18%	72%	283
DC	8%	21%	70%	256
DE	17%	23%	61%	326
FL	10%	27%	63%	842
GA	5%	41%	54%	271
HI	5%	25%	71%	278
IL	13%	24%	63%	261
IN	12%	23%	65%	586
KS	11%	31%	58%	260
KY	3%	27%	70%	265
LA	11%	31%	59%	274
ME	13%	37%	50%	298
MEORC	11%	27%	63%	312
MI	8%	33%	58%	285
MN	10%	27%	63%	260
MO	11%	35%	54%	239
NC	15%	28%	56%	434
NH	10%	30%	60%	280
NJ	9%	32%	59%	191
NY	10%	33%	58%	375
OH	11%	31%	58%	378
OK	16%	30%	53%	264
PA	7%	25%	68%	460
SC	4%	36%	60%	292
SD	9%	26%	65%	282
TN	8%	19%	73%	339
TX	15%	23%	62%	1,003
UT	19%	30%	51%	280
VA	9%	24%	67%	455
VT	12%	37%	51%	255
<b>NCI Average</b>	<b>10%</b>	<b>29%</b>	<b>61%</b>	<b>15,765</b>

**Table B 47 Can you help other people if you want to?**

State	Yes	Sometimes	No	N
AR	93%	5%	2%	238
CA	86%	8%	6%	4,665
CO	90%	8%	2%	314
CT	87%	7%	6%	283
DC	85%	6%	9%	264
DE	92%	2%	6%	328
FL	89%	7%	4%	857
GA	91%	7%	1%	274
HI	75%	7%	17%	273
IL	81%	10%	9%	261
IN	92%	5%	3%	603
KS	91%	6%	3%	252
KY	36%	56%	7%	266
LA	85%	9%	5%	276
ME	88%	9%	4%	300
MEORC	88%	6%	6%	326
MI	87%	6%	7%	299
MN	90%	5%	5%	258
MO	88%	8%	5%	239
NC	85%	9%	5%	445
NH	96%	3%	0%	281
NJ	92%	5%	3%	186
NY	78%	14%	7%	366
OH	95%	2%	4%	390
OK	94%	2%	4%	266
PA	90%	7%	3%	468
SC	92%	3%	5%	293
SD	89%	7%	5%	283
TN	84%	11%	5%	345
TX	82%	8%	10%	998
UT	93%	4%	4%	283
VA	91%	4%	5%	467
VT	78%	14%	8%	250
<b>NCI Average</b>	<b>87%</b>	<b>8%</b>	<b>5%</b>	<b>15,897</b>

## Satisfaction Un-Collapsed

**Table B 48 Do you like your home or where you live?**

State	Yes	In-between	No	N
AR	90%	3%	7%	244
CA	90%	6%	3%	4,875
CO	94%	3%	2%	322
CT	92%	5%	4%	296
DC	87%	5%	8%	265
DE	88%	7%	5%	344
FL	89%	7%	4%	892
GA	94%	4%	2%	278
HI	96%	2%	2%	283
IL	89%	4%	6%	272
IN	94%	3%	3%	615
KS	89%	6%	5%	265
KY	94%	4%	3%	265
LA	89%	3%	7%	286
ME	88%	6%	7%	305
MEORC	93%	3%	4%	327
MI	89%	6%	5%	310
MN	89%	5%	6%	266
MO	89%	7%	4%	246
NC	91%	5%	4%	459
NH	89%	8%	3%	285
NJ	87%	6%	7%	194
NY	91%	6%	3%	394
OH	89%	5%	6%	395
OK	91%	4%	4%	269
PA	91%	4%	5%	480
SC	92%	3%	5%	301
SD	84%	9%	6%	290
TN	94%	3%	3%	345
TX	88%	5%	6%	1,047
UT	88%	6%	5%	278
VA	90%	6%	4%	485
VT	85%	9%	6%	268
<b>NCI Average</b>	<b>90%</b>	<b>5%</b>	<b>5%</b>	<b>16,446</b>

**Table B 49 Would you like to live somewhere else?**

State	Yes	In-between	No	N
AR	39%	7%	54%	240
CA	23%	10%	67%	4,776
CO	25%	6%	70%	319
CT	30%	6%	64%	286
DC	30%	3%	66%	260
DE	34%	5%	61%	329
FL	22%	9%	69%	871
GA	16%	7%	78%	276
HI	22%	4%	75%	278
IL	27%	7%	66%	256
IN	26%	7%	67%	596
KS	26%	10%	64%	262
KY	12%	3%	86%	263
LA	29%	6%	65%	281
ME	27%	11%	62%	300
MEORC	22%	10%	68%	316
MI	28%	6%	66%	301
MN	29%	10%	61%	262
MO	27%	11%	63%	243
NC	28%	5%	67%	443
NH	22%	11%	67%	281
NJ	31%	9%	60%	191
NY	20%	10%	70%	391
OH	33%	8%	58%	389
OK	36%	4%	60%	264
PA	18%	7%	75%	466
SC	14%	5%	81%	301
SD	31%	9%	60%	281
TN	17%	2%	81%	344
TX	25%	8%	67%	1,021
UT	31%	6%	63%	283
VA	25%	7%	68%	469
VT	28%	13%	59%	253
<b>NCI Average</b>	<b>26%</b>	<b>7%</b>	<b>67%</b>	<b>16,092</b>

**Table B 50 Do you like working where you work? (Of those with a paid community job)**

State	Yes	In-between	No	N
AR	88%	8%	4%	26
CA	90%	7%	3%	942
CO	93%	3%	3%	117
CT	92%	4%	4%	137
DC	87%	6%	6%	31
DE	89%	9%	2%	118
FL	93%	7%	0%	55
GA	85%	12%	4%	26
HI	92%	6%	3%	143
IL	95%	5%	0%	38
IN	100%	0%	0%	28
KS	90%	10%	0%	42
KY	93%	7%	0%	69
LA	94%	6%	0%	35
ME	89%	6%	6%	36
MEORC	91%	7%	2%	88
MI	88%	13%	0%	32
MN	100%	0%	0%	60
MO	93%	5%	2%	120
NC	100%	0%	0%	21
NH	86%	9%	5%	64
NJ	86%	11%	2%	44
NY	96%	4%	0%	80
OH	94%	5%	2%	62
OK	95%	0%	5%	75
PA	94%	5%	1%	79
SC	96%	0%	4%	55
SD	93%	4%	3%	148
TN	92%	5%	3%	59
TX	97%	1%	1%	69
UT	90%	6%	4%	124
VA	n/a	n/a	n/a	n/a
VT	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>92%</b>	<b>6%</b>	<b>2%</b>	<b>3,023</b>



**Table B 51 Would you like to work somewhere else? (Of those with a paid community job)**

State	Yes	In-between	No	N
AR	32%	4%	64%	25
CA	32%	14%	54%	931
CO	26%	7%	68%	117
CT	30%	6%	64%	133
DC	45%	3%	52%	31
DE	21%	13%	66%	116
FL	29%	10%	62%	52
GA	42%	0%	58%	26
HI	29%	11%	60%	139
IL	28%	11%	61%	36
IN	15%	0%	85%	27
KS	17%	5%	79%	42
KY	33%	15%	52%	73
LA	21%	6%	74%	34
ME	42%	8%	50%	36
MEORC	26%	7%	67%	82
MI	39%	10%	52%	31
MN	34%	14%	52%	58
MO	35%	6%	59%	119
NC	35%	20%	45%	20
NH	25%	11%	64%	64
NJ	26%	15%	59%	46
NY	38%	5%	57%	79
OH	20%	7%	74%	61
OK	16%	8%	76%	75
PA	38%	8%	54%	74
SC	19%	6%	76%	54
SD	34%	9%	58%	146
TN	31%	14%	56%	59
TX	25%	6%	69%	68
UT	38%	20%	43%	122
VA	n/a	n/a	n/a	n/a
VT	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>30%</b>	<b>9%</b>	<b>61%</b>	<b>2,976</b>

**Table B 52 If you attend a day program or activity, do you like your day activity?**

State	Yes	In-between	No	N
AR	91%	6%	3%	155
CA	90%	7%	3%	3,079
CO	92%	4%	4%	248
CT	93%	4%	4%	163
DC	88%	7%	5%	218
DE	82%	10%	9%	280
FL	89%	7%	4%	457
GA	93%	7%	0%	213
HI	96%	2%	2%	264
IL	92%	5%	3%	220
IN	93%	3%	4%	325
KS	85%	12%	3%	194
KY	87%	10%	3%	230
LA	92%	5%	4%	153
ME	87%	11%	2%	244
MEORC	96%	3%	0%	272
MI	90%	7%	4%	210
MN	86%	9%	5%	142
MO	91%	5%	4%	105
NC	92%	4%	3%	316
NH	90%	7%	3%	228
NJ	88%	9%	3%	183
NY	88%	10%	2%	274
OH	89%	5%	6%	262
OK	79%	11%	10%	130
PA	94%	4%	1%	290
SC	92%	4%	5%	262
SD	81%	13%	7%	200
TN	95%	2%	3%	181
TX	87%	7%	7%	709
UT	86%	5%	9%	168
VA	92%	6%	2%	305
VT	95%	4%	1%	222
<b>NCI Average</b>	<b>90%</b>	<b>6%</b>	<b>4%</b>	<b>10,902</b>

**Table B 53 Would you like to go somewhere else or do something else during the day?**

State	Yes	In-between	No	N
AR	40%	7%	53%	149
CA	26%	12%	62%	2,962
CO	27%	6%	67%	244
CT	37%	9%	54%	154
DC	39%	4%	58%	218
DE	48%	3%	49%	264
FL	26%	12%	62%	442
GA	24%	11%	65%	211
HI	11%	3%	86%	260
IL	33%	13%	54%	210
IN	26%	6%	67%	310
KS	22%	13%	65%	191
KY	17%	7%	76%	228
LA	36%	14%	49%	146
ME	24%	11%	64%	227
MEORC	32%	13%	54%	261
MI	39%	10%	51%	202
MN	35%	13%	51%	134
MO	32%	13%	55%	103
NC	37%	7%	56%	292
NH	33%	10%	58%	221
NJ	32%	14%	55%	184
NY	24%	12%	65%	268
OH	36%	9%	55%	262
OK	60%	5%	35%	122
PA	27%	4%	69%	281
SC	7%	3%	90%	261
SD	37%	16%	47%	192
TN	30%	3%	66%	182
TX	32%	8%	60%	658
UT	40%	7%	53%	161
VA	34%	5%	60%	288
VT	38%	12%	50%	215
<b>NCI Average</b>	<b>32%</b>	<b>9%</b>	<b>60%</b>	<b>10,503</b>

## Service Coordination Un-Collapsed

Table B 54 Have you met your case manager/service coordinator?

State	Yes	Maybe, not sure	No	N
AR	95%	4%	1%	235
CA	91%	3%	5%	4,699
CO	90%	4%	6%	309
CT	95%	2%	4%	297
DC	95%	3%	1%	243
DE	75%	2%	24%	318
FL	98%	1%	1%	877
GA	96%	3%	2%	273
HI	99%	1%	0%	274
IL	95%	4%	2%	255
IN	97%	2%	2%	596
KS	99%	1%	0%	266
KY	98%	0%	1%	267
LA	92%	4%	4%	248
ME	97%	2%	1%	305
MEORC	97%	2%	1%	318
MI	97%	1%	2%	308
MN	92%	1%	7%	267
MO	95%	2%	3%	244
NC	93%	3%	4%	414
NH	95%	2%	2%	281
NJ	86%	5%	8%	190
NY	97%	2%	1%	389
OH	93%	2%	5%	388
OK	95%	1%	4%	266
PA	95%	1%	3%	462
SC	94%	0%	6%	296
SD	97%	1%	2%	283
TN	99%	0%	1%	344
TX	92%	3%	5%	1,017
UT	98%	0%	2%	285
VA	96%	2%	3%	457
VT	99%	0%	1%	267
<b>NCI Average</b>	<b>95%</b>	<b>2%</b>	<b>3%</b>	<b>15,938</b>

**Table B 55 Does your case manager/service coordinator ask you what you want?**

State	Yes	Sometimes	No	N
AR	93%	4%	4%	223
CA	85%	9%	7%	4,308
CO	90%	7%	3%	295
CT	88%	7%	5%	283
DC	88%	7%	5%	238
DE	68%	8%	24%	249
FL	93%	5%	2%	839
GA	88%	11%	1%	258
HI	96%	3%	2%	268
IL	86%	10%	4%	245
IN	94%	3%	3%	577
KS	91%	7%	2%	257
KY	88%	10%	2%	263
LA	91%	5%	3%	237
ME	79%	12%	9%	291
MEORC	97%	3%	0%	302
MI	93%	4%	3%	296
MN	82%	7%	10%	229
MO	88%	8%	4%	232
NC	82%	11%	7%	382
NH	85%	11%	3%	261
NJ	82%	9%	9%	162
NY	87%	11%	2%	373
OH	81%	8%	12%	359
OK	80%	9%	11%	248
PA	91%	6%	3%	432
SC	88%	4%	8%	283
SD	87%	9%	4%	264
TN	95%	3%	2%	339
TX	84%	8%	8%	959
UT	84%	10%	6%	268
VA	90%	6%	4%	435
VT	75%	18%	7%	243
<b>NCI Average</b>	<b>87%</b>	<b>8%</b>	<b>5%</b>	<b>14,898</b>

**Table B 56 If you ask for something, does your case manager/service coordinator help you get what you need?**

State	Yes, does help	Sometimes helps	No, does not help	N
AR	94%	5%	1%	224
CA	79%	16%	6%	4,082
CO	89%	10%	1%	292
CT	89%	9%	3%	277
DC	87%	10%	3%	238
DE	77%	11%	13%	237
FL	92%	6%	1%	817
GA	86%	11%	2%	203
HI	95%	3%	2%	248
IL	90%	9%	2%	244
IN	95%	3%	2%	530
KS	90%	9%	1%	248
KY	86%	13%	2%	261
LA	88%	10%	2%	232
ME	85%	14%	1%	286
MEORC	97%	3%	0%	300
MI	88%	9%	2%	290
MN	84%	9%	7%	219
MO	91%	6%	2%	218
NC	86%	9%	5%	334
NH	89%	10%	1%	254
NJ	83%	11%	6%	136
NY	86%	12%	1%	366
OH	84%	10%	6%	358
OK	89%	7%	4%	254
PA	89%	8%	3%	419
SC	95%	1%	4%	285
SD	91%	8%	1%	271
TN	95%	5%	0%	273
TX	87%	9%	5%	964
UT	86%	10%	4%	258
VA	89%	7%	4%	432
VT	74%	24%	3%	235
<b>NCI Average</b>	<b>88%</b>	<b>9%</b>	<b>3%</b>	<b>14,285</b>

**Table B 57 If you call and leave a message, does your case manager/service coordinator take a long time to call you back, or does s/he call back right away?**

State	Calls back right away	In-between	Takes a long time to call back	N
AR	80%	11%	9%	176
CA	60%	25%	15%	3,449
CO	73%	15%	12%	177
CT	79%	17%	5%	216
DC	72%	20%	8%	187
DE	53%	14%	33%	133
FL	87%	11%	2%	603
GA	92%	6%	2%	122
HI	92%	4%	3%	209
IL	75%	23%	2%	198
IN	84%	10%	5%	445
KS	70%	26%	4%	201
KY	85%	11%	4%	255
LA	82%	16%	2%	195
ME	63%	25%	12%	148
MEORC	80%	14%	6%	210
MI	68%	22%	10%	223
MN	61%	19%	20%	183
MO	76%	18%	7%	123
NC	77%	17%	6%	219
NH	74%	21%	5%	187
NY	83%	12%	5%	317
OH	47%	26%	27%	264
OK	64%	19%	16%	146
PA	84%	11%	6%	249
SC	90%	8%	2%	259
SD	67%	25%	8%	210
TN	80%	17%	3%	230
TX	77%	14%	9%	758
UT	68%	21%	10%	183
VA	70%	20%	10%	337
VT	42%	42%	16%	161
NJ	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>74%</b>	<b>18%</b>	<b>9%</b>	<b>10,973</b>

**Table B 58 Do your staff come when they are supposed to?**

State	Yes	Maybe, not sure	No	N
AR	96%	2%	1%	225
CA	94%	4%	1%	3,647
CO	92%	2%	6%	304
CT	96%	2%	2%	254
DC	92%	5%	3%	213
DE	90%	6%	4%	290
FL	94%	4%	2%	766
GA	95%	4%	1%	257
HI	97%	2%	1%	272
IL	95%	4%	0%	217
IN	94%	3%	3%	507
KS	85%	14%	1%	248
KY	89%	9%	1%	254
LA	95%	3%	2%	249
ME	95%	5%	1%	282
MEORC	96%	3%	1%	291
MI	89%	7%	4%	265
MN	97%	2%	1%	249
MO	95%	5%	0%	241
NC	95%	3%	2%	409
NH	95%	3%	2%	251
NJ	93%	6%	1%	181
NY	94%	5%	0%	333
OH	92%	4%	4%	353
OK	96%	3%	2%	256
PA	96%	3%	1%	353
SC	98%	1%	1%	291
SD	92%	7%	1%	256
TN	99%	1%	0%	334
TX	95%	3%	2%	828
UT	93%	5%	2%	272
VA	96%	3%	2%	435
VT	91%	7%	3%	213
<b>NCI Average</b>	<b>94%</b>	<b>4%</b>	<b>2%</b>	<b>13,796</b>



**Table B 59 If you have problems with your staff, do you get the help you want to fix these problems?**

State	Yes	Maybe, not sure	No	N
AR	93%	5%	1%	211
CA	90%	7%	3%	3,245
CO	90%	4%	6%	273
CT	89%	5%	6%	235
DC	85%	14%	1%	80
DE	85%	7%	8%	271
FL	91%	5%	3%	615
GA	91%	5%	3%	211
HI	96%	2%	1%	246
IL	83%	10%	7%	184
IN	93%	3%	4%	437
KS	89%	8%	3%	213
KY	96%	4%	0%	250
LA	94%	4%	3%	238
ME	91%	7%	1%	280
MEORC	89%	7%	5%	244
MI	87%	8%	5%	223
MN	93%	2%	5%	205
MO	92%	6%	2%	218
NC	90%	5%	5%	329
NH	91%	7%	2%	198
NJ	89%	6%	5%	172
NY	93%	6%	0%	296
OH	91%	4%	5%	305
OK	93%	3%	5%	236
PA	93%	5%	2%	288
SC	93%	2%	4%	287
SD	87%	9%	4%	221
TN	99%	1%	0%	314
TX	88%	6%	6%	773
UT	93%	4%	2%	247
VA	92%	3%	5%	389
VT	86%	9%	5%	201
<b>NCI Average</b>	<b>91%</b>	<b>6%</b>	<b>4%</b>	<b>12,135</b>

**Table B 60 Did you help make your service plan?**

State	Yes	Maybe, not sure	No	N
AR	87%	9%	4%	201
CA	83%	13%	4%	4,023
CO	92%	5%	3%	299
CT	82%	12%	6%	249
DC	87%	8%	5%	247
DE	68%	15%	17%	154
FL	92%	6%	1%	790
GA	91%	8%	1%	264
HI	94%	4%	2%	269
IL	83%	12%	5%	234
IN	94%	4%	2%	531
KS	94%	5%	1%	250
KY	86%	14%	0%	256
LA	87%	10%	3%	236
ME	85%	13%	2%	278
MEORC	95%	5%	0%	290
MI	90%	7%	3%	277
MN	86%	5%	9%	194
MO	94%	4%	1%	228
NC	84%	11%	5%	366
NH	89%	8%	4%	253
NJ	81%	12%	6%	188
NY	84%	12%	4%	357
OH	79%	10%	11%	326
OK	87%	4%	9%	250
PA	85%	9%	6%	379
SC	96%	3%	1%	275
SD	85%	8%	6%	249
TN	89%	6%	5%	334
TX	78%	14%	8%	812
UT	87%	7%	5%	244
VA	94%	4%	2%	405
VT	79%	17%	4%	188
<b>NCI Average</b>	<b>87%</b>	<b>9%</b>	<b>4%</b>	<b>13,896</b>

## Access Un-Collapsed

Table B 61 Do you get the services you need?

State	Yes	Sometimes, or doesn't get enough of the services needed	No	N
AR	91%	6%	3%	380
CA	71%	19%	10%	8,275
CO	69%	15%	15%	411
CT	84%	10%	6%	399
DC	61%	34%	5%	327
DE	75%	9%	16%	379
FL	71%	10%	19%	1,371
GA	89%	4%	7%	436
HI	92%	5%	3%	398
IL	93%	5%	2%	339
IN	79%	10%	11%	730
KS	94%	3%	3%	339
KY	93%	4%	3%	402
LA	78%	17%	5%	400
ME	57%	34%	9%	369
MEORC	94%	6%	1%	382
MI	74%	20%	6%	394
MN	85%	10%	6%	400
MO	90%	6%	3%	396
NC	70%	19%	11%	742
NH	78%	15%	7%	402
NJ	87%	8%	5%	420
NY	85%	7%	8%	582
OH	80%	12%	8%	451
OK	92%	2%	6%	394
PA	85%	9%	6%	659
SC	85%	14%	1%	392
SD	88%	9%	3%	292
TN	94%	5%	2%	443
TX	89%	8%	3%	1,834
UT	89%	6%	5%	414
VA	78%	12%	10%	1,020
VT	71%	27%	2%	319
<b>NCI Average</b>	<b>82%</b>	<b>12%</b>	<b>6%</b>	<b>24,891</b>

**Table B 62 When you want to go somewhere, do you always have a way to get there?**

State	Yes, almost always	Sometimes	No, almost never	N
AR	92%	6%	2%	238
CA	86%	12%	2%	4,725
CO	52%	43%	5%	314
CT	87%	12%	1%	293
DC	88%	11%	1%	263
DE	87%	9%	4%	326
FL	84%	14%	2%	854
GA	71%	26%	3%	270
HI	94%	6%	0%	274
IL	82%	17%	2%	265
IN	91%	8%	1%	595
KS	80%	19%	2%	259
KY	95%	3%	1%	263
LA	88%	11%	1%	279
ME	81%	17%	2%	296
MEORC	86%	12%	2%	319
MI	80%	18%	2%	301
MN	82%	16%	2%	259
MO	91%	9%	0%	244
NC	84%	15%	2%	445
NH	82%	17%	1%	284
NJ	82%	17%	2%	185
NY	78%	22%	1%	383
OH	84%	12%	4%	378
OK	91%	8%	1%	266
PA	92%	7%	1%	468
SC	94%	4%	2%	297
SD	88%	12%	0%	284
TN	97%	2%	1%	344
TX	77%	19%	5%	1,014
UT	80%	16%	4%	280
VA	85%	12%	3%	459
VT	65%	31%	4%	252
<b>NCI Average</b>	<b>84%</b>	<b>14%</b>	<b>2%</b>	<b>15,976</b>

Table B 63 How do you usually get to places you need to go?

State	Transports self	Gets ride from family or friends	Gets ride from staff in staff's car	Gets ride from staff in provider van or vehicle	Uses public transportation such as bus	Uses specialized transportation such as paratransit service	Uses taxi service	Don't Know
AR	34%	51%	78%	50%	6%	4%	3%	0%
CA	38%	62%	31%	31%	30%	21%	3%	2%
CO	25%	52%	64%	53%	24%	21%	4%	0%
CT	19%	49%	36%	63%	16%	6%	4%	2%
DC	19%	26%	35%	61%	37%	8%	1%	1%
DE	15%	52%	25%	50%	21%	57%	2%	1%
FL	19%	54%	37%	28%	13%	15%	1%	2%
GA	15%	58%	45%	67%	7%	4%	1%	1%
HI	5%	34%	24%	45%	11%	23%	0%	1%
IL	17%	40%	14%	63%	19%	16%	7%	1%
IN	19%	75%	54%	24%	13%	7%	1%	1%
KS	22%	44%	30%	63%	9%	3%	2%	1%
KY	1%	67%	77%	69%	6%	9%	1%	0%
LA	14%	59%	45%	45%	8%	3%	1%	0%
ME	55%	69%	63%	76%	17%	24%	11%	1%
MEORC	18%	61%	46%	36%	10%	8%	2%	2%
MI	26%	59%	41%	59%	24%	19%	3%	1%
MN	21%	46%	42%	46%	21%	30%	3%	1%
MO	9%	18%	60%	44%	7%	4%	0%	1%
NC	16%	67%	56%	38%	10%	8%	2%	2%
NH	33%	63%	82%	16%	17%	1%	5%	1%
NJ	9%	20%	5%	88%	6%	5%	1%	0%
NY	25%	39%	23%	54%	21%	20%	4%	5%
OH	28%	55%	50%	66%	19%	10%	5%	2%
OK	5%	7%	55%	45%	1%	1%	1%	1%
PA	18%	50%	32%	32%	17%	16%	3%	3%
SC	5%	49%	2%	79%	2%	1%	0%	1%
SD	40%	40%	21%	62%	30%	15%	4%	0%
TN	1%	39%	20%	75%	4%	2%	2%	0%
TX	18%	51%	23%	50%	13%	11%	2%	2%
UT	36%	62%	59%	51%	29%	15%	1%	1%
VA	8%	50%	26%	65%	7%	27%	8%	3%
VT	43%	51%	90%	6%	25%	4%	5%	1%
<b>NCI Average</b>	<b>21%</b>	<b>49%</b>	<b>42%</b>	<b>51%</b>	<b>15%</b>	<b>13%</b>	<b>3%</b>	<b>1%</b>

**Table B 64 Do you feel your support staff have the right training to meet your needs?**

State	Yes	Maybe, not sure	No	N
AR	92%	5%	3%	257
CA	88%	8%	4%	4,576
CO	82%	7%	11%	337
CT	93%	4%	4%	299
DC	93%	5%	2%	234
DE	89%	5%	6%	344
FL	92%	6%	2%	1,116
GA	92%	8%	0%	258
HI	94%	4%	2%	271
IL	94%	4%	2%	237
IN	93%	4%	3%	611
KS	89%	11%	0%	296
KY	93%	5%	1%	282
LA	92%	5%	2%	293
ME	90%	7%	3%	286
MEORC	97%	2%	1%	365
MI	88%	8%	4%	287
MN	94%	3%	3%	321
MO	94%	4%	2%	239
NC	89%	6%	6%	521
NH	90%	6%	4%	379
NJ	92%	6%	2%	240
NY	85%	13%	2%	388
OH	93%	3%	5%	399
OK	93%	3%	4%	236
PA	96%	3%	1%	404
SC	96%	2%	2%	294
SD	89%	8%	3%	262
TN	99%	1%	1%	345
TX	91%	6%	3%	1,053
UT	91%	7%	2%	312
VA	92%	5%	3%	556
VT	89%	10%	1%	279
<b>NCI Average</b>	<b>92%</b>	<b>6%</b>	<b>3%</b>	<b>16,577</b>

## Health Un-Collapsed

**Table B 65 Does this person have a primary care doctor?**

State	Yes	No	N
AR	99%	1%	399
CA	96%	4%	8,351
CO	99%	1%	413
CT	99%	1%	434
DC	100%	0%	329
DE	98%	2%	429
FL	98%	2%	1,408
GA	98%	2%	479
HI	100%	0%	401
IL	98%	2%	360
IN	96%	4%	737
KS	98%	2%	368
KY	96%	4%	406
LA	98%	2%	410
ME	99%	1%	392
MEORC	99%	1%	396
MI	98%	2%	406
MN	97%	3%	402
MO	100%	0%	405
NC	99%	1%	757
NH	100%	0%	408
NJ	99%	1%	412
NY	97%	3%	586
OH	98%	2%	457
OK	99%	1%	400
PA	99%	1%	671
SC	98%	2%	390
SD	98%	2%	333
TN	98%	2%	455
TX	98%	2%	1,918
UT	98%	2%	415
VA	99%	1%	906
VT	98%	2%	326
<b>NCI Average</b>	<b>98%</b>	<b>2%</b>	<b>25,359</b>

**Table B 66 Overall, how would you describe this person's health?**

State	Excellent	Very good	Fairly good	Poor	Don't Know	N
AR	7%	37%	51%	5%	0%	392
CA	19%	49%	30%	3%	0%	8,391
CO	10%	52%	36%	2%	0%	410
CT	14%	43%	37%	5%	0%	436
DC	0%	48%	16%	1%	34%	332
DE	10%	41%	41%	6%	3%	436
FL	16%	46%	32%	5%	0%	1,411
GA	22%	52%	24%	2%	0%	479
HI	9%	40%	50%	1%	0%	401
IL	13%	50%	35%	2%	0%	365
IN	11%	56%	31%	2%	0%	736
KS	8%	39%	46%	6%	1%	370
KY	9%	48%	37%	5%	1%	411
LA	7%	44%	44%	5%	0%	411
ME	9%	39%	49%	3%	0%	397
MEORC	15%	43%	35%	3%	3%	393
MI	11%	32%	41%	4%	13%	405
MN	24%	43%	29%	3%	1%	405
MO	14%	44%	40%	2%	0%	404
NC	14%	40%	41%	4%	1%	755
NH	14%	47%	35%	3%	0%	409
NJ	10%	43%	45%	2%	0%	419
NY	13%	51%	33%	2%	0%	589
OH	11%	50%	35%	4%	0%	457
OK	14%	39%	45%	3%	0%	400
PA	15%	44%	36%	4%	1%	675
SC	11%	44%	39%	3%	3%	400
SD	15%	43%	40%	3%	0%	336
TN	4%	33%	50%	9%	4%	228
TX	15%	45%	35%	4%	1%	1,930
UT	8%	40%	44%	8%	0%	425
VA	8%	37%	36%	4%	15%	1,058
VT	11%	40%	45%	4%	0%	327
<b>NCI Average</b>	<b>12%</b>	<b>44%</b>	<b>38%</b>	<b>4%</b>	<b>3%</b>	<b>25,393</b>



**Table B 67 When was his/her last complete annual physical exam?**

State	In the past year (anytime less than 12 months ago)	One year ago or more	N
AR	98%	2%	388
CA	86%	14%	8,224
CO	91%	9%	412
CT	92%	8%	402
DC	71%	29%	321
DE	89%	11%	351
FL	94%	6%	1,401
GA	93%	7%	472
HI	90%	10%	395
IL	89%	11%	349
IN	90%	10%	726
KS	73%	27%	350
KY	86%	14%	367
LA	95%	5%	408
ME	95%	5%	392
MEORC	80%	20%	344
MI	86%	14%	329
MN	61%	39%	366
MO	95%	5%	398
NC	92%	8%	717
NH	92%	8%	386
NJ	94%	6%	418
NY	90%	10%	576
OH	80%	20%	450
OK	98%	3%	400
PA	93%	7%	644
SC	86%	14%	311
SD	96%	4%	330
TN	90%	10%	451
TX	93%	7%	1,870
UT	93%	7%	382
VA	85%	15%	861
VT	85%	15%	317
<b>NCI Average</b>	<b>88%</b>	<b>12%</b>	<b>24,508</b>

Table B 68 When was his/her last dentist visit?

State	Within the last six months (anytime less than 6 months ago)	Within the past year (6 months but less than 12 months ago)	One year ago or more	N
AR	52%	33%	15%	326
CA	51%	26%	24%	8,121
CO	53%	34%	13%	414
CT	55%	38%	7%	392
DC	9%	76%	15%	289
DE	55%	30%	14%	292
FL	44%	33%	23%	1,380
GA	42%	35%	23%	404
HI	40%	26%	33%	378
IL	47%	36%	18%	315
IN	59%	26%	14%	713
KS	40%	30%	30%	310
KY	41%	45%	14%	330
LA	37%	37%	26%	331
ME	48%	35%	17%	367
MEORC	19%	50%	31%	290
MI	38%	37%	26%	261
MN	29%	19%	51%	369
MO	45%	37%	18%	377
NC	56%	24%	20%	687
NH	44%	23%	34%	352
NJ	25%	61%	14%	388
NY	64%	22%	14%	530
OH	26%	42%	33%	450
OK	68%	19%	13%	393
PA	52%	33%	15%	573
SC	50%	34%	16%	274
SD	80%	15%	5%	330
TN	57%	31%	12%	430
TX	63%	26%	11%	1,864
UT	39%	42%	19%	339
VA	39%	35%	26%	743
VT	61%	23%	16%	286
<b>NCI Average</b>	<b>46%</b>	<b>34%</b>	<b>20%</b>	<b>23,298</b>

Table B 69 When was the last time this person had an eye examination/vision screening?

State	Within the past year (anytime less than 12 months ago)	Within the past 2 years (1 year but less than 2 years ago)	Within the past 3 years (2 years but less than 3 years ago)	Within the past 5 years (3 years but less than 5 years ago)	5 or more years ago	Has never had a vision screening	N
AR	70%	18%	2%	4%	4%	3%	311
CA	49%	23%	7%	4%	9%	7%	7,803
CO	64%	21%	8%	3%	3%	1%	409
CT	65%	27%	4%	1%	2%	1%	314
DC	60%	30%	6%	2%	2%	1%	259
DE	69%	22%	4%	1%	2%	1%	276
FL	51%	25%	6%	4%	9%	4%	1,337
GA	66%	18%	4%	1%	6%	5%	326
HI	58%	17%	3%	4%	9%	8%	349
IL	74%	14%	5%	2%	4%	0%	293
IN	55%	25%	7%	3%	8%	2%	698
KS	59%	19%	8%	6%	6%	1%	277
KY	76%	17%	4%	1%	3%	0%	280
LA	67%	17%	4%	4%	7%	3%	311
ME	42%	34%	14%	4%	4%	2%	363
MEORC	36%	49%	6%	4%	4%	1%	249
MI	39%	34%	11%	7%	7%	3%	235
MN	24%	15%	10%	34%	17%	0%	305
MO	69%	26%	2%	1%	1%	2%	391
NC	47%	27%	7%	5%	11%	4%	609
NH	42%	28%	8%	8%	11%	3%	323
NJ	68%	21%	5%	3%	1%	3%	290
NY	70%	19%	5%	2%	2%	2%	499
OH	42%	29%	10%	7%	9%	3%	447
OK	70%	15%	4%	3%	5%	3%	386
PA	68%	25%	2%	2%	2%	0%	540
SC	70%	22%	3%	2%	3%	0%	255
SD	76%	20%	2%	2%	1%	0%	326
TN	69%	24%	4%	2%	1%	0%	370
TX	69%	16%	4%	2%	7%	2%	1,804
UT	42%	29%	6%	8%	11%	3%	219
VA	52%	24%	9%	6%	6%	3%	503
VT	48%	32%	7%	5%	7%	1%	260
<b>NCI Average</b>	<b>58%</b>	<b>24%</b>	<b>6%</b>	<b>4%</b>	<b>5%</b>	<b>2%</b>	<b>21,617</b>

**Table B 70 When was the last time this person had a hearing test?**

State	Within the past 5 years (anytime less than 5 years ago)	5 years ago or more	Has never had a hearing test	N
AR	63%	29%	8%	218
CA	50%	30%	19%	7,060
CO	52%	32%	16%	403
CT	78%	18%	4%	201
DC	95%	2%	3%	210
DE	58%	24%	18%	120
FL	51%	36%	13%	1,194
GA	54%	22%	23%	250
HI	63%	23%	14%	323
IL	74%	19%	7%	217
IN	37%	42%	20%	607
KS	47%	33%	20%	194
KY	66%	25%	9%	163
LA	65%	22%	13%	256
ME	50%	32%	18%	225
MEORC	49%	38%	13%	150
MI	49%	26%	25%	161
MN	54%	45%	1%	152
MO	64%	9%	27%	315
NC	49%	36%	14%	445
NH	38%	39%	23%	239
NJ	62%	19%	19%	149
NY	75%	17%	8%	463
OH	36%	41%	23%	443
OK	46%	21%	34%	340
PA	87%	9%	3%	352
SC	62%	22%	16%	119
SD	53%	37%	10%	248
TN	93%	5%	2%	279
TX	62%	24%	13%	1,664
UT	58%	35%	7%	156
VA	65%	23%	12%	353
VT	56%	35%	9%	176
<b>NCI Average</b>	<b>59%</b>	<b>26%</b>	<b>14%</b>	<b>17,845</b>

Table B 71 If female, when was her last Pap test screening?

State	Within the past year (anytime less than 12 months ago)	Within the past 2 years (1 year but less than 2 years ago)	Within the past 3 years (2 years but less than 3 years ago)	Within the past 5 years (3 years but less than 5 years ago)	5 or more years ago	Has never had a Pap test	N
AR	55%	14%	4%	6%	9%	13%	102
CA	29%	14%	6%	3%	7%	41%	3,036
CO	26%	16%	6%	8%	16%	29%	180
CT	45%	19%	10%	3%	3%	20%	117
DC	64%	31%	2%	0%	2%	0%	45
DE	54%	24%	6%	3%	2%	11%	111
FL	39%	12%	6%	4%	5%	34%	574
GA	47%	24%	6%	3%	4%	16%	135
HI	31%	11%	7%	8%	5%	38%	136
IL	51%	12%	4%	9%	8%	16%	92
IN	37%	11%	2%	5%	10%	35%	286
KS	28%	25%	5%	9%	14%	19%	111
KY	42%	13%	4%	7%	9%	25%	76
LA	47%	17%	6%	3%	4%	23%	104
ME	31%	12%	8%	4%	18%	26%	114
MEORC	48%	25%	9%	2%	5%	10%	99
MI	37%	18%	8%	6%	17%	15%	89
MN	0%	5%	3%	38%	54%	0%	79
MO	37%	16%	13%	6%	10%	17%	147
NC	33%	13%	8%	7%	10%	28%	217
NH	29%	15%	7%	10%	13%	27%	135
NJ	28%	27%	11%	4%	12%	18%	93
NY	47%	25%	8%	3%	4%	13%	186
OH	32%	16%	8%	6%	17%	21%	195
OK	41%	14%	11%	3%	10%	21%	143
PA	54%	22%	5%	4%	6%	9%	160
SC	51%	33%	10%	2%	2%	3%	61
SD	34%	21%	21%	10%	11%	4%	114
TN	43%	26%	7%	5%	11%	7%	95
TX	46%	17%	5%	5%	7%	21%	673
UT	42%	13%	9%	4%	15%	18%	79
VA	38%	17%	11%	6%	12%	16%	199
VT	41%	19%	6%	6%	13%	16%	108
<b>NCI Average</b>	<b>40%</b>	<b>18%</b>	<b>7%</b>	<b>6%</b>	<b>10%</b>	<b>18%</b>	<b>8,091</b>

Table B 72 If female, when was her last mammogram?

State	Within the past year (anytime less than 12 months ago)	Within the past 2 years (1 year but less than 2 years ago)	Within the past 3 years (2 years but less than 3 years ago)	Within the past 5 years (3 years but less than 5 years ago)	5 or more years ago	Has never had a mammogram	N
AR	76%	11%	3%	2%	3%	5%	63
CA	52%	16%	5%	3%	4%	19%	1,475
CO	43%	18%	7%	6%	8%	18%	112
CT	71%	19%	1%	1%	1%	7%	75
DC	67%	26%	4%	0%	4%	0%	27
DE	67%	20%	8%	1%	0%	4%	75
FL	62%	12%	4%	3%	3%	17%	259
GA	64%	17%	2%	2%	2%	12%	84
HI	44%	10%	4%	4%	13%	25%	72
IL	79%	7%	2%	10%	3%	0%	61
IN	62%	10%	5%	3%	2%	18%	130
KS	50%	17%	0%	10%	2%	21%	52
KY	53%	22%	2%	9%	4%	9%	45
LA	77%	13%	3%	2%	2%	3%	60
ME	75%	8%	1%	4%	3%	8%	72
MEORC	61%	16%	3%	5%	2%	14%	64
MI	63%	15%	0%	10%	2%	10%	52
MN	3%	0%	3%	57%	37%	0%	65
MO	66%	15%	8%	2%	1%	8%	87
NC	52%	18%	4%	2%	8%	16%	110
NH	40%	17%	10%	6%	7%	20%	84
NJ	37%	26%	9%	5%	14%	9%	65
NY	53%	31%	6%	4%	2%	4%	99
OH	48%	18%	4%	10%	5%	15%	117
OK	60%	14%	4%	3%	3%	16%	96
PA	67%	23%	3%	2%	0%	5%	97
SC	61%	24%	8%	3%	0%	5%	38
SD	80%	7%	4%	1%	5%	3%	74
TN	63%	21%	7%	3%	1%	4%	71
TX	67%	15%	2%	1%	3%	11%	371
UT	46%	23%	14%	11%	3%	3%	35
VA	55%	21%	6%	5%	4%	9%	145
VT	60%	6%	6%	3%	8%	16%	62
NCI Average	58%	16%	5%	6%	5%	10%	4,394

**Table B 73 When was this person's last colorectal cancer screening (individuals 50 and over)?**

State	Within the past year (anytime less than 12 months ago)	Within the past 2 years (1 year but less than 2 years ago)	Within the past 3 years (2 years but less than 3 years ago)	Within the past 5 years (3 years but less than 5 years ago)	5 or more years ago	Has never had a colorectal cancer screening	N
AR	25%	15%	3%	13%	15%	28%	60
CA	17%	13%	7%	7%	5%	51%	1,737
CO	12%	9%	10%	6%	5%	59%	145
CT	15%	16%	14%	27%	21%	8%	109
DE	29%	14%	10%	17%	12%	19%	42
FL	22%	14%	8%	8%	4%	44%	273
GA	31%	8%	7%	8%	2%	43%	99
HI	2%	4%	2%	5%	9%	79%	57
IL	19%	14%	9%	10%	12%	36%	58
IN	20%	12%	2%	10%	12%	44%	126
KS	13%	13%	12%	13%	12%	37%	60
KY	27%	20%	5%	12%	10%	27%	41
LA	22%	18%	10%	8%	10%	32%	60
ME	18%	12%	6%	12%	9%	43%	100
MEORC	17%	20%	9%	15%	2%	37%	54
MI	17%	17%	11%	10%	13%	32%	63
MN	10%	9%	10%	25%	46%	0%	69
MO	25%	12%	11%	17%	13%	23%	112
NC	25%	20%	9%	5%	11%	30%	133
NH	20%	6%	8%	8%	15%	42%	97
NJ	16%	24%	18%	13%	10%	19%	62
NY	31%	15%	7%	15%	20%	12%	126
OH	11%	18%	5%	16%	11%	40%	159
OK	24%	9%	3%	8%	6%	49%	143
PA	31%	24%	9%	13%	6%	17%	78
SC	28%	41%	6%	0%	13%	13%	32
SD	23%	15%	10%	22%	18%	13%	88
TN	27%	19%	8%	12%	5%	29%	93
TX	26%	14%	10%	10%	12%	27%	364
UT	18%	29%	3%	18%	0%	32%	34
VA	19%	16%	6%	14%	5%	39%	175
VT	17%	7%	11%	17%	25%	23%	75
DC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>21%</b>	<b>16%</b>	<b>8%</b>	<b>12%</b>	<b>11%</b>	<b>32%</b>	<b>4,924</b>

**Table B 74 During the past 12 months, has this person had a flu vaccination?**

State	Yes	No	N
AR	86%	14%	317
CA	70%	30%	8,154
CO	80%	20%	391
CT	90%	10%	284
DC	82%	18%	92
DE	90%	10%	258
FL	50%	50%	1,317
GA	71%	29%	397
HI	79%	21%	380
IL	81%	19%	240
IN	66%	34%	714
KS	83%	17%	305
KY	73%	27%	230
LA	81%	19%	283
ME	84%	16%	299
MEORC	87%	13%	187
MI	79%	21%	240
MN	n/a	n/a	n/a
MO	90%	10%	386
NC	72%	28%	564
NH	76%	24%	323
NJ	90%	10%	203
NY	74%	26%	502
OH	66%	34%	438
OK	74%	26%	393
PA	80%	20%	363
SC	92%	8%	166
SD	91%	9%	321
TN	87%	13%	234
TX	81%	19%	1,797
UT	86%	14%	245
VA	91%	9%	609
VT	73%	27%	248
<b>NCI Average</b>	<b>80%</b>	<b>20%</b>	<b>20,880</b>



**Table B 75 Has this person ever been vaccinated for pneumonia?**

State	Yes	No	N
AR	52%	48%	237
CA	29%	71%	7,456
CO	25%	75%	383
CT	51%	49%	156
DC	94%	6%	95
DE	51%	49%	142
FL	16%	84%	1,268
GA	29%	71%	347
HI	20%	80%	181
IL	36%	64%	143
IN	29%	71%	673
KS	29%	71%	221
KY	47%	53%	141
LA	38%	62%	221
ME	39%	61%	191
MEORC	38%	62%	144
MI	41%	59%	155
MN	n/a	n/a	n/a
MO	54%	46%	333
NC	35%	65%	443
NH	40%	60%	263
NJ	66%	34%	110
NY	41%	59%	355
OH	26%	74%	435
OK	40%	60%	346
PA	56%	44%	216
SC	30%	70%	64
SD	33%	67%	258
TN	56%	44%	141
TX	37%	63%	1,597
UT	42%	58%	161
VA	48%	52%	390
VT	42%	58%	173
<b>NCI Average</b>	<b>41%</b>	<b>59%</b>	<b>17,439</b>

## Medication Un-Collapsed

Table B 76 Takes medication for mood disorders, anxiety, or psychotic disorders

State	At Least One Kind of Medication	No Medications	N
AR	56%	44%	387
CA	36%	64%	8,380
CO	54%	46%	413
CT	49%	51%	428
DC	33%	67%	213
DE	44%	56%	392
FL	40%	60%	1,261
GA	47%	53%	451
HI	21%	79%	393
IL	49%	51%	358
IN	31%	69%	727
KS	58%	42%	338
KY	56%	44%	321
LA	50%	50%	408
ME	57%	43%	368
MEORC	43%	57%	379
MI	59%	41%	389
MN	50%	50%	399
MO	69%	31%	400
NC	45%	55%	754
NJ	47%	53%	416
NY	41%	59%	571
OH	44%	56%	457
OK	68%	32%	400
PA	49%	51%	655
SC	41%	59%	370
SD	54%	46%	335
TN	62%	38%	425
TX	43%	57%	1,883
UT	57%	43%	242
VA	59%	41%	921
VT	57%	43%	325
NH	n/a	n/a	n/a
<b>NCI Average</b>	<b>49%</b>	<b>51%</b>	<b>24,159</b>

**Table B 77 Number of medications taken for mood disorders, anxiety, or psychotic disorders**

State	1 to 2	3 to 4	5 to 10	11 or More	N
AR	73%	24%	3%	0%	202
CA	70%	22%	7%	1%	2,847
CO	76%	20%	4%	0%	222
CT	80%	18%	2%	0%	205
DC	100%	0%	0%	0%	50
DE	67%	30%	4%	0%	168
FL	77%	21%	2%	0%	537
GA	56%	32%	11%	1%	228
HI	78%	19%	4%	0%	80
IL	71%	26%	2%	0%	171
IN	76%	20%	4%	0%	213
KS	69%	26%	5%	0%	196
KY	67%	29%	4%	1%	199
LA	67%	27%	6%	0%	194
MEORC	70%	28%	3%	0%	151
MI	63%	31%	6%	0%	226
MN	68%	22%	8%	2%	196
MO	54%	36%	10%	0%	269
NC	72%	22%	6%	0%	330
NJ	72%	23%	5%	0%	194
NY	80%	17%	3%	0%	223
OH	66%	27%	6%	0%	201
OK	58%	35%	6%	0%	271
PA	64%	30%	6%	0%	278
SC	76%	18%	6%	0%	142
SD	71%	28%	1%	0%	174
TN	69%	28%	4%	0%	170
TX	61%	29%	10%	1%	776
UT	70%	25%	5%	0%	221
VA	66%	27%	7%	0%	523
VT	75%	21%	4%	0%	185
ME	n/a	n/a	n/a	n/a	n/a
NH	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>70%</b>	<b>25%</b>	<b>5%</b>	<b>0%</b>	<b>10,042</b>

**Table B 78 Takes medication for behavior challenges**

State	At Least One Kind of Medication	No Medications	N
AR	38%	62%	381
CA	26%	74%	8,215
CO	24%	76%	414
CT	32%	68%	424
DC	24%	76%	195
DE	30%	70%	380
FL	21%	79%	1,363
GA	16%	84%	472
HI	15%	85%	398
IL	29%	71%	349
IN	13%	87%	719
KS	31%	69%	351
KY	25%	75%	400
LA	30%	70%	407
ME	35%	65%	350
MEORC	6%	94%	383
MI	29%	71%	372
MN	28%	72%	398
MO	42%	58%	397
NC	30%	70%	746
NJ	19%	81%	414
NY	27%	73%	557
OH	13%	87%	457
OK	24%	76%	400
PA	21%	79%	618
SC	24%	76%	360
SD	19%	81%	330
TN	34%	66%	404
TX	25%	75%	1,860
UT	31%	69%	414
VA	35%	65%	899
VT	19%	81%	320
NH	n/a	n/a	n/a
<b>NCI Average</b>	<b>26%</b>	<b>74%</b>	<b>24,147</b>

**Table B 79 Number of medications taken for behavior challenges**

State	1 to 2	3 to 4	5 to 10	11 or More	N
AR	80%	17%	3%	0%	143
CA	77%	19%	5%	0%	2,060
CO	87%	10%	2%	1%	98
CT	84%	16%	1%	0%	135
DC	97%	3%	0%	0%	30
DE	74%	24%	2%	0%	109
FL	86%	13%	2%	0%	251
GA	64%	31%	4%	0%	70
HI	73%	22%	5%	0%	60
IL	73%	23%	3%	0%	98
IN	76%	20%	4%	0%	91
KS	79%	15%	6%	0%	101
KY	68%	31%	1%	0%	90
LA	79%	19%	2%	0%	118
MEORC	76%	19%	5%	0%	21
MI	74%	24%	2%	0%	101
MN	69%	23%	6%	2%	111
MO	82%	15%	3%	0%	164
NC	76%	19%	5%	0%	223
NJ	86%	14%	0%	0%	79
NY	87%	11%	2%	0%	143
OH	70%	26%	3%	0%	61
OK	88%	13%	0%	0%	96
PA	81%	17%	2%	0%	112
SC	75%	24%	1%	0%	79
SD	81%	15%	3%	0%	59
TN	80%	19%	1%	0%	86
TX	65%	26%	8%	1%	449
UT	79%	20%	1%	0%	70
VA	77%	19%	4%	0%	301
VT	85%	13%	2%	0%	60
ME	n/a	n/a	n/a	n/a	n/a
NH	n/a	n/a	n/a	n/a	n/a
<b>NCI Average</b>	<b>78%</b>	<b>19%</b>	<b>3%</b>	<b>0%</b>	<b>5,669</b>

## Wellness Un-Collapsed

**Table B 80 Does this person routinely engage in any moderate physical activity?**

State	Yes	No	N
AR	23%	77%	393
CA	34%	66%	8,345
CO	32%	68%	414
CT	15%	85%	424
DC	8%	92%	318
DE	17%	83%	431
FL	28%	72%	1,371
GA	30%	70%	478
HI	37%	63%	394
IL	17%	83%	344
IN	23%	77%	724
KS	22%	78%	370
KY	16%	84%	397
LA	23%	77%	403
ME	22%	78%	386
MEORC	7%	93%	392
MI	14%	86%	392
MN	36%	64%	399
MO	32%	68%	400
NC	26%	74%	749
NH	31%	69%	403
NJ	9%	91%	415
NY	26%	74%	577
OH	16%	84%	457
OK	30%	70%	400
PA	16%	84%	652
SC	13%	87%	387
SD	16%	84%	332
TN	18%	82%	442
TX	34%	66%	1,907
UT	22%	78%	421
VA	18%	82%	1,051
VT	33%	67%	325
<b>NCI Average</b>	<b>23%</b>	<b>77%</b>	<b>25,293</b>

**Table B 81 Person's BMI category**

State	Underweight	Normal weight	Overweight	Obese	N
AR	4%	33%	27%	36%	360
CA	6%	36%	29%	28%	8,165
CO	6%	34%	29%	31%	379
CT	3%	39%	32%	26%	271
DC	5%	27%	30%	38%	299
DE	5%	33%	30%	32%	345
FL	22%	30%	26%	22%	1,423
GA	5%	31%	29%	36%	408
HI	9%	36%	27%	29%	399
IL	6%	32%	23%	39%	322
IN	7%	26%	25%	42%	670
KS	4%	30%	27%	39%	334
KY	5%	24%	27%	43%	413
LA	8%	32%	24%	36%	384
ME	3%	34%	32%	32%	328
MEORC	3%	32%	26%	39%	287
MI	5%	35%	27%	33%	347
MN	5%	35%	28%	33%	363
MO	7%	32%	27%	33%	402
NC	16%	34%	24%	26%	752
NH	4%	29%	27%	40%	366
NJ	4%	30%	32%	34%	379
NY	4%	36%	31%	29%	573
OH	4%	27%	28%	42%	418
OK	5%	30%	29%	37%	400
PA	5%	29%	27%	39%	415
SC	4%	35%	24%	37%	196
SD	3%	23%	29%	45%	332
TN	3%	31%	32%	34%	351
TX	7%	37%	28%	28%	1,852
UT	8%	33%	27%	32%	373
VA	7%	36%	30%	27%	749
VT	3%	24%	33%	40%	323
<b>NCI Average</b>	<b>6%</b>	<b>32%</b>	<b>28%</b>	<b>34%</b>	<b>23,378</b>

**Table B 82 Does this person smoke or chew tobacco?**

State	Yes	No	N
AR	10%	90%	393
CA	5%	95%	8,326
CO	6%	94%	409
CT	4%	96%	424
DC	6%	94%	217
DE	7%	93%	398
FL	5%	95%	1,376
GA	6%	94%	472
HI	0%	100%	399
IL	4%	96%	358
IN	5%	95%	700
KS	8%	92%	367
KY	11%	89%	386
LA	9%	91%	354
ME	5%	95%	388
MEORC	10%	90%	356
MI	6%	94%	358
MN	8%	92%	406
MO	9%	91%	403
NC	6%	94%	749
NH	6%	94%	408
NJ	3%	97%	416
NY	5%	95%	569
OH	9%	91%	456
OK	14%	86%	400
PA	6%	94%	624
SC	7%	93%	375
SD	14%	86%	335
TN	9%	91%	444
TX	6%	94%	1,914
UT	5%	95%	423
VA	2%	98%	923
VT	9%	91%	320
<b>NCI Average</b>	<b>7%</b>	<b>93%</b>	<b>24,846</b>



## Respect and Rights Un-Collapsed

Table B 83 Do people let you know before they come into your home?

State	Yes	Sometimes	No	N
AR	89%	7%	4%	240
CA	92%	4%	3%	4,681
CO	91%	4%	4%	318
CT	85%	7%	8%	287
DC	89%	5%	6%	262
DE	81%	13%	5%	335
FL	91%	5%	5%	856
GA	89%	8%	3%	275
HI	87%	6%	7%	259
IL	87%	10%	3%	263
IN	95%	2%	3%	584
KS	86%	8%	5%	250
KY	91%	6%	2%	263
LA	91%	6%	3%	278
ME	75%	18%	6%	295
MEORC	92%	7%	2%	322
MI	92%	5%	3%	299
MN	93%	4%	3%	253
MO	94%	5%	1%	241
NC	84%	8%	8%	425
NH	90%	5%	5%	280
NJ	91%	6%	3%	190
NY	81%	15%	4%	380
OH	88%	4%	7%	387
OK	91%	4%	5%	264
PA	92%	5%	3%	460
SC	98%	1%	0%	302
SD	89%	8%	3%	279
TN	96%	3%	1%	341
TX	87%	7%	7%	1,000
UT	88%	6%	5%	279
VA	89%	6%	5%	471
VT	86%	12%	2%	259
<b>NCI Average</b>	<b>89%</b>	<b>7%</b>	<b>4%</b>	<b>15,878</b>

**Table B 84 Do people let you know before coming into your bedroom?**

State	Yes	Sometimes	No	N
AR	81%	9%	10%	234
CA	84%	9%	7%	4,597
CO	90%	7%	3%	310
CT	78%	10%	12%	277
DC	92%	3%	5%	259
DE	69%	12%	20%	323
FL	87%	7%	6%	818
GA	88%	7%	5%	274
HI	87%	7%	6%	262
IL	80%	10%	10%	254
IN	83%	6%	10%	531
KS	80%	9%	10%	241
KY	92%	5%	3%	264
LA	86%	8%	6%	277
ME	78%	13%	8%	286
MEORC	77%	7%	16%	305
MI	84%	8%	8%	270
MN	81%	5%	15%	247
MO	88%	6%	6%	235
NC	78%	8%	14%	422
NH	88%	5%	7%	270
NJ	75%	12%	13%	190
NY	81%	13%	6%	351
OH	80%	5%	15%	362
OK	84%	6%	10%	253
PA	84%	7%	9%	418
SC	87%	6%	7%	296
SD	87%	9%	4%	243
TN	93%	4%	3%	345
TX	81%	9%	10%	1,006
UT	81%	7%	12%	267
VA	83%	7%	10%	458
VT	75%	11%	14%	217
<b>NCI Average</b>	<b>83%</b>	<b>8%</b>	<b>9%</b>	<b>15,362</b>

**Table B 85 Can you be alone with friends or visitors at your home, or does someone have to be with you?**

State	Can be alone with friends or visitors	There are rules against being alone with friends or visitors	N
AR	72%	28%	359
CA	83%	17%	6,990
CO	85%	15%	326
CT	80%	20%	360
DC	81%	19%	267
DE	68%	32%	355
FL	82%	18%	1,156
GA	93%	7%	377
HI	78%	22%	269
IL	73%	27%	294
IN	77%	23%	618
KS	83%	17%	322
KY	88%	12%	393
LA	75%	25%	361
ME	80%	20%	364
MEORC	90%	10%	340
MI	79%	21%	383
MN	70%	30%	376
MO	74%	26%	358
NC	72%	28%	652
NH	88%	12%	387
NJ	63%	37%	377
NY	71%	29%	505
OH	79%	21%	421
OK	63%	37%	386
PA	80%	20%	598
SC	87%	13%	364
SD	86%	14%	278
TN	80%	20%	439
TX	76%	24%	1,649
UT	77%	23%	389
VA	86%	14%	947
VT	66%	34%	264
<b>NCI Average</b>	<b>78%</b>	<b>22%</b>	<b>21,924</b>

**Table B 86 Do you have enough privacy at home?**

State	Yes, has enough privacy	No, would like more privacy	N
AR	93%	7%	222
CA	92%	8%	4,457
CO	92%	8%	275
CT	89%	11%	276
DC	92%	8%	257
DE	85%	15%	331
FL	91%	9%	793
GA	96%	4%	265
HI	95%	5%	273
IL	87%	13%	249
IN	95%	5%	582
KS	94%	6%	238
KY	95%	5%	244
LA	88%	12%	247
ME	85%	15%	289
MEORC	92%	8%	295
MI	88%	12%	284
MN	91%	9%	242
MO	91%	9%	241
NC	92%	8%	427
NH	90%	10%	259
NJ	81%	19%	190
NY	93%	7%	357
OH	85%	15%	367
OK	85%	15%	262
PA	96%	4%	434
SC	91%	9%	293
SD	93%	7%	273
TN	98%	2%	333
TX	91%	9%	962
UT	87%	13%	265
VA	94%	6%	453
VT	91%	9%	235
<b>NCI Average</b>	<b>91%</b>	<b>9%</b>	<b>15,170</b>

**Table B 87 Do people read your mail or email without asking you first?**

State	Mail/email is read without permission	Person reads own mail/email or others read with permission	N
AR	17%	83%	357
CA	10%	90%	6,992
CO	6%	94%	356
CT	22%	78%	312
DC	16%	84%	266
DE	18%	82%	336
FL	10%	90%	1,144
GA	6%	94%	352
HI	41%	59%	273
IL	26%	74%	294
IN	15%	85%	642
KS	11%	89%	281
KY	5%	95%	374
LA	13%	87%	372
ME	2%	98%	375
MEORC	7%	93%	349
MI	11%	89%	361
MN	11%	89%	355
MO	10%	90%	336
NC	12%	88%	630
NH	6%	94%	377
NJ	7%	93%	362
NY	16%	84%	424
OH	18%	82%	388
OK	15%	85%	352
PA	14%	86%	639
SC	10%	90%	326
SD	9%	91%	261
TN	1%	99%	391
TX	18%	82%	1,329
UT	20%	80%	331
VA	17%	83%	901
VT	9%	91%	297
<b>NCI Average</b>	<b>13%</b>	<b>87%</b>	<b>21,135</b>

**Table B 88 Are you allowed to use the phone and Internet when you want to?**

State	Yes, can use anytime, either independently or with assistance	No, there are rules/restrictions on use of phone/internet	N
AR	89%	11%	323
CA	93%	7%	6,067
CO	91%	9%	326
CT	88%	12%	325
DC	96%	4%	258
DE	82%	18%	311
FL	93%	7%	984
GA	97%	3%	383
HI	91%	9%	217
IL	91%	9%	292
IN	90%	10%	644
KS	84%	16%	272
KY	97%	3%	284
LA	91%	9%	353
ME	86%	14%	312
MEORC	95%	5%	327
MI	93%	7%	306
MN	88%	12%	324
MO	90%	10%	298
NC	88%	12%	602
NH	94%	6%	339
NJ	81%	19%	316
NY	84%	16%	449
OH	89%	11%	395
OK	92%	8%	324
PA	89%	11%	540
SC	88%	12%	370
SD	93%	7%	261
TN	88%	12%	364
TX	89%	11%	1,437
UT	88%	12%	333
VA	91%	9%	746
VT	79%	21%	261
<b>NCI Average</b>	<b>90%</b>	<b>10%</b>	<b>19,343</b>

**Table B 89 Do your staff treat you with respect?**

State	Yes, all staff, always	Sometimes or some staff	No	N
AR	94%	5%	1%	235
CA	94%	5%	1%	3,814
CO	90%	8%	3%	306
CT	93%	6%	1%	268
DC	89%	9%	2%	234
DE	88%	11%	1%	295
FL	93%	6%	1%	769
GA	96%	4%	0%	261
HI	98%	1%	0%	278
IL	95%	4%	0%	219
IN	96%	3%	1%	516
KS	92%	8%	0%	249
KY	92%	8%	1%	251
LA	94%	6%	0%	249
ME	86%	13%	1%	292
MEORC	95%	4%	1%	291
MI	94%	5%	1%	273
MN	95%	4%	0%	248
MO	92%	8%	0%	239
NC	95%	4%	1%	420
NH	95%	3%	2%	266
NJ	92%	7%	1%	185
NY	95%	5%	0%	340
OH	92%	5%	2%	364
OK	94%	4%	2%	262
PA	96%	3%	1%	372
SC	93%	6%	1%	292
SD	86%	14%	0%	261
TN	98%	2%	0%	339
TX	92%	8%	1%	871
UT	92%	6%	2%	272
VA	93%	6%	1%	438
VT	88%	12%	1%	224
<b>NCI Average</b>	<b>93%</b>	<b>6%</b>	<b>1%</b>	<b>14,193</b>

**Table B 90 Have you ever participated in a self-advocacy group meeting, conference, or event?**

State	Yes	Had the opportunity but chose not to participate	No	N
AR	21%	3%	76%	295
CA	16%	4%	81%	7,435
CO	22%	1%	77%	377
CT	34%	7%	59%	356
DC	23%	2%	74%	247
DE	24%	6%	70%	359
FL	18%	3%	79%	1,209
GA	16%	4%	80%	375
HI	46%	3%	51%	314
IL	30%	8%	62%	250
IN	22%	1%	78%	516
KS	21%	17%	62%	204
KY	30%	22%	49%	111
LA	23%	2%	75%	306
ME	23%	3%	74%	375
MEORC	31%	5%	63%	353
MI	17%	1%	83%	356
MN	21%	1%	78%	378
MO	19%	15%	66%	344
NC	27%	6%	67%	559
NH	25%	8%	67%	381
NJ	45%	7%	48%	356
NY	22%	8%	71%	434
OH	50%	3%	46%	411
OK	31%	1%	67%	366
PA	21%	2%	77%	464
SC	35%	0%	65%	356
SD	36%	7%	57%	261
TN	26%	4%	70%	351
TX	20%	3%	77%	1,447
UT	31%	9%	60%	354
VA	17%	3%	80%	801
VT	36%	11%	53%	313
<b>NCI Average</b>	<b>27%</b>	<b>5%</b>	<b>68%</b>	<b>21,014</b>



## Safety Un-Collapsed

Table B 91 Are you ever afraid or scared when you are at home?

State	Yes - most of the time	Sometimes	No - rarely	N
AR	7%	16%	76%	237
CA	3%	10%	87%	4,800
CO	1%	21%	78%	320
CT	5%	14%	80%	296
DC	5%	8%	87%	259
DE	6%	10%	84%	332
FL	4%	9%	87%	873
GA	3%	6%	91%	272
HI	4%	6%	90%	281
IL	10%	13%	76%	263
IN	3%	12%	85%	601
KS	6%	19%	76%	259
KY	2%	3%	96%	263
LA	9%	15%	76%	277
ME	5%	23%	71%	293
MEORC	3%	13%	84%	323
MI	12%	14%	74%	300
MN	5%	13%	82%	264
MO	6%	14%	81%	243
NC	6%	11%	83%	453
NH	5%	9%	86%	286
NJ	2%	18%	80%	193
NY	2%	14%	84%	384
OH	10%	13%	77%	390
OK	5%	11%	85%	266
PA	4%	13%	83%	474
SC	1%	3%	96%	294
SD	5%	12%	84%	286
TN	2%	10%	88%	344
TX	7%	15%	78%	1,019
UT	7%	16%	76%	286
VA	6%	11%	83%	470
VT	3%	20%	77%	260
<b>NCI Average</b>	<b>5%</b>	<b>13%</b>	<b>83%</b>	<b>16,161</b>

**Table B 92 Are you ever afraid or scared when you are out in your neighborhood?**

State	Yes - most of the time	Sometimes	No - rarely	N
AR	6%	10%	84%	234
CA	4%	12%	83%	4,733
CO	1%	11%	87%	317
CT	4%	7%	89%	289
DC	6%	10%	84%	261
DE	7%	7%	85%	324
FL	4%	8%	88%	848
GA	4%	6%	90%	270
HI	4%	6%	90%	276
IL	9%	10%	81%	261
IN	6%	11%	83%	591
KS	5%	14%	81%	260
KY	1%	3%	95%	260
LA	9%	11%	80%	273
ME	8%	15%	77%	299
MEORC	4%	11%	84%	316
MI	6%	13%	80%	301
MN	6%	13%	81%	261
MO	4%	14%	83%	243
NC	6%	10%	84%	449
NH	3%	9%	88%	282
NJ	3%	12%	85%	190
NY	2%	10%	88%	388
OH	10%	9%	80%	391
OK	8%	12%	80%	261
PA	3%	11%	86%	463
SC	0%	2%	97%	290
SD	5%	11%	84%	285
TN	2%	9%	88%	348
TX	6%	11%	83%	991
UT	8%	14%	78%	282
VA	5%	6%	89%	447
VT	3%	22%	75%	252
<b>NCI Average</b>	<b>5%</b>	<b>10%</b>	<b>85%</b>	<b>15,936</b>

**Table B 93 Are you ever afraid or scared at work or at your day program or other activity?**

State	Yes - most of the time	Sometimes	No - rarely	N
AR	4%	12%	84%	167
CA	2%	7%	91%	3,683
CO	2%	16%	83%	287
CT	3%	7%	90%	259
DC	7%	5%	88%	224
DE	7%	8%	85%	302
FL	4%	7%	90%	545
GA	2%	5%	92%	237
HI	4%	3%	93%	258
IL	5%	7%	88%	233
IN	4%	8%	88%	442
KS	6%	12%	82%	216
KY	0%	4%	96%	235
LA	8%	7%	85%	182
ME	7%	13%	80%	256
MEORC	2%	5%	92%	293
MI	7%	8%	85%	232
MN	4%	9%	88%	113
MO	2%	7%	91%	127
NC	3%	7%	90%	346
NH	1%	7%	92%	260
NJ	2%	11%	88%	186
NY	2%	5%	93%	315
OH	7%	6%	88%	344
OK	4%	8%	88%	205
PA	1%	6%	93%	353
SC	1%	1%	98%	276
SD	4%	9%	88%	248
TN	0%	6%	94%	218
TX	4%	8%	88%	761
UT	7%	10%	83%	229
VA	5%	8%	87%	350
VT	3%	13%	84%	234
<b>NCI Average</b>	<b>4%</b>	<b>8%</b>	<b>89%</b>	<b>12,616</b>

**Table B 94 If you ever feel afraid, is there someone you can talk to?**

State	Yes	Maybe, not sure	No	N
AR	93%	3%	4%	236
CA	91%	4%	5%	4,676
CO	91%	4%	5%	318
CT	93%	1%	6%	288
DC	90%	5%	5%	260
DE	87%	3%	9%	327
FL	93%	3%	4%	857
GA	96%	2%	2%	268
HI	95%	3%	3%	279
IL	88%	5%	6%	258
IN	95%	1%	4%	595
KS	88%	9%	4%	256
KY	96%	2%	2%	266
LA	95%	2%	3%	281
ME	95%	3%	2%	293
MEORC	95%	2%	3%	321
MI	93%	5%	2%	294
MN	95%	2%	4%	261
MO	95%	3%	2%	234
NC	94%	3%	3%	439
NH	95%	2%	3%	273
NJ	88%	7%	5%	186
NY	86%	5%	9%	382
OH	91%	3%	6%	384
OK	93%	2%	5%	262
PA	92%	2%	6%	454
SC	97%	1%	2%	295
SD	93%	2%	5%	280
TN	96%	1%	3%	346
TX	89%	3%	8%	1,015
UT	92%	2%	5%	278
VA	93%	2%	6%	457
VT	92%	5%	3%	259
<b>NCI Average</b>	<b>93%</b>	<b>3%</b>	<b>4%</b>	<b>15,878</b>

## Appendix C

### Residence Type Crosswalk

NCI Code	Collapsed Residence Type
ICF/ID, 16 or more residents with disabilities	Institution
ICF/ID, 7-15 residents with disabilities	
ICF/ID, 4-6 residents with disabilities <sup>42</sup>	
Other specialized institutional facility	
Nursing facility	
Group living setting, 2-3 people with disabilities <sup>43</sup>	Group Home
Group living setting, 4-6 people with disabilities	
Group living setting, 7-15 people with disabilities	
Other	
Lives in own home or apartment; may be owned or rented, or may be sharing with roommate(s)	Individual Home
Parent/relative's home (may include paid services to family for residential supports)	Parent's Home
Foster care or host home (round-the-clock services provided in a single-family residence where 2 or more people with a disability live with a person or family who furnishes services) <sup>44</sup>	
Foster care or host home (round-the-clock services provided in a single-family residence where only one person with a disability lives with a person or family who furnishes services—sometimes called shared living.)	
Other	
Homeless	

<sup>42</sup> This category includes ICF/ID settings in California with 6 or fewer residents.

<sup>43</sup> This category includes Community Care Facilities in California with 1-3 residents.

<sup>44</sup> This category includes Foster Home Agency settings in California where one or more people with a disability live with a family that provides services.

## Appendix D

### State Sampling

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	What Sampling technique/strategy is being used?
AR	The DHS Research and Statistics Department will pulled an (over sample)- stratified random sample of 300-adults 18 and over-who are enrolled in the DDS Waiver receiving at least one funded service other than case management. (The sample was stratified by the case manager/provider agency to ensure that each cm/provider to ensure at least 2 per case manager/agency). In addition, 100-ICF adults 18 and over were pulled by random sample.	300- DD HCBS 1915 (c) Medicaid eligible, age 18 and over, and receiving at least one DD waiver service- including 100-ICFs-ID.		Stratified random sample. ICF sample pulled randomly.
CA	For each of the 21 regional centers (RCs), a random sample of individuals age 18 or older who received at least one service besides case management was drawn. In addition, 202 surveys will be conducted with individuals who moved from institutional settings into community settings.	Any adult receiving at least one service in addition to case management from a regional center regardless of funding source e.g. 1915(c) waiver services, ICF etc.	Any person receiving services in a Developmental Center.	Stratified random sample

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		What Sampling technique/strategy is being used?
		Included Programs	Excluded Programs	
<b>CO</b>	A stratified random sample of all adults 18 and over enrolled in the Developmental Disabilities Waiver, the Supported Living Services Waiver or receiving Supported Living Services through state funding, who receive at least one service not including case management. The sample was stratified by the case management agency based on the total number of individuals served by each agency.	<p>HCBS-DD 1915(c) All adults age 18 and over, enrolled in HCBS-DD who receive at least one service other than case management.</p> <p>HCBS-SLS 1915(c) All adults age 18 and over, enrolled in HCBS-SLS who receive at least one service other than case management.</p> <p>State-SLS State General Fund All adults age 18 and over, enrolled in State-SLS who receive at least one service other than case management.</p>		Stratified random sample
<b>CT</b>	A random sample pull from all individuals meeting the criteria of age 18 or over (as of July 1, 2014) and receiving at least one funded service in addition to Case Management. All individuals meeting this criteria were pulled from central database (CAMRIS) and then Excel was used to assign each a random number. The records were then sorted by that random number and the first 2400 are used for the randomly selected survey recipients, from which 400 were surveyed	Population: Individuals in one of the four HCBS adult waivers DDS Manages including people in the Autism Waiver, Individuals who are not enrolled in an HCBS waiver but are receiving at least one funded service in addition to Case Management (for example ICF)		Random sample
<b>DC</b>	Sample was selected randomly while ensuring an equal case distribution amongst service coordinators.			Random sample
<b>DE</b>	Sample was randomly pulled from individuals receiving services from the Delaware Division of Developmental Disabilities. Sample included HCBS waiver participants receiving case management services and individuals receiving Family Support Services, plus one other service.	HCBS waiver participants, individuals receiving Family Support Services plus one other service.	Individuals under the age of 21	Random sample

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	What Sampling technique/strategy is being used?
<b>FL</b>	Sample taken from total population (about 31,000) of individuals receiving services through the HCBS iBudget Waiver. It is a random probability sample, stratified by Support Coordinators providing services anywhere in the state, with at least two individuals selected from each Support Coordinator.	iBudget waiver.  HCBS 1915c state federal match. DD and ID individuals. Sample also included those who opted to receive services through the Consumer Directed Care and program--the self-directed program those on the waiver can opt to participate in.	General Revenue. State funded. General Revenue are those who are receiving limited state funded services while they are on the wait list for the HCBS waiver.	Stratified random sample
<b>GA</b>	The sample was stratified by region and by provider. In FY 14-15, 40 service providers were randomly selected proportionately from each region to receive the Quality Enhancement Provider Review (QEPR). And the 480 individuals were then randomly selected from the caseloads of the 40 service providers. NCI is part of the person centered review, but the survey is not used as a provider assessment.	Anyone receiving services from paid providers selected for QEPR review	Those ONLY doing self-directed services	Cluster Sampling
<b>HI</b>	Random sample of individuals 18+ years and receiving at least one waiver service.	Hawaii DD Waiver program (HCBS 1915c)		Random sample
<b>IL</b>	Random sample from all adult waiver participants.	waiver	ICF	Random sample
<b>IN</b>	The actual sample size varies throughout the course of a year as waiver participation changes with additions and departures from the waiver program. On a quarterly basis, IN calibrated targeted sample size with actual waiver participation, and adjusted sample size accordingly. Indiana selected Individuals for survey solicitation stratified by waiver type	Community Integration and Habilitation Waiver (CIH)—and Family Support Waiver (FSW) (both HCBS)	ICF, anyone receiving funding NOT through waiver	Stratified random sample
<b>KS</b>	Pulled quarterly with a sample size of 150 individuals Medicaid eligible, age 18 and over, and receiving at least one DD waiver service (not including ICFs-ID). Random sample by program and then stratified by MCO.	DD HCBS 1915 (c) Medicaid eligible, age 18 and over, and receiving at least one DD waiver service(not including ICFs-ID)	ICF-ID	Stratified random sample



	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	What Sampling technique/strategy is being used?
<b>KY</b>	A sample of adults 18 and over receiving at least one service in addition to case management. Stratified by finding source	Supports for Community Living (1915c), Michelle P (1915c), State general funds, ICF		Stratified random sample
<b>LA</b>	Sample of 1600 adults receiving state-funded, HCBS, or ICF/DD services (receiving at least one services in addition to case management). Pulled from 5 different databases. Determined number from each waiver and region proportionally by # people served (stratification).	Public and private ICF/DD (funding=Title IXX, ICF Funding); New Opportunities Waiver, Residential Options Waiver, Supports Waiver (Funding=HCBS 1915c); Individual and Support Program (Funding=state)		Stratified random sample
<b>ME</b>	Random sample of everyone who is eligible who are receiving case management and one other service. 900 names are pulled.	Case Management (Medicaid) State Plan. Case management is an entitlement for all persons who qualify for develop. Services. Case management is not available to any other (adult) population.		Random sample
<b>MEORC</b>	Stratified sample. Stratified by county. Partnered with educational center to determine minimum sample per county (typically around 30). OHDD pulled sample and made sure not to include names pulled from MEORC county in the overall OH sample. Included people living in ICF only if receiving one services from county board.		ICFs if person in ICF does not have state case management	Stratified random sample
<b>MI</b>	Random sample of service recipients aged 18 and over and receiving one service in addition to case management. Services are ID/DD specific.	1915 c and 1915b State general fund, Local funding		Random sample

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	
<b>MN</b>	A simple random sample of 2,000 individuals identified as having a developmental or intellectual disability who receive one service in addition to case management.	<p>CAC, CADI, BI, DD, EW Waiver 18 and over with I/DD with one service in addition to case management</p> <p>Home care services State plan 18 and over with I/DD with one service in addition to case management</p> <p>ICF/DD State plan 18 and over with I/DD with one service in addition to case management</p> <p>Consumer Support Grant State Funded Alternative consumer directed grant based program, PCA services.</p> <p>MN includes people with IDD in nursing homes</p>	Alternative care plan	Random sample
<b>MO</b>	Missouri randomly selected individuals age 18 years or older who receive at least one service in addition to case management. The 2014/2015 sample was taken specifically from the Comprehensive Waiver population, a subset of our general population.	HCBS 1915(c) Comprehensive Waiver participants	Support Waiver, Autism Waiver, Lopez Waiver, and Partnership for Hope Waiver HCBS 1915(c) See attached description of DD's waiver programs. In the future, MO plans to include individuals enrolled in these waivers and individuals served in programs funded by the state's General Revenue.	Random sample

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		What Sampling technique/strategy is being used?
		Included Programs	Excluded Programs	
<b>NC</b>	Random samples of adults 18 and over who received at least one IDD service in the previous state fiscal year were selected from each of the State's Local Management Entity-Managed Care Organization (LME-MCO) catchment areas and Developmental Centers. LME-MCO sample sizes were 60, 90, or 120, depending on the size of the population served. Developmental Center samples included 30 individuals each. Due to targeted sampling with the Developmental Centers, the final State sample percentage of individuals served in these settings is approximately three times the actual population percentage.	All Medicaid and state funded programs providing IDD services to individuals 18 years of age and older		LME-MCOs—Approximately proportionate stratified random samples; Developmental Centers—stratified random samples
<b>NH (two year cycle, used 13-14 survey tool)</b>	Identified all individuals who were 21 and older and who were receiving at least one waiver service (not only case management). Pulled random sample. If anyone had been surveyed in the previous year, they didn't get surveyed.	DD Waiver and Acquired Brain Disorder Waiver	Those surveyed in previous year	Random sample
<b>NJ</b>	Stratified sample (by region) pulled from population of Community Care waiver participants.	Community Care Waiver Participants	ICFs, comprehensive waiver,	Stratified random sample
<b>NY</b>	Stratified by region-sample of individuals age 18 and over with at least one service besides case management.	Residential, IRAs, group homes, ICFs, day services, supported employment,	Light clinical services, light services	Stratified random sample
<b>OH</b>	Sample pulled from everyone in databases in county boards. Eligible: 18+ receiving one service (in addition to case management) that's administered by county board, or lives in ICF.	1915c, ICF and those receiving services from county boards	Medicaid home care waiver (administered by Medicaid) Might be included, but not specifically sampled from this waiver. Also, MEORC sample is excluded	Random sample

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	What Sampling technique/strategy is being used?
<b>OK</b>	Random sample of 400 adults receiving residential services on the Homeward Bound Waiver and Community Waiver, including recent transitions from state –run institutions, . .	HCBS Community Waiver: residential; Homeward Bound Waiver	In Home Supports Waiver – Adults; HCBS Community Waiver: non-residential (e.g., people living in own home or family homes with intermittent, not residential supports-)Plan to include all adults receiving DDS services in 2015-16 survey	Random sample
<b>PA</b>	Statewide: 400 randomly selected from population (not eligible if interviewed within past two years.)			Random sample

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	
<b>SC</b>	<p>Stratified sample of adults, age 18 and over, with at least one service other than case management. The sample was drawn from the names included in the QIO reviews.</p> <p>The QIO reviews 80-90 service providers per year. Within each provider review sample, the QIO selects individuals to be interviewed from those who are eligible (adults, receiving services). The QIO staff offered the option to participate in the NCI Interview to each person on the stratified sample, and if they agreed, the person was interviewed. The QIO includes representation from each agency.</p>	<p>Residential Services HCB Waiver (1915(c)) and State Funded Adults age 18 and over receiving residential services in a DDSN contracted residential setting. (The number in the State funded category will be limited.)</p> <p>Day and Employment Services HCB Waiver (1915(c)) and State Funded Adults age 18 and over receiving Day and Employment Services through a DDSN contracted provider. (The number in the State funded category will be limited.)</p> <p>In-home supports HCB Waiver (1915(c)) and State Funded Adults age 18 and over receiving In-home supports through a DDSN contracted provider. (The number in the State funded category will be limited.)</p> <p>ICF – MR funded services</p>		Cluster sampling
<b>SD</b>	<p>There are 19 providers in state. Sample was stratified by provider. Each program specialist was told to choose a certain number of names from each provider, and then an additional 150 (backup) names were also chosen (also stratified)</p>	<p>HCBS 1915c</p> <p>Family support waiver Community transition (State funds)</p> <p>ICF children and state</p>		Stratified random sample

<b>TN</b>	A sample was selected of adults receiving at least one waiver service. 20% of the total number of those in ICFs were also pulled for the sample. Excludes those interviewed previous year.	<p>Statewide waiver HCBS 1915c (Individuals must have diagnosis of ID, IQ 70 or below to meet eligibility (must also meet financial eligibility). Individuals supported have an array of service needs from employment to intensive medical and behavioral supports.)</p> <p>Arlington Waiver HCBS 1915c (Individuals must have diagnosis of ID, IQ 70 or below to meet eligibility (must also meet financial eligibility). Individuals supported have an array of service needs from employment to intensive medical and behavioral supports.)</p> <p>Self Determination waiver HCBS 1915c (Individuals must have diagnosis of ID, IQ 70 or below to meet eligibility (must also meet financial eligibility). Individuals supported have an array of service needs. The same services are available in the SD waiver as the other two waivers, however this waiver has a cost cap of \$30,000 per year.)</p> <p>State operated ICF/ID state Medicaid (Individuals that live in developmental centers or state run 4 person homes (primarily people that have transitioned from Dev. Centers). Individuals have ID and more significant medical needs. Currently approx. 120 total people in state run institutions in TN but all are slated to close by 6/30/16.)</p>	Excludes those interviewed previous year.	Random sample
<b>TX</b>	Stratified sample by county by program. Population proportional sampling.	HCBS waivers (community support waivers, HCS, CLASS,	Stratified random sample	

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	What Sampling technique/strategy is being used?
		DBMD, and TxHmL), Private ICFs, and State Supported Living Centers		
UT	DSPD pulled a sample of 450 adults 18 and over who received at least one service in addition to support coordination who received home and community based supports (HCBS) (these 450 excluded those in ICF-ID). DSPD also pulled a random sample of 25 adults 18 and over who received at least one service in addition to support coordination who received supports in an ICF/ID. Each year we anticipated between 92% - 95% participation rate in our face to face surveys. This is stratified proportionally. 5% of pop live in ICF.	HCBS: (Community Supports Waiver, Acquired BI Waiver) and ICF/ID		Stratified random sample. ICF population randomly pulled separately.
VA	<p>A stratified by service type and region sample of 800 (random) plus "e" (below) were collected for Virginia.</p> <p>People who:</p> <p>a) used ID or DS Waiver services, or DD Waiver services</p> <p>b) lived in Training Centers;</p> <p>c) lived in community ICF's/IIDD;</p> <p>d) lived in nursing facilities and had an ID/DD diagnosis.</p> <p>e) In addition to the 800, The population of those who moved from training centers on or after October 13, 2011.</p>	<p>DS waiver</p> <p>ID Waiver</p> <p>DD waiver</p> <p>Lived in training centers</p> <p>Lived in community ICF's/ID</p> <p>Lived in nursing facilities and had ID/DD diagnosis</p> <p>Moved from training centers on or after October 13, 2011</p>	<p>Medicaid not included, waivers not administered by DBH not included.</p>	<p>Stratified random sample. Also surveyed those who moved from training centers on or after Oct 13, 2011</p>

	Description (as provided by state in State Work Plan)	ACS Sample Parameters		
		Included Programs	Excluded Programs	What Sampling technique/strategy is being used?
VT	Used the complete list of adults age 18 and over receiving HCBS, who received services for at least one year and who were out of high school. Pulled a sample of 14% at each agency. The exceptions were the two smaller agencies for which we pulled a 19% sample. Of the 6 smaller agencies (including the supportive ISO that supports people self/family managing) we picked two to participate the first year, with the intent of rotating through the other 4 smaller agencies 2 per year.	DDS HCBS – Global Commitment for Health (1115) Adults with developmental disabilities (ID and/or ASD) age 18 and over, in services for one year or more, no longer in high school.		Stratified Random Sample, excluding 4 smaller agencies.