

# National Core Indicators® 2018-19 In-Person Survey (IPS) Report

## Demographics

What to know about the presentation of Demographics data:



### State and weighted NCI averages

The number of respondents (N) is not weighted  
Here's what [weighting](#) data means for comparisons



### Six items are used for risk adjustment

Read more about risk adjustment in the Overview Chapter



### DATA CAUTION!

Many states' data have a large amount of missing data or data recorded as “don't know”  
Read about what this means [here](#)

## Demographics

Table 1. Age.....	4
Table 2. Age Group.....	5
Table 3. Gender.....	6
Table 4. Marital Status.....	7
Table 5. Race.....	8
Table 6. Residential Designation.....	9
Table 7. Type of Residence – ICFs/ID, Nursing facilities or other specialized institutional settings.....	10
Table 8. Type of Residence – Group Residential Setting.....	11
Table 9. Type of Residence – Other Home Settings.....	12
Table 10. Length of Time at Current Residence (If Not Homeless or in Crisis Bed Placement).....	13
Table 11. Person's residence owned or controlled by provider agency.....	14
Table 12. Person is named on the lease.....	15
Table 13. Person owns home.....	16
Table 14. Has ID Diagnosis.....	17
Table 15. Level of ID (if the person has an ID diagnosis).....	18
Table 16. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness ('Don't Know' responses are included in the denominator).....	19
Table 17. Other Disabilities ('Don't Know' responses are included in the denominator).....	20
Table 18. Other Disabilities (continued; 'Don't Know' responses are included in the denominator).....	21
Table 19. Health Conditions ('Don't Know' responses are included in the denominator).....	22
Table 20. Health Conditions (Continued).....	23
Table 21. Preferred Means of Communication.....	24
Table 22. Primary Language.....	25
Table 23. Mobility.....	26
Table 24. Support Needed to Manage Self-Injurious Behavior.....	27
Table 25. Support Needed to Manage Disruptive Behavior.....	28
Table 26. Support Needed to Manage Destructive Behavior.....	29
Table 27. Level of Guardianship.....	30
Table 28. Guardian's Relationship to Person.....	31

## Where do these data come from?

Most items in this section are drawn from administrative sources. Select items may have been collected during the face-to-face survey.

## What is weighting and why do we do it?

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI average (that is, its contribution is *proportional to its service population*).

Some states—in this survey year, **IN, MN, TX and WI**—intentionally oversampled one or more subpopulations or geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service population sizes in each subpopulation or region). You can read more about this in the Sampling section of the Overview chapter of this report.

The number of respondents (N) for each question *is not* weighted.

## DATA CAUTION!

Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (\*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

**Note.** For those surveyed from RI’s SDS service delivery model, there are no administrative records available from which to pull much of the background information. Therefore, the RI data from the background information section may not be representative of this population.

## Presentation of state and weighted NCI averages

Tables show states listed in alphabetical order and are not tested for significance.

Table 1. Age

Item is used for risk adjustment

State	Mean	Min	Max	Standard Deviation	Median	N
AL	46.9	21	88	14.0	46.0	377
AZ	34.5	18	83	13.7	31.0	411
AR	41.9	19	80	14.8	39.0	509
CO	39.6	18	92	15.9	35.0	706
CT	45.1	19	91	16.7	44.0	383
DE	45.0	19	96	16.5	41.9	307
FL	40.3	18	83	14.5	38.0	844
GA	44.8	21	86	13.8	44.0	476
HI	42.3	18	91	17.3	39.5	360
IN	38.0	18	87	13.9	34.0	742
KS	41.0	19	84	14.8	38.0	397
KY	43.6	19	91	16.0	42.0	423
ME	46.0	20	89	16.2	45.0	399
MI	45.6	19	88	16.3	45.0	648
MN	44.1	19	107	16.4	42.0	2,137
MO	40.8	18	90	15.7	39.0	402
NE	45.6	20	87	15.7	45.0	415
NV	39.2	18	74	13.2	36.0	404
NH	41.7	22	85	15.6	37.0	400
NJ	40.4	18	78	14.8	36.0	512
NY	49.8	20	97	16.5	50.0	448
NC	39.0	19	83	15.1	35.0	647
OH	40.5	18	87	15.2	37.0	711
OK	44.8	19	82	13.8	43.0	400
OR	42.3	19	91	15.9	40.0	421
PA	43.3	19	94	15.7	41.0	701
RI	43.5	21	98	16.2	40.0	332
SC	49.2	18	88	14.6	50.0	498
SD	45.3	19	86	15.7	44.0	350
TN	48.8	19	92	14.9	49.9	405
TX	42.2	22	89	13.7	39.0	2,388
UT	38.2	19	79	14.2	35.5	368
VT	43.1	19	83	16.3	41.1	344
VA	43.5	18	84	15.6	41.5	800
WA	39.4	18	87	16.0	36.0	440
WI	44.1	18	95	17.8	41.0	958
WY	41.7	18	88	15.3	39.4	341
<b>Weighted NCI Average</b>	<b>42.7</b>	<b>18</b>	<b>107</b>	<b>15.8</b>	<b>40.0</b>	<b>21,804</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 2. Age Group

State	18-22	23-34	35-54	55-74	75 and older	Unknown	N
AL	2%	21%	46%	28%	3%	0%	378
AZ	19%	42%	28%	10%	1%	0%	413
AR	7%	31%	38%	22%	1%	0%	510
CO	14%	34%	31%	19%	2%	1%	712
CT	4%	30%	32%	27%	4%	2%	391
DE	2%	28%	29%	27%	3%	10%	342
FL	8%	31%	39%	18%	1%	3%	867
GA	0%	28%	44%	24%	2%	1%	479
HI	10%	31%	28%	26%	4%	1%	363
IN	8%	47%	29%	15%	2%	0%	742
KS	8%	32%	36%	19%	2%	3%	408
KY	7%	29%	33%	28%	2%	1%	429
ME	2%	30%	37%	27%	4%	0%	400
MI	6%	27%	32%	31%	3%	2%	658
MN	7%	28%	35%	26%	4%	0%	2,140
MO	11%	31%	34%	23%	1%	0%	403
NE	5%	25%	37%	29%	4%	1%	418
NV	5%	38%	41%	14%	0%	1%	408
NH	3%	43%	31%	21%	3%	0%	400
NJ	5%	41%	34%	18%	2%	0%	514
NY	2%	20%	38%	33%	7%	0%	448
NC	13%	35%	32%	18%	1%	1%	651
OH	10%	35%	32%	20%	2%	3%	732
OK	4%	23%	48%	25%	1%	0%	400
OR	10%	31%	33%	25%	2%	0%	421
PA	5%	30%	39%	22%	3%	1%	710
RI	4%	30%	30%	25%	3%	7%	358
SC	3%	15%	42%	37%	2%	1%	501
SD	2%	28%	40%	27%	3%	0%	351
TN	2%	19%	37%	39%	2%	0%	406
TX	0%	36%	43%	19%	1%	0%	2,388
UT	12%	35%	35%	17%	1%	1%	372
VT	5%	35%	30%	27%	2%	1%	346
VA	6%	29%	37%	25%	2%	1%	807
WA	16%	32%	31%	20%	1%	0%	441
WI	9%	28%	29%	27%	6%	0%	961
WY	8%	30%	40%	19%	2%	0%	341
<b>Weighted NCI Average</b>	<b>7%</b>	<b>31%</b>	<b>35%</b>	<b>23%</b>	<b>3%</b>	<b>1%</b>	<b>22,009</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 3. Gender

State	Male	Female	Other	N
AL	60%	40%	0%	378
AZ	58%	42%	0%	412
AR	54%	46%	0%	509
CO	57%	43%	0%	706
CT	59%	41%	0%	381
DE	60%	40%	0%	326
FL	57%	43%	0%	859
GA	54%	46%	0%	472
HI	62%	38%	0%	358
IN	58%	42%	0%	742
KS	60%	40%	0%	401
KY	59%	41%	0%	427
ME	54%	46%	0%	398
MI	58%	41%	0%	652
MN	56%	44%	0%	2,139
MO	61%	39%	0%	403
NE	58%	42%	0%	418
NV	56%	44%	0%	407
NH	54%	46%	0%	399
NJ	59%	41%	0%	511
NY	58%	42%	0%	448
NC	61%	39%	0%	648
OH	60%	40%	0%	727
OK	58%	42%	0%	400
OR	60%	40%	0%	421
PA	58%	41%	0%	699
RI	58%	41%	1%	328
SC	55%	45%	0%	494
SD	56%	44%	0%	351
TN	54%	46%	0%	406
TX	58%	42%	0%	2,386
UT	58%	42%	1%	370
VT	58%	41%	0%	346
VA	58%	42%	0%	804
WA	59%	41%	0%	438
WI	55%	45%	0%	961
WY	56%	44%	0%	341
<b>Weighted NCI Average</b>	<b>58%</b>	<b>42%</b>	<b>0%</b>	<b>21,866</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 4. Marital Status

State	Single, Never Married	Married	Single, Married in the Past	Don't Know	N
AL	98%	0%	2%	0%	375
AZ	98%	1%	0%	1%	410
AR	92%	4%	4%	0%	509
CO	93%	1%	5%	1%	686
CT	99%	1%	1%	0%	372
DE	98%	1%	1%	0%	327
FL	98%	1%	1%	0%	861
GA	96%	2%	2%	0%	468
HI	99%	1%	1%	0%	362
IN	98%	1%	1%	0%	738
KS	98%	0%	2%	0%	401
KY	95%	1%	3%	1%	420
ME	94%	1%	4%	1%	398
MI	96%	1%	2%	1%	647
MN	96%	2%	2%	1%	1,998
MO	96%	2%	2%	0%	403
NE	97%	0%	3%	0%	413
NV	97%	0%	1%	1%	401
NH	93%	3%	4%	1%	398
NJ	99%	1%	1%	0%	510
NY	96%	2%	0%	2%	448
NC	98%	0%	1%	1%	645
OH	94%	3%	2%	2%	719
OK	94%	1%	5%	0%	400
OR	92%	3%	2%	4%	419
PA	93%	2%	3%	2%	694
RI	98%	1%	1%	1%	355
SC	95%	1%	3%	1%	494
SD	98%	1%	2%	0%	349
TN	97%	0%	2%	0%	401
TX	96%	1%	1%	1%	2,388
UT	95%	2%	3%	0%	370
VT	96%	1%	3%	0%	346
VA	98%	1%	1%	0%	804
WA	95%	1%	3%	0%	437
WI*	48%	4%	9%	39%	961
WY	87%	3%	9%	1%	302
<b>Weighted NCI Average</b>	<b>93%</b>	<b>2%</b>	<b>2%</b>	<b>3%</b>	<b>21,629</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 5. Race

State	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Two or More	Don't Know	N
AL	0%	1%	36%	0%	63%	0%	0%	0%	0%	378
AZ	6%	1%	5%	0%	59%	25%	1%	1%	2%	413
AR	0%	0%	23%	0%	75%	1%	0%	1%	0%	510
CO	0%	1%	2%	0%	57%	9%	19%	11%	1%	712
CT	0%	0%	11%	1%	80%	2%	0%	6%	0%	383
DE	0%	0%	34%	0%	58%	3%	1%	1%	2%	329
FL	1%	1%	25%	0%	56%	16%	1%	1%	0%	857
GA	0%	0%	51%	0%	45%	2%	1%	0%	0%	476
HI	1%	50%	2%	9%	14%	2%	3%	19%	0%	362
IN	0%	0%	9%	0%	88%	1%	0%	1%	0%	740
KS	1%	0%	7%	0%	86%	3%	0%	1%	0%	404
KY	0%	0%	8%	0%	88%	0%	0%	3%	0%	427
ME	1%	0%	0%	0%	95%	1%	0%	1%	2%	400
MI	0%	1%	14%	0%	78%	1%	3%	2%	2%	651
MN	1%	2%	5%	0%	89%	0%	0%	1%	2%	2,139
MO	0%	1%	13%	0%	84%	0%	1%	1%	0%	403
NE	2%	1%	4%	0%	85%	4%	1%	3%	0%	416
NV	1%	3%	12%	0%	69%	11%	0%	1%	2%	407
NH	1%	0%	1%	0%	95%	1%	1%	1%	1%	397
NJ	0%	4%	18%	0%	65%	9%	1%	0%	2%	508
NY	0%	1%	19%	0%	71%	7%	1%	0%	1%	437
NC	1%	0%	33%	0%	63%	2%	1%	0%	0%	650
OH	0%	1%	16%	0%	78%	1%	1%	1%	2%	725
OK	8%	1%	13%	0%	75%	3%	0%	1%	0%	400
OR	1%	2%	2%	0%	86%	4%	1%	1%	2%	420
PA	0%	1%	12%	0%	82%	3%	0%	1%	0%	692
RI	1%	1%	6%	0%	81%	6%	1%	2%	3%	324
SC	0%	0%	65%	0%	34%	0%	0%	0%	0%	487
SD	10%	0%	1%	0%	84%	1%	1%	2%	0%	351
TN	0%	0%	28%	0%	71%	0%	0%	0%	0%	405
TX	0%	2%	20%	0%	52%	21%	0%	3%	1%	2,386
UT	2%	1%	2%	0%	84%	7%	0%	2%	1%	369
VT	1%	1%	0%	0%	95%	0%	1%	1%	1%	346
VA	0%	2%	34%	0%	59%	1%	2%	0%	1%	803
WA	2%	5%	6%	0%	77%	6%	0%	1%	1%	441
WI*	1%	0%	7%	0%	61%	1%	1%	2%	27%	961
WY	3%	1%	1%	0%	88%	6%	1%	1%	1%	341
<b>Weighted NCI Average</b>	<b>1%</b>	<b>1%</b>	<b>15%</b>	<b>0%</b>	<b>71%</b>	<b>6%</b>	<b>1%</b>	<b>2%</b>	<b>3%</b>	<b>21,850</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)



Table 6. Residential Designation

Information based on residential designation defined by the USDA: <https://www.ers.usda.gov/data-products/rural-urban-commuting-area-codes.aspx>

State	Rural	Small town	Micropolitan	Metropolitan	N
AL	3%	11%	11%	76%	378
AZ	2%	2%	5%	91%	412
AR	4%	17%	21%	58%	510
CO	1%	6%	11%	82%	697
CT	1%	0%	4%	95%	384
DE	0%	4%	16%	81%	310
FL	0%	2%	2%	96%	798
GA	2%	6%	13%	79%	474
HI	1%	2%	14%	83%	361
IN	3%	6%	17%	74%	741
KS	3%	8%	28%	61%	403
KY	5%	15%	37%	42%	419
ME	17%	16%	22%	45%	399
MI	6%	6%	11%	77%	652
MN	4%	10%	17%	69%	2,120
MO	7%	16%	14%	63%	402
NE	11%	27%	24%	39%	417
NV	0%	0%	6%	94%	405
NH	7%	13%	20%	59%	398
NJ	0%	0%	1%	99%	511
NY	4%	8%	10%	78%	448
NC	3%	5%	24%	69%	647
OH	1%	5%	20%	73%	709
OK	3%	13%	35%	50%	400
OR	2%	3%	18%	77%	420
PA	3%	6%	12%	79%	699
RI	0%	0%	0%	100%	327
SC	1%	11%	38%	50%	499
SD	5%	7%	45%	44%	351
TN	1%	11%	14%	73%	405
TX	0%	3%	9%	88%	2,276
UT	2%	2%	11%	84%	363
VT	37%	31%	21%	11%	338
VA	4%	7%	6%	83%	803
WA	1%	3%	10%	86%	438
WI	7%	14%	16%	62%	961
WY	3%	12%	46%	39%	340
<b>Weighted NCI Average</b>	<b>3%</b>	<b>7%</b>	<b>14%</b>	<b>76%</b>	<b>21,615</b>

Table 7. Type of Residence – ICFs/ID, Nursing facilities or other specialized institutional settings

State	ICF/IID, 4-6 Residents With Disabilities	ICF/IID, 7-15 Residents With Disabilities	ICF/IID, 16 or More Residents With Disabilities	Nursing Facility	Other Specialized Institutional Facility	N
AL	0%	0%	0%	0%	0%	378
AZ	0%	0%	0%	0%	0%	413
AR	0%	0%	0%	0%	0%	508
CO	0%	0%	0%	0%	0%	654
CT	0%	0%	5%	0%	0%	384
DE	0%	0%	0%	0%	0%	325
FL	0%	0%	0%	0%	0%	867
GA	0%	0%	0%	0%	0%	476
HI	0%	0%	0%	0%	0%	361
IN	0%	0%	0%	0%	0%	742
KS	0%	0%	0%	0%	0%	404
KY	0%	0%	2%	4%	0%	429
ME	0%	0%	0%	0%	1%	397
MI	0%	0%	0%	0%	0%	651
MN	3%	1%	2%	0%	0%	2,140
MO	0%	0%	0%	1%	0%	403
NE	1%	3%	3%	0%	0%	400
NV	0%	0%	0%	0%	0%	408
NH	0%	0%	0%	0%	0%	397
NJ	0%	0%	0%	0%	0%	514
NY	1%	10%	2%	0%	0%	448
NC	4%	2%	7%	0%	0%	650
OH	1%	0%	2%	1%	0%	726
OK	0%	0%	0%	0%	0%	400
OR	0%	0%	0%	0%	0%	421
PA	1%	1%	2%	2%	1%	696
RI	0%	0%	0%	0%	0%	320
SC	2%	0%	0%	0%	0%	496
SD	0%	0%	0%	0%	0%	349
TN	1%	0%	0%	0%	2%	404
TX	6%	2%	8%	0%	0%	2,388
UT	1%	0%	6%	0%	0%	371
VT	0%	0%	0%	0%	0%	346
VA	0%	0%	0%	0%	1%	806
WA	0%	0%	0%	0%	0%	438
WI	0%	0%	0%	0%	1%	961
WY	0%	0%	0%	0%	0%	336
<b>Weighted NCI Average</b>	<b>1%</b>	<b>1%</b>	<b>2%</b>	<b>0%</b>	<b>0%</b>	<b>21,807</b>

Table 8. Type of Residence – Group Residential Setting

State	Group Living Setting, 2-3 People With Disabilities	Group Living Setting, 4-6 People With Disabilities	Group Living Setting, 7-15 People With Disabilities	N
AL	46%	10%	6%	378
AZ	13%	4%	0%	413
AR	2%	4%	13%	508
CO	6%	8%	2%	654
CT	15%	23%	2%	384
DE	34%	23%	0%	325
FL	1%	26%	3%	867
GA	13%	15%	0%	476
HI	1%	11%	0%	361
IN	0%	0%	0%	742
KS	16%	24%	4%	404
KY	33%	3%	0%	429
ME	14%	16%	1%	397
MI	6%	33%	6%	651
MN	0%	48%	0%	2,140
MO	5%	8%	3%	403
NE	24%	12%	1%	400
NV	32%	27%	0%	408
NH	8%	4%	1%	397
NJ	6%	25%	2%	514
NY	11%	33%	41%	448
NC	6%	13%	0%	650
OH	10%	8%	1%	726
OK	29%	17%	0%	400
OR	11%	16%	1%	421
PA	20%	7%	1%	696
RI	6%	25%	4%	320
SC	3%	28%	5%	496
SD	4%	17%	27%	349
TN	26%	2%	4%	404
TX	13%	11%	1%	2,388
UT	24%	7%	1%	371
VT	6%	3%	0%	346
VA	6%	35%	5%	806
WA	7%	7%	0%	438
WI	4%	9%	6%	961
WY	7%	10%	1%	336
<b>Weighted NCI Average</b>	<b>10%</b>	<b>17%</b>	<b>5%</b>	<b>21,807</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 9. Type of Residence – Other Home Settings

State	Own Home or Apartment	Parent or Relative's Home	Foster Care or Host Home (2 or More People With a Disability)	Foster Care, Host Home, or Shared Living (1 Person With a Disability)	Homeless or Crisis Bed Placement	Other	Don't Know	N
AL	5%	33%	0%	0%	0%	0%	0%	378
AZ	6%	67%	6%	2%	0%	0%	0%	413
AR	39%	38%	2%	2%	0%	0%	0%	508
CO	17%	44%	14%	8%	0%	0%	0%	654
CT	16%	34%	2%	2%	0%	0%	0%	384
DE	7%	28%	1%	5%	0%	0%	1%	325
FL	18%	51%	0%	0%	0%	0%	0%	867
GA	12%	53%	6%	0%	0%	0%	0%	476
HI	4%	57%	27%	0%	0%	0%	0%	361
IN	34%	64%	1%	1%	0%	0%	0%	742
KS	24%	26%	2%	3%	0%	1%	0%	404
KY	8%	35%	11%	4%	0%	0%	0%	429
ME	21%	22%	3%	20%	0%	1%	1%	397
MI	22%	28%	4%	1%	0%	0%	0%	651
MN	11%	27%	4%	0%	0%	0%	3%	2,140
MO	46%	32%	2%	1%	0%	0%	0%	403
NE	21%	24%	4%	7%	0%	0%	1%	400
NV	15%	22%	1%	3%	0%	0%	0%	408
NH	11%	39%	15%	22%	0%	0%	0%	397
NJ	12%	54%	0%	0%	0%	0%	0%	514
NY	0%	0%	2%	0%	0%	0%	0%	448
NC	6%	52%	2%	3%	0%	3%	0%	650
OH	27%	48%	1%	1%	0%	0%	0%	726
OK	23%	29%	0%	2%	0%	0%	0%	400
OR	20%	33%	19%	0%	0%	0%	0%	421
PA	15%	41%	1%	3%	1%	3%	0%	696
RI	17%	36%	0%	12%	0%	0%	0%	320
SC	15%	44%	0%	0%	0%	2%	1%	496
SD	40%	11%	1%	1%	0%	0%	0%	349
TN	32%	24%	3%	4%	0%	0%	0%	404
TX	5%	33%	6%	14%	0%	0%	2%	2,388
UT	11%	42%	5%	4%	0%	0%	0%	371
VT	12%	31%	20%	27%	0%	1%	0%	346
VA	7%	37%	4%	4%	0%	0%	0%	806
WA	34%	47%	4%	1%	0%	0%	0%	438
WI	29%	35%	2%	2%	0%	4%	7%	961
WY	34%	32%	1%	2%	0%	13%	0%	336
<b>Weighted NCI Average</b>	<b>18%</b>	<b>38%</b>	<b>4%</b>	<b>3%</b>	<b>0%</b>	<b>1%</b>	<b>1%</b>	<b>21,807</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 10. Length of Time at Current Residence (If Not Homeless or in Crisis Bed Placement)

State	Less Than 1 Year	1-3 Years	3-5 Years	Over 5 Years	Don't Know	N
AL	7%	20%	14%	58%	1%	370
AZ	10%	16%	8%	54%	11%	403
AR	7%	21%	9%	59%	3%	502
CO	12%	25%	10%	51%	1%	687
CT	8%	20%	11%	61%	0%	370
DE	8%	19%	9%	58%	6%	319
FL	11%	22%	7%	61%	0%	857
GA	6%	18%	11%	60%	6%	474
HI	5%	10%	6%	78%	1%	355
IN	9%	14%	6%	70%	1%	741
KS	14%	27%	11%	45%	3%	400
KY	17%	27%	7%	45%	5%	418
ME	9%	26%	9%	53%	3%	396
MI	9%	21%	8%	57%	5%	641
MN	8%	16%	6%	68%	2%	2,001
MO	12%	20%	11%	56%	1%	403
NE	8%	16%	8%	66%	3%	399
NV	9%	36%	13%	32%	11%	381
NH	15%	23%	7%	55%	0%	381
NJ	7%	15%	7%	69%	2%	504
NY	6%	21%	5%	69%	0%	448
NC	6%	17%	7%	58%	12%	635
OH	9%	19%	8%	56%	8%	711
OK	8%	22%	10%	60%	0%	400
OR	9%	20%	9%	61%	1%	421
PA	7%	21%	7%	54%	10%	672
RI	7%	14%	8%	67%	4%	357
SC	7%	13%	9%	60%	12%	493
SD	11%	21%	13%	50%	6%	345
TN	12%	28%	9%	48%	3%	388
TX	7%	20%	9%	55%	9%	2,388
UT	16%	20%	6%	57%	1%	365
VT	7%	28%	8%	56%	1%	345
VA	8%	19%	12%	60%	1%	800
WA	14%	22%	10%	54%	0%	424
WI	11%	24%	12%	52%	1%	881
WY	10%	21%	11%	55%	3%	300
<b>Weighted NCI Average</b>	<b>9%</b>	<b>20%</b>	<b>8%</b>	<b>58%</b>	<b>4%</b>	<b>21,375</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 11. Person's residence owned or controlled by provider agency

State	Yes	No	Don't Know	N
AL	60%	40%	0%	377
AZ	22%	76%	2%	408
AR	23%	73%	4%	506
CO	33%	64%	3%	653
CT	45%	55%	0%	385
DE	57%	43%	1%	328
FL	28%	71%	0%	860
GA	36%	64%	0%	473
HI	6%	94%	0%	361
IN	5%	95%	0%	741
KS	47%	52%	2%	402
KY	53%	45%	2%	429
ME	43%	54%	2%	392
MI	38%	58%	4%	647
MN	30%	57%	13%	1,829
MO	30%	68%	2%	403
NE	58%	40%	3%	398
NV	62%	38%	0%	407
NH	37%	62%	2%	390
NJ	37%	62%	2%	513
NY	100%	0%	0%	448
NC	31%	65%	4%	645
OH	16%	82%	2%	724
OK	25%	76%	0%	400
OR	47%	50%	3%	421
PA	38%	59%	3%	684
RI	41%	58%	1%	318
SC	38%	60%	2%	492
SD	57%	42%	1%	350
TN	40%	55%	5%	401
TX	36%	60%	4%	2,386
UT	44%	55%	1%	371
VT	48%	51%	1%	345
VA	53%	46%	1%	801
WA	27%	72%	0%	437
WI	30%	65%	4%	957
WY	23%	77%	0%	280
<b>Weighted NCI Average</b>	<b>38%</b>	<b>59%</b>	<b>2%</b>	<b>21,362</b>

Table 12. Person is named on the lease

State	Yes, Named On Lease or Deed	Yes, Named On Other Legally Enforceable Agreement	No	Don't Know	N
AL	28%	1%	66%	6%	377
AZ	4%	1%	78%	17%	413
AR	33%	7%	50%	9%	506
CO*	11%	3%	57%	29%	654
CT	15%	1%	71%	13%	360
DE	4%	0%	79%	17%	326
FL	34%	2%	63%	1%	856
GA	14%	9%	72%	6%	473
HI	3%	4%	89%	3%	361
IN	30%	0%	69%	0%	742
KS	39%	12%	38%	12%	394
KY	6%	1%	81%	12%	425
ME	21%	12%	61%	7%	395
MI	27%	12%	46%	15%	640
MN*	n/a	n/a	n/a	n/a	n/a
MO	42%	2%	46%	9%	403
NE*	14%	25%	48%	13%	328
NV*	20%	1%	48%	31%	407
NH	9%	3%	88%	1%	387
NJ	11%	4%	83%	3%	512
NY	0%	0%	100%	0%	448
NC	6%	1%	85%	7%	640
OH	28%	5%	51%	16%	713
OK	47%	18%	35%	0%	400
OR	18%	6%	60%	16%	421
PA	11%	4%	69%	17%	685
RI	16%	1%	70%	13%	315
SC	22%	9%	50%	19%	494
SD	41%	11%	36%	12%	345
TN	45%	4%	34%	17%	399
TX	6%	4%	74%	16%	2,388
UT	9%	3%	78%	11%	371
VT	10%	3%	82%	5%	346
VA	12%	6%	70%	12%	793
WA	28%	0%	61%	11%	432
WI*	n/a	n/a	n/a	n/a	n/a
WY	23%	15%	53%	9%	300
<b>Weighted NCI Average</b>	<b>19%</b>	<b>4%</b>	<b>67%</b>	<b>11%</b>	<b>18,449</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 13. Person owns home

State	Yes	No	Don't Know	N
AL	1%	99%	0%	377
AZ	2%	93%	5%	411
AR	4%	93%	2%	508
CO	2%	94%	5%	654
CT	1%	97%	1%	374
DE	0%	94%	5%	323
FL	3%	97%	0%	855
GA	3%	97%	1%	472
HI	1%	97%	2%	359
IN	2%	98%	0%	742
KS	0%	99%	0%	401
KY	1%	98%	1%	425
ME	2%	96%	2%	391
MI	2%	96%	3%	647
MN	2%	97%	0%	2,002
MO	3%	97%	0%	403
NE	5%	93%	3%	375
NV	1%	98%	1%	404
NH	2%	98%	0%	395
NJ	0%	98%	2%	510
NY	0%	100%	0%	448
NC	1%	97%	1%	647
OH	3%	93%	4%	722
OK	4%	96%	0%	400
OR	2%	97%	1%	420
PA	2%	96%	2%	689
RI	1%	95%	4%	317
SC	1%	91%	8%	493
SD	3%	97%	0%	347
TN	3%	93%	4%	397
TX	1%	93%	5%	2,388
UT	2%	97%	1%	368
VT	2%	97%	1%	346
VA	1%	99%	0%	795
WA	1%	94%	5%	429
WI*	n/a	n/a	n/a	n/a
WY	5%	92%	3%	300
<b>Weighted NCI Average</b>	<b>2%</b>	<b>96%</b>	<b>2%</b>	<b>20,534</b>



Table 14. Has ID Diagnosis

State	Yes	No	Don't Know	N
AL	100%	0%	0%	374
AZ	86%	14%	0%	412
AR	94%	5%	2%	509
CO	94%	6%	0%	706
CT	100%	0%	0%	382
DE	93%	4%	3%	323
FL	88%	11%	0%	849
GA	98%	1%	0%	477
HI	93%	7%	0%	358
IN	93%	5%	2%	736
KS	94%	4%	1%	403
KY	94%	5%	1%	420
ME	95%	4%	1%	398
MI	94%	5%	0%	652
MN	100%	0%	0%	2,139
MO	77%	22%	0%	403
NE	98%	1%	1%	408
NV	89%	11%	0%	406
NH	80%	20%	1%	394
NJ	86%	12%	2%	511
NY	81%	17%	2%	448
NC	95%	4%	1%	648
OH	86%	11%	3%	717
OK	100%	0%	0%	400
OR	84%	16%	0%	420
PA	98%	1%	1%	694
RI	87%	5%	9%	316
SC	96%	3%	0%	494
SD	91%	9%	0%	345
TN	98%	0%	2%	402
TX	95%	2%	3%	2,387
UT	91%	9%	0%	362
VT	90%	10%	0%	346
VA	95%	5%	0%	804
WA	88%	12%	1%	437
WI	58%	42%	0%	961
WY	84%	14%	3%	341
<b>Weighted NCI Average</b>	<b>89%</b>	<b>10%</b>	<b>1%</b>	<b>21,782</b>

Table 15. Level of ID (if the person has an ID diagnosis)

Item is used for risk adjustment

State	Mild	Moderate	Severe	Profound	Unspecified	Unknown	N
AL	31%	49%	14%	6%	0%	0%	373
AZ	38%	34%	13%	3%	11%	1%	353
AR	32%	35%	11%	9%	11%	2%	485
CO*	29%	26%	9%	6%	31%	0%	664
CT	45%	32%	13%	9%	1%	0%	381
DE	42%	24%	13%	8%	9%	3%	307
FL	31%	38%	15%	7%	10%	0%	740
GA	29%	37%	13%	10%	11%	0%	463
HI	13%	50%	18%	15%	4%	0%	329
IN	58%	19%	9%	7%	6%	2%	694
KS	41%	29%	12%	3%	13%	2%	380
KY	41%	33%	12%	7%	6%	1%	392
ME	56%	26%	10%	3%	3%	1%	376
MI	37%	27%	17%	13%	5%	0%	610
MN	43%	28%	14%	6%	9%	0%	2,139
MO	42%	23%	17%	5%	12%	1%	313
NE	38%	36%	11%	9%	6%	1%	399
NV	53%	31%	8%	3%	5%	0%	358
NH	55%	24%	5%	2%	13%	1%	315
NJ	30%	29%	16%	4%	20%	2%	449
NY	49%	18%	13%	14%	3%	2%	371
NC	27%	34%	20%	14%	4%	1%	616
OH	40%	31%	11%	7%	7%	3%	629
OK	37%	29%	15%	18%	2%	0%	400
OR	60%	30%	7%	3%	0%	0%	353
PA	53%	26%	11%	6%	4%	1%	683
RI*	34%	26%	10%	6%	15%	9%	300
SC	36%	39%	13%	1%	11%	0%	470
SD	49%	30%	9%	10%	2%	0%	313
TN	30%	32%	14%	10%	12%	2%	394
TX	37%	31%	14%	14%	3%	1%	2,172
UT	36%	32%	16%	13%	2%	0%	323
VT	43%	23%	11%	4%	18%	0%	311
VA	29%	40%	16%	9%	4%	0%	758
WA*	16%	19%	8%	3%	53%	1%	384
WI <sup>1</sup>	38%	16%	3%	3%	39%	0%	476
WY	44%	34%	6%	4%	8%	3%	294
<b>Weighted NCI Average</b>	<b>39%</b>	<b>29%</b>	<b>12%</b>	<b>8%</b>	<b>11%</b>	<b>1%</b>	<b>19,767</b>

<sup>1</sup> WI does not have consistent information on ID level diagnosis in administrative records.

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 16. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness ('Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Mood Disorder	Anxiety Disorder	Behavior Challenges	Psychotic Disorder	Other Mental Illness or Psychiatric Diagnosis
AL	37%	24%	21%	20%	8%
AZ	27%	24%	28%	7%	9%
AR	36%	33%	36%	13%	12%
CO	39%	32%	39%	11%	17%
CT	36%	33% *	63%	12%	15% *
DE	32%	28%	37%	12%	5%
FL	27%	23%	23%	10%	2%
GA	25%	15%	20%	14%	7%
HI	8%	5%	7%	6%	1%
IN	30%	33%	35%	6%	2%
KS	49%	42%	46%	23%	17%
KY	40%	29%	37%	16%	20%
ME	34%	42%	23%	8%	11%
MI	36%	28%	29%	14%	14%
MN	11%	9%	24%	4%	23%
MO	35%	28%	18%	8%	7%
NE	28%	33%	36%	11%	12%
NV	35%	21%	29%	13%	10%
NH	34%	36%	31%	7%	15%
NJ	33%	37%	31%	13%	10%
NY	32%	23%	67%	17%	0% *
NC	28%	26%	35%	12%	11%
OH	33%	24%	21%	10%	12%
OK	42%	33%	32%	17%	9%
OR <sup>2</sup>	11% *	5% *	39% *	5% *	2% *
PA	38%	31%	26%	12%	13%
RI	34%	32%	34%	6% *	14% *
SC	26%	19%	23%	16%	8%
SD	42%	34%	28%	15%	23%
TN	44%	32%	44%	19%	19%
TX	34%	27%	31%	16%	14%
UT	45%	45%	52%	9%	8%
VT	41%	44%	33%	9%	14%
VA	36%	27%	35%	15%	12%
WA	28%	29%	19%	5%	5%
WI	36%	36%	32%	5%	22%
WY	40% *	25% *	23% *	7% *	19% *
<b>Weighted NCI Average</b>	<b>32%</b>	<b>27%</b>	<b>32%</b>	<b>11%</b>	<b>11%</b>

<sup>2</sup> OR collects diagnosis information from MMIS claims made in the past year  
 State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)  
 Demographics | 19

Table 17. Other Disabilities ('Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Autism Spectrum Disorder	Cerebral Palsy	Brain Injury	Seizure Disorder	Chemical Dependency
AL	8%	8%	2%	29%	0%
AZ	21%	20%	4%	26%	0%
AR	17%	17%	6%	25%	1%
CO	25%	15%	5%	26%	3%
CT	24%	19%	3%	44%	3% *
DE	21%	13%	4%	23%	1%
FL	14%	20%	2%	28%	1%
GA	13%	11%	1%	24%	1%
HI	20%	20%	3%	33%	1%
IN	28%	18%	5%	29%	0%
KS	29%	20%	4%	33%	1%
KY	16%	20%	3%	32%	2%
ME	20%	9%	3%	22%	1%
MI	20%	15%	3%	26%	2%
MN	17%	13%	1%	17%	0%
MO	22%	14%	7%	32%	1%
NE	18%	14%	4%	30%	0%
NV	18%	14%	3%	23%	2%
NH	22%	12%	10%	24%	1%
NJ	35%	13%	7%	29%	0%
NY	21%	17%	4%	38%	0% *
NC	28%	19%	5%	32%	1%
OH	20%	16%	5%	28%	0%
OK	14%	23%	5%	43%	2%
OR <sup>3</sup>	23%	10%	3%	20%	0% *
PA	15%	14%	3%	25%	2%
RI	21%	11%	6%	30%	1%
SC	8%	7%	3%	17%	2%
SD	17%	17%	6%	27%	2%
TN	14%	18%	5%	33%	3%
TX	21%	15%	7%	29%	1%
UT	27%	11%	8%	31%	3%
VT	25%	10%	7%	25%	1%
VA	24%	13%	3%	33%	1%
WA	24%	15%	2%	30%	0%
WI	18%	13%	19%	35%	8%
WY	16% *	13% *	10% *	29% *	3% *
<b>Weighted NCI Average</b>	<b>20%</b>	<b>15%</b>	<b>5%</b>	<b>29%</b>	<b>1%</b>

<sup>3</sup> OR collects diagnosis information from MMIS claims made in the past year  
 State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)  
 Demographics | 20

Table 18. Other Disabilities (continued; 'Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Down Syndrome	Prader-Willi	Fetal Alcohol Syndrome	Limited or No Vision	Severe or Profound Hearing Loss	Other Disabilities, Not Listed	No Other Disabilities
AL	7%	0%	0%	3%	4%	8%	15%
AZ	11%	0%	1%	9%	4%	12%	12%
AR	8%	1%	2%	11%	8%	22%	8%
CO	13%	1%	2%	12%	10%	31%	3%
CT	11%	1%	1%	5%	3%	24% *	2%
DE	8%	0%	1%	9%	8%	12% *	6%
FL	9%	0%	0%	7%	3%	6%	17%
GA	7%	0%	0%	6%	4%	7%	20%
HI	13%	1%	0%	8%	7%	25%	13%
IN	10%	1%	0%	9%	8%	12%	10%
KS	12%	1%	1%	9%	10%	28%	5%
KY	8%	0%	1%	12%	7%	26%	4%
ME	8%	1%	2%	7%	6%	18%	10%
MI	7%	1%	1%	9%	5%	22%	7%
MN	8%	1%	1%	18%	4%	0% *	0% *
MO	7%	0%	0%	7%	6%	19%	11%
NE	14%	1%	3%	9%	9%	23%	7%
NV	9%	0%	3%	10%	5%	19%	9%
NH	10%	1%	2%	10%	6%	36%	7%
NJ	11%	1%	0%	8%	4%	20%	7%
NY	0% *	0% *	0% *	12%	2%	0% *	0% *
NC	7%	0%	0%	12%	6%	27%	4%
OH	9%	0%	1%	7%	5%	24%	6%
OK	9%	0%	1%	13%	8%	20%	4%
OR <sup>4</sup>	6%	1%	1%	7%	7%	0% *	0% *
PA	9%	1%	1%	10%	7%	19%	10%
RI	13%	2%	2%	11%	7%	27%	4% *
SC	5%	0%	0%	11%	3%	9%	24%
SD	10%	0%	2%	4%	5%	20%	7%
TN	9%	1%	1%	17%	11%	30% *	3%
TX	11%	1%	1%	13%	9%	20%	10%
UT	8%	1%	2%	9%	5%	13%	4%
VT	11%	0%	1%	8%	9%	19%	10%
VA	9%	1%	1%	9%	6%	20%	6%
WA	13%	1%	2%	7%	9%	21%	8%
WI	7%	0%	0%	3%	1%	11%	0%
WY*	11% *	0% *	2% *	8% *	5% *	14% *	4% *
<b>Weighted NCI Average</b>	<b>9%</b>	<b>1%</b>	<b>1%</b>	<b>9%</b>	<b>5%</b>	<b>16%</b>	<b>7%</b>

<sup>4</sup> OR collects diagnosis information from MMIS claims made in the past year  
 State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)  
 Demographics | 21

Table 19. Health Conditions ('Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Cardiovascular Disease	Diabetes	Cancer	High Blood Pressure	High Cholesterol
AL	5%	19%	3%	39%	27%
AZ	4%	11%	1%	11%	14%
AR	6%	12%	2%	28%	17%
CO	6%	11%	2%	13%	11%
CT	17%	9%	3%	24%	28%
DE	7%	11%	3%	24%	24%
FL	5%	8%	2%	21%	19%
GA	6%	17%	1%	34%	18%
HI	3%	9%	1%	15%	13%
IN	4%	12%	1%	17%	16%
KS	13%	20%	4%	22%	23%
KY	11%	15%	2%	24%	17%
ME	5%	12%	3%	18%	19%
MI	5%	8%	2%	18%	16%
MN	n/a	n/a	n/a	n/a	n/a
MO	5%	11%	2%	21%	16%
NE	9%	11%	3%	23%	18%
NV	3%	9%	1%	17%	12%
NH	9%	10%	4%	17%	15%
NJ	10%	11%	2%	21%	23%
NY	0% *	14%	0% *	0% *	0% *
NC	5%	10%	2%	18%	16%
OH	9%	11%	2%	18%	16%
OK	7%	13%	2%	27%	23%
OR <sup>5</sup>	0% *	9% *	0% *	6% *	0% *
PA	7%	13%	2%	20%	21%
RI	6% *	11%	2%	14% *	13% *
SC	5%	21%	4%	36%	28%
SD	8%	13%	3%	22%	18%
TN	11%	20%	4%	33%	36%
TX	6%	12%	2%	22%	18%
UT	5%	9%	2%	13%	12%
VT	7%	11%	3%	14%	21%
VA	5%	14%	3%	24%	17%
WA	6%	11%	2%	15%	13%
WI	13%	14%	4%	31%	30%
WY	6% *	12% *	1% *	18% *	12% *
<b>Weighted NCI Average</b>	<b>7%</b>	<b>12%</b>	<b>2%</b>	<b>19%</b>	<b>17%</b>

<sup>5</sup> OR collects diagnosis information from MMIS claims made in the past year  
 State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)  
 Demographics | 22

Table 20. Health Conditions (Continued)

Categories are not mutually exclusive, therefore N is not shown

State	Dysphagia	Pressure Ulcers	Alzheimer's	Oral Health or Dental Problems	Sleep Apnea	Other Health Conditions
AL	2%	0%	2%	3%	4%	46%
AZ	4%	1%	1%	5%	4%	28%
AR	7%	2%	3%	7%	7%	21%
CO	9%	2%	2%	6%	10%	41%
CT	15%	1%	3%	21%	7%	85% *
DE	10%	1%	3%	5%	6%	38% *
FL	4%	0%	2%	2%	3%	22%
GA	4%	0%	2%	1%	6%	29%
HI	3%	1%	2%	0%	3%	57%
IN	11%	1%	1%	2%	7%	27%
KS	7%	2%	5% *	8%	10%	48%
KY	10%	3%	3%	4%	7%	40%
ME	3%	2%	5%	4%	6%	19%
MI	9%	2%	3%	4%	6%	43%
MN	n/a	n/a	n/a	n/a	n/a	n/a
MO	8%	0%	2%	4%	8%	36%
NE	13%	2%	7%	7%	13%	62%
NV	2%	0%	2%	3%	5%	35%
NH	6%	1%	3%	8%	9%	50%
NJ	9%	1%	2%	5%	6%	40%
NY	19%	0% *	6%	0% *	0% *	0% *
NC	8%	2%	2%	6%	8%	44%
OH	7%	2%	3%	5%	7%	36%
OK	14%	0%	7%	16%	9%	78%
OR <sup>6</sup>	14%	2%	0% *	5%	7% *	0% *
PA	8%	1%	2%	6%	8%	39%
RI	9%	2%	3%	5% *	7% *	35% *
SC	2%	1%	1%	2%	4%	21%
SD	12%	1%	6%	3%	16%	51%
TN	14%	2%	7%	9%	10%	65% *
TX	9%	1%	2%	7%	8%	29%
UT	11%	3%	1%	8%	9%	30%
VT	10%	2%	3%	7%	8%	32%
VA	9%	2%	3%	4%	7%	46%
WA	3%	0%	1%	1%	10%	47%
WI	5%	1%	6%	0% *	10%	0% *
WY	4% *	1% *	4% *	6% *	9% *	29% *
<b>Weighted NCI Average</b>	<b>8%</b>	<b>1%</b>	<b>3%</b>	<b>4%</b>	<b>7%</b>	<b>31%</b>

<sup>6</sup> OR collects diagnosis information from MMIS claims made in the past year

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)

Table 21. Preferred Means of Communication

State	Spoken	Gestures or Body Language	Sign Language or Finger Spelling	Communication Device	Other	Don't Know	N
AL	92%	9%	0%	0%	0%	0%	377
AZ	77%	13%	2%	4%	2%	1%	413
AR	86%	10%	1%	0%	3%	0%	508
CO	80%	14%	2%	1%	2%	0%	686
CT	79%	15%	0%	2%	4%	0%	381
DE	82%	13%	2%	1%	2%	1%	328
FL	77%	21%	1%	0%	0%	0%	854
GA	78%	20%	1%	0%	1%	0%	475
HI	65%	31%	2%	2%	0%	0%	357
IN	82%	13%	2%	2%	1%	0%	739
KS	80%	16%	1%	0%	2%	0%	405
KY	80%	13%	1%	1%	4%	0%	423
ME	90%	6%	2%	0%	3%	0%	397
MI	76%	18%	1%	1%	4%	1%	648
MN	76%	14%	8%	2%	0%	0%	2,139
MO	77%	18%	2%	2%	1%	0%	403
NE	77%	15%	1%	6%	1%	0%	414
NV	89%	9%	1%	0%	0%	0%	405
NH	89%	6%	2%	2%	1%	0%	400
NJ	82%	13%	1%	2%	3%	0%	512
NY	71%	25%	1%	1%	2%	0%	438
NC	73%	21%	2%	2%	3%	0%	649
OH	82%	12%	1%	1%	3%	0%	718
OK	71%	28%	1%	0%	0%	0%	400
OR	82%	13%	1%	1%	2%	1%	421
PA	81%	13%	1%	1%	3%	1%	693
RI	83%	12%	1%	1%	4%	0%	356
SC	96%	3%	0%	0%	0%	0%	496
SD	82%	11%	3%	2%	2%	0%	348
TN	79%	17%	2%	1%	0%	0%	404
TX	74%	17%	1%	1%	5%	2%	2,387
UT	81%	12%	2%	1%	4%	0%	369
VT	81%	11%	3%	4%	2%	0%	346
VA	74%	20%	2%	2%	2%	0%	804
WA	79%	17%	2%	1%	2%	0%	440
WI	87%	9%	1%	1%	2%	0%	946
WY	84%	9%	1%	1%	3%	1%	341
<b>Weighted NCI Average</b>	<b>79%</b>	<b>16%</b>	<b>2%</b>	<b>1%</b>	<b>2%</b>	<b>0%</b>	<b>21,820</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)



Table 22. Primary Language

State	English	Other	N
AL	100%	0%	373
AZ	89%	11%	404
AR	100%	0%	504
CO	98%	2%	687
CT	97%	3%	374
DE	98%	2%	318
FL	92%	8%	850
GA	99%	1%	473
HI	98%	2%	358
IN	100%	0%	740
KS	97%	3%	400
KY	99%	1%	424
ME	98%	2%	393
MI	96%	4%	641
MN	97%	3%	2,139
MO	100%	0%	403
NE	99%	1%	414
NV	98%	2%	401
NH	98%	2%	397
NJ	96%	4%	503
NY	99%	1%	442
NC	99%	1%	640
OH	99%	1%	716
OK	100%	0%	400
OR	97%	3%	419
PA	98%	2%	685
RI	97%	3%	311
SC	100%	0%	494
SD	99%	1%	348
TN	99%	1%	397
TX	92%	8%	2,387
UT	96%	4%	365
VT	99%	1%	346
VA	100%	0%	803
WA	98%	2%	433
WI	98%	2%	961
WY	98%	2%	300
<b>Weighted NCI Average</b>	<b>97%</b>	<b>3%</b>	<b>21,643</b>

Table 23. Mobility

Item is used for risk adjustment

State	Moves Self Around Environment Without Aids	Moves Self Around Environment With Aids or Uses Wheelchair Independently	Non-Ambulatory, Always Needs Assistance to Move Around Environment	Don't Know	N
AL	86%	12%	2%	0%	378
AZ	76%	12%	11%	0%	412
AR	77%	15%	8%	1%	509
CO	78%	15%	7%	0%	687
CT	81%	10%	9%	0%	383
DE	80%	11%	7%	1%	326
FL	72%	16%	12%	0%	856
GA	84%	10%	6%	0%	476
HI	74%	13%	12%	0%	363
IN	84%	7%	9%	0%	739
KS	77%	14%	9%	0%	405
KY	71%	19%	10%	0%	424
ME	84%	13%	3%	0%	400
MI	72%	16%	12%	0%	650
MN	76%	15%	9%	0%	1,999
MO	81%	11%	9%	0%	403
NE	74%	20%	7%	0%	415
NV	88%	10%	2%	0%	404
NH	80%	14%	7%	0%	398
NJ	81%	13%	6%	0%	512
NY	71%	17%	12%	0%	442
NC	71%	13%	16%	0%	648
OH	77%	15%	8%	1%	720
OK	70%	17%	14%	0%	400
OR	80%	14%	5%	0%	421
PA	76%	14%	9%	1%	698
RI	74%	16%	8%	1%	356
SC	88%	11%	1%	0%	494
SD	74%	19%	7%	0%	346
TN	73%	17%	10%	0%	404
TX	75%	14%	10%	1%	2,388
UT	76%	13%	11%	0%	370
VT	80%	13%	7%	0%	346
VA	72%	17%	10%	1%	805
WA	81%	9%	10%	1%	441
WI	70%	20%	10%	0%	961
WY	77%	11%	11%	0%	300
<b>Weighted NCI Average</b>	<b>76%</b>	<b>14%</b>	<b>9%</b>	<b>0%</b>	<b>21,679</b>

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)

Table 24. Support Needed to Manage Self-Injurious Behavior

Item is used for risk adjustment

State	None	Some	Extensive	Don't Know	N
AL	90%	9%	1%	0%	375
AZ	76%	16%	4%	3%	411
AR	71%	18%	8%	3%	502
CO	70%	23%	5%	2%	654
CT	67%	19%	14%	0%	384
DE	72%	20%	5%	4%	323
FL	88%	9%	2%	0%	858
GA	88%	9%	3%	0%	475
HI	70%	15%	14%	0%	362
IN	86%	11%	2%	1%	736
KS	48%	39%	12%	1%	399
KY	76%	21%	3%	1%	423
ME	80%	14%	5%	2%	399
MI	77%	15%	7%	1%	643
MN*	54%	11%	6%	29%	1,724
MO	86%	11%	2%	0%	403
NE*	83%	14%	2%	1%	289
NV	75%	21%	3%	1%	404
NH	75%	23%	3%	0%	390
NJ	80%	16%	2%	2%	512
NY*	0%	0%	0%	100%	448
NC	67%	26%	6%	1%	648
OH	83%	13%	2%	2%	714
OK	86%	13%	1%	0%	400
OR	75%	20%	5%	1%	420
PA	79%	14%	3%	3%	687
RI	69%	19%	7%	5%	316
SC	87%	11%	1%	1%	497
SD	77%	19%	3%	1%	345
TN	70%	22%	8%	0%	399
TX	74%	16%	5%	5%	2,388
UT	61%	28%	10%	1%	369
VT	75%	21%	4%	0%	346
VA	69%	21%	8%	1%	803
WA	63%	21%	12%	4%	435
WI	84%	6%	10%	0%	961
WY	80%	17%	2%	0%	341
<b>Weighted NCI Average</b>	<b>71%</b>	<b>14%</b>	<b>5%</b>	<b>10%</b>	<b>21,183</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 25. Support Needed to Manage Disruptive Behavior

Item is used for risk adjustment

State	None	Some	Extensive	Don't Know	N
AL	72%	24%	3%	0%	376
AZ	69%	21%	6%	4%	412
AR	56%	28%	14%	2%	503
CO	50%	39%	10%	2%	654
CT	30%	37%	34%	0%	385
DE	46%	43%	8%	3%	325
FL	74%	21%	6%	0%	857
GA	79%	18%	3%	0%	471
HI	58%	22%	20%	0%	361
IN	67%	22%	11%	1%	735
KS	20%	47%	32%	1%	399
KY	52%	39%	9%	1%	420
ME	67%	28%	5%	1%	396
MI	62%	28%	9%	1%	643
MN*	n/a	n/a	n/a	n/a	n/a
MO	75%	22%	2%	1%	402
NE*	46%	43%	10%	1%	278
NV	56%	37%	5%	1%	405
NH	59%	34%	7%	0%	390
NJ	71%	25%	3%	1%	510
NY*	0%	0%	0%	100%	448
NC	48%	41%	10%	0%	646
OH	74%	19%	5%	2%	715
OK	86%	12%	3%	0%	400
OR	59%	30%	10%	2%	420
PA	68%	24%	5%	3%	680
RI	49%	33%	11%	7%	316
SC	78%	19%	2%	1%	496
SD	59%	34%	6%	1%	346
TN	59%	30%	11%	1%	396
TX	64%	26%	6%	5%	2,388
UT	38%	49%	13%	0%	368
VT	60%	32%	8%	0%	346
VA	53%	33%	13%	1%	800
WA	24%	41%	30%	5%	433
WI*	0%	0%	0%	100%	961
WY	50%	45%	5%	1%	341
<b>Weighted NCI Average</b>	<b>53%</b>	<b>24%</b>	<b>8%</b>	<b>15%</b>	<b>19,422</b>

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (\*)

Table 26. Support Needed to Manage Destructive Behavior

Item is used for risk adjustment

State	None	Some	Extensive	Don't Know	N
AL	78%	19%	3%	0%	375
AZ	77%	15%	5%	3%	412
AR	70%	20%	8%	2%	502
CO	65%	25%	8%	2%	654
CT	52%	31%	16%	0%	383
DE	59%	33%	4%	3%	322
FL	82%	14%	4%	0%	856
GA	88%	10%	2%	0%	464
HI	66%	18%	16%	0%	360
IN	80%	16%	3%	1%	736
KS	41%	44%	15%	1%	396
KY	67%	28%	4%	1%	419
ME	79%	17%	4%	1%	398
MI	74%	20%	6%	0%	642
MN*	n/a	n/a	n/a	n/a	n/a
MO	81%	15%	3%	1%	403
NE*	62%	32%	5%	1%	281
NV	65%	30%	4%	1%	405
NH	75%	19%	6%	0%	391
NJ	77%	20%	2%	1%	505
NY*	0%	0%	0%	100%	448
NC	65%	27%	8%	1%	648
OH	82%	13%	3%	2%	715
OK	86%	12%	2%	0%	400
OR	75%	16%	4%	5%	420
PA	77%	15%	5%	3%	679
RI	58%	23%	11%	8%	313
SC	83%	15%	2%	1%	494
SD	74%	21%	4%	1%	345
TN	65%	25%	9%	1%	395
TX	74%	17%	4%	5%	2,388
UT	54%	33%	13%	0%	365
VT	73%	22%	5%	0%	346
VA	67%	22%	10%	1%	804
WA	52%	26%	18%	4%	438
WI*	0%	0%	0%	100%	961
WY	81%	15%	4%	0%	341
<b>Weighted NCI Average</b>	<b>63%</b>	<b>17%</b>	<b>5%</b>	<b>15%</b>	<b>19,404</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 27. Level of Guardianship

State	None	Limited Guardianship	Full Guardian	Has Guardian, but Unable to Distinguish Level	Don't Know	N
AL	73%	2%	25%	0%	0%	374
AZ	35%	5%	56%	3%	0%	411
AR	45%	5%	46%	3%	1%	507
CO	50%	3%	42%	4%	1%	654
CT	17%	10%	73%	0%	0%	381
DE	83%	5%	9%	1%	2%	327
FL	67%	13%	20%	0%	0%	850
GA	84%	1%	14%	0%	0%	473
HI	20%	0%	59%	21%	0%	363
IN	47%	3%	47%	4%	0%	742
KS	30%	2%	67%	1%	0%	405
KY	24%	2%	72%	1%	1%	426
ME	35%	4%	60%	0%	1%	399
MI	20%	21%	57%	2%	0%	653
MN*	16%	0%	0%	59%	25%	2,139
MO	30%	5%	64%	0%	0%	403
NE	24%	6%	64%	6%	0%	410
NV	72%	5%	23%	0%	0%	406
NH	21%	14%	63%	1%	0%	400
NJ	35%	4%	58%	2%	2%	511
NY	14%	0%	0%	86%	0%	448
NC	23%	8%	66%	3%	0%	646
OH	48%	13%	34%	3%	1%	728
OK	38%	4%	59%	0%	0%	400
OR	73%	2%	18%	5%	1%	421
PA	81%	3%	11%	2%	3%	695
RI	68%	6%	23%	2%	1%	320
SC	76%	6%	6%	3%	9%	487
SD	33%	5%	60%	2%	1%	350
TN	45%	17%	31%	5%	2%	402
TX	52%	4%	40%	2%	2%	2,387
UT	50%	10%	38%	2%	0%	368
VT	22%	3%	75%	0%	0%	346
VA	55%	7%	37%	0%	0%	806
WA	52%	3%	31%	13%	1%	439
WI	40%	0%	0%	60%	0%	961
WY	28%	0%	70%	3%	0%	341
<b>Weighted NCI Average</b>	<b>45%</b>	<b>6%</b>	<b>33%</b>	<b>15%</b>	<b>2%</b>	<b>21,779</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)

Table 28. Guardian’s Relationship to Person

State	Family	Friend	Public Guardian or Public Administrator	Financial Institution	Non-profit Guardianship Agency	For-profit Guardianship Agency	Other	Don't Know	N
AL	86%	6%	4%	0%	1%	0%	2%	1%	99
AZ	89%	2%	7%	0%	0%	0%	0%	2%	265
AR	83%	8%	2%	0%	0%	0%	4%	3%	271
CO	85%	3%	3%	0%	5%	0%	4%	0%	321
CT	81%	7%	4%	0%	4%	0%	4%	0%	315
DE	75%	0%	24%	0%	0%	0%	2%	0%	51
FL	86%	2%	8%	0%	2%	1%	0%	0%	280
GA	91%	3%	5%	0%	0%	0%	1%	0%	76
HI	74%	1%	25%	0%	0%	0%	1%	0%	285
IN	96%	2%	1%	0%	0%	0%	0%	1%	394
KS	80%	5%	7%	0%	1%	0%	3%	2%	283
KY	58%	3%	27%	0%	2%	0%	10%	0%	317
ME	74%	2%	23%	0%	0%	0%	0%	0%	256
MI	56%	2%	34%	0%	4%	1%	1%	1%	515
MN*	0%	0%	0%	0%	0%	0%	0%	100%	1,234
MO	68%	1%	30%	0%	0%	0%	1%	0%	281
NE	85%	3%	7%	0%	0%	1%	1%	3%	307
NV	87%	4%	10%	0%	0%	0%	0%	0%	113
NH	73%	2%	23%	0%	1%	0%	1%	0%	312
NJ	86%	1%	10%	0%	0%	0%	2%	1%	325
NY*	0%	0%	0%	0%	0%	0%	0*	100%	387
NC	82%	1%	6%	0%	4%	1%	2%	3%	492
OH	74%	2%	6%	0%	14%	1%	2%	1%	365
OK	83%	10%	5%	0%	0%	0%	2%	0%	249
OR	91%	1%	3%	0%	1%	1%	2%	2%	107
PA	80%	3%	3%	0%	4%	1%	4%	6%	109
RI	95%	4%	0%	0%	0%	0%	0%	1%	101
SC	84%	1%	1%	0%	1%	0%	3%	9%	70
SD	85%	2%	7%	0%	2%	0%	5%	0%	233
TN	74%	6%	4%	0%	8%	3%	4%	1%	210
TX	84%	4%	5%	0%	3%	1%	1%	2%	1,102
UT	88%	1%	8%	0%	2%	2%	1%	0%	184
VT	68%	5%	25%	0%	0%	0%	3%	0%	271
VA	79%	2%	10%	0%	4%	0%	2%	2%	354
WA	82%	1%	6%	0%	1%	6%	1%	2%	206
WI*	0%	0%	0%	0%	0%	0%	0%	100%	568
WY	84%	5%	4%	0%	1%	1%	1%	4%	221
<b>Weighted NCI Average</b>	<b>60%</b>	<b>2%</b>	<b>9%</b>	<b>0%</b>	<b>2%</b>	<b>1%</b>	<b>2%</b>	<b>24%</b>	<b>11,529</b>

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (\*)  
 Demographics | 31