


National Core Indicators®--Intellectual and Developmental Disabilities 2020-21 In-Person Survey (IPS) Report

Health

People secure recommended health services.

What to know about the presentation of Health:



Charts with un-collapsed weighted NCI average

Here's what [collapsed](#) data are



State and weighted NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons



DATA CAUTION!

Many states' data have a large amount of missing data or data recorded as “don’t know”

Read about what this means [here](#)

Health

Table 1. Has a primary care doctor or primary care practitioner ('yes' responses only; information may have been obtained through state records).....	7
Table 1B. Has a primary care doctor or primary care practitioner (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records)	8
Table 2. In poor health (proxy respondents were allowed for this question; 'poor health' responses only)	10
Table 3. Had a complete physical exam in the past year ('in the past year' responses only; information may have been obtained through state records).....	12
Table 3B. Last complete physical exam (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	13
Table 4. Had a dental exam in the past year ('within the past six months' and 'within the past year' responses; information may have been obtained through state records)	15
Table 4B. Last dental exam (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state record).....	16
Table 5. Had an eye exam or vision screening in the past year ('within the past year' responses only; information may have been obtained through state records)	18
Table 5B. Last eye exam (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records)	19
Table 6. Had a hearing test in the past five years ('within the past five years' responses only; information may have been obtained through state records).....	21
Table 6B. Last hearing test (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records)	22
Table 7. Had a Pap test in the past three years (among women 21 and older; 'within the past year', 'within the past two years' and 'within the past three years' responses; information may have been obtained through state records)	24
Table 7B. Last Pap test (among women 21 and older; <i>includes "not applicable", missing and "don't know" responses</i> ; information may have been obtained through state records).....	25
Table 8. Had a mammogram test in the past two years (among women age 40 and over; 'past year' and 'past two years' responses; information may have been obtained through state records)	27
Table 8B. Last mammogram test (among women age 40 and over; <i>includes "not applicable", missing and "don't know" responses</i> ; information may have been obtained through state records)	28
Table 9. Last colorectal cancer screening (among people age 50 and over; information may have been obtained through state records)	30
Table 9B. Last colorectal cancer screening (among people age 50 and over; <i>includes "not applicable", missing and "don't know" responses</i> ; information may have been obtained through state records).....	31
Table 10. Had a flu vaccine in the past year ('yes' responses only; information may have been obtained through state records)	33
Table 10B. Had a flu vaccine in the past year (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	34

Where do these data come from?

Some of the information in this section comes directly from the person receiving services, or for some select questions, from a “proxy” respondent. Others are drawn from administrative sources; these instances are noted in the table titles.

Read more about why we allow proxy respondents for select questions in the IPS in the Overview chapter of this report.

Items in this chapter are a part of the NCI Health, Welfare, and Rights domain (or topic area) and comprise the “Health” sub-domain (a specific area of concern within the domain). The Health sub-domain includes items that help determine whether “people secure needed health services”.

Read more about NCI domains and sub-domains in the Overview chapter or this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome. The table titles explain which options were grouped.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI-IDD averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI-IDD average (that is, its contribution is *proportional to its service population*).

In this survey year, CA intentionally oversampled by geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service population sizes in each subpopulation or region). You

can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

DATA CAUTION!

Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Note on WI data – for all respondents, WI was unable to collect several data points from administrative records for questions in the Background Information section. Additional data points from the Background Information section were unable to be collected for those respondents who self-direct their services related to certain demographics, health, medication, and wellness.

Presentation of state and weighted NCI-IDD averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI-IDD Average, within the range of the NCI-IDD Average, or significantly below the NCI-IDD Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI-IDD Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI-IDD Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative’s home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence

- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states' internal purposes. It should not be used to compare one state with another.

To protect people's privacy, we do not show the data when 20 or fewer people from a state or residence type responded to a question (though their responses are included in the NCI-IDD average).

Important note on Impact of COVID-19

The 2020-21 NCI-IDD IPS data collection cycle began July 1, 2020 and ended June 30, 2021. As COVID-19 continued to spread across the United States, states

were impacted in various ways throughout the year. These data cannot fully assess what impact the pandemic had on data collected at different times throughout the year. While these data will serve as an important baseline, and meaningful way for states to understand the overall impact of services on people being served, these data should be read with caution.

To help better understand the overall impact of COVID-19 on people receiving services, NCI-IDD added a state-optional COVID-19 Supplement to all NCI-IDD Surveys. The COVID-19 Supplement is intended to support the understanding of the experience of people with disabilities and their families at the beginning of the COVID-19 pandemic, and their interactions with services during that time. The NCI IPS COVID-19 Supplement can be found [here](#).

Figure A. Percentage of people surveyed in each residence type by state

State	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home	N
AL	0%	76%	6%	18%	0%	391
AR	1%	14%	39%	45%	2%	397
CA ¹	10%	25%	13%	51%	2%	8,630
CO	0%	11%	9%	52%	27%	614
FL	0%	42%	16%	42%	0%	399
GA	0%	31%	15%	40%	14%	405
HI	0%	13%	6%	52%	29%	317
IL	0%	50%	10%	39%	1%	339
IN	0%	27%	28%	43%	2%	405
KS	1%	43%	25%	28%	3%	380
KY	1%	37%	7%	28%	27%	393
MI	0%	48%	15%	35%	3%	651
MN	1%	55%	7%	33%	4%	386
MO	1%	20%	45%	30%	4%	399
NE	8%	29%	21%	26%	16%	417
NV	0%	51%	22%	22%	5%	408
NH	2%	15%	10%	39%	33%	396
NJ	0%	48%	13%	34%	5%	406
NC	14%	14%	8%	50%	14%	383
OH	6%	12%	36%	44%	1%	329
OR	0%	21%	9%	50%	20%	419
PA	8%	40%	12%	39%	1%	605
SD	0%	53%	36%	10%	1%	398
TN	3%	39%	31%	24%	4%	317
VA	0%	44%	8%	30%	18%	718
WI	1%	22%	22%	54%	1%	739
Total	5%	30%	16%	43%	6%	19,641

¹ All Californians with an intellectual or developmental disability as defined by California law have both a civil right and an individual entitlement to receive services from the California Department of Developmental Services. These statutory requirements make California's service system unique and could impact comparisons between its survey results and the results of other states.




Table 1. Has a primary care doctor or primary care practitioner ('yes' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
HI	100%	311	n/a	100%	n/a	99%	100%
GA	99%	404	n/a	100%	100%	98%	100%
AL	99%	390	n/a	99%	96%	100%	n/a
VA	99%	717	n/a	99%	100%	100%	98%
CO	99%	559	n/a	99%	98%	100%	98%
NC	99%	427	100%	100%	100%	99%	98%
NJ	99%	405	n/a	98%	100%	99%	100%
SD	99%	396	n/a	99%	99%	97%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	99%	407	n/a	99%	100%	97%	n/a
KY	98%	392	n/a	99%	100%	98%	98%
MN	98%	385	n/a	99%	96%	98%	n/a
NH	98%	394	n/a	98%	100%	98%	97%
MI	98%	651	n/a	99%	94%	97%	n/a
KS	98%	382	n/a	99%	95%	99%	n/a
MO	98%	400	n/a	100%	99%	92%	n/a
WI	97%	759	n/a	99%	95%	97%	n/a
Weighted NCI-IDD Average	97%	19,530	99%	98%	96%	96%	99%
OR	97%	411	n/a	99%	97%	95%	100%
AR	97%	405	n/a	94%	96%	98%	n/a
OH	97%	262	n/a	97%	96%	96%	n/a
NV	96%	395	n/a	97%	98%	96%	n/a
PA	96%	634	100%	96%	96%	96%	n/a
IL	96%	333	n/a	95%	97%	98%	n/a
NE	96%	407	100%	97%	93%	96%	97%
CA	96%	8,595	98%	99%	95%	94%	99%
TN	95%	314	n/a	99%	93%	93%	n/a
FL	95%	395	n/a	95%	94%	96%	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 1B. Has a primary care doctor or primary care practitioner (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Does not have a primary care doctor or practitioner	Has a primary care doctor or practitioner	Missing	Don't know	N
AL	1%	99%	0%	0%	391
AR	3%	97%	0%	0%	406
CA	4%	95%	0%	0%	8,663
CO	1%	85%	5%	9%	655
FL	5%	94%	1%	0%	400
GA	1%	99%	0%	0%	405
HI	0%	97%	3%	0%	319
IL	4%	92%	3%	0%	346
IN	1%	99%	0%	0%	407
KS	2%	96%	2%	0%	390
KY	2%	97%	2%	0%	399
MI	2%	96%	1%	1%	664
MN	2%	93%	4%	1%	406
MO	2%	97%	0%	0%	402
NE	4%	93%	3%	0%	419
NV	3%	93%	3%	0%	408
NH	2%	97%	1%	1%	399
NJ	1%	98%	0%	0%	407
NC	1%	98%	0%	1%	432
OH	3%	76%	20%	1%	333
OR	3%	95%	0%	2%	420
PA	4%	91%	4%	1%	668
SD	1%	97%	1%	1%	405
TN	5%	93%	2%	0%	322
VA	1%	99%	0%	0%	719
WI	2%	92%	6%	0%	806
Expanded Weighted NCI-IDD Average	3%	93%	3%	1%	19,991

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 2. In poor health (proxy respondents were allowed for this question; 'poor health' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY	12%	394	n/a	12%	0%	15%	10%
IN	6%	348	n/a	4%	7%	6%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OR	5%	409	n/a	6%	8%	6%	1%
KS	5%	363	n/a	6%	5%	4%	n/a
NE	4%	401	3%	4%	2%	2%	11%
HI	4%	308	n/a	2%	n/a	5%	4%
WI	4%	763	n/a	4%	10%	2%	n/a
TN	4%	311	n/a	2%	1%	11%	n/a
SD	4%	392	n/a	5%	2%	5%	n/a
FL	4%	392	n/a	2%	7%	4%	n/a
VA	3%	712	n/a	3%	3%	3%	4%
CO	3%	631	n/a	6%	5%	2%	3%
NV	3%	399	n/a	4%	1%	2%	n/a
Weighted NCI-IDD Average	3%	19,536	2%	3%	4%	3%	3%
MN	3%	393	n/a	3%	0%	2%	n/a
AR	2%	401	n/a	2%	1%	4%	n/a
MI	2%	653	n/a	3%	2%	2%	n/a
NH	2%	394	n/a	7%	0%	1%	2%
CA	2%	8,568	2%	1%	4%	3%	2%
IL	2%	334	n/a	2%	0%	3%	n/a
PA	2%	640	2%	3%	4%	1%	n/a
NJ	2%	403	n/a	3%	0%	2%	0%
NC	2%	427	4%	2%	3%	0%	0%
OH	2%	321	n/a	0%	3%	2%	n/a
MO	2%	399	n/a	3%	1%	1%	n/a
AL	2%	378	n/a	1%	0%	3%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	1%	402	n/a	1%	0%	2%	0%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 3. Had a complete physical exam in the past year ('in the past year' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	95%	387	n/a	97%	96%	87%	n/a
NJ	92%	368	n/a	97%	87%	85%	100%
SD	92%	391	n/a	93%	93%	82%	n/a
NE	91%	411	78%	94%	88%	92%	92%
AR	91%	389	n/a	98%	87%	91%	n/a
NC	89%	362	92%	90%	89%	91%	84%
TN	89%	309	n/a	89%	89%	85%	n/a
MN	88%	371	n/a	93%	81%	80%	n/a
MI	88%	566	n/a	92%	85%	82%	n/a
CO	88%	628	n/a	93%	84%	85%	95%
GA	87%	396	n/a	87%	90%	85%	93%
OH*	87%	170	n/a	90%	83%	90%	n/a
PA	86%	602	86%	91%	83%	79%	n/a
FL	84%	396	n/a	89%	80%	80%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IL	84%	320	n/a	89%	83%	77%	n/a
IN	83%	363	n/a	86%	83%	81%	n/a
NH	83%	391	n/a	83%	88%	76%	88%
KY	83%	381	n/a	84%	83%	76%	88%
MO	82%	395	n/a	82%	88%	71%	n/a
WI	79%	739	n/a	86%	80%	76%	n/a
Weighted NCI-IDD Average	79%	18,853	86%	87%	80%	71%	87%
HI	78%	305	n/a	78%	n/a	77%	81%
KS	75%	363	n/a	73%	82%	72%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
VA	73%	713	n/a	81%	75%	60%	75%
OR	71%	362	n/a	82%	88%	56%	89%
NV	68%	371	n/a	71%	69%	62%	n/a
CA	66%	8,404	83%	80%	62%	56%	76%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 3B. Last complete physical exam (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Not in the past year	In the past year	Missing	Don’t know	N
AL	5%	94%	0%	1%	391
AR	9%	87%	0%	4%	406
CA	33%	64%	0%	3%	8,663
CO	12%	84%	3%	1%	655
FL	16%	83%	1%	0%	400
GA	12%	85%	0%	2%	405
HI	21%	75%	2%	3%	319
IL	15%	77%	3%	5%	346
IN	15%	74%	8%	3%	407
KS	24%	69%	2%	5%	390
KY	17%	79%	0%	4%	399
MI	10%	75%	2%	13%	664
MN	11%	81%	4%	5%	406
MO	17%	81%	0%	2%	402
NE	9%	89%	2%	0%	419
NV	29%	62%	1%	8%	408
NH	17%	81%	1%	2%	399
NJ	7%	84%	1%	9%	407
NC	9%	75%	11%	5%	432
OH	7%	44%	37%	12%	333
OR	25%	61%	0%	14%	420
PA	13%	77%	5%	4%	668
SD	8%	88%	1%	2%	405
TN	11%	85%	1%	3%	322
VA	27%	72%	0%	1%	719
WI	19%	73%	6%	3%	806
Expanded Weighted NCI-IDD Average	19%	72%	5%	5%	19,991

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 4. Had a dental exam in the past year ('within the past six months' and 'within the past year' responses; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NE	98%	407	94%	100%	96%	98%	97%
NJ	88%	353	n/a	93%	82%	81%	n/a
SD	85%	382	n/a	82%	89%	86%	n/a
AL	85%	370	n/a	89%	n/a	64%	n/a
CO	83%	620	n/a	88%	85%	81%	85%
TN	79%	299	n/a	82%	79%	68%	n/a
MO	77%	382	n/a	80%	81%	69%	n/a
NC	76%	342	75%	79%	74%	78%	71%
PA	76%	570	75%	81%	74%	67%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MN	75%	368	n/a	80%	77%	65%	n/a
KY	74%	360	n/a	75%	73%	60%	84%
IN	74%	329	n/a	80%	73%	69%	n/a
IL	73%	296	n/a	77%	81%	66%	n/a
AR	71%	342	n/a	65%	74%	67%	n/a
GA	70%	374	n/a	70%	65%	65%	89%
KS	70%	307	n/a	69%	73%	65%	n/a
OH*	69%	154	n/a	70%	71%	66%	n/a
Weighted NCI-IDD Average	69%	18,231	69%	74%	69%	64%	74%
MI*	68%	438	n/a	66%	71%	70%	n/a
WI	68%	736	n/a	67%	60%	70%	n/a
FL	67%	387	n/a	76%	54%	63%	n/a
NH	66%	363	n/a	69%	53%	70%	66%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
CA	61%	8,394	67%	66%	61%	57%	70%
NV	60%	311	n/a	62%	60%	53%	n/a
OR	59%	385	n/a	70%	55%	54%	61%
HI	51%	264	n/a	49%	n/a	52%	52%
VA	50%	698	n/a	51%	50%	46%	56%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 4B. Last dental exam (*includes missing and “don’t know” responses*; information may have been obtained through state record)

State	Not in the past year	In the past year	Missing	Don’t know	N
AL	15%	80%	0%	5%	391
AR	25%	60%	0%	16%	406
CA	37%	59%	0%	3%	8,663
CO	16%	78%	3%	2%	655
FL	32%	65%	1%	3%	400
GA	28%	65%	0%	8%	405
HI	41%	42%	4%	13%	319
IL	23%	63%	3%	12%	346
IN	21%	59%	16%	3%	407
KS	24%	55%	3%	19%	390
KY	23%	67%	1%	9%	399
MI	21%	45%	2%	32%	664
MN	23%	68%	4%	5%	406
MO	22%	73%	0%	5%	402
NE	2%	95%	1%	2%	419
NV	31%	46%	2%	22%	408
NH	31%	60%	1%	8%	399
NJ	10%	76%	0%	13%	407
NC	19%	60%	11%	10%	432
OH	14%	32%	37%	17%	333
OR	38%	54%	0%	8%	420
PA	21%	65%	4%	10%	668
SD	14%	80%	1%	4%	405
TN	20%	73%	1%	6%	322
VA	48%	49%	0%	3%	719
WI	30%	62%	6%	3%	806
Expanded Weighted NCI-IDD Average	27%	60%	5%	8%	19,991

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 5. Had an eye exam or vision screening in the past year ('within the past year' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY*	72%	290	n/a	74%	n/a	61%	78%
NJ	71%	323	n/a	76%	61%	62%	n/a
SD	69%	372	n/a	67%	72%	61%	n/a
TN	66%	261	n/a	71%	61%	55%	n/a
GA	65%	334	n/a	77%	67%	49%	72%
IN	64%	306	n/a	72%	66%	58%	n/a
PA*	63%	497	68%	72%	72%	47%	n/a
MN	60%	356	n/a	71%	81%	37%	n/a
CO	60%	605	n/a	73%	80%	50%	67%
KS*	59%	284	n/a	62%	66%	41%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IL	56%	281	n/a	66%	54%	37%	n/a
MO	55%	378	n/a	61%	64%	32%	n/a
AR	55%	308	n/a	79%	60%	42%	n/a
NV*	54%	259	n/a	57%	55%	43%	n/a
OH*	51%	129	n/a	52%	51%	45%	n/a
Weighted NCI-IDD Average	49%	16,861	55%	56%	54%	39%	60%
WI	49%	712	n/a	62%	54%	43%	n/a
VA*	48%	389	n/a	52%	58%	38%	48%
NC*	44%	280	35%	51%	n/a	44%	41%
OR	43%	334	n/a	52%	50%	36%	47%
HI	41%	278	n/a	46%	n/a	47%	29%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	40%	331	n/a	33%	46%	37%	45%
MI*	39%	337	n/a	40%	51%	32%	n/a
CA	39%	8,084	54%	42%	41%	35%	48%
NE	38%	405	59%	34%	29%	41%	43%
FL	36%	376	n/a	46%	32%	27%	n/a
AL	25%	352	n/a	24%	n/a	25%	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 5B. Last eye exam (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Not in the past year	In the past year	Missing	Don’t know	N
AL	67%	23%	0%	10%	391
AR	34%	41%	0%	24%	406
CA	57%	37%	0%	6%	8,663
CO	37%	55%	3%	4%	655
FL	60%	34%	1%	5%	400
GA	29%	53%	0%	18%	405
HI	51%	36%	2%	11%	319
IL	36%	45%	3%	16%	346
IN	27%	48%	18%	7%	407
KS	30%	43%	2%	25%	390
KY	20%	52%	0%	27%	399
MI	31%	20%	2%	48%	664
MN	35%	53%	4%	8%	406
MO	42%	52%	0%	6%	402
NE	60%	37%	2%	2%	419
NV	29%	34%	1%	35%	408
NH	50%	33%	1%	17%	399
NJ	23%	57%	0%	20%	407
NC	37%	28%	11%	25%	432
OH	19%	20%	37%	24%	333
OR	46%	34%	0%	20%	420
PA	28%	47%	4%	21%	668
SD	29%	63%	1%	7%	405
TN	27%	54%	1%	18%	322
VA	28%	26%	0%	46%	719
WI	45%	43%	6%	6%	806
Expanded Weighted NCI-IDD Average	40%	39%	5%	15%	19,991

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 6. Had a hearing test in the past five years ('within the past five years' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN*	86%	221	n/a	92%	91%	64%	n/a
PA*	85%	323	91%	87%	84%	74%	n/a
NV*	67%	120	n/a	67%	75%	57%	n/a
KY*	64%	137	n/a	73%	n/a	51%	67%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IL*	56%	221	n/a	67%	52%	38%	n/a
GA*	56%	290	n/a	62%	58%	44%	62%
MN	55%	311	n/a	64%	54%	41%	n/a
NC*	54%	197	78%	54%	n/a	42%	36%
VA*	53%	251	n/a	57%	52%	51%	48%
OH*	51%	88	n/a	n/a	57%	41%	n/a
NJ*	51%	257	n/a	57%	32%	40%	n/a
AR*	50%	218	n/a	57%	57%	44%	n/a
CO	49%	542	n/a	68%	37%	46%	53%
Weighted NCI-IDD Average	49%	14,072	81%	57%	46%	40%	54%
SD*	48%	162	n/a	48%	50%	n/a	n/a
CA	47%	7,503	80%	51%	37%	41%	60%
AL*	45%	229	n/a	46%	n/a	35%	n/a
MO*	45%	285	n/a	49%	52%	33%	n/a
MI*	45%	229	n/a	48%	46%	39%	n/a
HI	43%	267	n/a	38%	n/a	54%	27%
KS*	43%	169	n/a	42%	43%	41%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
FL*	38%	291	n/a	45%	37%	31%	n/a
IN*	36%	266	n/a	58%	43%	20%	n/a
OR*	36%	267	n/a	40%	21%	34%	49%
WI	36%	630	n/a	35%	35%	35%	n/a
NH*	35%	262	n/a	42%	29%	30%	41%
NE	35%	336	70%	40%	32%	19%	43%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 6B. Last hearing test (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Not in the past 5 years	In the past 5 years	Missing	Don’t know	N
AL	32%	26%	1%	41%	391
AR	27%	27%	1%	45%	406
CA	46%	41%	1%	13%	8,663
CO	42%	41%	3%	14%	655
FL	45%	28%	2%	26%	400
GA	32%	40%	0%	28%	405
HI	47%	36%	3%	14%	319
IL	28%	36%	4%	32%	346
IN	42%	24%	18%	16%	407
KS	25%	19%	2%	55%	390
KY	13%	22%	2%	64%	399
MI	19%	15%	1%	64%	664
MN	34%	42%	4%	19%	406
MO	39%	32%	0%	29%	402
NE	52%	28%	6%	14%	419
NV	10%	20%	2%	69%	408
NH	42%	23%	2%	32%	399
NJ	31%	32%	1%	36%	407
NC	21%	25%	11%	44%	432
OH	13%	14%	37%	36%	333
OR	40%	23%	0%	36%	420
PA	7%	41%	6%	46%	668
SD	21%	19%	1%	59%	405
TN	10%	59%	2%	29%	322
VA	16%	18%	0%	65%	719
WI	50%	28%	6%	16%	806
Expanded Weighted NCI-IDD Average	33%	32%	6%	30%	19,991

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 7. Had a Pap test in the past three years (among women 21 and older; ‘within the past year’, ‘within the past two years’ and ‘within the past three years’ responses; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home
AL	87%	141	n/a	93%	n/a	54%	n/a
PA	78%	157	n/a	83%	79%	66%	n/a
NV	70%	77	n/a	71%	n/a	n/a	n/a
NJ	68%	103	n/a	79%	n/a	49%	n/a
KY	67%	75	n/a	74%	n/a	n/a	75%
VA	64%	133	n/a	75%	n/a	42%	64%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home
IN	64%	96	n/a	n/a	69%	55%	n/a
IL	63%	91	n/a	67%	n/a	48%	n/a
GA	63%	99	n/a	67%	n/a	47%	n/a
AR	59%	115	n/a	n/a	78%	36%	n/a
TN	58%	89	n/a	62%	65%	46%	n/a
MO	58%	131	n/a	52%	64%	51%	n/a
NC*	56%	94	n/a	n/a	n/a	47%	n/a
MI	55%	130	n/a	52%	60%	55%	n/a
KS	54%	87	n/a	61%	67%	23%	n/a
MN	53%	121	n/a	53%	n/a	46%	n/a
Weighted NCI-IDD Average	52%	5,801	59%	57%	69%	39%	55%
FL	50%	115	n/a	47%	67%	44%	n/a
NH	47%	130	n/a	n/a	n/a	34%	43%
WI	46%	253	n/a	41%	63%	42%	n/a
OH*	45%	42	n/a	n/a	n/a	n/a	n/a
SD	45%	91	n/a	38%	62%	n/a	n/a
NE	45%	129	n/a	41%	73%	43%	28%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home
CA*	43%	2,870	55%	44%	69%	31%	67%
OR*	37%	116	n/a	28%	n/a	36%	39%
CO	37%	200	n/a	n/a	68%	23%	51%
HI	36%	116	n/a	n/a	n/a	21%	49%

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 7B. Last Pap test (among women 21 and older; *includes “not applicable”, missing and “don’t know” responses*; information may have been obtained through state records)

State	More than 3 years	In past 3 years	Missing	Not applicable	Don't know	N
AL	5%	31%	0%	58%	6%	391
AR	12%	17%	1%	59%	12%	405
CA	19%	14%	61%	0%	5%	8,663
CO	19%	11%	2%	62%	6%	655
FL	15%	14%	2%	68%	2%	398
GA	9%	15%	0%	66%	10%	405
HI	23%	13%	2%	53%	9%	319
IL	10%	17%	2%	58%	14%	345
IN	9%	15%	12%	60%	5%	407
KS	10%	12%	2%	58%	18%	389
KY	6%	13%	1%	59%	22%	399
MI	9%	11%	2%	59%	20%	664
MN	14%	16%	2%	58%	10%	406
MO	14%	19%	0%	63%	4%	402
NE	17%	14%	5%	60%	3%	419
NV	6%	13%	1%	60%	20%	408
NH	17%	15%	1%	59%	7%	397
NJ	8%	17%	0%	60%	14%	407
NC	9%	12%	39%	28%	12%	432
OH	7%	6%	53%	24%	11%	333
OR	17%	10%	64%	0%	8%	419
PA	5%	18%	3%	57%	17%	666
SD	12%	10%	1%	54%	23%	404
TN	11%	16%	3%	56%	13%	322
VA	7%	12%	0%	61%	20%	717
WI	17%	15%	3%	61%	5%	806
Expanded Weighted NCI-IDD Average	13%	14%	25%	39%	9%	19,978

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 8. Had a mammogram test in the past two years (among women age 40 and over; 'past year' and 'past two years' responses; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NJ	89%	63	n/a	97%	n/a	n/a	n/a
IL	84%	60	n/a	87%	n/a	n/a	n/a
PA	83%	123	n/a	80%	n/a	n/a	n/a
SD	83%	82	n/a	80%	91%	n/a	n/a
AL	81%	77	n/a	87%	n/a	n/a	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	75%	53	n/a	n/a	80%	n/a	n/a
VA	73%	71	n/a	78%	n/a	n/a	n/a
KY	73%	44	n/a	79%	n/a	n/a	n/a
FL	72%	54	n/a	75%	n/a	n/a	n/a
MN	72%	72	n/a	68%	n/a	n/a	n/a
TN	72%	75	n/a	89%	n/a	n/a	n/a
NH	70%	65	n/a	n/a	n/a	n/a	63%
MI	70%	86	n/a	71%	n/a	n/a	n/a
AR	70%	65	n/a	n/a	73%	52%	n/a
GA	69%	65	n/a	79%	n/a	n/a	n/a
MO	69%	61	n/a	67%	76%	n/a	n/a
Weighted NCI-IDD Average	68%	3,096	73%	72%	71%	53%	67%
WI	62%	106	n/a	60%	71%	54%	n/a
NC*	62%	52	n/a	n/a	n/a	n/a	n/a
KS	60%	48	n/a	60%	n/a	n/a	n/a
OH*	60%	19	n/a	n/a	n/a	n/a	n/a
CO	59%	101	n/a	n/a	n/a	48%	55%
OR*	57%	47	n/a	n/a	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
CA*	59%	1,440	66%	58%	68%	47%	77%
HI	42%	66	n/a	n/a	n/a	n/a	48%
NE	40%	65	n/a	42%	n/a	n/a	n/a
NV	39%	36	n/a	n/a	n/a	n/a	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 8B. Last mammogram test (among women age 40 and over; *includes "not applicable", missing and "don't know" responses*; information may have been obtained through state records)

State	More than 2 years	In last 2 years ago	Missing	Not applicable	Don't know	N
AL	4%	16%	1%	75%	4%	391
AR	5%	11%	0%	77%	7%	405
CA	7%	10%	81%	0%	2%	8,663
CO	6%	9%	1%	82%	2%	655
FL	4%	10%	1%	84%	1%	399
GA	5%	11%	0%	81%	3%	405
HI	12%	9%	1%	74%	5%	319
IL	3%	15%	1%	76%	6%	344
IN	3%	10%	5%	79%	3%	407
KS	5%	7%	2%	77%	9%	388
KY	3%	8%	0%	76%	13%	399
MI	4%	9%	1%	77%	10%	664
MN	5%	13%	1%	78%	3%	406
MO	5%	10%	0%	81%	3%	402
NE	9%	6%	3%	79%	2%	419
NV	5%	3%	1%	79%	12%	408
NH	5%	11%	1%	80%	2%	397
NJ	2%	14%	1%	78%	6%	407
NC	5%	7%	46%	36%	6%	432
OH	2%	3%	59%	30%	5%	331
OR	5%	6%	85%	0%	3%	420
PA	3%	15%	3%	72%	6%	666
SD	3%	17%	0%	73%	6%	405
TN	7%	17%	2%	65%	9%	322
VA	3%	7%	0%	80%	10%	719
WI	5%	8%	1%	83%	2%	806
Expanded Weighted NCI-IDD Average	5%	10%	31%	50%	4%	19,979

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 9. Last colorectal cancer screening (among people age 50 and over; information may have been obtained through state records)

Categories are not mutually exclusive; 'Don't Know' responses are included in the denominator

State	Colonoscopy in past 10 years	Flexible sigmoidoscopy in the past 5 years	Fecal occult blood test or fecal immunochemical test in the past year	Never had exam or screening	N
AL	55%	1%	8%	13%	150
AR	26%	0%	4%	24%	111
CA*	29%	2%	17%	36%	2,335
CO	45%	1%	9%	22%	158
FL	46%	0%	6%	29%	105
GA	40%	4%	2%	30%	126
HI	7%	0%	10%	44%	91
IL	34%	3%	6%	21%	111
IN	43%	1%	5%	12%	82
KS	29%	1%	4%	20%	112
KY	21%	1%	5%	10%	128
MI	21%	0%	3%	14%	206
MN	35%	2%	13%	24%	120
MO	43%	0%	6%	24%	128
NE	41%	0%	26%	8%	119
NV	15%	1%	12%	7%	81
NH	43%	1%	8%	28%	99
NJ	54%	0%	3%	12%	142
NC*	38%	0%	4%	11%	99
OH*	32%	2%	2%	19%	63
OR*	36%	0%	17%	22%	89
PA	36%	1%	5%	8%	221
SD	47%	0%	4%	8%	139
TN	39%	2%	5%	16%	153
VA	26%	1%	3%	13%	211
WI	58%	1%	8%	20%	187
Weighted NCI-IDD Average	36%	1%	9%	22%	5,566

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 9B. Last colorectal cancer screening (among people age 50 and over; *includes “not applicable”, missing and “don’t know” responses*; information may have been obtained through state records)

State	Had at least one screening	Missing	Not applicable	Don't know	N
AL	29%	0%	62%	9%	391
AR	15%	0%	74%	11%	406
CA	22%	73%	0%	5%	8,663
CO	18%	1%	75%	6%	655
FL	21%	1%	74%	5%	399
GA	23%	0%	69%	7%	405
HI	17%	2%	70%	12%	319
IL	20%	3%	66%	11%	344
IN	12%	8%	72%	7%	406
KS	15%	2%	70%	13%	389
KY	11%	0%	68%	21%	399
MI	12%	2%	67%	18%	661
MN	21%	2%	69%	8%	406
MO	23%	0%	69%	8%	402
NE	21%	2%	71%	6%	419
NV	7%	2%	79%	13%	408
NH	20%	1%	74%	5%	399
NJ	24%	0%	65%	11%	407
NC	12%	42%	36%	10%	432
OH	10%	78%	3%	9%	333
OR	15%	79%	0%	6%	420
PA	16%	4%	64%	17%	667
SD	20%	0%	66%	13%	405
TN	29%	5%	49%	17%	321
VA	12%	1%	71%	16%	719
WI	20%	2%	75%	3%	806
Expanded Weighted NCI-IDD Average	18%	30%	43%	9%	19,981

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 10. Had a flu vaccine in the past year ('yes' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SD	92%	353	n/a	93%	91%	91%	n/a
NE	88%	406	97%	95%	83%	81%	91%
KY*	86%	244	n/a	89%	n/a	71%	93%
KS	84%	317	n/a	89%	87%	68%	n/a
TN*	84%	226	n/a	91%	87%	63%	n/a
VA*	80%	450	n/a	91%	76%	67%	71%
NJ	80%	324	n/a	88%	79%	70%	n/a
PA*	80%	365	89%	91%	68%	66%	n/a
MI*	80%	371	n/a	89%	75%	61%	n/a
IL	79%	275	n/a	85%	79%	66%	n/a
NH	78%	330	n/a	86%	76%	70%	82%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	77%	368	n/a	80%	75%	75%	77%
MO	76%	378	n/a	88%	81%	59%	n/a
NC*	76%	256	100%	77%	n/a	64%	76%
MN	75%	370	n/a	87%	68%	53%	n/a
AR	74%	344	n/a	91%	77%	68%	n/a
AL	73%	339	n/a	74%	n/a	64%	n/a
NV*	72%	185	n/a	60%	85%	83%	n/a
Weighted NCI-IDD Average	72%	17,106	94%	84%	71%	60%	72%
WI	71%	732	n/a	89%	69%	63%	n/a
OH*	71%	134	n/a	n/a	71%	69%	n/a
IN	70%	308	n/a	83%	78%	57%	n/a
CA	70%	8,420	95%	84%	65%	59%	77%
HI*	69%	182	n/a	75%	n/a	62%	73%
OR	66%	392	n/a	84%	64%	58%	71%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
FL	61%	382	n/a	76%	58%	48%	n/a
CO	22%	655	n/a	21%	22%	21%	23%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 10B. Had a flu vaccine in the past year (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Not in the past year	Flu vaccine in the past year	Missing	Don't know	N
AL	24%	63%	1%	13%	391
AR	22%	63%	0%	15%	406
CA	29%	68%	1%	2%	8,663
CO	78%	22%	0%	0%	655
FL	37%	59%	1%	3%	400
GA	21%	70%	0%	9%	405
HI	18%	39%	5%	38%	319
IL	17%	62%	3%	18%	346
IN	22%	53%	18%	7%	407
KS	13%	68%	1%	17%	390
KY	9%	52%	1%	38%	399
MI	11%	44%	4%	40%	664
MN	23%	68%	4%	5%	406
MO	22%	72%	0%	6%	402
NE	11%	85%	2%	1%	419
NV	13%	33%	2%	53%	408
NH	18%	65%	1%	16%	399
NJ	16%	64%	0%	20%	407
NC	14%	45%	11%	29%	432
OH	12%	29%	37%	23%	333
OR	31%	62%	0%	7%	420
PA	11%	44%	7%	38%	668
SD	7%	80%	3%	10%	405
TN	11%	59%	2%	28%	322
VA	12%	50%	1%	37%	719
WI	26%	65%	6%	3%	806
Expanded Weighted NCI-IDD Average	23%	58%	6%	14%	19,991

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Data for WI were unable to be collected for those respondents who self-direct their services

See all un-collapsed state data showing responses for all possible response options in Appendix C