

National Core Indicators®-- Intellectual and Developmental Disabilities 2020-21 In-Person Survey (IPS) Report

Demographics

What to know about the presentation of Demographics data:



State and *weighted* NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons



Six items are used for risk adjustment

Read more about risk adjustment in the Overview Chapter



DATA CAUTION!

Many states' data have a large amount of missing data or data recorded as “don't know”

Read about what this means [here](#)

Demographics

Table 1. Age.....	4
Table 2. Age Group.....	5
Table 3. Gender.....	6
Table 4. Marital Status.....	7
Table 5. Person is a parent.....	8
Table 6. Person’s child co-resides in home (if child is under 18).....	9
Table 7. Race.....	10
Table 8. Residential Designation.....	11
Table 9. Type of Residence – ICFs/ID, Nursing facilities or other specialized institutional settings.....	12
Table 10. Type of Residence – Group Residential Setting.....	13
Table 11. Type of Residence – Other Home Settings.....	14
Table 12. Length of Time at Current Residence (If Not Homeless or in Crisis Bed Placement).....	15
Table 13. Person's residence owned or controlled by provider agency.....	16
Table 14. Person is named on the lease.....	17
Table 15. Person owns home.....	18
Table 16. Has ID Diagnosis.....	19
Table 17. Level of ID.....	20
Table 18. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness (‘Don’t Know’ responses are included in the denominator).....	21
Table 19. Other Disabilities (‘Don’t Know’ responses are included in the denominator).....	22
Table 20. Other Disabilities (continued; ‘Don’t Know’ responses are included in the denominator).....	23
Table 21. Health Conditions (‘Don’t Know’ responses are included in the denominator).....	24
Table 22. Health Conditions (Continued).....	25
Table 23. Preferred Means of Communication.....	26
Table 24. Primary Language.....	27
Table 25. Mobility.....	28
Table 26. Support Needed to Manage Self-Injurious Behavior.....	29
Table 27. Support Needed to Manage Disruptive Behavior.....	30
Table 28. Support Needed to Manage Destructive Behavior.....	31
Table 29. Level of Guardianship.....	32
Table 30. Guardian’s Relationship to Person.....	33
Table 30. Funding source.....	34
Table 31. Person receives Medicare.....	35
Table 32. Amount of daily support received at home.....	36

Where do these data come from?

Most items in this section are drawn from administrative sources. Select items may have been collected during the face-to-face survey.

What is weighting and why do we do it?

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI-IDD average (that is, its contribution is *proportional to its service population*).

In this survey year, CA intentionally oversampled by geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service population sizes in each subpopulation or region). You can read more about this in the Sampling section of the Overview chapter of this report.

The number of respondents (N) for each question *is not* weighted.

DATA CAUTION!

Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Presentation of state and weighted NCI averages

Tables show states listed in alphabetical order and are not tested for significance.

Important note on Impact of COVID-19

The 2020-21 NCI-IDD IPS data collection cycle began July 1, 2020 and ended June 30, 2021. As COVID-19 continued to spread across the United States, states were impacted in various ways throughout the year. These data cannot fully assess what impact the pandemic had on data collected at different times throughout the year. While these data will serve as an important baseline, and meaningful way for states to understand the overall impact of services on people being served, these data should be read with caution.

To help better understand the overall impact of COVID-19 on people receiving services, NCI-IDD added a state-optional COVID-19 Supplement to all NCI-IDD Surveys. The COVID-19 Supplement is intended to support the understanding of the experience of people with disabilities and their families at the beginning of the COVID-19 pandemic, and their interactions with services during that time. The NCI IPS COVID-19 Supplement can be found [here](#).

Note on California data

All Californians with an intellectual or developmental disability as defined by California law have both a civil right and an individual entitlement to receive services from the California Department of Developmental Services. These statutory requirements make California’s service system unique and could impact comparisons between its survey results and the results of other states.

Table 1. Age

Item is used for risk adjustment

State	Mean	Min	Max	Standard Deviation	Median	N
AL	45.3	18	86	14.7	44.0	391
AR	41.6	18	85	14.6	38.3	405
CA	40.7	19	97	15.5	37.0	8,663
CO	39.3	18	86	15.3	35.0	655
FL	39.7	18	81	14.2	37.0	396
GA	43.4	21	84	13.6	42.5	404
HI	42.6	19	90	16.2	39.0	317
IL	44.1	20	88	14.8	42.0	337
IN	40.4	18	91	15.9	37.0	406
KS	41.2	19	78	15.1	38.0	377
KY	43.4	19	86	15.2	41.0	398
MI	43.4	19	86	15.5	41.0	654
MN	41.5	18	81	15.1	38.0	406
MO	41.0	18	90	15.7	38.0	402
NE	41.7	18	86	15.5	38.0	416
NV	39.2	19	80	12.9	36.4	407
NH	39.7	20	84	14.1	36.0	396
NJ	43.3	21	86	14.9	41.0	406
NC	38.9	19	82	14.6	36.0	432
OH	42.3	19	84	16.2	38.5	332
OR	37.6	18	87	15.5	33.0	420
PA	43.7	19	92	16.5	41.0	647
SD	45.0	18	88	15.7	42.0	401
TN	51.1	22	86	14.4	51.0	320
VA	41.6	19	92	16.0	38.0	718
WI	38.4	19	96	16.2	33.0	806
Weighted NCI-IDD Average	41.4	18	97	15.6	38.0	19,912

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Table 2. Age Group

State	18-22	23-34	35-54	55-74	75 and older	Unknown	N
AL	5%	23%	43%	27%	1%	0%	391
AR	7%	31%	41%	19%	2%	0%	406
CA	10%	34%	34%	20%	2%	0%	8,663
CO	14%	33%	33%	19%	1%	0%	655
FL	6%	39%	34%	19%	0%	1%	400
GA	1%	31%	46%	20%	2%	0%	405
HI	6%	34%	34%	24%	3%	1%	319
IL	2%	30%	39%	24%	2%	3%	346
IN	12%	32%	33%	21%	2%	0%	407
KS	8%	32%	34%	22%	2%	3%	390
KY	5%	31%	37%	24%	3%	0%	399
MI	5%	30%	36%	25%	2%	2%	664
MN	8%	31%	38%	22%	1%	0%	406
MO	12%	32%	31%	25%	1%	0%	402
NE	7%	33%	35%	22%	3%	1%	419
NV	5%	38%	42%	14%	0%	0%	408
NH	6%	39%	36%	18%	1%	1%	399
NJ	3%	33%	36%	26%	2%	0%	407
NC	11%	36%	34%	19%	1%	0%	432
OH	9%	35%	27%	27%	2%	0%	333
OR	15%	39%	29%	16%	1%	0%	420
PA	6%	30%	31%	26%	3%	3%	668
SD	5%	24%	39%	27%	4%	1%	405
TN	1%	15%	40%	40%	3%	1%	322
VA	8%	35%	32%	22%	3%	0%	719
WI	16%	38%	26%	19%	2%	0%	806
Weighted NCI-IDD Average	8%	33%	34%	22%	2%	1%	19,991

Table 3. Gender

State	Male	Female	Other	N
AL	58%	42%	0%	390
AR	57%	43%	0%	404
CA	59%	41%	0%	8,660
CO	59%	41%	0%	655
FL	66%	34%	0%	398
GA	66%	34%	0%	405
HI	52%	48%	0%	317
IL	59%	41%	0%	340
IN	56%	44%	0%	407
KS	57%	43%	0%	385
KY	57%	43%	0%	397
MI	58%	42%	0%	645
MN	55%	45%	0%	406
MO	61%	39%	0%	402
NE	60%	40%	0%	418
NV	60%	40%	0%	407
NH	58%	41%	0%	399
NJ	60%	40%	0%	407
NC	60%	40%	0%	430
OH	61%	39%	0%	289
OR	62%	37%	0%	420
PA	56%	44%	0%	650
SD	52%	48%	0%	404
TN	56%	44%	0%	322
VA	59%	41%	0%	717
WI	57%	43%	0%	806
Weighted NCI-IDD Average	59%	41%	0%	19,880

Table 4. Marital Status

State	Single, Never Married	Married	Single, Married in the Past	Don't Know	N
AL	99%	1%	1%	0%	388
AR	95%	2%	2%	1%	405
CA	97%	2%	1%	0%	8,619
CO	88%	1%	6%	4%	655
FL	98%	1%	1%	0%	396
GA	98%	1%	1%	0%	405
HI	99%	0%	1%	0%	315
IL	98%	1%	1%	0%	337
IN	93%	4%	3%	0%	406
KS	97%	2%	2%	0%	382
KY	95%	1%	4%	0%	396
MI	97%	0%	2%	0%	649
MN	96%	1%	3%	1%	390
MO	97%	2%	1%	0%	402
NE	99%	0%	1%	0%	416
NV	98%	0%	1%	1%	406
NH	93%	3%	4%	0%	398
NJ	96%	1%	0%	3%	405
NC	98%	1%	1%	0%	429
OH	97%	2%	1%	0%	285
OR	93%	1%	6%	0%	419
PA	95%	1%	2%	2%	642
SD	95%	2%	3%	0%	403
TN	97%	1%	1%	1%	319
VA	98%	1%	1%	0%	718
WI	87%	4%	6%	2%	806
Weighted NCI-IDD Average	96%	1%	2%	1%	19,791

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Table 5. Person is a parent

Categories are not mutually exclusive, therefore N is not shown.

State	No, does not have a child	Yes, parent of a child or children under 18	Yes, parent of a child or children over 18	Don't know
AL	98%	0%	2%	0%
AR	96%	2%	2%	0%
CA	n/a	n/a	n/a	n/a
CO*	95%	0%	5%	27%
FL	98%	1%	1%	0%
GA	99%	0%	1%	0%
HI	100%	0%	0%	0%
IL	98%	0%	2%	0%
IN	95%	4%	2%	0%
KS	94%	3%	4%	0%
KY	93%	2%	5%	1%
MI	97%	2%	2%	2%
MN*	n/a	n/a	n/a	n/a
MO	99%	0%	1%	0%
NE	97%	2%	2%	0%
NV	97%	1%	1%	0%
NH	94%	2%	4%	0%
NJ	98%	1%	1%	3%
NC	97%	1%	2%	0%
OH	95%	0%	5%	2%
OR*	88%	12%	0%	0%
PA	97%	1%	2%	1%
SD	96%	1%	3%	0%
TN	97%	0%	3%	1%
VA	99%	0%	1%	0%
WI*	0%	0%	0%	100%
Weighted NCI-IDD Average	97%	1%	2%	10%

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Table 6. Person's child co-resides in home (if child is under 18)

State	Yes	No	Don't know	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CA	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
FL	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
HI	n/a	n/a	n/a	n/a
IL	n/a	n/a	n/a	n/a
IN	n/a	n/a	n/a	n/a
KS	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a
MI	n/a	n/a	n/a	n/a
MN	n/a	n/a	n/a	n/a
MO	n/a	n/a	n/a	n/a
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NH	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NC	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OR	n/a	n/a	n/a	n/a
PA	n/a	n/a	n/a	n/a
SD	n/a	n/a	n/a	n/a
TN	n/a	n/a	n/a	n/a
VA	n/a	n/a	n/a	n/a
WI	n/a	n/a	n/a	n/a
Weighted NCI-IDD Average	50%	48%	2%	148

Table 7. Race

State	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Two or More	Don't Know	N
AL	0%	0%	38%	0%	61%	0%	0%	1%	0%	391
AR	0%	0%	21%	0%	75%	1%	0%	1%	0%	405
CA	0%	9%	12%	0%	42%	33%	2%	0%	0%	8,567
CO	0%	1%	2%	0%	51%	3%	34% ¹	0%	8%	655
FL	1%	1%	22%	1%	57%	14%	1%	2%	1%	391
GA	0%	1%	48%	0%	48%	1%	1%	0%	1%	405
HI	1%	69%	1%	1%	16%	1%	7%	3%	1%	317
IL	0%	2%	20%	0%	67%	8%	1%	1%	0%	339
IN	0%	0%	14%	0%	82%	0%	1%	2%	0%	407
KS	2%	1%	13%	0%	74%	5%	0%	2%	2%	383
KY	0%	0%	14%	0%	83%	1%	1%	1%	0%	397
MI	1%	1%	17%	0%	75%	2%	2%	2%	0%	658
MN	1%	2%	5%	0%	88%	0%	0%	2%	1%	406
MO	1%	1%	12%	0%	82%	1%	2%	1%	0%	402
NE	5%	2%	5%	0%	81%	5%	0%	2%	1%	395
NV	1%	3%	15%	0%	65%	11%	1%	2%	1%	408
NH	0%	1%	2%	0%	94%	1%	0%	0%	2%	397
NJ	0%	2%	19%	0%	65%	7%	2%	2%	3%	407
NC	1%	1%	30%	0%	65%	1%	1%	1%	1%	430
OH	0%	0%	18%	0%	77%	1%	0%	1%	2%	288
OR	3%	4%	4%	1%	74%	5%	0%	5%	4%	419
PA	0%	1%	11%	0%	82%	3%	1%	1%	0%	645
SD	13%	1%	1%	0%	83%	1%	0%	1%	0%	404
TN	1%	0%	26%	0%	71%	0%	1%	1%	0%	321
VA	0%	2%	29%	0%	63%	2%	2%	2%	0%	719
WI*	1%	1%	9%	0%	56%	3%	1%	0%	28%	806
Weighted NCI-IDD Average	1%	4%	15%	0%	63%	11%	2%	1%	3%	19,762

¹ "Other race not listed" was selected if a person was listed as "multiple race/ethnicity" in CO records.

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 8. Residential Designation

Information based on residential designation defined by the USDA: <https://www.ers.usda.gov/data-products/rural-urban-commuting-area-codes.aspx>

State	Metropolitan	Micropolitan	Rural	Small town	N
AL	73%	18%	2%	7%	390
AR	58%	22%	3%	17%	405
CA	95%	4%	0%	1%	8,641
CO	92%	2%	1%	5%	655
FL	97%	1%	0%	2%	398
GA	77%	11%	5%	7%	405
HI	79%	17%	2%	2%	317
IL	77%	11%	1%	11%	342
IN	72%	21%	1%	5%	407
KS	61%	27%	2%	11%	380
KY	35%	40%	6%	19%	392
MI	72%	12%	9%	8%	657
MN	67%	15%	5%	13%	406
MO	64%	18%	4%	14%	402
NE	45%	21%	7%	27%	416
NV	96%	4%	0%	0%	407
NH	59%	21%	9%	11%	398
NJ	100%	0%	0%	0%	407
NC	71%	21%	2%	6%	384
OH	72%	20%	2%	6%	332
OR	78%	16%	2%	4%	412
PA	77%	15%	3%	5%	645
SD	45%	41%	6%	8%	403
TN	74%	17%	3%	7%	320
VA	83%	5%	5%	7%	718
WI	69%	12%	7%	12%	805
Weighted NCI-IDD Average	80%	11%	3%	6%	19,844

Table 9. Type of Residence – ICFs/ID, Nursing facilities or other specialized institutional settings

State	ICF/IID, 4-6 Residents With Disabilities	ICF/IID, 7-15 Residents With Disabilities	ICF/IID, 16 or More Residents With Disabilities	Nursing Facility	Other Specialized Institutional Facility	N
AL	0%	0%	0%	0%	0%	391
AR	0%	0%	0%	0%	0%	405
CA	7%	1%	1%	0%	2%	8,631
CO	0%	0%	0%	0%	0%	621
FL	0%	0%	0%	0%	0%	400
GA	0%	0%	0%	0%	0%	405
HI	0%	0%	0%	0%	0%	317
IL	0%	0%	0%	0%	0%	339
IN	0%	0%	0%	0%	0%	407
KS	0%	0%	0%	0%	1%	384
KY	0%	0%	0%	0%	1%	398
MI	0%	0%	0%	0%	0%	655
MN	0%	0%	0%	0%	0%	406
MO	0%	0%	0%	0%	0%	402
NE	1%	2%	5%	0%	0%	417
NV	0%	0%	0%	0%	0%	408
NH	1%	1%	0%	0%	1%	399
NJ	0%	0%	0%	0%	0%	407
NC	2%	1%	10%	0%	0%	385
OH	1%	2%	3%	0%	0%	332
OR	0%	0%	0%	0%	0%	420
PA	2%	1%	3%	1%	1%	642
SD	0%	0%	0%	0%	0%	398
TN	0%	0%	0%	0%	2%	319
VA	0%	0%	0%	0%	0%	719
WI	0%	0%	0%	1%	0%	806
Weighted NCI-IDD Average	2%	0%	1%	0%	1%	19,813

Table 10. Type of Residence – Group Residential Setting

State	Group Living Setting, 2-3 People With Disabilities	Group Living Setting, 4-6 People With Disabilities	Group Living Setting, 7-15 People With Disabilities	N
AL	62%	8%	7%	391
AR	2%	2%	9%	405
CA	1%	25%	1%	8,631
CO	9%	2%	0%	621
FL	3%	36%	4%	400
GA	20%	11%	0%	405
HI	1%	12%	0%	317
IL	6%	27%	17%	339
IN	25%	2%	0%	407
KS	16%	23%	5%	384
KY	34%	1%	2%	398
MI	4%	35%	8%	655
MN	0%	52%	0%	406
MO	8%	6%	4%	402
NE	15%	13%	0%	417
NV	28%	23%	0%	408
NH	9%	5%	2%	399
NJ	8%	39%	0%	407
NC	4%	9%	0%	385
OH	6%	4%	3%	332
OR	9%	11%	1%	420
PA	29%	9%	0%	642
SD	3%	23%	27%	398
TN	35%	2%	2%	319
VA	8%	31%	5%	719
WI	9%	8%	3%	806
Weighted NCI-IDD Average	9%	20%	3%	19,813

Table 11. Type of Residence – Other Home Settings

State	Own Home or Apartment	Parent or Relative's Home	Foster Care or Host Home (2 or More People With a Disability)	Foster Care, Host Home, or Shared Living (1 Person With a Disability)	Homeless or Crisis Bed Placement	Other	Don't Know	N
AL	6%	18%	0%	0%	0%	0%	0%	391
AR	38%	44%	1%	1%	1%	0%	1%	405
CA	12%	50%	1%	0%	0%	0%	0%	8,631
CO	9%	52%	19%	8%	0%	0%	1%	621
FL	16%	42%	0%	0%	0%	0%	0%	400
GA	15%	40%	12%	1%	0%	0%	0%	405
HI	6%	52%	24%	4%	0%	0%	0%	317
IL	10%	39%	1%	1%	0%	0%	0%	339
IN	28%	43%	1%	1%	0%	0%	0%	407
KS	25%	27%	1%	1%	0%	0%	1%	384
KY	7%	28%	21%	6%	0%	1%	1%	398
MI	15%	35%	2%	0%	0%	0%	0%	655
MN	7%	31%	4%	0%	0%	0%	5%	406
MO	45%	30%	2%	2%	0%	1%	0%	402
NE	21%	26%	7%	9%	0%	0%	0%	417
NV	22%	22%	2%	3%	0%	0%	0%	408
NH	10%	38%	17%	16%	0%	1%	0%	399
NJ	13%	34%	4%	2%	0%	0%	0%	407
NC	8%	50%	6%	8%	0%	0%	1%	385
OH	36%	43%	1%	1%	0%	1%	0%	332
OR	9%	50%	18%	1%	0%	0%	0%	420
PA	12%	36%	0%	1%	0%	6%	0%	642
SD	36%	10%	1%	1%	0%	0%	0%	398
TN	30%	24%	1%	3%	0%	0%	1%	319
VA	8%	29%	7%	11%	0%	0%	0%	719
WI	20%	49%	0%	1%	0%	3%	5%	806
Weighted NCI-IDD Average	16%	42%	3%	1%	0%	1%	1%	19,813

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Table 12. Length of Time at Current Residence (If Not Homeless or in Crisis Bed Placement)

State	Less Than 1 Year	1-3 Years	3-5 Years	Over 5 Years	Don't Know	N
AL	7%	29%	16%	47%	2%	387
AR	7%	19%	7%	60%	7%	400
CA	9%	15%	10%	66%	0%	8,499
CO	12%	21%	12%	54%	1%	633
FL	8%	24%	9%	59%	0%	396
GA	8%	17%	8%	64%	3%	405
HI	1%	2%	3%	95%	0%	311
IL	5%	19%	11%	64%	2%	333
IN	11%	18%	10%	52%	8%	401
KS	11%	23%	10%	52%	4%	381
KY	12%	29%	7%	48%	4%	395
MI	8%	16%	9%	60%	7%	657
MN	10%	17%	8%	62%	3%	390
MO	8%	23%	10%	57%	1%	402
NE	6%	19%	8%	66%	1%	412
NV	9%	31%	9%	46%	5%	391
NH	12%	22%	10%	54%	2%	390
NJ	8%	18%	9%	55%	9%	402
NC*	4%	15%	5%	60%	15%	382
OH*	7%	15%	9%	63%	6%	207
OR	8%	24%	11%	54%	2%	420
PA	6%	19%	8%	59%	9%	634
SD	11%	28%	8%	48%	6%	396
TN	8%	25%	9%	54%	3%	302
VA	6%	23%	11%	59%	1%	713
WI	11%	20%	8%	60%	1%	758
Weighted NCI-IDD Average	8%	18%	9%	60%	3%	19,397

Table 13. Person's residence owned or controlled by provider agency

State	Yes	No	Don't Know	N
AL	77%	23%	0%	389
AR	22%	75%	3%	403
CA	n/a	n/a	n/a	n/a
CO	27%	63%	10%	621
FL	42%	58%	0%	398
GA	42%	58%	0%	404
HI	3%	96%	1%	317
IL	47%	52%	0%	337
IN	35%	64%	0%	406
KS	49%	49%	2%	383
KY	55%	44%	1%	396
MI	33%	62%	5%	651
MN*	0%	100%	0%	127
MO	32%	67%	1%	402
NE	53%	47%	0%	415
NV	61%	38%	1%	403
NH	40%	59%	1%	397
NJ	50%	47%	3%	404
NC	33%	64%	3%	386
OH	16%	83%	1%	328
OR	42%	58%	0%	405
PA	48%	50%	2%	635
SD	57%	42%	1%	399
TN	43%	53%	4%	318
VA	53%	46%	2%	714
WI	23%	68%	9%	804
Weighted NCI-IDD Average	38%	60%	2%	18,269

Table 14. Person is named on the lease

State	Yes, Named On Lease or Deed	Yes, Named On Other Legally Enforceable Agreement	No	Don't Know	N
AL	54%	2%	41%	2%	388
AR	28%	7%	54%	10%	404
CA	n/a	n/a	n/a	n/a	n/a
CO*	8%	4%	49%	39%	621
FL	32%	5%	60%	2%	394
GA	25%	3%	70%	2%	405
HI	4%	0%	96%	0%	313
IL	17%	6%	68%	10%	335
IN	20%	1%	76%	3%	405
KS	37%	11%	41%	10%	382
KY	4%	3%	82%	11%	397
MI	15%	12%	57%	15%	654
MN	12%	6%	73%	10%	390
MO	41%	6%	48%	5%	402
NE	31%	37%	29%	3%	417
NV	40%	5%	43%	13%	401
NH	7%	3%	85%	5%	397
NJ	21%	1%	71%	6%	405
NC	6%	2%	85%	7%	379
OH*	34%	4%	48%	14%	194
OR	15%	8%	77%	0%	414
PA	7%	4%	73%	16%	633
SD	43%	11%	31%	16%	397
TN	48%	9%	28%	15%	316
VA	14%	9%	69%	8%	716
WI*	n/a	n/a	n/a	n/a	n/a
Weighted NCI-IDD Average	20%	6%	64%	9%	10,592

Table 15. Person owns home

State	Yes	No	Don't Know	N
AL	1%	99%	0%	389
AR	4%	93%	3%	405
CA	n/a	n/a	n/a	n/a
CO	1%	82%	17%	621
FL	3%	97%	0%	392
GA	2%	97%	0%	405
HI	0%	100%	0%	316
IL	2%	96%	2%	337
IN	2%	97%	0%	405
KS	2%	97%	2%	381
KY	1%	98%	1%	399
MI	2%	95%	3%	652
MN	1%	98%	1%	390
MO	4%	96%	0%	402
NE	2%	98%	0%	416
NV	1%	98%	1%	401
NH	2%	98%	0%	397
NJ	1%	98%	1%	404
NC	3%	94%	3%	430
OH*	3%	93%	4%	194
OR	1%	99%	0%	417
PA	1%	97%	2%	637
SD	2%	98%	0%	395
TN	3%	94%	3%	316
VA	1%	98%	1%	718
WI*	n/a	n/a	n/a	n/a
Weighted NCI-IDD Average	2%	96%	2%	10,645

Table 16. Has ID Diagnosis

State	Yes	No	Don't Know	N
AL	100%	0%	0%	389
AR	94%	6%	0%	406
CA	80%	19%	0%	8,657
CO	92%	8%	0%	655
FL	90%	10%	0%	392
GA	99%	1%	0%	405
HI	91%	9%	0%	316
IL	98%	2%	1%	335
IN	87%	13%	1%	407
KS	95%	4%	1%	383
KY	94%	6%	0%	392
MI	93%	7%	0%	659
MN	100%	0%	0%	406
MO	77%	23%	0%	402
NE	99%	1%	0%	417
NV	83%	16%	0%	402
NH	75%	24%	1%	396
NJ	84%	11%	5%	402
NC	96%	4%	0%	428
OH	86%	12%	3%	319
OR	68%	32%	0%	420
PA	97%	2%	1%	647
SD	90%	10%	0%	396
TN	95%	4%	1%	319
VA	89%	10%	1%	719
WI	57%	43%	1%	806
Weighted NCI-IDD Average	86%	13%	1%	19,875

Table 17. Level of ID

Item is used for risk adjustment

State	Mild	Moderate	Severe	Profound	Unspecified	Unknown	N
AL	37%	44%	12%	7%	0%	0%	388
AR	32%	38%	11%	5%	14%	0%	374
CA	45%	27%	13%	9%	6%	0%	6,875
CO	38%	38%	16%	8%	0%	0%	601
FL	27%	40%	20%	7%	5%	0%	344
GA	29%	33%	19%	8%	12%	0%	400
HI	17%	44%	23%	12%	4%	0%	286
IL	38%	32%	19%	8%	3%	1%	329
IN	58%	23%	5%	5%	8%	1%	356
KS	38%	32%	12%	6%	10%	1%	366
KY	43%	33%	14%	6%	5%	0%	368
MI	32%	30%	19%	10%	9%	0%	610
MN	41%	25%	18%	7%	8%	0%	406
MO	44%	26%	14%	5%	10%	0%	310
NE	26%	45%	21%	7%	1%	0%	405
NV	56%	28%	5%	3%	7%	0%	334
NH	47%	24%	8%	3%	17%	1%	302
NJ	29%	27%	12%	6%	19%	6%	356
NC	24%	36%	17%	17%	5%	0%	408
OH	46%	27%	13%	7%	5%	2%	282
OR	55%	32%	8%	5%	0%	0%	284
PA	43%	31%	11%	8%	6%	1%	626
SD	47%	29%	12%	10%	2%	0%	351
TN	29%	31%	18%	9%	12%	1%	300
VA	32%	36%	18%	9%	4%	1%	644
WI	22%	14%	4%	2%	56%	2%	463
Weighted NCI-IDD Average	39%	29%	14%	8%	9%	1%	16,768

Table 18. Mood, Anxiety, Behavior, Psychotic, and Other Mental Illness ('Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Mood Disorder	Anxiety Disorder	Behavior Challenges	Psychotic Disorder	Other Mental Illness or Psychiatric Diagnosis
AL	36%	26%	25%	18%	7%
AR	34%	30%	31%	12%	11%
CA ²	n/a	n/a	n/a	n/a	n/a
CO	35%	33%	39%	13%	17%
FL	32%	34%	32%	12%	3%
GA	27%	20%	11%	20%	6%
HI	17%	10%	20%	11%	4%
IL	37%	30%	31%	14%	11%
IN	34%	30%	43%	10%	30%
KS	47%	36%	48%	17%	20%
KY	43%	31%	39%	18%	15%
MI	33%	25%	29%	13%	13%
MN	11%	11%	32%	4%	n/a*
MO	42%	30%	19%	10%	5%
NE	19%	29%	32%	5%	9%
NV	34%	24%	29%	15%	9%
NH	38%	38%	31%	10%	17%
NJ	35%	42%	40%	11%	18%
NC	30%	29%	42%	12%	11%
OH	27%	25%	22%	12%	13%
OR	33%	32%	52%	7%	23%
PA	40%	40%	30%	12%	12%
SD	43%	33%	27%	15%	15%
TN	50%	40%	42%	27%	20%
VA	30%	28%	40%	14%	10%
WI	33%	39%	34%	5%	18%
Weighted NCI-IDD Average	33%	30%	33%	12%	14%

² CA did not have data available in records

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 19. Other Disabilities ('Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Autism Spectrum Disorder	Cerebral Palsy	Brain Injury	Seizure Disorder	Chemical Dependency
AL	13%	13%	1%	21%	1%
AR	20%	23%	8%	26%	2%
CA ³	n/a	n/a	n/a	n/a	n/a
CO	25%	16%	5%	29%	1%
FL	23%	20%	1%	34%	1%
GA	18%	14%	2%	25%	0%
HI	25%	19%	3%	33%	0%
IL	22%	12%	3%	31%	1%
IN	26%	11%	4%	22%	0%
KS	26%	17%	4%	30%	3%
KY	19%	13%	3%	28%	1%
MI	23%	20%	5%	29%	2%
MN	18%	16%	1%	18%	n/a*
MO	28%	16%	5%	28%	1%
NE	28%	14%	9%	24%	1%
NV	20%	12%	4%	22%	1%
NH	27%	12%	12%	25%	3%
NJ	33%	14%	5%	31%	0%
NC	34%	19%	2%	33%	1%
OH	21%	20%	5%	27%	1%
OR	30%	11%	3%	11%	3%
PA	21%	14%	4%	25%	1%
SD	17%	18%	6%	32%	4%
TN	16%	20%	7%	37%	2%
VA	28%	17%	3%	33%	0%
WI	29%	14%	20%	32%	5%
Weighted NCI-IDD Average	24%	16%	5%	27%	1%

³ CA did not have data available in records

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 20. Other Disabilities (continued; 'Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Down Syndrome	Prader-Willi	Fetal Alcohol Syndrome	Limited or No Vision	Severe or Profound Hearing Loss	Other Disabilities, Not Listed	No Other Disabilities
AL	4%	0%	1%	6%	3%	14%	13%
AR	12%	1%	1%	10%	11%	18%	10%
CA ⁴	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CO	13%	1%	2%	9%	6%	25%	3%
FL	9%	1%	0%	9%	2%	6%	13%
GA	8%	0%	1%	9%	4%	11%	15%
HI	12%	0%	1%	18%	10%	18%	9%
IL	10%	1%	2%	8%	6%	21%	5%
IN	7%	0%	2%	14%	6%	34%	10%
KS	10%	1%	2%	10%	8%	22%	6%
KY	7%	1%	2%	8%	8%	20%	4%
MI	7%	1%	3%	9%	5%	32%	5%
MN	9%	1%	1%	17%	6%	n/a*	0%
MO	9%	1%	0%	7%	6%	17%	9%
NE	22%	1%	6%	7%	5%	22%	5%
NV	8%	0%	3%	8%	4%	22%	12%
NH	9%	0%	1%	6%	9%	48%	4%
NJ	11%	1%	1%	10%	6%	37%	5%
NC	8%	1%	1%	13%	7%	29%	4%
OH	9%	0%	1%	14%	10%	21%	5%
OR	5%	0%	3%	17%	7%	0%	10%
PA	10%	1%	1%	11%	8%	20%	9%
SD	9%	1%	3%	6%	6%	20%	8%
TN	5%	1%	4%	12%	11%	50%*	0%
VA	6%	1%	1%	12%	7%	15%	8%
WI	10%	0%	0%	2%	1%	9%	0%
Weighted NCI-IDD Average	9%	1%	1%	10%	6%	19%	7%

⁴ CA did not have data available in records

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 21. Health Conditions ('Don't Know' responses are included in the denominator)

Categories are not mutually exclusive, therefore N is not shown

State	Cardiovascular Disease	Diabetes	Cancer	High Blood Pressure	High Cholesterol
AL	4%	15%	1%	34%	18%
AR	7%	14%	2%	20%	11%
CA ⁵	n/a	n/a	n/a	n/a	n/a
CO	5%	12%	1%	11%	10%
FL	4%	13%	1%	20%	17%
GA	4%	13%	1%	30%	19%
HI	2%	16%	2%	25%	24%
IL	5%	14%	2%	25%	25%
IN	5%	14%	1%	24%	22%
KS	11%	15%	5%	28%	25%
KY	10%	18%	2%	33%	24%
MI	6%	11%	3%	21%	16%
MN ⁶	n/a	n/a	n/a	n/a	n/a
MO	6%	12%	1%	19%	13%
NE	9%	7%	5%	14%	17%
NV	4%	11%	3%	16%	15%
NH	5%	10%	4%	16%	17%
NJ	8%	11%	2%	22%	25%
NC	7%	10%	2%	18%	16%
OH	7%	12%	2%	18%	17%*
OR	3%	10%	2%	7%	5%
PA	7%	12%	2%	19%	20%
SD	7%	14%	2%	16%	16%
TN	12%	17%	4%	36%	35%
VA	4%	14%	2%	22%	15%
WI	11%	12%	3%	21%	20%
Weighted NCI-IDD Average	7%	12%	2%	21%	18%

⁵ CA did not have data available in records⁶ MN did not have data available in records

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 22. Health Conditions (Continued)

Categories are not mutually exclusive, therefore N is not shown

State	Dysphagia	Pressure Ulcers	Alzheimer's	Oral Health or Dental Problems	Sleep Apnea	Other Health Conditions
AL	0%	0%	1%	1%	5%	53%
AR	9%	3%	3%	7%	7%	24%
CA ⁷	n/a	n/a	n/a	n/a	n/a	n/a
CO	7%	2%	3%	2%	11%	40%
FL	6%	1%	3%	2%	4%	15%
GA	4%	0%	1%	1%	5%	51%
HI	10%	0%	3%	1%	4%	60%
IL	5%	1%	2%	5%	9%	40%
IN	13%	2%	3%	7%	10%	67%
KS	7%	2%	5%	7%	9%	41%
KY	6%	2%	2%	4%	9%	41%
MI	12%	3%	4%	6%	8%	50%
MN ⁸	n/a	n/a	n/a	n/a	n/a	n/a
MO	7%	1%	2%	3%	8%	34%
NE	12%	3%	5%	8%	13%	41%
NV	1%	0%	1%	4%	5%	42%
NH	6%	3%	3%	7%	12%	57%
NJ	11%	1%	2%	2%	7%	62%
NC	10%	2%	2%	4%	7%	49%
OH	8%	3%	3%	4%*	7%	40%*
OR	12%	2%	2%	11%	7%	31%
PA	10%	1%	4%	5%	7%	37%
SD	10%	3%	5%	2%	11%	53%
TN	16%	3%	6%	10%	11%	77%*
VA	10%	3%	2%	4%	6%	37%
WI	5%	1%	4%	n/a*	9%	n/a*
Weighted NCI-IDD Average	9%	2%	3%	5%	8%	42%

⁷ CA did not have data available in records⁸ MN did not have data available in records

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 23. Preferred Means of Communication

State	Spoken	Gestures or Body Language	Sign Language or Finger Spelling	Communication Device	Other	Don't Know	N
AL	80%	18%	1%	1%	0%	0%	390
AR	82%	12%	0%	2%	4%	1%	406
CA	66%	33%	0%	0%	1%	0%	8,648
CO	76%	15%	1%	2%	6%	0%	633
FL	71%	28%	0%	1%	0%	0%	393
GA	86%	12%	1%	0%	0%	0%	405
HI	71%	22%	2%	1%	4%	0%	313
IL	80%	14%	1%	1%	3%	0%	335
IN	87%	8%	1%	1%	3%	0%	406
KS	85%	13%	1%	1%	1%	0%	383
KY	79%	14%	2%	1%	4%	0%	397
MI	77%	17%	2%	1%	2%	1%	655
MN	71%	16%	10%	3%	0%	0%	406
MO	82%	16%	0%	1%	1%	0%	402
NE	74%	22%	1%	3%	0%	0%	416
NV	90%	8%	0%	1%	0%	0%	407
NH	87%	5%	1%	2%	4%	0%	399
NJ	78%	12%	1%	1%	7%	0%	405
NC	72%	21%	1%	3%	3%	0%	432
OH	83%	12%	1%	1%	2%	1%	287
OR	79%	14%	3%	1%	3%	1%	420
PA	78%	16%	1%	1%	2%	1%	649
SD	82%	12%	1%	2%	2%	0%	403
TN	76%	20%	2%	1%	1%	0%	317
VA	72%	21%	2%	3%	2%	0%	718
WI	80%	11%	2%	1%	5%	1%	792
Weighted NCI-IDD Average	75%	20%	1%	1%	2%	0%	19,817

Table 24. Primary Language

State	English	Other	N
AL	100%	0%	388
AR	99%	1%	403
CA	80%	20%	8,586
CO	98%	2%	655
FL	94%	6%	391
GA	100%	0%	405
HI	100%	0%	311
IL	96%	4%	332
IN	99%	1%	402
KS	98%	2%	374
KY	98%	2%	399
MI	99%	1%	638
MN	98%	2%	406
MO	99%	1%	402
NE	99%	1%	414
NV	98%	2%	404
NH	98%	2%	395
NJ	97%	3%	404
NC	99%	1%	428
OH	99%	1%	274
OR	98%	2%	420
PA	98%	2%	620
SD	100%	0%	397
TN	98%	2%	315
VA	98%	2%	716
WI	94%	6%	806
Weighted NCI-IDD Average	93%	2%	19,685

Table 25. Mobility

Item is used for risk adjustment

State	Moves Self Around Environment Without Aids	Moves Self Around Environment With Aids or Uses Wheelchair Independently	Non-Ambulatory, Always Needs Assistance to Move Around Environment	Don't Know	N
AL	87%	11%	2%	0%	388
AR	72%	16%	11%	1%	405
CA	74%	12%	13%	1%	8,522
CO	61%	28%	10%	1%	621
FL	75%	15%	10%	0%	395
GA	86%	7%	6%	0%	405
HI	80%	4%	16%	0%	316
IL	84%	12%	4%	0%	338
IN	85%	10%	5%	0%	406
KS	79%	14%	6%	1%	385
KY	80%	13%	7%	0%	396
MI	69%	18%	11%	2%	652
MN	79%	13%	8%	0%	390
MO	74%	19%	7%	0%	402
NE	75%	17%	8%	0%	415
NV	87%	9%	3%	0%	407
NH	79%	15%	7%	0%	398
NJ	78%	15%	7%	1%	405
NC	70%	15%	15%	0%	430
OH	77%	14%	8%	1%	284
OR	79%	13%	7%	1%	420
PA	77%	13%	9%	1%	644
SD	74%	19%	7%	0%	403
TN	66%	22%	11%	0%	319
VA	70%	17%	13%	1%	717
WI	71%	18%	10%	0%	806
Weighted NCI-IDD Average	76%	14%	10%	1%	19,669

Table 26. Support Needed to Manage Self-Injurious Behavior

Item is used for risk adjustment

State	None	Some	Extensive	Don't Know	N
AL	88%	9%	3%	0%	391
AR	75%	19%	4%	2%	406
CA	78%	19%	2%	0%	8,628
CO	65%	21%	10%	3%	620
FL	79%	15%	5%	1%	394
GA	82%	14%	4%	0%	405
HI*	13%	66%	20%	1%	121
IL	77%	19%	3%	1%	334
IN	79%	10%	11%	0%	407
KS	43%	39%	18%	1%	380
KY	75%	22%	3%	1%	396
MI	75%	17%	7%	1%	648
MN*	n/a	n/a	n/a	n/a	n/a
MO	83%	14%	3%	0%	402
NE	80%	16%	3%	1%	410
NV	87%	11%	1%	1%	399
NH	73%	23%	4%	0%	396
NJ	72%	20%	6%	2%	403
NC	58%	34%	6%	2%	378
OH	83%	12%	2%	3%	274
OR	68%	25%	7%	0%	419
PA	74%	19%	4%	2%	614
SD	78%	17%	5%	0%	396
TN	60%	29%	9%	2%	319
VA	63%	22%	11%	4%	717
WI	83%	5%	13%	0%	806
Weighted NCI-IDD Average	76%	18%	5%	1%	19,063

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

Table 27. Support Needed to Manage Disruptive Behavior

Item is used for risk adjustment

State	None	Some	Extensive	Don't Know	N
AL	75%	23%	3%	0%	390
AR	65%	26%	8%	1%	405
CA	49%	30%	21%	0%	8,628
CO	43%	40%	14%	3%	620
FL	62%	27%	10%	1%	394
GA	74%	19%	7%	0%	405
HI*	4%	70%	25%	1%	193
IL	59%	35%	6%	1%	335
IN	59%	26%	15%	0%	407
KS	18%	47%	34%	1%	384
KY	52%	42%	6%	0%	397
MI	61%	28%	9%	2%	648
MN	n/a	n/a	n/a	n/a	n/a
MO	75%	22%	3%	0%	402
NE	57%	33%	8%	1%	411
NV	68%	27%	4%	0%	401
NH	61%	32%	7%	0%	395
NJ	57%	34%	6%	2%	406
NC	48%	41%	10%	2%	381
OH	70%	22%	6%	2%	273
OR	54%	35%	11%	0%	420
PA	63%	31%	5%	2%	626
SD	57%	38%	5%	0%	397
TN	51%	35%	11%	3%	319
VA	49%	31%	16%	3%	718
WI*	0%	0%	0%	100%	806
Weighted NCI-IDD Average	53%	28%	12%	7%	19,161

Table 28. Support Needed to Manage Destructive Behavior

Item is used for risk adjustment

State	None	Some	Extensive	Don't Know	N
AL	79%	18%	3%	0%	391
AR	77%	18%	4%	1%	404
CA	69%	25%	6%	0%	8,628
CO	61%	25%	11%	4%	620
FL	73%	19%	7%	1%	394
GA	81%	13%	6%	0%	405
HI*	8%	66%	25%	1%	139
IL	72%	22%	5%	1%	331
IN	74%	15%	11%	0%	407
KS	40%	39%	20%	1%	384
KY	65%	30%	5%	1%	392
MI	73%	19%	6%	1%	641
MN*	n/a	n/a	n/a	n/a	n/a
MO	81%	16%	3%	0%	402
NE	68%	25%	5%	1%	409
NV	77%	19%	4%	0%	396
NH	73%	21%	5%	1%	394
NJ	69%	20%	7%	3%	406
NC	63%	29%	7%	2%	381
OH	77%	16%	3%	3%	274
OR	74%	21%	5%	0%	420
PA	76%	18%	4%	2%	625
SD	73%	23%	5%	0%	400
TN	64%	26%	7%	3%	318
VA	60%	25%	12%	4%	717
WI*	0%	0%	0%	100%	806
Weighted NCI-IDD Average	66%	20%	6%	7%	19,084

Table 29. Level of Guardianship

State	None	Limited Guardianship	Full Guardian	Has Guardian, but Unable to Distinguish Level	Don't Know	N
AL	68%	3%	28%	1%	0%	386
AR	43%	5%	51%	1%	0%	406
CA	81%	18%	0%	0%	0%	8,649
CO	40%	3%	35%	20%	2%	622
FL	62%	16%	22%	0%	0%	397
GA	73%	4%	22%	0%	1%	405
HI	35%	2%	62%	1%	0%	315
IL	31%	7%	61%	0%	0%	339
IN	57%	2%	41%	0%	0%	407
KS	29%	4%	66%	1%	0%	384
KY	23%	4%	72%	1%	0%	398
MI	22%	14%	59%	4%	0%	658
MN	15%	0%	0%	64%	22%	406
MO	26%	3%	70%	1%	0%	402
NE	8%	5%	84%	2%	0%	415
NV	64%	3%	32%	1%	0%	406
NH	21%	17%	61%	2%	0%	396
NJ	31%	9%	52%	3%	4%	405
NC	18%	11%	67%	4%	0%	431
OH	47%	12%	36%	3%	1%	288
OR	69%	8%	16%	6%	0%	420
PA	73%	3%	18%	1%	4%	645
SD	29%	7%	60%	4%	0%	403
TN	38%	20%	36%	5%	0%	318
VA	50%	7%	42%	1%	0%	719
WI	36%	0%	0%	64%	0%	806
Weighted NCI-IDD Average	53%	10%	27%	8%	2%	19,826

Table 30. Guardian's Relationship to Person

State	Family	Friend	Public Guardian or Public Administrator	Financial Institution	Non-profit Guardianship Agency	For-profit Guardianship Agency	Other	Don't Know	N
AL	82%	9%	9%	0%	0%	0%	0%	0%	125
AR	87%	7%	4%	0%	0%	0%	0%	2%	230
CA	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CO	85%	3%	3%	0%	8%	1%	1%	1%	357
FL	90%	1%	7%	0%	2%	0%	1%	0%	150
GA	87%	1%	6%	0%	0%	0%	3%	3%	108
HI	76%	0%	24%	0%	0%	0%	0%	0%	204
IL	75%	3%	19%	0%	2%	0%	0%	0%	226
IN	83%	2%	5%	0%	5%	5%	1%	0%	174
KS	83%	6%	5%	0%	1%	0%	3%	2%	273
KY	58%	5%	32%	0%	1%	0%	3%	1%	304
MI	68%	4%	23%	0%	3%	1%	0%	0%	499
MN*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MO	66%	0%	33%	0%	0%	0%	0%	0%	297
NE	85%	2%	6%	1%	2%	3%	0%	1%	377
NV	77%	3%	21%	0%	0%	0%	0%	0%	145
NH	71%	1%	26%	0%	1%	1%	0%	1%	311
NJ	84%	1%	14%	0%	0%	0%	0%	0%	261
NC	82%	2%	7%	0%	5%	1%	1%	3%	349
OH	73%	3%	3%	0%	14%	1%	4%	1%	148
OR	90%	2%	6%	0%	2%	0%	0%	0%	129
PA	84%	1%	3%	0%	3%	1%	4%	3%	146
SD	83%	2%	9%	0%	1%	1%	4%	0%	283
TN	69%	7%	5%	0%	8%	7%	3%	2%	188
VA	79%	4%	7%	0%	1%	1%	4%	4%	356
WI*	0%	0%	0%	0%	0%	0%	0%	100%	518
Weighted NCI-IDD Average	70%	2%	12%	0%	3%	1%	1%	11%	6,239

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

Table 30. Funding source

State	ICF/IID	Medicaid HCBS Waiver Funded Services	Medicaid State Plan funded	Exclusively supported by state funds	State Plan only	Don't know	N
AL	0%	100%	0%	0%	0%	0%	391
AR	0%	100%	4%	0%	0%	0%	406
CA	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CO	0%	100%	0%	0%	0%	0%	655
FL	0%	100%	6%	0%	0%	0%	400
GA	0%	89%	11%	0%	0%	0%	405
HI	0%	100%	0%	0%	0%	0%	319
IL	0%	100%	11%	0%	0%	2%	346
IN	0%	98%	0%	0%	0%	1%	407
KS	0%	99%	3%	0%	0%	1%	386
KY	0%	99%	0%	0%	0%	1%	399
MI	0%	37%	55%	3%	1%	9%	651
MN	1%	99%	0%	0%	0%	0%	406
MO	0%	93%	7%	1%	1%	1%	402
NE	7%	93%	5%	0%	0%	0%	417
NV	0%	99%	8%	0%	0%	0%	408
NH	2%	92%	13%	0%	0%	2%	396
NJ	0%	74%	18%	0%	0%	14%	407
NC	14%	75%	11%	1%	1%	3%	396
OH	6%	85%	10%	5%	4%	0%	333
OR	0%	26%	98%	0%	0%	0%	420
PA	6%	76%	8%	2%	2%	7%	655
SD	0%	96%	8%	1%	1%	0%	405
TN	0%	94%	6%	0%	1%	1%	322
VA	0%	99%	16%	0%	1%	0%	719
WI	0%	100%	100%	0%	0%	0%	806
Weighted NCI-IDD Average	2%	85%	23%	1%	1%	3%	11,257

Table 31. Person receives Medicare

State	Yes	No	Don't know	N
AL	38%	59%	3%	390
AR	54%	46%	0%	406
CA*	n/a	n/a	n/a	n/a
CO	53%	47%	0%	655
FL	29%	70%	1%	379
GA	45%	52%	3%	405
HI	38%	62%	0%	312
IL	60%	28%	12%	331
IN	21%	79%	0%	405
KS	55%	40%	4%	381
KY	37%	49%	14%	395
MI	57%	39%	4%	644
MN	71%	29%	0%	406
MO	57%	43%	1%	402
NE	53%	43%	4%	404
NV	37%	54%	8%	401
NH	54%	44%	3%	395
NJ	41%	32%	27%	390
NC	38%	46%	15%	385
OH	61%	38%	2%	325
OR	50%	50%	0%	420
PA*	50%	28%	22%	621
SD	61%	28%	10%	396
TN	59%	31%	10%	310
VA	49%	47%	3%	719
WI	56%	44%	0%	806
Weighted NCI-IDD Average	50%	44%	6%	11,083

Table 32. Amount of daily support received at home

State	24-hour on-site support or supervision	Daily on-site support	Scheduled, less frequent than daily support	As needed visitation and phone contact	None of these options	Don't know	N
AL	76%	4%	3%	2%	14%	1%	391
AR	44%	40%	7%	1%	5%	3%	405
CA	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CO	48%	21%	14%	2%	9%	7%	621
FL	50%	23%	18%	2%	6%	0%	399
GA	51%	10%	12%	1%	27%	0%	405
HI	43%	34%	9%	1%	13%	1%	314
IL	60%	19%	11%	1%	6%	4%	339
IN	37%	21%	21%	11%	10%	0%	407
KS	50%	30%	9%	3%	5%	2%	383
KY	70%	17%	5%	2%	4%	2%	399
MI	53%	9%	16%	2%	15%	5%	658
MO	61%	13%	14%	3%	9%	0%	402
NE	54%	26%	11%	1%	7%	0%	417
NV	66%	8%	12%	5%	8%	1%	402
NH	61%	15%	9%	2%	13%	1%	398
NJ	61%	15%	9%	2%	7%	5%	407
NC	49%	34%	11%	1%	4%	1%	387
OH	41%	14%	16%	3%	22%	4%	196
OR	45%	5%	50%	0%	0%	0%	420
PA	53%	11%	17%	3%	13%	3%	638
SD	61%	15%	12%	5%	6%	0%	401
TN	74%	13%	4%	3%	5%	1%	319
VA	66%	19%	7%	1%	5%	2%	719
WI	28%	8%	5%	1%	8%	50%	806
Weighted NCI-IDD Average	51%	16%	14%	2%	10%	7%	11,048