

National Core Indicators® 2018-19 In-Person Survey (IPS) Report

Safety

People feel safe.

What to know about the presentation of Safety data:



Charts with un-collapsed weighted NCI average

Here's what [collapsed](#) data are



State and weighted NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons

Safety

Table 1. There is at least one place where the person feels afraid or scared (in home, day program, work, walking in the community, in transport, and/or other place).....	6
Table 2. Has someone to talk to if ever feels afraid or scared ('yes' responses only)	8

Where do these data come from?

All items in this section were collected as part of the face-to-face survey. Information comes directly from the person receiving services.

Items in this chapter are a part of the NCI Health, Welfare, and Rights domain (or topic area) and comprise the “Safety” sub-domain (a specific area of concern within the domain). The Safety sub-domain includes items that help determine whether “people feel safe”. Read more about NCI domains and sub-domains in the Overview chapter of this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome. The table titles explain which options were grouped.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI average (that is, its contribution is *proportional to its service population*).

Some states—in this survey year, **IN, MN, TX and WI**—intentionally oversampled one or more subpopulations or geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service population sizes in each subpopulation or region). You

can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

Presentation of state and weighted NCI averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI Average, within the range of the NCI Average, or significantly below the NCI Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative’s home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states’ internal purposes. It should not be used to compare one state with another.

To protect people’s privacy, we do not show the data when fewer than 20 people from a state or residence type responded to a question (though their responses are included in the NCI average).

Figure A. Percentage of people surveyed in each residence type by state

State	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home	N
AL	0%	62%	5%	33%	0%	377
AZ	1%	18%	6%	67%	8%	411
AR	0%	19%	39%	39%	4%	505
CO	0%	16%	17%	45%	22%	649
CT	6%	41%	16%	34%	4%	384
DE	0%	58%	7%	28%	6%	322
FL	0%	30%	18%	51%	1%	867
GA	0%	28%	12%	53%	6%	474
HI	0%	12%	4%	57%	27%	360
IN	0%	0%	34%	64%	2%	742
KS	0%	45%	24%	26%	5%	401
KY	6%	36%	8%	35%	15%	428
ME	2%	31%	22%	22%	23%	392
MI	0%	45%	22%	28%	4%	646
MN	7%	50%	11%	28%	4%	2,061
MO	1%	16%	47%	32%	4%	401
NE	8%	36%	21%	24%	11%	396
NV	0%	59%	15%	22%	4%	408
NH	0%	13%	11%	39%	38%	397
NJ	0%	34%	12%	54%	0%	511
NY	13%	85%	0%	0%	2%	448
NC	14%	20%	7%	54%	6%	627
OH	4%	19%	27%	48%	1%	719
OK	0%	47%	23%	29%	2%	400
OR	0%	28%	20%	34%	19%	420
PA	8%	30%	16%	43%	4%	670
RI	0%	35%	17%	36%	12%	319
SC	2%	37%	16%	45%	0%	483
SD	0%	48%	40%	11%	1%	348
TN	3%	33%	33%	24%	8%	402
TX	17%	25%	5%	33%	20%	2,338
UT	7%	32%	11%	42%	9%	369
VT	0%	9%	12%	31%	48%	342
VA	2%	46%	7%	37%	8%	805
WA	0%	14%	34%	47%	5%	438
WI	2%	21%	33%	39%	5%	860
WY	0%	21%	39%	36%	4%	291
Weighted Total	4%	32%	18%	38%	7%	21,411




Table 1. There is at least one place where the person feels afraid or scared (in home, day program, work, walking in the community, in transport, and/or other place)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
UT	32%	220	n/a	38%	19%	30%	33%
CO	31%	461	n/a	42%	32%	29%	26%
HI	30%	158	n/a	n/a	n/a	29%	29%
NJ	30%	301	n/a	28%	36%	30%	n/a
WY	30%	268	n/a	46%	26%	25%	n/a
MI	30%	384	n/a	24%	34%	33%	25%
NV	29%	337	n/a	31%	25%	26%	n/a
WI	26%	636	n/a	24%	33%	25%	16%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OR	24%	275	n/a	23%	28%	23%	22%
CT	24%	238	n/a	32%	20%	18%	n/a
WA	24%	283	n/a	18%	25%	25%	n/a
SD	23%	287	n/a	22%	24%	22%	n/a
VT	23%	246	n/a	n/a	29%	27%	16%
NY	23%	235	n/a	22%	n/a	n/a	n/a
MN	22%	1,524	16%	23%	22%	22%	15%
SC	22%	453	n/a	26%	17%	20%	n/a
TX	21%	1,253	28%	21%	17%	24%	15%
Weighted NCI Average	20%	14,318	25%	21%	22%	19%	17%
NH	20%	294	n/a	21%	24%	25%	14%
NC	20%	339	n/a	17%	16%	20%	22%
ME	20%	320	n/a	20%	25%	15%	20%
TN	20%	302	n/a	17%	19%	19%	29%
PA	19%	444	n/a	22%	19%	18%	n/a
KS	19%	235	n/a	22%	18%	14%	n/a
OH	19%	507	n/a	21%	20%	17%	n/a
RI	18%	271	n/a	20%	22%	17%	15%
AR	18%	380	n/a	17%	21%	15%	n/a
NE	18%	261	n/a	16%	11%	23%	19%
VA	17%	487	n/a	17%	10%	19%	20%
OK	17%	245	n/a	17%	15%	18%	n/a
DE	16%	214	n/a	16%	n/a	17%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AZ	15%	266	n/a	18%	27%	13%	7%
MO	14%	265	n/a	15%	12%	15%	n/a
FL	14%	529	n/a	13%	17%	13%	n/a
IN	11%	508	n/a	n/a	15%	9%	n/a
GA	8%	301	n/a	9%	14%	6%	5%
KY	6%	252	n/a	4%	8%	5%	11%
AL	6%	339	n/a	7%	n/a	3%	n/a




Table 2. Has someone to talk to if ever feels afraid or scared ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	97%	501	n/a	n/a	98%	97%	n/a
GA	97%	310	n/a	99%	98%	96%	100%
AL	97%	343	n/a	95%	n/a	99%	n/a
VA	96%	509	n/a	96%	96%	97%	98%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WY	96%	269	n/a	100%	95%	96%	n/a
KY	96%	255	n/a	98%	100%	96%	97%
NC	96%	359	95%	91%	97%	98%	96%
PA	96%	444	n/a	96%	96%	96%	n/a
AR	96%	387	n/a	96%	97%	94%	n/a
FL	96%	543	n/a	93%	99%	95%	n/a
TN	96%	316	n/a	95%	95%	97%	96%
RI	95%	275	n/a	96%	98%	92%	97%
OH	95%	509	n/a	93%	94%	97%	n/a
WA	95%	290	n/a	94%	94%	95%	n/a
CT	95%	249	n/a	94%	96%	94%	n/a
UT	95%	224	n/a	95%	94%	94%	95%
VT	94%	253	n/a	90%	92%	96%	94%
MN	94%	1,543	91%	96%	94%	93%	84%
NE	94%	266	n/a	89%	99%	97%	94%
SD	94%	296	n/a	93%	94%	94%	n/a
KS	94%	263	n/a	92%	94%	98%	n/a
SC	94%	476	n/a	92%	95%	94%	n/a
NH	94%	289	n/a	93%	94%	94%	94%
Weighted NCI Average	94%	14,551	92%	93%	93%	95%	92%
MO	93%	269	n/a	100%	91%	89%	n/a
ME	93%	320	n/a	93%	91%	91%	93%
CO	92%	464	n/a	85%	90%	94%	98%
DE	92%	219	n/a	93%	n/a	91%	n/a
HI	92%	159	n/a	n/a	n/a	92%	97%
NJ	92%	300	n/a	91%	89%	93%	n/a
OR	91%	276	n/a	92%	92%	96%	82%
MI	91%	387	n/a	93%	86%	93%	90%
NV	91%	337	n/a	88%	96%	93%	n/a
OK	91%	258	n/a	91%	89%	92%	n/a
TX	91%	1,270	87%	90%	97%	95%	87%
NY	91%	235	n/a	91%	n/a	n/a	n/a
WI	91%	633	n/a	87%	91%	94%	100%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AZ	86%	255	n/a	85%	60%	89%	83%